



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



W. Watke.

CATALOGUS
HORTI ACADEMICI VINDOBONENSIS.

DISPOSUIT
STEPHANUS ENDLICHER.

TOMUS II.

VINDOBONAE.
SUMPTIBUS ET TYPIS CAROLI GEROLD.
1848.

Ordo LXXXVI. Labiatae.

Tribus I. Ocimoideae.

3569. **Ocimum** Linn.

3554. **Ocimum Basilicum** Linn. Spec. 833. Benth. Labiat. 4. *Ocimum inodorum* Burm. Flor. Ind. 130. *Plectranthus Monachorum* Spreng. Syst. II. 690. — 24 — *Habitat in India orientali.*

β. *Thyrsiflorum* Linn. Mant. 84. Jacq. Hort. Vindob. t. 78.

γ. *Difforme*. *Ocimum bullatum* Lam. Dict. I. 384.

3555. **Ocimum Selloi** Benth. Labiat. 6. — 24 — *Habitat in Brasilia.*

3556. **Ocimum sanctum** Linn. Mant. 85. Benth. Labiat. 11. *Ocimum Monachorum* Linn. Mant. 58. *Ocimum hispidum* Lam. Dict. I. 384. *Ocimum pilosum* Willd. Enum. 629. *Ocimum ciliatum* Hornem. Hort. Havn. — 24 — *Habitat in India orientali.*

3557. **Ocimum micranthum** Willd. Enum. 630. Benth. Labiat. 12. — 24 — *Habitat in America tropica.*

3573. **Moschosma** Reichenb.

3558. **Moschosma polystachyum** Benth. Labiat. 24. *Lumnitzera polystachya* Jacq. Fil. *Ocimum polystachyon* Linn. Mant. 567. Murray Nov. Comment. Götting. III. 71. t. 3. — 24 — *Habitat in India orientali.*

3559. **Moschosma ocimoides** Benth. Labiat. 25. *Lumnitzera ocimoides* Jacq. Fil. *Ocimum polycladon* Link Enum. II. 119. — 24 — *Habitat in India orientali.*

3575. **Plectranthus** L'Herit.

3560. **Plectranthus fruticosus** L'Herit. Stirp. I. 85. t. 41. Benth. Labiat. 32. *Germanea urticifolia* Lam. Dict. II. 682. — 4 — *Habitat in Africa australi, ad Caput bonae spei.*

3561. **Plectranthus cordifolius** Don Prodr. Fl. nep. 116. Benth. Labiat. 35. *Plectranthus incanus* Link Enum. II. 120. *Ocimum molle* Aiton Hort. kew. ed. 1. II. 322. *Plectranthus mollis* Spreng. Syst. II. 690. *Plectranthus maypurensis* Spreng. Syst. II. 691. *Ocimum maypurens* Roth Nov. Pl. sp. 241. — 4 — *Habitat in montosis Indiae orientalis.*

3562. **Plectranthus parviflorus** Willd. Hort. berol. I. t. 65. Benth. Labiat. 37. *Plectranthus graveolens* R. Brown Prodr. 506. *Plectranthus paniculatus* Jacq. Fragm. 62. t. 91. — 4 — *Habitat in Nova Hollandia tropica et in montibus circa portum Jackson, nec non in insulis Sandvicensibus.*

3563. **Plectranthus rugosus** Wallich Plant. As. rar. II. 17. Benth. Labiat. 43. *Ocimum densiflorum* Roth Nov. Pl. sp. 275. *Lumnitzera densiflora* Spreng. Syst. II. 687. *Isodon plectranthoides* Schrad. — 4 — *Habitat in India orientali.*

3576. **Coleus** Loureir.

3564. **Coleus aromaticus** Benth. Wallich Plant. As. rar. II. 15. Labiat. 51. Bot. Reg. t. 1520. *Plectranthus aromaticus* Roxb. Hort. Beng. 45. *Plectranthus crassifolius* Hortul. — 4 — *Habitat in India orientali.*

3577. **Anisochilus** Wallich.

3565 **Anisochilus carnosus** Wallich Pl. As. rar. II. 18. Benth. Labiat. 59. *Lavandula carnosu* Linn. Amoen. Acad. X. 56. t. 3. *Plectranthus carnosus* Smith in Rees Cycl. XXVII. *Plectranthus crassifolius* Hortul. — 4 — *Habitat in rudertis et muris Indiae orientalis.*

3578. *Aeolanthus* Mart.

3566. *Aeolanthus suavis* Mart. Amoen. Bot. Mon. 4. t. 2. Benth. Labiat. 61. — ☉ — *Habitat in China, a colonis Fou - kian - lang per tropicos orbis terrarum propagatus.*

3582. *Marsypianthus* Mart.

3567. *Marsypianthus hyptoides* Martius ex Benth. Labiat. 64. *Clinopodium Chamaedrys* Vahl Symb. III. 77. *Hyptis Chamaedrys* Willd. Spec. III. 85. Poit. in Annal. Mus. VII. 468. t. 27. f. 4. *Hyptis pseudochamaedrys* Poit. Op. cit. t. 31. f. 1. — ☉ — *Habitat in America tropica.*

3583. *Hyptis* Jacq.

3568. *Hyptis capitata* Jacq. Ic. rar. t. 114. Poit. Annal. Mus. VII. 464. t. 27. f. 1. Benth. Labiat. 104. *Clinopodium capitatum* Swartz Prodr. 88. — 24 — *Habitat in America tropica.*

3569. *Hyptis pectinata* Poit. Annal. Mus. Paris. VII. 474. Benth. Labiat. 127. *Hyptis persica* Poit. Annal. Mus. Paris. VII. 471. *Hyptis nepetoides* Fisch. Schrank in Denkschr. bot. Gesellsch. Regensb. II. 52. *Mentha perilloides* Linn. Syst. ed. XIII. 445. *Nepeta pectinata* Linn. Spec. 709. *Nepeta aristata* Richard Act. Soc. Hist. Nat. Paris. 110. *Brotera persica* Spreng. in Transact. Soc. Linn. Lond. VI. 151. t. 4. *Bystropogon pectinatum* L'Herit. Sert. angl. 19. — 24 — *Habitat in Americae aequinoctialis aridis cretaceis et arenosis vulgaris, etiam in Africae nec non Asiae regione tropica spontanea, sed non indigena.*

3585. *Lavandula* Linn.

3570. *Lavandula vera* DC. Flor. fr. Suppl. V. 398. Benth. Labiat. 148. *Lavandula angustifolia* Mönch Meth. 389. *Lavandula Spica* Lois. Flor. Gall. II. 346. *Lavandula Spica* a. Linn. Spec. 800. *Lavan-*

dula vulgaris α. Lamarck Flor. fr. II. 403. *Lavandula officinalis* Chaix in Vill. Flor. Dauph. II. 355. 366. — 2 — *Habitat in Europae et Africae regionis mediterraneae collibus sterilibus et declivibus.*

3571. **Lavandula Spica** DC. Flor. fr. V. 397. Benth. Labiat. 149. *Lavandula Spica* β. Linn. Spec. 800. *Lavandula vulgaris* β. Lam. Fl. fr. II. 403. *Lavandula latifolia* Vill. Flor. Dauph. II. 363. — 2 — *Habitat in Europae et Africae regionis mediterraneae aridis.*

3572. **Lavandula pinnata** Linn. Fil. Diss. Lav. 55. Jacq. Icon. rar. I. 11. t. 106. Bot. Mag. t. 401. Benth. Labiat. 150. — 2 — *Habitat in insulis Canariis.*

β. *Pubescens* Benth. l. c. *Lavandula formosa* Dietr. Lex. Nachtr. IV. et Link Enum. Hort. berol. I. 103.

3573. **Lavandula abrotanoides** Lamarck Dict. III. 429. Benth. Labiat. 150. *Lavandula canariensis* Mill. Dict. n. 4. *Lavandula elegans* Desf. Hort. Paris. 71. Mirb. Ann. Mus. XV. t. 5. f. 5. — 2 — *Habitat in insulis Canariis.*

3574. **Lavandula multifida** Linn. Spec. 800. Benth. Labiat. 150. — 2 — *Habitat in Europae et Africae mediterraneae regionibus austro-occidentalibus.*

Tribus II. Menthoideae.

3586. **Pogostemon** Desf.

3575. **Pogostemon plectranthoides** Desf. Ann. Mus. Paris. II. 154. t. 6. Bot. Mag. t. 3238. Benth. Labiat. 153. *Origanum benghalense* Burm. Fl. Ind. 128. t. 38. f. 3. *Wensea pyramidata* Wendl. Coll. Pl. II. 26. t. 84. — 2 — *Habitat in Indiae orientalis humidis, et in insula Mauritii.*

3588. **Elsholtzia** Wild.

3576. **Elsholtzia incisa** Benth. Labiat. 162. *Mentha blanda* DC. Plant. rar. hort. genev. 23. t. 8.

Hyptis stachyodes Link Enum. II. 106. — 24 — *Habitat in India orientali.*

3577. **Elsholtzia cristata** Willd. Spec. III. 29. et in Uster. Mag. II. 5. t. 1. Bot. Mag. t. 2560. Benth. Labiat. 164. *Mentha ovata* Cavan. Ic. rar. IV. 36. t. 360. f. 1. *Mentha Patrini* Lepech. in Nov. Act. Petrop. I. 336. t. 8. — 24 — *Habitat in montibus Asiae mediae, ab India orientali ad Sibiriam.*

3591. **Perilla** Linn.

3578. **Perilla ocymoides** Linn. Gen. n. 578. Benth. Labiat. 166. *Ocymum frutescens* Linn. Spec. II. 832. *Mentha perilloides* Lamarck Dict. IV. 112. non Linn. — 24 — *Habitat in India orientali.*

3593. **Preslia** Fresen.

3579. **Preslia cervina** Fresenius in Syllog. plant. II. 238. Benth. Labiat. 167. *Mentha cervina* Linn. Spec. 807. — 24 — *Habitat in Europae mediae et australioris uliginosis et fossis udis.*

3594. **Mentha** Linn.

3580. **Mentha sylvestris** Linn. Spec. 804. Benth. Labiat. 171. — 24 — *Habitat juxta fossas et in udis Europae et Asiae borealis vulgaris.*

3581. **Mentha rotundifolia** Linn. Spec. 825. Smith E. B. t. 446. Benth. Labiat. 173. — 24 — *Habitat in ruderatis et juxta vias Europae totius et Asiae temperatae vulgaris.*

3582. **Mentha viridis** Linn. Spec. 804. Smith E. B. t. 2424. Benth. Labiat. 173. — 24 — *Habitat in ruderatis Europae temperatae, etiam in Americam transfuga.*

3583. **Mentha piperita** Linn. Spec. 805. Smith E. B. t. 687. Benth. Labiat. 175. — 24 — *Habitat ut videtur in Europa boreali spontanea, in media et australi passim culta.*

3584. **Mentha aquatica** Linn. Spec. 805. Benth. Labiat. 176. — 4 — *Habitat in udis juxta rivulos et fossas regionum temperatarum totius fere orbis.*

β. *Hirsuta*. **Mentha hirsuta** Linn. Mant. 81. Hooker Flor. Lond. V. t. 166.

γ. *Crispa*. **Mentha crispa** Linn. Spec. 805. Nees Plant. offic. I. t. 5.

3585. **Mentha arvensis** Linn. Spec. 806. Benth. Labiat. 178. — 4 — *Habitat in uliginosis sylvaticis Europae mediae et borealis, nec non Asiae temperatae vulgatissima.*

ζ. *Vulgaris*. **Mentha austriaca** Jacq. Flor. austr. t. 430.

3586. **Mentha Pulegium** Linn. Spec. 807. Smith E. B. t. 1026. Benth. Labiat. 182. — 4 — *Habitat in uliginosis Europae totius et regionis taurico-caucasicae.*

3595. **Lycopus** Linn.

3587. **Lycopus europaeus** Linn. Spec. 30. Smith Engl. Bot. t. 1105. Flor. dan. t. 1081. Benth. Labiat. 186. — 4 — *Habitat in Europae totius et Asiae borealis humidis aquosis.*

3588. **Lycopus virginicus** Linn. Spec. 30. Benth. Labiat. 185. — 4 — *Habitat in humidis Americae borealis.*

3589. **Lycopus exaltatus** Linn. Fil. Suppl. 87. Sibth. Flor. graec. I. 9. t. 12. Benth. Labiat. 187. **Lycopus pinnatifidus** Pall. Fl. ross. 2. t. 1. — 4 — *Habitat in Europae orientalis et Asiae mediae humidis.*

Tribus III. Monardeae.

3597. **Salvia** Linn.

I. **E u s p h a c e** Benth.

3590. **Salvia officinalis** Linn. Spec. 34. Benth. Labiat. 208. **Salvia grandiflora** Tenore Fl. Neap. Prodr. App. V. 3. Syll. Fl. Neap. 16. — 4 — *Habitat in Europae australis siccis.*

3591. **Salvia grandiflora** Ettling. Salv. n. 2. Jacq. Fil. Eclog. Fasc. IV. 55. t. 36. Benth. Labiat. 209. — 2 — *Habitat in montosis Tauriae.*

3592. **Salvia pinnata** Linn. Spec. 39. Benth. Labiat. 212. — 2 — *Habitat in Europa australi, praesertim orientali.*

3593. **Salvia rosaefolia** Smith Ic. 5. t. 5. Benth. Labiat. 212. — 2 — *Habitat in Oriente.*

3594. **Salvia scabiosaefolia** Lam. Journ. Hist. nat. n. XIV. 44. t. 27. Benth. Labiat. 213. *Salvia Hablixiana* Willd. in Schrad. Journ. Bot. I. 289. t. 2. Jacq. Fil. Eclog. I. 9. t. 3. Bot. Mag. t. 1429. *Salvia vulnerariaefolia* Willd. Spec. I. 149. — 2 — *Habitat in regione pontica.*

II. Hymenosphace Benth.

3595. **Salvia pomifera** Linn. Spec. 34. Sibth. Flor. graec. I. 12. t. 15. Benth. Labiat. 216. *Salvia crispa* Rivin. Monop. Irr. t. 125. *Salvia frugifera* Ettl. Salv. n. 5. — 2 — *Habitat in Oriente.*

3596. **Salvia aurea** Linn. Spec. 38. Bot. Mag. t. 182. Benth. Labiat. 216. *Salvia colorata* Linn. Syst. 71. ? non Vahl. — 2 — *Habitat in Africa australi.*

3597. **Salvia nivea** Thunb. Prodr. Fl. cap. 96. Benth. Labiat. 218. *Salvia lanceolata* Lam. Ill. I. 72. sec. Vahl. — 2 — *Habitat ad Caput bonae spei.*

3598. **Salvia canariensis** Linn. Spec. 38. Benth. Labiat. 218. *Schraderia hastata* Mönch Meth. — 2 — *Habitat in insulis Canariensibus.*

III. Drymosphace Benth.

3599. **Salvia glutinosa** Linn. Spec. 37. Benth. Labiat. 218. *Sclarea glutinosa* Mill. Dict. n. 11. — 2 — *Habitat in Europae et Asiae mediae sylvis umbrosis.*

IV. Horminum Benth.

3600 **Salvia viridis** Linn. Spec. 34. Jacq.

Ic. rar. I. 2. t. 4. Desf. Flor. atl. I. 20. t. 1. Sibthorp Flor. graec. I. 15. t. 19. Reichenb. Icon. VI. 23. t. 531. Benth. Labiat. 220. *Salvia Spielmanni* Scop. Delic. III. 31. t. 15. Jacq. Fil. Eclog. I. 25. t. 15. Reichenb. Icon. VI. 23. t. 532. non Willd. *Salvia truncata* Willd. Spec. I. 34. *Horminum viride* Mönch Meth. 377. — 24 — *Habitat in Europae, Africae et Asiae regionis mediterraneae locis siccis, saxosis, argillosis etc.*

3601. **Salvia Horminum** Linn. Spec. 34. Sibth. Flor. graec. I. 15. t. 20. Benth. Labiat. 221. *Salvia colorata* Thore Cbl. Land. 17. — 24 — *Habitat in Europae et Asiae regione mediterraneo-pontica, ad margines agrorum, in dumetis etc.*

V. Aethiopis Benth.

3602. **Salvia odorata** Willd. Enum. Hort. berol. 43. Jacq. Fil. Eclog. fasc. II. 26. t. 16. Benth. Labiat. 223. *Salvia argentea* Hortul. non Linn. *Salvia albida* Jacq. Obs. X. n. 73. — 24 — *Habitat prope Bagdad.*

3603. **Salvia Sclarea** Linn. Spec. 38. Sibth. Flor. graec. I. 18. t. 25. Benth. Labiat. 224. *Salvia bracteata* Bot. Mag. t. 2320. *Salvia Simsiana* Röm. et Schult. Syst. Veg. Add. II. ad Mant. I. 210. Bot. Reg. t. 1003. — 24 — *Habitat ad vias et in siccis Europae meridionalis et regionis Ponticae.*

3604. **Salvia spinosa** Linn. Mant. 511. Jacq. Icon. rar. I. 2. t. 7. Benth. Labiat. 224. *Salvia Abyssinica* Linn. Fil. Suppl. 88. *Salvia Aegyptiaca* Linn. Mant. 26. ex Röm. et Schult. — 24 — *Habitat in Aegypto et Syria.*

3605. **Salvia tingitana** Ettl. Salv. 30. Benth. Labiat. 225. *Salvia foetida* Lam. Ill. I. 69. *Salvia coarctata* Vahl Enum. I. 277. — 24 — *Habitat in Africae borealis regno tunetano.*

3606. **Salvia Aethiopis** Linn. Spec. 39. Jacq. Flor. austr. III. 7. t. 211. Benth. Labiat. 226. — 24 — *Habitat in Europae, Africae et Asiae regionis mediterranea-*

nene et ponticae arvis et campis aridis argillosis, et in locis siccis sterilibus.

3607. **Salvia argentea** Linn. Spec. 38. Jacq. Hort. Schönbr. I. 4. t. 6. Sibth. Flor. graec. I. 20. t. 27. Benth. Labiat. 226. *Salvia candidissima* Guss. Prodr. Fl. sic. I. 16. Hoffm. et Link Fl. port. I. 151. t. 20. non Vahl. *Salvia patula* Desf. Fl. atl. I. 25. *Salvia atlantica* Pers. Syn. I. 29. — 24 — *Habitat in Europae et Africae regionis mediterraneae arvis incultis.*

3608. **Salvia ceratophylla** Linn. Spec. 39. Benth. Labiat. 229. *Salvia exasperata* Cavan. Annal. Hist. nat. III. 113. t. 17. Icon. VI. 38. t. 558. — 24 — *Habitat in Oriente.*

VI. Plethiosphace Benth.

3609. **Salvia austriaca** Linn. Syst. Veg. 69. Jacq. Flor. austr. II. 8. t. 112. Bot. Reg. t. 1019. Benth. Labiat. 232. *Salvia Sclarea* Crantz Stirp. austr. 236. — 24 — *Habitat in Europae orientalis herbidis ad margines agrorum etc.*

3610. **Salvia ceratophylloides** Linn. Mant. 26. Benth. Labiat. 232. *Salvia ceratophylla* Tenore Syll. Fl. neap. 21. — 24 — *Habitat in regione mediterranea australiore.*

3611. **Salvia pratensis** Linn. Spec. 35. Smith Engl. Bot. III. t. 153. Benth. Labiat. 233. *Salvia agrestis* Linn. Amoen. Acad. III. 399. *Salvia haematodes* Linn. Spec. 35. *Salvia Barrelieri* Ten. Fl. neap. I. 9. t. 2. Schrank Hort. monac. I. t. 5. *Salvia Tenorii* Spreng. Syst. II. 65. Sweet Brit. Fl. Gard. I. t. 26. *Salvia virgata* Savi Bot. Etrusc. II. 4. non Jacq. *Salvia variegata* Waldst. et Kit. Willd. Enum. Hort. berol. I. 36. *Salvia tricolor* Hortul. — 24 — *Habitat in Europae mediae et australis herbidis, pratis siccis ad vias etc.*

a. *Alba.* — b. *Rubra.*

3612. **Salvia lusitanica** Jacq. Fil. Eclog. I. 57. t. 38. Benth. Labiat. 234. — 24 — *Habitat in peninsula Hispanica.*

3613. **Salvia virgata** Aiton Hort. kew. ed. 1. I. 39. Jacq. Hort. Vindob. I. 14. t. 37. Benth. Labiat. 234. *Salvia garganica* Ten. Index Sem. Hort. neap. 1829. et Syll. Pl. neap. 18. *Salvia caduca* Hornem. Hort. Hafn. I. 30. *Salvia gigantea* Desf. Cat. Hort. Paris. ed. II. 68. *Salvia pyrenaica* Linn. Spec. 36. *Salvia grandidentata* Tenore Ind. Sem. Hort. neap. 1829. *Salvia amplexicaulis* Lam. Ill. I. 68. *Salvia rubra* Spreng. Cur. post. 17. *Salvia Bauhini*, *Barrelieri*, *quercifolia*, *taurica*, *taurina* Hortul. — 4 — *Habitat in Italia.*

3614. **Salvia viscosa** Jacq. Misc. II. 328. Ic. rar. I. 2. t. 5. Benth. Labiat. 235. — 4 — *Habitat in Europa australi.*

3615. **Salvia rugosa** Thunb. Prodr. Fl. Cap. 97. Benth. Labiat. 236. — 4 — *Habitat in Capite bonae spei.*

3616. **Salvia disermas** Linn. Spec. 36. Benth. Labiat. 236. *Horminum disermas* Mönch Meth. — 4 — *Habitat ad Caput bonae spei.*

3617. **Salvia Sibthorpii** Smith et Sibthorp Flor. graec. I. 17. t. 22. Benth. Labiat. 236. *Salvia campestris* Bieberst. Flor. Taur. cauc. I. 20. et III. 22. Reichenb. Iconogr. t. 529. *Salvia mollis* Jacq. Fil. Eclog. I. 56. t. 37. ? *Salvia amplexicaulis*, *Barrelieri*, *caucasica*, *taurica*, *virgata* etc. Hortul. — 4 — *Habitat in Europae mediterraneae orientalis, et in regionis Ponticae campis graminosis ad vias etc.*

3618. **Salvia limbata** Meyer Enum. Plant. cauc. casp. 86. Benth. Labiat. 718. — 4 — *Habitat in Caucaso.*

3619. **Salvia sylvestris** Linn. Spec. 34. Jacq. Flor. austr. III. 7. t. 212. Reichenb. Iconogr. t. 527. Benth. Labiat. 237. *Salvia nemorosa* Linn. Spec. 35. Reichenb. Icon. t. 526. *Salvia deserta* Schangin in Ledeb. Catal. Hort. Dorp. 1824. 6. Reichenb. Iconogr. t. 528. *Salvia elata* Host Flor. austr. I. 24. *Salvia valentina* Vahl Enum. I. 268. *Salvia alpestris*, *asperula*, *taurica* etc. Hortul. — 4 — *Habitat in Europae orientalis et meridionalis, et in Asiae mediae campis herbidis.*

a. *Alba.* — b. *Villosa.*

3620. **Salvia nutans** Linn. Spec. 39. Waldst. et Kit. Plant. rar. Hung. I. 63. t. 62. Bot. Mag. t. 2436. Benth. Labiat. 238. *Salvia acutifolia* Lam. Illust. Gen. I. 683. *Salvia pendula* Bess. Fl. galic. *Salvia betonicaefolia* Ettling. Salv. 49. — 4 — *Habitat in Europa orientali.*

3621. **Salvia sclareoides** Brot. Phyt. Lus. 3. t. 2. Fl. Lus. I. 17. Benth. Labiat. 239. et 719. *Salvia bullata* Schousb. ex Vahl Enum. I. 265. *Salvia lusitanica* Poir. Pict. VI. 606. ? *Salvia elongata* Spreng. Pugill. pl. I. 43. — 4 — *Habitat in Europae regionis mediterraneae australioribus, in Lusitania et Italia.*

3622. **Salvia verbenaca** Linn. Spec. 35. Curtis Fl. Lond. III. ic. Benth. Labiat. 240. *Salvia illyrica* Schultes Obs. bot. 8. *Salvia Spielmanni* Willd. Enum. 38. non Scop. *Salvia Spielmanniana* Bieberst. Flor. Taur. cauc. I. 21. *Salvia byzantina*, *heterophylla* etc. Hortul. — 4 — *Habitat in Europa et Tauria.*

β. *Oblongifolia* Benth. Labiat. 240. *S. oblongata* Vahl Enum. I. 256. *S. betonicaefolia* Lamarek Illustr. I. 70.

3623. **Salvia clandestina** Linn. Spec. 36. Benth. Labiat. 240. *Salvia verbenaca* Vahl Enum. I. 255. Reichenb. Iconogr. t. 523. et Auct. plur. austr. non Linn. *Salvia verbenacoides* Brot. Fl. lusit. I. 17. *Salvia polymorpha* Hoffmans. et Link Fl. Port. I. 149. t. 19. Reichenb. Iconogr. t. 524. f. 719. *Salvia praecox* Savi Flor. pis. I. 22. Loisel Not. 6. *Salvia Viviani* Spreng. in Sieb. Pl. Apul. et calabr. — 4 — *Habitat in Europa australi et Africa boreali.*

β. *Multifida* Benth. Labiat. 241. *S. multifida* Sibth. Flor. graec. I. 17. t. 23. Reichenb. Iconogr. t. 524. f. 720. *S. clandestina* Vahl Enum. I. 256. Reichenb. Iconogr. t. 525. *S. laciniata* Willd. Enum. Hort. berol. Suppl. 2.

VII. Calosphace Benth.

3624. **Salvia serotina** Linn. Mant. 25. Jacq. Ic. rar. I. t. 3. Benth. Labiat. 246. — 4 — *Habitat in Antillis.*

3625. **Salvia lanceolata** Willd. Enum. Hort.

berol. I. 37. Jacq. Fil. Eclog. I. 13. t. 13. Benth. Labiat. 248. *Salvia reflexa* Hornem. Enum. Hort. Hafn. I. 34. *Salvia aspidophylla* Röm. et Schult. Syst. Mant. I. 206. *Salvia trichostemmoides* Pursh Fl. Am. Sept. I. 19. — 24 — *Habitat in America septentrionali.*

3626. **Salvia hispanica** Linn. Spec. 37. Bot. Reg. t. 359. Benth. Labiat. 264. *Salvia prismatica* Cavan. Diss. 14. *Salvia tetragona* Mönch Method. 373. — 24 — *Habitat in America aequinoctiali.*

3627. **Salvia amarissima** Orteg. Dec. 4. Bot. Reg. t. 347. Benth. Labiat. 264. *Salvia amara* Jacq. Hort. Schönbr. III. t. 255. *Salvia circinata* Cav. Ic. IV. 9. t. 318. *Salvia nepetoides* Humb. et Kunth Nov. gen. et sp. Amer. II. 299. t. 150. — 24 — *Habitat in Mexico.*

3628. **Salvia leonuroides** Glox. Obs. bot. 15. t. 2. Lam. Ill. t. 20. f. 3. Benth. Labiat. 280. *Salvia formosa* L'Herit. Stirp. I. 41. t. 21. Mirb. in Annal. Mus. 15. t. 15. f. 9. Trattin. Tabul. t. 398. Bot. Mag. t. 376. *Salvia nodosa* Ruiz et Pav. Fl. per I. 25. t. 41. f. A. *Jungia formosa* Mönch Method. — 24 — *Habitat in locis temperatis regni Quintensis.*

3629. **Salvia splendens** Sellow in Römer et Schult. Mant. II. 185. Bot. Reg. t. 6. 87. Reichenb. Hort. bot. I. t. 51. Colla in Mem. Acad. taur. XXXI. 331. t. 17. Benth. Labiat. 287. *Salvia brasiliensis* Spreng. Syst. II. 56. *Salvia colorans* Hortul. — 24 — *Habitat in Brasiliae sylvis.*

3630. **Salvia involucrata** Cavan. Icon. II. 114. t. 105. Bot. Reg. t. 1205. Bot. Mag. t. 2872. Benth. Labiat. 287. *Salvia laevigata* Humb. et Kunth Nov. gen. et spec. Amer. II. 295. t. 147. — 24 — *Habitat in Mexico.*

3631. **Salvia Grahami** Benth. in Bot. Reg. t. 1370. Labiat. 289. — 24 — *Habitat in Mexico.*

3632. **Salvia coccinea** Linn. Mant. 88. Murr. Comment. Gött. 1778. 86. t. 1. Benth. Labiat. 290. *Salvia rosea* Vahl Enum. I. 244. *Salvia glaucescens* Pohl

Plant. bras. Icon. II. 136. t. 192. — 24 — *Habitat in America aequinoctiali.*

3633. **Salvia fulgens** Cavan. Icon. I. 15. t. 23. Brit. Fl. Gard. ser. II. v. I. t. 59. Bot. Reg. t. 1356. Benth. Labiat. 291. *Salvia cardinalis* Humb. et Kunth Nov. gen. et spec. Amer. II. 301. t. 151. — 24 — *Habitat in montosis mexicanis.*

3634. **Salvia scutellarioides** Humb. et Kunth Nov. gen. et spec. Amer. II. 303. t. 158. Benth. Labiat. 294. — 24 — *Habitat in America aequinoctiali.*

3635. **Salvia patens** Cavan. Ic. V. 33. t. 454. Benth. Labiat. 295. *Salvia spectabilis* Humb. et Kunth Nov. gen. et spec. Amer. II. 304. — 24 — *Habitat in montibus mexicanorum.*

3636. **Salvia mexicana** Linn. Spec. 37. Cavan. Icon. I. 16. t. 26. Benth. Labiat. 296. *Salvia melissaefolia* Desf. Cat. Hort. Par. — 24 — *Habitat in locis temperatis regni mexicani.*

3637. **Salvia glabrata** Humb. et Kunth Nov. gen. et spec. Amer. II. 299. Benth. Labiat. 297. — 24 — *Habitat in montibus temperatis Novae Hispaniae, in Mexico.*

3638. **Salvia lamellifolia** Jacq. Hort. Schönbr. III. 37. t. 318. Benth. Labiat. 299. *Salvia Boosiana* Jacq. Fil. Eclog. I. 69. t. 47. *Salvia Boosii* Trattin. Obs. bot. fasc. II. 59. t. 92. *Salvia amoena* Bot. Mag. t. 1294. Bot. Repos. t. 446. *Salvia thymiflora* Willd. Enum. Hort. ber. Suppl. 2. *Salvia cyanea* Fischer Catal. Hort. Gorenki 21. *Salvia azurea, caerulea* Hortul. — 24 — *Habitat in insula St. Vincentii et Trinitatis.*

VIII. Heterosphace Benth.

3639. **Salvia nilotica** Vahl Enum. I. 258. Murr. Comment. Gött. 1778. 98. t. 2. Jacq. Hort. Vind. III. 48. t. 92. Benth. Labiat. 303. *Salvia intermedia* Schultes Obs. bot. 9. *Salvia abyssinica* Jacq. Icon. rar. I. 2. t. 6. non Linn. *Salvia nubia* Murr. Comment. Gött. 1770. 90. t. 3. Vahl Enum. I. 259. *Salvia napaefolia* Auct. plur. et Hortul. — 24 — *Habitat in Aegypto.*

3640. **Salvia sylvicola** Burch. Cat. Geogr. n. 6052. Benth. Labiat. 304. — 2 — *Habitat ad Caput bonae spei.*

3641. **Salvia lyrata** Linn. Spec. 33. Benth. Labiat. 306. *Horminum virginicum* Linn. Spec. 832. *Cunila lyrata* Schranck in Syllog. Pl. Soc. Ratisb. II. 57. — 2 — *Habitat in America septentrionali.*

IX. Notiosphace Benth.

3642. **Salvia aegyptiaca** Linn. Spec. 33. Jacq. Hort. Vind. II. 49. t. 108. Benth. Labiat. 309. *Melissa perennis* Forsk. Fl. aegypt. arab. 108. *Thymus hirtus* Viviani Fl. lib. spec. 36. t. 14. f. 1. — 2 — *Habitat in Africae ora septentrionali et occidentali.*

X. Hemisphace Benth.

3643. **Salvia verticillata** Linn. Spec. 37. Benth. Labiat. 311. — 2 — *Habitat in Europa australi, et in Asiae regione mediterraneo - pontica.*

Variat floribus albis.

3644. **Salvia Kotschyana.** — 2 — *Habitat in Tauro Asiae monte, unde semina misit Theodorus Kotschy.*

Affinis *S. Russelii* Benth.

3599. Rosmarinus Linn.

3645. **Rosmarinus officinalis** Linn. Spec. 33. Sibth. Flor. graec. I. 11. t. 14. Benth. Labiat. 315. — 2 — *Habitat in Europae et Africae regionis mediterraneae collibus siccis et rupestribus.*

3600. Monarda Linn.

3646. **Monarda fistulosa** Linn. Spec. 32. Reichenb. Iconogr. exot. II. 28. t. 172. Benth. Labiat. 316. *Monarda clinopodia* Linn. Spec. 32. *Monarda altissima* Willd. Enum. Hort. ber. 33. Reichenb. Iconogr. exot. II. 27. t. 170. *Monarda affinis* Link Enum. Hort. ber. I. 9. Reichenb. Iconogr. exot. II. 31. t. 182.

Monarda undulata Tausch in Reichenb. Icon. exot. II. 31. t. 181. *Monarda media* Willd. Enum. Hort. berol. 32. Sweet Brit. Fl. Gard. I. t. 98. *Monarda caerulea, cristata, dubia* Hortul. — 2 — *Habitat in Americae borealis montosis, dumetis etc. vulgaris.*

3647. **Monarda Russelliana** Nuttall Trav. in Arkans. Territ. 141. Sims Bot. Mag. 2513. Hook. Exot. Fl. II. 230. Sweet Brit. Fl. Gard. II. t. 166. Benth. Labiat. 317. — 2 — *Habitat in America septentrionali.*

3601. **Blephilia** Rafin.

3648. **Blephilia ciliata** Rafinesq. in Journ. Phys. LXXXIX. 98. Benth. Labiat. 319. *Monarda ciliata* Linn Spec. 33. non Michaux. — 2 — *Habitat in America boreali.*

3602. **Zizyphora** Linn.

3649. **Zizyphora clinopodioides** Bieberst. Flor. Taur. cauc. I. 17. Benth. Labiat. 320. *Cunila capitata* Linn. Spec. 30. — 2 — *Habitat in Asia media.*

α. *Canescens* Benth. Labiat. 321.

β. *Media* Benth. Labiat. 321. *Zizyphora media* Link Enum. Hort. berol. I. 17. *Ziz. clinopodioides* Rudolph. in Mem. Acad. scient. Petrop. II. 311. t. 11. excl. Var. α et β. *Ziz. serpyllacea* Bot. Mag. t. 906.

3650. **Zizyphora dasyantha** Bieberst. Flor. Taur. cauc. I. 18. Benth. Labiat. 321. — 2 — *Habitat in Caucasi Iberici subalpinis et in montibus Talüs.*

3651. **Zizyphora capitata** Linn. Spec. 31. Sibth. Flor. graec. I. 10. t. 13. Benth. Labiat. 322. — 2 — *Habitat in regionis mediterraneae et Rossiae australis agris, campis et collibus.*

3652. **Zizyphora tenuior** Linn. Spec. 31. Benth. Labiat. 322. *Zizyphora spicata* Cerv. Ann. Scienc. Madrit. IV. 259. *Zizyphora serpyllacea* Tenore Syll. Fl. Nap. 16. — 2 — *Habitat in regionis mediterraneae et Rossiae australis collibus incultis.*

3603. **Horminum** Linn.

3653. **Horminum pyrenaicum** Linn. Spec. 831. Sweet Brit. Fl. Gard. III. t. 252. Benth. Labiat. 727. *Melissa pyrenaica* Jacq. Hort. Vind. t. 183. — 2 — *Habitat in Europae temperatae montibus.*

Tribus IV. **Satureineae.**

3605. **Pycnanthemum** Michaux.

Sect. I. **Tullia** Leaven.

3654. **Pycnanthemum incanum** Michaux Flor. Bor. Amer. II. 7. Benth. Labiat. 327. *Clinopodium incanum* Linn. Spec. 822. Dillen Hort. Elth. I. 87. t. 74. — 2 — *Habitat in America boreali.*

Sect. II. **Brachystemum** Rich.

3655. **Pycnanthemum lanceolatum** Pursh Flor. Amer. sept. II. 410. Benth. Labiat. 330. — 2 — *Habitat in America boreali.*

α. *Latifolium* Benth. Labiat. 330. *Pycn. verticillatum* Pers. Synops. II. 128. *Brachystemum verticillatum* Michaux Flor. Bor. Amer. II. 6. t. 31.

β. *Angustifolium* Benth. Labiat. 330. *Brachystemum virginicum* Michaux Flor. Bor. Amer. II. 6. *Pycnanthemum virginicum* Pers. Synops. II. 628. *Nepeta virginica* Willd. Spec. III. 56.

3606. **Monardella** Benth.

3656. **Monardella montana** Benth. Labiat. 332. *Pycnanthemum montanum* Michaux Fl. Bor. Amer. II. 8. — 2 — *Habitat in Americae borealis altis montibus.*

3608. **Origanum** Linn.

3657. **Origanum vulgare** Linn. Spec. 824. Benth. Labiat. 335. — 2 — *Habitat passim in temperatis hemisphaerae borealis, utriusque continentis.*

α. *Vulgatissimum.* *Origanum vulgare* Flor. germ. —

In montanis Europae mediae passim. — β . **Prismaticum.** *Origanum heracleoticum* Endl. Flor. pos. 236. Reichenb. Flor. excurs. 313. non Linn. *Origanum creticum* Linn. Spec. 823. *Origanum macrostachyum* Link Handb. II. 468. — *In Europa australiore, cum Var. α .* — γ . **Humile.** *Origanum humile* Poiret Suppl. IV. 186. — *Varietas cultura orta.* — δ . **Virens.** *Origanum virens* Link et Hoffmannsegg. Flor. portug. I. 119. t. 9.

3658. **Origanum heracleoticum** Linn. Spec. 823. Benth. Labiat. 336. *Origanum smyrnaeum* Sibthorp Flor. graec. t. 571. non Linn. *Origanum creticum* Sieber Herb. cret. *Origanum glandulosum* Desfont. Flor. atlant. II. 27. — \perp — *Habitat in regione mediterranea.*

3609. **Majorana** Mönch.

3659. **Majorana Onites** Benth. Labiat. 339. *Origanum Onites* Linn. Spec. 824. Sibthorp Flor. graec. t. 572. *Origanum smyrnaeum* Linn. Spec. 823. *Origanum pallidum* Desfont. Catalog. Hort. Paris. edit. 2. 395. Persoon Encheir. II. 129. — \perp — *Habitat in regione mediterranea orientali.*

3610. **Thymus** Linn.

3660. **Thymus vulgaris** Linn. Spec. 825. Benth. Labiat. 342. — \perp — *Habitat in Europae austro-occidentalis siccis aridis incultis.*

3661. **Thymus Serpyllum** Linn. Spec. 825. Benth. Labiat. 343. — \perp — *Habitat in Europa et Asia.*

α . **Vulgaris** Benth. l. c. *Th. lanuginosus* Schkuhr Handb. II. t. 164. *Th. collinus* Bieberst. Flor. Taur. cauc. III. 401. *Th. effusus* Host Flor. austr. II. 137.

β . **Montanus** Benth. l. c. *Th. montanus* Waldst. et Kit. Plant. rar. Hung. I. 72. t. 71. *Th. pulegioides* Linn. Spec. ed. 1. 592. *Th. nummularius* Bieberst. Flor. Taur. cauc. II. 58. Bot. Mag. t. 2666. *Cunila thymoides* Linn. Spec. 31. *Hedeoma thymoides* Pers. syn. II. 131. *Zizyphora thymoides* Röm. et Schult. Syst. I. 209.

3662. **Thymus angustifolius** Pers. Syn. II. 130. Benth. Labiat. 344. *Thymus acicularis* Waldst. et Kit. Plant. rar. Hung. II. 157. t. 147. *Thymus odoratissimus* Bieberst. Flor. Taur. cauc. III. 405. *Thymus*

spinulosus Tenore Fl. neap. Prodr. 35. *Thymus Zygis* Linn. Spec. 826. et Auct. plur. — 24 — *Habitat in Europa praesertim australiore, et in Asia media, in collibus incultis siccis aridis et ad vias.*

3663. *Thymus pannonicus* Allioni Flor. pedem. I. 20. Benth. Labiat. 345. *Thymus lanuginosus* Miller Dict. n. 8. et Auct. plur. — 24 — *Habitat in montosis Europae australioris et Asiae mediae.*

3664. *Thymus bracteosus* Visiani msc. Benth. Labiat. 346. — 24 — *Habitat in Dalmatia.*

3665. *Thymus capitatus* Hoffmans. et Link Fl. Port. I. 123. Benth. Labiat. 348. *Thymus creticus* Brotero Phyt. lus. 27. t. 12. *Satureja capitata* Linn. Spec. 795. Sibth. Flor. graec. VI. 36. t. 544. — 24 — *Habitat in regionis mediterraneae siccis aridis saxosisque.*

3611. *Satureja* Linn.

3666. *Satureja hortensis* Linn. Spec. 795. Benth. Labiat. 352. — 24 — *Habitat in Europa australi.*

3667. *Satureja montana* Linn. Spec. 794. Sibth. Flor. graec. VI. 35. t. 543. Benth. Labiat. 353. *Satureja cuneifolia* Ten. Fl. nap. t. 151. f. 2. Syll. 277. *Satureja hyssopifolia* Bert. Ann. di Stor. Nat. 1829. fasc. III. 406. *Satureja illyrica* Host Flor. austr. II. 133. *Satureja obovata* Lagasc. Spreng. Syst. Veg. II. 720. *Satureja subspicata* Vis. Spec. Plant. dalm. 11. t. 4. Tenor. App. ad Ind. Sem. Hort. Neap. 1827. *Satureja trifida* Mönch Meth. 386. *Satureja variegata* Host Flor. austr. II. 134. *Micromeria montana, pygmaea, variegata* Reichenb. Fl. germ. exc. 311. et 859. — 24 — *Habitat in regionis mediterraneae locis aridis apricis montosisque.*

3668. *Satureja virgata* Visian. ex Plant. exs. Union. itin. Würtemb. Benth. Labiat. 353. *Satureja fasciculata* Tausch in Syllog. Plant. Soc. Ratisb. II. 248. non Biv. *Micromeria spicata* Reichenb. Flor. germ. exc. 311. — 24 — *Habitat in apricis Dalmatiae.*

3669. *Satureja Thymbra* Linn. Spec. 794. Sibth. Flor. graec. VI. 33. t. 541. Benth. Labiat. 354.

Satureja Tragoriganum Tausch in Syll. Plant. Soc. Ratisb. II. 248. *Thymus Tragoriganum* Linn. Mant. 84.
— 24 — *Habitat in regione mediterranea austro-orientali.*

3670. *Satureja intermedia* C. A. Meyer Enum. Plant cauc. casp. 91. Benth. Labiat. 355.
— 24 — *Habitat in Caucaso.*

3671. *Satureja parviflora* Presl Flor. Sicul. XXXVI. Benth. Labiat. 355. — 24 — *Habitat in Sicilia.*

3672. *Satureja hirsuta* Presl Delic. prag. 79. Benth. Labiat. 355. — 24 — *Habitat in Sicilia.*

3612. *Hyssopus* Benth.

3673. *Hyssopus officinalis* Linn. Spec. 796. Benth. Labiat. 356. — 24 — *Habitat in Europa australi et Asia media.*

α. *Latifolius* Benth. Labiat. 357. *H. Fischeri* Hortul. *H. alopecuroides* Fisch. (Hortul.)

β. *Vulgaris* Benth. Labiat. 357. *H. officinalis* Auct. Jacq. Flor. austr. t. 502.

γ. *Angustifolius* Benth. Labiat. 357. *H. angustifolius* Bieberst. Flor. Taur. cauc. II. 38. III. 389. *H. orientalis* Adam. Willd. Enum. Hort. ber. II. 600.

3613. *Collinsonia* Linn.

3674. *Collinsonia canadensis* Linn. Hort. Cliff. 14. t. 5. Benth. Labiat. 358. — 24 — *Habitat in America boreali.*

Tribus V. Melissinae.

3615. *Hedeoma* Pers.

3675. *Hedeoma pulegioides* Pers. Syn. II. 131. Benth. Labiat. 366. *Melissa pulegioides* Linn. Spec. ed. 1. 593. *Cunila pulegioides* Linn. Spec. 30. *Zizyphora pulegioides* Römer et Schult. Syst. I. 209. — 24 — *Habitat in Americae borealis arvis siccis montosisque.*

3616. **Micromeria** Benth.**α. Piperella** Presl.

3676. **Micromeria parviflora** Reichenb. Fl. germ. exc. 859. Benth. Labiat. 371. *Satureja parviflora* Vis. Plant. rar. Dalm. in Bot. Ztg. 1829. I. Ergänzb. 13. *Satureja inodora* Host Flor. austr. II. 135. — 4 — *Habitat in Dalmatiae extremo confinio prope Albaniam in montibus Pastrovitch.*

3677. **Micromeria nervosa** Benth. Labiat. 376. *Satureja nervosa* Desfont. Flor. atl. II. 9. t. 121. f. 2. *Satureja filiformis* Tenor. Prodr. et Marin. Viag. Bot. I. 299. *Thymus filiformis* Sieber Plant. cret. exs. non Linn. — 4 — *Habitat in regionis mediterraneae collibus siccis aridis et fissuris rupium.*

3678. **Micromeria filiformis** Benth. Labiat. 378. *Thymus filiformis* Aiton Hort. kew. II. 313. — 4 — *Habitat in regione mediterranea.*

β. Pseudomelissa Benth.

3679. **Micromeria Pulegium** Benth. Labiat. 382. *Melissa Pulegium* Rochel Plant. rar. Banat. 62. t. 22. f. 8. *Melissa subnuda* Waldst. et Kit. Plant. rar. Hung. III. 296. t. 262. *Calamintha organifolia* Host Flor. austr. II. 120. *Calamintha subnuda* Host Flor. austr. II. 130. — 4 — *Habitat in Banatu ad rupes thermarum Herculis.*

3680. **Micromeria marifolia** Benth. Labiat. 382. *Melissa fruticosa* Linn. Spec. 828. *Melissa cretica* Lam. Dict. IV. 79. *Calamintha cretica* Lam. Flor. fr. II. 395. *Thymus creticus* DC. Flor. fr. III. 564. *Melissa marifolia* Persoon Encheir. II. 132. *Nepeta marifolia* Cavanill. Ic. rar. VI. 55. t. 576. *Thymus marifolius* Willd. Enum. II. 624. *Nepeta serpyllifolia* Bieberst. Flor. Taur. cauc. II. 40. Plant. ross. I. t. 28. Reichenb. Iconogr. t. 219. — 5 — *Habitat in siccis lapidosus calcareis Europae et Asiae mediterraneae nec non Tauriae.*

3617. **Melissa** Linn.**a. Calamintha** Mönch.

3681. **Melissa thymifolia** Benth. Labiat.
 386. *Calamintha thymifolia* Host Flor. austr. II. 131. *Satureja thymifolia* Scop. Fl. carn. I. 428. *Thymus organifolius* Vis. in Reg. bot. Ztg. 1830. I. 51. — 24 —
Habitat in Carnioliae rupestribus muribusque vetustis agri Idriensis.

3682. **Melissa Nepeta** Linn. Spec. 828. Benth. Labiat. 387. *Calamintha Nepeta* Hoffm. et Link Fl. Port. *Calamintha parviflora* Lam. Fl. fr. II. 396. *Calamintha rotundifolia* Host Flor. austr. II. 131. *Calamintha obliqua* Host Flor. austr. II. 131. *Thymus Brauneanus* Hoppe. *Thymus diffusus* Hortul. — 24 — *Habitat in Europa imprimis australi.*

β. Athonica Benth. Labiat. 387. *Calamintha athonica* Reichenb. Flor. germ. exc. 329. *Thymus athonicus* Bernh. *Melissa athonica* Hortul.

3683. **Melissa Calamintha** Linn. Spec. 827. Benth. Labiat. 388. *Thymus Calamintha* Scopoli Flor. carn. ed. 2. n. 733. Smith Engl. Bot. t. 1676. *Calamintha officinalis* Mönch Meth. 409. *Calamintha montana* Lam. Fl. fr. II. 396. *Calamintha menthaefolia* Host Flor. austr. II. 129. *Calamintha umbrosa* Reichenb. Fl. germ. exc. 329. *Thymus umbrosus* Spreng. Pugill. 41. *Melissa umbrosa* Hort. germ. non Bieberst. — 24 —
Habitat in collibus et lucis Europae mediae et australis, nec non Asiae temperatae.

b. Acinos Mönch.

3684. **Melissa Acinos** Benth. Labiat. 389. *Thymus Acinos* Linn. Spec. 826. Hook. Fl. Lond. I. ic. Smith E. B. t. 411. *Acinos thymoides* Mönch Meth. 407. *Acinos vulgaris* Pers. Synops. II. 131. *Calamintha arvensis* Lam. Fl. fr. II. 394. — 24 — *Habitat in arvis Europae.*

3685. **Melissa patavina** Benth. Labiat. 389. *Thymus patavinus* Jacq. Obs. bot. IV. 7. t. 87. *Cal-*

mintha patavina Host. Flor. austr. II. 133. *Acinos patavina* Pers. Syn. II. 131. — 4 — *Habitat in Europa australi.*

3686. **Melissa graveolens** Benth. Labiat. 390. *Thymus graveolens* Bieberst. Flor. Taur. cauc. II. 60. Plant. ross. I. t. 38. *Acinos graveolens* Link Enum. II. 117. *Thymus canus* Steven msc. *Thymus exiguus* Sibth. Flor. graec. VI. 61. t. 575. *Acinos canus* Reichenb. Fl. Germ. exc. 327. — 4 — *Habitat in Europa australi et austro-orientali et in regione taurico-caucasica.*

3687. **Melissa rotundifolia** Benth. Labiat. 391. *Thymus rotundifolius* Poir. Dict. VII. 654. *Thymus melissoides* Bernh. in Reichenb. Fl. germ. exc. 327. *Acinos rotundifolius* Pers. Syn. II. 131. — 4 — *Habitat in Hispania et Hungaria.*

c. Clinopodium Linn.

3688. **Melissa organifolia** Benth. Labiat. 392. *Clinopodium organifolium* Labill. Ic. Plant. Syr. rar. IV. 14. t. 9. — 4 — *Habitat in monte Libano.*

3689. **Melissa Clinopodium** Benth. Labiat. 392. *Clinopodium vulgare* Linn. Spec. 821. Smith Engl. Bot. t. 1401. *Clinopodium atropurpureum et variegatum* Hortul. — 4 — *Habitat in siccis Europae et Asiae mediae.*

d. Meliphyllum Benth.

3690. **Melissa officinalis** Linn. Spec. 827. Benth. Labiat. 393. *Melissa graveolens* Host Flor. austr. II. 128. non Benth. — 4 — *Habitat in sylvis montanis Europae australioris et Asiae mediae.*

e. Macremelissa Benth.

3691. **Melissa grandiflora** Linn. Spec. 827. Benth. Labiat. 394. *Calamintha grandiflora* Mönch Method. 408. *Thymus grandiflorus* Scop Fl. Carn. DC. Fl. fr. III. 562. — 4 — *Habitat in sylvis umbrosis Europae.*

3618. **Gardoquia** Ruiz et Pav.

3692. **Gardoquia multiflora** Ruiz et Pavon Syst. 149. Flor. Peruv. et Chil. t. 495. f. a (inedit.) Benth. Labiat. 398. *Rizon ovatifolia* Cavanill. Ic. rar. VI. 56. t. 578. — 2 — *Habitat in arvis Chili.*

3693. **Gardoquia Hookeri** Benth. Labiat. 401. *Cunila coccinea* Nuttall in Hooker Exot. Flor. III. t. 163. *Melissa coccinea* Sprengel Syst. II. 224. — 2 — *Habitat in Florida.*

Tribus VI. Scutellarineae.

3624. **Prunella** Linn.

3694. **Prunella hyssopifolia** Lam. Fl. fr. II. 366. Reichenb. Iconogr. III. t. 243. Benth. Labiat. 416. — 2 — *Habitat in siccis Europae australioris.*

3695. **Prunella grandiflora** Mönch Meth. 404. Benth. Labiat. 417. *Prunella hastafolia* Brot. Fl. lus. I. 181. — 2 — *Habitat in locis umbrosis Europae totius.*

3696. **Prunella vulgaris** Linn. Spec. 837. Benth. Labiat. 417. Hook. Flor. lond. III. ic. *Prunella officinalis* Crantz Stirp. austr. 279. — 2 — *Habitat per omnem fere terrarum orbem.*

b. *Laciniata* Benth. Labiat. 418. *Pr. laciniata* Linn. Spec. 837. Reichenb. Iconogr. III. t. 238. *Pr. alba* Pallas in Bieberst. Flor. Taur. cauc. II. 67.

3626. **Scutellaria** Linn.

α. *Lupularia* A. Hamilt.

3697. **Scutellaria orientalis** Linn. Spec. 834. Sibth. Flor. graec. VI. 64. t. 580. Reichenb. Iconogr. III. t. 8. f. 17. Benth. Labiat. 423. *Scutellaria Sieversii* Bunge in Ledeb. Flor. alt. II. 394. Ledeb. Ic. Flor. ross. - alt. t. 123. *Scutellaria caucasica* Arth. Hamilt. Monogr. 14. — 2 — *Habitat in rupibus calcareis Europae austro-orientalis et Asiae mediae.*

3698. **Scutellaria alpina** Linn. Spec. 834. All. Flor. ped. 142. t. 26. f. 3. Waldst. et Kitaibel Plant. rar. Hung. II. 146. t. 137. Sweet Brit. Fl. Gard. I. t. 90. Bot. Reg. t. 1460. Benth. Labiat. 425. *Scutellaria altaica* Fisch. Catal. Hort. gor. 39. Sweet Brit. Fl. Gard. I. t. 45. — 2 — *Habitat in montibus Europae et Asiae mediae.*

β. Benth. Labiat. 425. *Sc. lupulina* Linn. Willd. Spec. III. 172. Schmid. Icon. t. 73. Bot. Reg. t. 1493. *Sc. verna* Bess. Primit. Flor. galic. p. II. 43.

δ. **Stachymacris** Benth.

3699. **Scutellaria Columnae** All. Flor. pedem. I. 40. t. 84. f. 2. Sweet Brit. Fl. Gard. I. t. 52. Benth. Labiat. 430. *Scutellaria peregrina* Sibth. Flor. graec. V. 582. non Linn. *Scutellaria altissima* Arth. Hamilt. Monogr. 18. et Auct. plur. *Scutellaria pallida* Guss. Flor. sic. Prodr. II. 137. — 2 — *Habitat in sylvaticis Europae australioris.*

3700. **Scutellaria commutata** Guss. Prodr. Flor. sicul. II. 136. Benth. Labiat. 431. *Scutellaria peregrina* Waldst. et Kit. Plant. rar. Hung. II. 154. t. 125. non Linn. *Scutellaria altissima* Linn. Spec. 836. Benth. in Bot. Reg. sub n. 1493. et Auct. plur. — 2 — *Habitat in nemoribus herbidis Europae austro-orientalis et Asiae mediae.*

3701. **Scutellaria peregrina** Linn. Spec. 836. Benth. Labiat. 432. *Scutellaria rubicunda* Hornem. Hort. Hafn. Spreng. Syst. II. 702. — 2 — *Habitat in Sicilia et in Tauria.*

3702. **Scutellaria albida** Linn. Mant. 248. Arth. Hamilt. Monogr. 21. t. 1. Sibth. Flor. graec. t. 581. Benth. Labiat. 432. *Scutellaria cretica* Miller Dict. et Hortul. *Scutellaria pallida* Bieberst. Flor. Taur. cauc. II. 65. non Guss. — 2 — *Habitat in sylvis Europae austro-orientalis et Asiae mediae.*

3703. **Scutellaria versicolor** Nuttall Gen. II. 38. Benth. Labiat. 433. *Scutellaria cordifolia* Mühlenb. Catal. — 2 — *Habitat in America boreali.*

3704. **Scutellaria viscidula** Bunge Enum. Plant. chin. bor. 52. Benth. Labiat. 435. — 2 — *Habitat in China boreali.*

3705. **Scutellaria macrantha** Fisch. ex Reichenb. Iconogr. V. t. 488. Benth. Labiat. 436. *Scutellaria grandiflora* Adams msc. — 2 — *Habitat in Asia orientali.*

c. **Galericularia** A. Hamilt.

3706. **Scutellaria scordifolia** Fisch. Ind. Sem. Hort. Petrop. 62. Benth. Labiat. 436. *Scutellaria Adamsii* Spreng. Syst. II. 701. — 2 — *Habitat in Russia orientali.*

3707. **Scutellaria galericulata** Linn. Spec. 855. Benth. Labiat. 437. Smith Engl. Bot. t. 523. Hooker Flor. Lond. II. ic. — 2 — *Habitat in humidis Europae, Asiae et Americae borealis.*

3708. **Scutellaria caerulea** Moç. et Sesse. Benth. in Bot. Reg. ad n. 1493. Labiat. 442. — 2 — *Habitat in Mexico.*

d. **Maschalestachys** Benth.

3709. **Scutellaria lateriflora** Linn. Spec. 835. Benth. Labiat. 444. — 2 — *Habitat in America boreali.*

Tribus VII. Prostanthereae.

3633. **Westringia** Smith.

3710. **Westringia rosmariniformis** Smith Tracts 277. t. 3. Andrews Bot. Reposit. t. 214. Benth. Labiat. 458. — 2 — *Habitat in Nova Hollandia.*

Tribus VIII. Nepeteae.

3635. **Lophanthus** Benth.

a. **Chlastandra** Benth.

3711. **Lophanthus rugosus** Fisch. et Meyer
II.

Index Sem. Hort. Petrop. 1835. 30. Benth. Labiat. Suppl. 733. — 4 — *Colitur in China.*

3712. **Lophanthus anisatus** Benth. in Bot. Reg. t. 1282. Labiat. 463. *Hyssopus anisatus* Nutt. Gen. bor. Amer. II. 27. *Hyssopus Foeniculum* Spreng. Pugill. 24. *Hyssopus discolor* Desf. Catal. Hort. Paris. ed. 3. 97. — 4 — *Habitat in America boreali.*

3713. **Lophanthus scrophulariaefolius** Benth. in Bot. Reg. sub n. 1282. Labiat. 463. *Hyssopus scrophulariaefolius* Willd. Spec. III. 48. *Hyssopus catariaefolius* Hort. Paris. — 4 — *Habitat in America boreali.*

3714. **Lophanthus nepetoides** Benth. in Bot. Reg. sub n. 1282. Labiat. 463. *Hyssopus nepetoides* Linn. Spec. 796. Jacq. Hort. Vindob. I. 28. t. 69. — 4 — *Habitat in America boreali.*

δ. Resupinaria Benth.

3715. **Lophanthus chinensis** Benth. in Bot. Reg. sub n. 1282. Labiat. 464. *Hyssopus Lophanthus* Linn. Spec. 796. Jacq. Hort. Vindob. II. 85. t. 182. — 4 — *Habitat in Sibiria et China septentrionali.*

3636. Nepeta Benth.

α. Schizonepeta Benth.

3716. **Nepeta lavandulacea** Linn. f. Suppl. 272. Benth. Labiat. 468. *Nepeta multifida* Linn. Spec. 799. Reichenb. Iconogr. t. 530. *Lophanthus multifidus* Benth. in Bot. Reg. n. 1282. *Saussurea pinnatifida* Mönch Method. 388. — 4 — *Habitat in Sibiriae orientalis et regionis altaicae montosis apricis.*

β. Pycnonepeta Benth.

3717. **Nepeta tuberosa** Linn. Spec. 798. Reichenb. Iconogr. t. 440. Benth. Labiat. 472. *Nepeta lanata* Jacq. Observ. III. 21. t. 75. — 4 — *Habitat in Hispania et Lusitania.*

β. Reticulata. *Nepeta reticulata* Desfont. Flor. atl. II. 11. t. 124. — *Habitat in Atlante.*

c. *Stegionepeta* Benth.

3718. *Nepeta italica* Linn. Spec. 798. Jacq. Hort. Vindob. II. 51. t. 112. Reichenb. Iconogr. t. 483. Benth. Labiat. 474. *Nepeta teucrioides* Lam. Dict. I. 711. *Nepeta marrubiioides* Willd. Enum. II. 603. *Nepeta imbricata* Spreng. Syst. II. 729. — 2 — *Habitat in Italia et Hispania.*

d. *Cataria* Benth.

3719. *Nepeta Cataria* Linn. Spec. 796. Benth. Labiat. 477. *Nepeta vulgaris* Lam. Fl. fr. II. 398. *Cataria vulgaris* Mönch Method. 387. — 2 — *Habitat juxta sepes et in ruderalis Europae totius, imprimis australioris, nec non Asiae mediae.*

3720. *Nepeta Mussini* Henkel Adumbr. 15. Reichenb. Iconogr. t. 587. Benth. Labiat. 480. *Nepeta longiflora* Sims Bot. Mag. t. 923. *Nepeta salviaefolia* Persoon Encheir. II. 115. *Nepeta argentea, diffusa, violacea, incana, lancifolia, teucrioides, Willdenowiana* Hort. — 2 — *Habitat in collibus lapidosis sterilibus regionis caspico-caucasicae.*

3721. *Nepeta grandiflora* Bieberst. Flor. Taur. cauc. II. 42. Reichenb. Iconogr. t. 279. Benth. Labiat. 480. *Nepeta melissuesolia* Persoon Encheir. II. 115. non Lam. *Nepeta colorata* Willd. Enum. II. 115. — 2 — *Habitat in montanis sylvaticis graminosis Caucasi, in hortis passim cum praecedente sub iisdem nominibus mixta.*

e. *Macronepeta* Benth.

3722. *Nepeta longiflora* Venten. Cels. t. 66. Benth. Labiat. 483. — 2 — *Habitat in Persia, inter Teheran et Ispahan.*

3723. *Nepeta Nepetella* Linn. Spec. 797. Benth. Labiat. 477. — 2 — *Habitat in montibus Europae australis.*

α. *Major* Benth. l. c. *N. Nepetella* All. Flor. pedem. I. 37. t. 2. f. 1. Reichenb. Iconogr. III. t. 261. *N. amethystina* Desf. Poir. Dict. Suppl. III. 206. *N. paniculata* Mill. Dict. n. 4.

β. *Humilis* Benth. Labiat. 478. *N. lanceolata* Lam. Dict.

I. 710. Reichenb. Iconogr. t. 586. *N. angustifolia* Vahl Symb. I. 41. *N. graveolens* Vill. Fl. delph. II. 366. *N. arragonensis* Lam. Dict. I. 703.

γ. *Incana* Benth. Labiat. 478. *N. incana* Ait. Hort. kew. II. 285. non Auct.

3724. ***Nepeta cyanea*** Steven in Mem. Soc. Nat. cur. Mosq. III. 265. Benth. Labiat. 478. *Nepeta incana* Bieberst. Flor. taur. cauc. II. 40. et III. 392. Reichenb. Iconogr. t. 305. et Auct. plur. *Nepeta acinifolia* Spreng. Pugill. I. 41. Syst. Veg. II. 727. — 2 — *Habitat in Caucaso orientali.*

3725. ***Nepeta crispa*** Willd. Spec. III. 50. Benth. Labiat. 479. — 2 — *Habitat in Oriente.*

f. *Glechoma* Linn.

3726. ***Nepeta Glechoma*** Benth. Labiat. 485. *Glechoma hederacea* Linn. Spec. 807. Hook. Flor. lond. II. ic. — 2 — *Habitat in Europa et America boreali.*

β. *Hirsuta* Benth. l. c. *Glechoma hirsuta* Waldst. et Kit. Plant. rar. Hung. II. 124. t. 119.

g. *Orthonepeta* Benth.

3727. ***Nepeta nuda*** Linn. Spec. 797. Benth. Labiat. 486. — 2 — *Habitat passim in graminosis montanis sylvaticis Europae australis, imprimis orientalis et Asiae mediae.*

α. *Grandiflora* Benth. l. c. *Nepeta pannonica* Jacq. Flor. austr. t. 129. *Nepeta paniculata* Crantz Stirp. Austr. 270. *Nepeta violacea* Villars Delph. II. 367.

β. *Parviflora* Benth. l. c. *Nepeta nuda* Jacq. Flor. austr. t. 24.

h. *Oxynepeta* Benth.

3728. ***Nepeta parviflora*** Bieberst. Flor. Taur. cauc. II. 41. Benth. Labiat. 486. — 2 — *Habitat in campis et collibus siccis Tauriae et Caucasi.*

3729. ***Nepeta ucranica*** Linn. Spec. 797. Benth. Labiat. 487. *Nepeta sibirica* Bieberst. Flor. taur. cauc. II. 41. in not. — 2 — *Habitat in Sibiria.*

3638. **Dracocephalum** Linn.

a. **Keimodracon** Benth.

3730. **Dracocephalum botryoides** Steven in Mem. Soc. nat. cur. Mosq. III 266. Benth. Labiat. 492. *Nepeta pinnatifida* Fisch. Catal. Hort. Gorenk. 1812. 22. — 24 — *Habitat in Caucaso orientali.*

3731. **Dracocephalum pinnatum** Linn. Spec. 829. Benth. Labiat. 493. Ledeb. Icon. pl. ross. alt. t. 445. *Dracocephalum pinnatifidum* Lam. Dict. II. 319. — 24 — *Habitat in Sibiria.*

b. **Calodracon** Benth.

3732. **Dracocephalum grandiflorum** Linn. Spec. 830. Bot. Mag. t. 1009. Benth. Labiat. 494. *Dracocephalum altaianse* Laxm. in Nov. Comm. Petrop. XV. 556. t. 29. f. 5. Reichenb. Iconogr. t. 96. — 24 — *Habitat in alpinis et subalpinis Sibiriae.*

c. **Cryptodracon** Benth.

3733. **Dracocephalum Moldavica** Linn. Spec. 830. Benth. Labiat. 496. *Moldavica punctata* Mönch. Meth. 410. — 24 — *Habitat in Sibiria orientali.*

3734. **Dracocephalum peltatum** Linn. Spec. 831. Benth. Labiat. 497. *Zornia peltata* Mönch Meth. 411. — 24 — *Habitat in Oriente.*

Var. floribus lilacinis.

3735. **Dracocephalum ibericum** Bieberst. Flor. taur. cauc. II. 64. Benth. Labiat 497. — 24 — *Habitat in lapidosis montium Iberiae.*

3736. **Dracocephalum canescens** Linn. Spec. 831. Sweet Brit. Flow. Gard. I. t. 38. Benth. Labiat. 498. *Zornia canescens* Mönch Meth. 411. — 24 — *Habitat in Oriente.*

3737. **Dracocephalum peregrinum** Linn. Spec. 829. Bot. Mag t. 1084. Benth. Labiat. 498. — 24 — *Habitat in Sibiria.*

3738. **Dracocephalum thymiflorum** Linn.

Spec. 831. Benth. Labiat. 498. *Zornia parviflora* Mönch Meth. 411. — 2 — *Habitat in Europa orientali.*

3739. **Dracocephalum nutans** Linn. Spec. 831. Bot. Reg. t. 811. Benth. Labiat. 499. *Zornia nutans* Mönch Meth. 411. — 2 — *Habitat in apricis montium altaicorum.*

d. Ruyschiana Benth.

3740. **Dracocephalum argunense** Fisch. ex Link Enum. II. 118. Reichenb. Iconogr. t. 1. Sweet Brit. Fl. Gard. I. t. 47. Benth. Labiat. 500. — 2 — *Habitat in Dahuria.*

3741. **Dracocephalum Ruyschiana** Linn. Spec. 830. Benth. Labiat. 500. — 2 — *Habitat in montosis Europae et Asiae rossicae.*

3741. **Dracocephalum austriacum** Linn. Spec. 829. Jacq. Icon. rar. I. t. 112. Benth. Labiat. 500. — 2 — *Habitat in montosis Europae et Asiae rossicae.*

Variet floribus lilacinis.

3639. Cedronella Mönch.

3743. **Cedronella triphylla** Mönch Meth. 411. Benth. Labiat. 502. (Comm. Hort. Amst. II. 81. t. 41.) *Dracocephalum canariense* Linn. Spec. 829. — 5 — *Habitat in insulis Canariis.*

Tribus IX. Stachydeae.

3640. Melittis Linn.

3744. **Melittis Melissophyllum** Linn. Spec. 832. Jacq. Flor. austr. t. 26. Smith E. B. t. 577. Reichenb. Iconogr. t. 241. Benth. Labiat. 503. *Melittis grandiflora* Smith Flor. brit. II. 644. E. B. t. 636. Reichenb. Iconogr. t. 242. — 2 — *Habitat in sylvis umbrosis Europae mediae et australis.*

β. *Albida.* **Melittis albida** Gussone Flor. sic. Prodr. II. 140. — *Habitat in Sicilia.*

3641. *Physostegia* Benth.

3745. *Physostegia virginiana* Benth. Labiat. 504. *Dracocephalum virginianum* Linn. Spec. 828. Sims Bot. Mag. t. 467. *D. lancifolium* Mönch Meth. 410. *D. variegatum* Vent. Cels. t. 44. *D. denticulatum* Aiton Hort. kew. edit. 1. II. 317. Sims Bot. Mag. t. 214. *D. speciosum* Sweet Fl. Gard. I. t. 93. *D. obovatum* Elliott Carolin. II. 86. — 2 — *Habitat in montanis Americae borealis, a Canada ad fluvium Columbia orae occidentalis et ad Texas.*

3645. *Lamium* Linn.

a. *Orvala* Linn.

3746. *Lamium Orvala* Linn. Spec. 808. Bot. Mag. t. 172. Benth. Labiat. 508. *Lamium pannonicum* Scop. Flor. carn. t. 27. *Orvala lamioides* DC. Flor. fr. III. 539. — 2 — *Habitat in Europa australi.*

b. *Lamiopsis* Dumort.

3747. *Lamium garganicum* Linn. Spec. 808. Smith Exot. Bot. I. t. 48. Benth. Labiat. 509. — 2 — *Habitat in Europa mediterranea.*

c. *Lamietypus* Dumort.

3748. *Lamium vulgatum* Benth. Labiat. 514. — 2 — *Habitat in umbrosis montium Europae, Africae borealis et Asiae mediae, in regionibus borealibus vulgatiores.*

β. *Album* Benth. l. c. *Lamium album* Linn. Spec. 809. Engl. bot. t. 768. *Lamium foliosum* Crantz Stirp. austr. 258. *Lamium niveum* Hortul.

d. *Galeobdolon* Huds.

3749. *Lamium flexuosum* Tenore Flor. neap. II. 19. t. 52. Syll. 287. Reichenb. Iconogr. t. 706. Benth. Labiat. 515. — 2 — *Habitat in regione mediterranea.*

3750. *Lamium Galeobdolon* Crantz Stirp.

austr. 262. Benth. Labiat. 516. *Galeopsis Galeobdolon* Linn. Spec. 810. *Galeobdolon luteum* Huds. Flor. angl. 258. Mönch Meth. 394 Hook. Flor. lond. II. ic. Engl. Bot. t. 787. *Pollichia Galeobdolon* Roth Flor. germ. I. 254. *Leonurus Galeobdolon* Scop. Flor. carn. n. 705. *Galeobdolon vulgare* Persoon Encheir. II. 122. — 2 — *Habitat in sylvis umbrosis Europae, praesertim borealis.*

3647. *Leonurus* Linn.

α. *Cardiaca* Mönch.

3751. *Leonurus cardiaca* Linn. Spec. 817. Engl. Bot. t. 286. Benth. Labiat. 518. *Leonurus illyricus* Hortul *Cardiaca vulgaris* Mönch Meth. 401. — 2 — *Habitat in Europa et Asia media.*

β. *Villosus* Benth. l. c. *Leonurus villosus* Desf. Catal. Hort. Paris. 73. Durv. in Mem. Soc. Linn. Par. 325. *Leonurus condensatus* Hornem. Hort. Hafn. *Leonurus lacerus* Lindl. Hort. Trans. VI. 296. *Leonurus canescens* Dumort. Florul. belg. 46. *Leonurus neglectus* Schrank in Syll. Plant. Soc. Ratisb. II. 61.

γ. *Crispus* Benth. Labiat. 510. *Leonurus crispus* Murr. Comm. Hort. Gött. 8. t. 4. *Cardiaca crispa* Mönch Meth. 401. Sabb. Hort. rom. III. t. 43.

3752. *Leonurus tataricus* Linn. Spec. 818. Benth. Labiat. 519. Reichenb. Iconogr. t. 338. *Leonurus altaicus* Spreng. Syst. II. 733. — 2 — *Habitat in rupestribus montium altaicorum.*

δ. *Chaiturus* Mönch.

3753. *Leonurus Marrubiastrum* Linn. Spec. 817. Jacq. Flor. austr. V. 3. t. 405. Benth. Labiat. 520. *Chaiturus leonuroides* Willd. Fl. herol. 201. *Chaiturus Marrubiastrum* Ehrh. *Cardiaca Marrubiastrum* Schreb. — 2 — *Habitat in dumetis Europae orientalis et Asiae rossicae.*

ε. *Panzeria* Mönch.

3754. *Leonurus sibiricus* Linn. Spec. 818. Reichenb. Iconogr. t. 337. Smith Exot. Bot. II. t. 94. Sweet Brit. Fl. Gard. III. t. 204. Benth. Labiat. 520. *Leonurus heterophyllus* Sweet Brit. Fl. Gard. II. t. 197.

Leonurus occidentalis Colla in Mem. Acad. Taur. XXXIII. 154. et Hortul. *Panzeria multifida* Mönch Meth. Suppl. 137. — 2 — *Habitat in regionibus calidioribus Asiæ, Africae et Americae.*

3755. *Leonurus lanatus* Spreng. Syst. Veg. II. 738. Reichenb. Iconogr. t. 736. Benth. Labiat. 521. *Ballota lanata* Linn. Spec. 815. *Panzeria lanata* Persoon Encheir. II. 126. — 2 — *Habitat in sterilibus Sibiriae.*

3648. *Galeopsis* Linn.

3756. *Galeopsis Ladanum* Linn. Spec. 810. Engl. Bot. t. 884. Benth. Labiat. 523. *Tetrahit Ladanum* Mönch Meth. 394. — 2 — *Habitat in Europa.*
Variat floribus albis.

3757. *Galeopsis Tetrahit* Linn. Spec. 810. Benth. Labiat. 524. *Tetrahit nodosum* Mönch Meth. 395. — 2 — *Habitat in Europa et Asia media.*

α. *Parviflora* Benth. l. c. *Galeopsis Tetrahit* Hook. Flor. lond. V. t. 191. Reichenb. Iconogr. t. 877. E. B. t. 207. *Galeopsis bifida* Reichenb. Fl. germ. exc. 323. *Galeopsis acuminata* Reichenb. l. c.

β. *Pubescens* Benth. l. c. *Galeopsis pubescens* Bess. Prim. Fl. gal. II. 27. Reichenb. Iconogr. t. 47. et 48.

3649. *Anisomeles* R. Br.

3758. *Anisomeles ovata* R. Brown in Aiton Hort. kew ed. 2. III. 364. Jacq. f. Eclog. t. 86. — ☉ — *Habitat in Asia tropica et Nova Hollandia.*

3650. *Stachys* Benth.

α. *Alopecuros* Benth.

3759. *Stachys Alopecuros* Scopol. Carn. ed. 2. n. 711. t. 28. Benth. Labiat. 531. *Betonica Alopecuros* Linn. Spec. 811. Jacq. Flor. austr. t. 78. Reichenb. Iconogr. t. 719. — 2 — *Habitat in Europæ medice et australis montibus.*

b. *Betonica* Benth.

3760. *Stachys densiflora* Benth. Labiat. 532.
— 2 — *Habitat in Europae australioris subalpinis.*

α. *Hirsuta. Betonica hirsuta* Linn. Mant. 248. Reichenb. Iconogr. t. 714.

β *Incana. Betonica incana* Aiton Hort. kew. ed. 1. II. 299. Bot. Mag. t. 2125. Reichenb. Iconogr. t. 713.

α. *Legitima. Betonica legitima* Link Handb. II. 476.

3761. *Stachys Betonica* Benth. Labiat. 532.
Betonica officinalis Linn. Spec. 810. E. B. t. 1142. Flor. dan. t. 726. Reichenb. Iconogr. t. 710. — 2 — *Habitat in Europae et Asiae mediae pascuis.*

β. *Stricta. Betonica stricta* Aiton Hort. kew. ed. 1. II. 299. Reichenb. Iconogr. t. 712. *Betonica affinis* Wenderoth in Flora 1826. I. 353.

γ. *Serotina. Betonica serotina* Host Flor. austr. I. 165.

3762. *Stachys longifolia* Benth. Labiat. 533.
Betonica orientalis Linn. Spec. 811. — 2 — *Habitat in Caucaso.*

3763. *Stachys grandiflora* Benth. Labiat. 533. *Betonica grandiflora* Willd. Spec. III. 96. Bot. Mag. t. 700. Reichenb. Iconogr. t. 765. — 2 — *Habitat in Caucaso.*

c. *Eriostachys* Benth.

3764. *Stachys heraclea* Allioni Flor. Pedem. I. 31. t. 84. f. 1. Benth. Labiat. 534. — 2 — *Habitat in Europa mediterranea.*

3765. *Stachys lanata* Jacq. Ic. rar. I. 11. t. 107. Benth. Labiat. 535. *Eriostomum lanatum* Hoffmans. Verz. Nachtr. I. 60. — 2 — *Habitat in campis siccis Taurinae et in subalpinis Caucasi.*

3766. *Stachys italica* Miller Dict n. 3. Benth. Labiat. 536. *Stachys salviaefolia* Tenore Flor. neap. II. 23. t. 53. Syllog. 291. — 2 — *Habitat in Europa mediterranea.*

3767. *Stachys germanica* Linn. Spec. 812. Jacq. Flor. austr. t. 319. E. B. t. 829. Bot. Reg. t. 1289. Flor. dan. t. 684. Reichenb. Iconogr. t. 950. — 2 — *Habitat in Europa media et regione mediterranea.*

β. *Polystachya*. *Stachys polystachya* Tenore Flor. neap. II. 23. t. 53. Syllog. 297. — *Neapolis*.

γ. *Dasyantha*. *Stachys dasyantha* Rafinesq. Prec. des Decouv. 39. — *Sicilia*.

δ. *Excelsa*. *Stachys excelsa* Hortul.

3768. *Stachys alpina* Linn. Spec. 812. Benth. Labiat. 537. — 24 — *Habitat in Europae et Asiae mediae montibus*.

β. *Intermedia*. *Stachys intermedia* Ait. Hort. kew. 1. II. 301.

γ. *Sibirica*. *Stachys sibirica* Link Enum. Hort. berol. II. 109. Sweet Fl. Gard. I. t. 100.

3769. *Stachys sericea* Wallich Plant. As. rar. I. 64. Benth. Labiat. 537. *Stachys persica* Gmel. jun. ex C. A. Meyer Verz. 94. — 24 — *Habitat in Caucaso et Asiae australis montibus*.

3770. *Stachys setifera* C. A. Meyer Verzeichn. 538. Benth. Labiat. 538. — 24 — *Habitat in humidis Caucasi*.

3771. *Stachys splendens* Wall. Plant. As. rar. I. 64 Benth. Labiat. 538. — 24 — *Habitat in montibus Indiae orientalis*.

d. *Calostachys* Benth.

3772. *Stachys coccinea* Jacq. Hort. Schönbr. III. 18. t. 284. Bot. Mag. t. 666. Andr. Bot. Reposit. t. 310. Benth. Labiat. 539. — 24 — *Habitat in Mexico*.

e. *Stachyetypus* Benth.

3773. *Stachys Bridgesii* Benth. Labiat. 546. — 24 — *Habitat in Chili meridionali*.

3774. *Stachys circinnata* Herit. Stirp. I. 51. t. 26. Benth. Labiat. 546. *Stachys velutina* Willd. Enum. Suppl. 41. *Stachys latifolia* Aiton Hort. kew. ed. 1. II. 303. — 24 — *Habitat in Hispania australi et Africa boreali*.

3775. *Stachys arabica* Hornem. Hort. Hafn. 554. Benth. Labiat. 546. — 24 — *Habitat in Arabia*.

f. *Oliata* Benth.

3776. *Stachys menthaefolia* Visiani in

Flora 1829. 1. Ergänzbl. 14. Benth. Labiat. 555. *Stachys grandiflora* Host Flor. austr. II. 169. — 2 — *Habitat in Dalmatia.*

3777. **Stachys annua** Linn. Spec. 813. Jacq. Flor. austr. IV. 31. t. 360. Benth. Labiat. 554. *Betonica annua* Linn. Spec. ed. I. 573. Mönch Meth. 396. *Stachys Betonica* Crantz Stirp. austr. 265. — 2 — *Habitat in arvis Europae et Asiae mediae.*

g. Chamaesideritis Benth.

3778. **Stachys recta** Linn. Mant. 82. Jacq. Flor. austr. t. 359. Benth. Labiat. 556. *Stachys Betonica* Crantz Stirp. austr. 264. — 2 — *Habitat in Europa imprimis australi.*

3779. **Stachys arenaria** Vahl Symb. II. 64. Bot. Mag. t. 1959. Benth. Labiat. 557. *Stachys iberica* Bieberst. Flor. taur. cauc. II. 51. Reichenb. Ic. exot. t. 58. — 2 — *Habitat in regione mediterranea et pontica.*

3780. **Stachys angustifolia** Bieberst. Flor. Taur. cauc. II. 51. Sweet Fl. Gard. II. t. 180. Benth. Labiat. 558. *Stachys tenuifolia* Link Enum. II. 109. Reichenb. Ic. exot. t. 28. non Willd. — 2 — *Habitat in Tauria.*

h. Zietenia Benth.

3781. **Stachys lavandulaefolia** Vahl Symb. Bot. I. 42. Benth. Labiat. 568. *Zietenia orientalis* Gled. Act Berol. 1766. 3. *Sideritis calycantha* Bieberst. Flor. Taur. cauc. III. 393. Reichenb. Iconogr. I. 17. t. 15. — 2 — *Habitat in locis lapidosis Asiae caucasicae.*

3651. Sphacele Benth.

3782. **Sphacele Lindleyi** Benth. in Bot. Reg. sub n. 1289. Bot. Mag. t. 2993. Benth. Labiat. 570. *Stachys Salviae* Lindl. Bot. Reg. t. 1226. — 2 — *Habitat in regno chilensi.*

3653. Lepechinia Willd.

3783. **Lepechinia spicata** Willd. Hort. Be-

rol. 1. 21. t. 21. Bot. Reg. t. 1292. Benth. Labiat. 415. — 24 — *Habitat in Mexico.*

3654. **Craniotome** Reichenb.

3784. **Craniotome versicolor** Reichenb. Ic. exot. 1. 39. t. 54. Benth. Labiat. 704. *Nepeta versicolor* Treviran. in Nov. Act. N. C. XIII. 183. *Ajuga furcata* Link Enum. II. 90. — 24 — *Habitat in India orientali.*

3655. **Sideritis** Linn.

a. Marrubiastrum Mönch.

3785 **Sideritis candicans** Aiton Hort. kew. II. 289. Benth. Labiat. 573. *Sideritis cretica* Linn. Spec. 801. — 24 — *Habitat in insula Teneriffa.*

3786. **Sideritis canariensis** Linn. Spec. 801. Jacq. Hort. Vindob. t. 30. Benth. Labiat. 574. — 24 — *Habitat in insula Teneriffa.*

b. Empedeolca Ruf.

3787. **Sideritis syriaca** Linn. Spec. 801. Sibthorp Flor. graec. t. 550. Benth. Labiat. 574. — 24 — *Habitat in Creta et Palaestina.*

3788. **Sideritis taurica** Bieberst. Flor. Taur. cauc. II. 43. Cent. 1. t. 39. Benth. Labiat. 575. — 24 — *Habitat in montibus calcareis Tauriae.*

3789. **Sideritis perfoliata** Linn. Spec. 802. Benth. Labiat. 576. — 24 — *Habitat in Sicilia et Hispania.*

c. Eusideritis Benth.

3790. **Sideritis scordioides** Linn. Spec. 803. Benth. Labiat. 578. — 24 — *Habitat in Europa mediterranea.*

3791. **Sideritis hirsuta** Linn. Spec. 803. Cav. Ic. t. 302. — 24 — *Habitat in Europa mediterranea.*

d. Hesledia Mönch.

3792. **Sideritis romana** Linn. Spec. 802. Benth. Labiat. 582. Cavan. Icon. t. 187. Sibthorp

Flor. graec. t. 352. — 2 — *Habitat in ruderalis Europae mediterraneae.*

3793. **Sideritis montana** Linn. Spec. 802. Jacq. Flor. austr. t. 434. Benth. Labiat. 583. — 2 — *Habitat in arvis Europae austro-orientalis et Asiae mediae.*

3657. **Marrubium** Linn.

3794. **Marrubium Alysson** Linn. Spec. 815. Benth. Labiat. 587. — 2 — *Habitat in regione mediterranea.*

3795. **Marrubium caerulescens** Desf. Catal. Hort. Paris. ed. 3. 395. Benth. Labiat. 588. — 2 — *Habitat in Persia.*

3796. **Marrubium catariaefolium** Desv. in Lam. Dict. III. 717. Benth. Labiat. 588. — 2 — *Habitat in Cappadocia.*

3797. **Marrubium astracanicum** Jacq. Ic. rar. I. 11. t. 109. Reichenb. Iconogr. t. 270. Benth. Labiat. 588. — 2 — *Habitat in Oriente.*

3798. **Marrubium leonuroides** Desv. in Lam. Dict. III 715. Reichenb. Iconogr. t. 299. Benth. Labiat. 588. — 2 — *Habitat in regione subalpina Caucasi.*

3799. **Marrubium candidissimum** Linn. Spec. 876. Benth. Labiat. 589. *Marrubium peregrinum* Reichenb. Iconogr. t. 312. *Marrubium catariaefolium* Reichenb. l. c. t. 313. — 2 — *Habitat in Europa australi.*

3800. **Marrubium peregrinum** Linn. Spec. 815. Jacq. Flor. austr. t. 160. Benth. Labiat. 590. *Marrubium creticum* Reichenb. Iconogr. t. 288. *Marrubium pauciflorum* Wallr. Sched. crit. 295. — 2 — *Habitat in apricis Europae austro-orientalis et Asiae mediae.*

3801. **Marrubium pannonicum** Clus. ex Reichenb. Fl. germ. exc 325. Benth. Labiat. 590. *Marrubium paniculatum* Reichenb. Iconogr. t. 300. *Marrubium peregrinum* Spreng. Flor. hall. t. 6. *Marrubium remotum* Kit. ap. Schult. Oesterr. Flor. II. 161. — 2 — *Habitat in Europa media.*

3802. **Marrubium vulgare** Linn. Spec. 816.

Benth. Labiat. 591. — 24 — *Habitat in ruderalis Europae et Asiae mediae.*

β. *Lanatum* Benth. Labiat. 591. *Marrubium apulum* Tenore Fl. neap. t. 154. Syll. 191.

3803. **Marrubium parviflorum** Fischer et Meyer Index Sem. Hort. Petrop. 1835. p. 33. Benth. Labiat. 743. — 24 — *Habitat in montibus Tatkisch.*

3804. **Marrubium propinquum** Fischer et Meyer Index Sem. Hort. Petrop. 1835. p. 33. Benth. Labiat. 743. — 24 — *Habitat in montibus Tatkisch.*

3658. **Ballota** Linn.

α. *Beringeria* Neck.

3805. **Ballota africana** Benth. Labiat. 594. *Marrubium africanum* Linn. Spec. 816. — 24 — *Habitat in Capite bonae spei.*

3806 **Ballota Pseudodictamnus** Benth. Labiat. 594. *Marrubium Pseudodictamnus* Linn. Spec. 817. Sibthorp Flor. graec. t. 562. — 24 — *Habitat in Creta.*

3807. **Ballota mollissima** Benth. Labiat. 595. *Marrubium scrophulariaefolium cinereum* Hortul. — 24 — *Habitat in Hispania.*

3808. **Ballota rugosa** Benth. Labiat. 596. *Marrubium rugosum* Desf. Catal. Hort. Paris. ed. III. 395. — 24 — *Habitat in Oriente.*

3809. **Ballota hispanica** Benth. Labiat. 597. *Marrubium hispanicum* Linn. Spec. 816. *Marrubium rupestre* Biv. Manip. II. t. i. — 24 — *Habitat in Europa australi.*

β. *Ballota* Benth.

3810. **Ballota nigra** Linn. Spec. 814. Reichenb. Iconogr. t. 773. Benth. Labiat. 597. *Ballota alba* Linn. Spec. 814. *Ballota foetida* Lam. Flor. franc. II. 381. Reichenb. Iconogr. t. 775. *Ballota borealis* Reichenb. l. c. t. 776. *Ballota vulgaris* Link Enum. II. 110. *Marrubium nigrum* Crantz Stirp. austr. 272. — 24 — *Habitat in ruderalis Europae totius.*

3662. **Leucas** R. Br.

3811. **Leucas martinicensis** R. Brown Prodr. 504. Benth. Labiat. 617. *Clinopodium martinicense* Jacq. Amer. t. 77. f. 75. *Phlomis caribaea* Jacq. Ic. rar. t. 110. — 2 — *Habitat inter tropicos totius orbis.*

3812. **Leucas aspera** Spreng. Syst. II. 743. Benth. Labiat. 615. *Phlomis aspera* Willd. Enum. II. 621. — 2 — *Habitat in India orientali.*

3813 **Leucas zeylanica** R. Brown Prodr. 504. Benth. Labiat. 615. *Phlomis zeylanica* Linn. Spec. 820. — 2 — *Habitat in Asia tropica.*

3663. **Leonotis** Pers.

3814. **Leonotis nepetaefolia** R. Brown Prodr. 504. Bot. Reg. t. 281. Benth. Labiat. 618. *Phlomis nepetaefolia* Linn. Spec. 820. — 2 — *Habitat inter tropicos totius orbis.*

3664. **Phlomis** Linn.

α. **Euphlomis** Benth.

α. *Gymnophlomis.*

3815. **Phlomis armeniaca** Willd. Spec. III. 119. Benth. Labiat. 625. — 2 — *Habitat in siccis lapidosis Armeniae et montium Talüs.*

β. *Dendrophlomis.*

3816. **Phlomis purpurea** Linn. Spec. 818. Benth. Labiat. 625. *Phlomis ferruginea* Miller Dict. n. 12. *Phlomis salviaefolia* Jacq. Hort. Schönbr. III. 58. t. 359. — 2 — *Habitat in Hispania australi.*

3817. **Phlomis lanata** Willd. Enum. Suppl. 41. Benth. Labiat. 626. *Phlomis parviflora* Presl Delic. Prag. 86. *Phlomis microphylla* Sieber in Flora 1823. II. 598. — 2 — *Habitat in Calabria et Creta.*

3818. **Phlomis ferruginea** Tenore Flor.

neap. II. 36. t. 75. Benth. Labiat. 627. — 24 — *Habitat in Calabria.*

3819. **Phlomis fruticosa** Linn. Spec. 818. Sims Bot. Mag. t. 1843. Sibthorp Flor. graec. t. 563. Benth. Labiat. 627. *Phlomis ferruginea* Hortor. — 24 — *Habitat in apricis montanis regionis mediterraneae et Orientis.*

3820. **Phlomis virens** DC. Catalog. Hort. Monsp. 132. Benth. Labiat. 628. — 24 — *Habitat in Oriente.*

γ. *Oxyphlomis.*

3821. **Phlomis samia** Linn. Spec. 819. Vent. Choix t. 4. Sibthorp Flor. graec. t. 564. Bot. Mag. t. 1891. Benth. Labiat. 629. — 24 — *Habitat in Euboea et Caramania.*

3822. **Phlomis Herba venti** Linn. Spec. 819. Sibthorp Flor. graec. t. 564. Bot. Mag. t. 2449. Benth. Labiat. 630. — 24 — *Habitat in apricis lapidosus regionis mediterraneae.*

δ. *Phlomidopsis* Benth.

3823. **Phlomis tuberosa** Linn. Spec. 819. Bot. Mag. t. 1555. Benth. Labiat. 632. *Phlomoïdes tuberosa* Mönch Method. 404. *Phlomidopsis tuberosa* Link Handb. 480. — 24 — *Habitat in Europae orientalis et Asiae medine campis apricis, a Moravia ad Sinarum limites.*

3824. **Phlomis agraria** Bunge in Ledebour Flor. alt. III. 411. Ledebour Ic. t. 364. Benth. Lab. 632. — 24 — *Habitat in arvis jugi altaici prope Semipalatinsk.*

3825. **Phlomis alpina** Pallas in Act. Petropolit. 1779 II. 265. t. 13. Benth. Labiat. 633. — 24 — *Habitat in jugi altaici occidentalis subalpinis.*

3666. **Eremostachys** Bunge.

3826. **Eremostachys laciniata** Bunge Flor. alt. I. 416. Benth. Labiat. 636. *Phlomis laciniata* Linn. Spec. 819. Sweet Fl. Gard. I. t. 24. — 24 — *Habitat in Caucaso, Iberia et montibus Talüsch.*

3668. **Molucella** Linn.

3827. **Molucella laevis** Linn Spec. 821. Sibthorp Flor. graec. t. 566. Bot. Mag. t. 1852. Benth. Labiat. 639. — 4 — *Habitat in Syria.*

3828. **Molucella spinosa** Linn. Spec. 821. Sibthorp Flor. graec. t. 567. — 4 — *Habitat in regione mediterranea.*

3670. **Holmskioldia** Retz.

3829. **Holmskioldia sanguinea** Retz. Obs. VI. 31. Benth. Labiat. 642. *Hastigia coccinea* Smith Exot. Bot. II. t. 80. *Platunium rubrum* Juss. in Ann. Mus. Paris. VII. 76. — 4 — *Habitat in India orientali.*

Tribus X. **Prasieae.**3673. **Prasium** Linn.

3830. **Prasium majus** Linn. Spec. 838. Benth. Labiat. 656. — 4 — *Habitat in Europa et Africa mediterranea.*

Tribus XI. **Ajugoideae.**3677. **Amethystea** Linn.

3831. **Amethystea caerulea** Linn. Spec. 30. Benth. Labiat. 657. — 4 — *Habitat in Asia.*

3679. **Teucrium** Linn.a. **Teucropsis** Ging.

3832. **Teucrium betonicum** Herit Stirp. 1. 83. t. 49. Benth. Labiat. 664. *Teucrium betoniuefolium* Jacq. Collect. 1. 145. t. 17. f. 2. — 5 — *Habitat in Madera.*

b. **Teucriis** Benth.

3833. **Teucrium fruticans** Linn. Spec. 787. Sibthorp Flor. graec. t. 527. Benth. Labiat. 665.

Teucrium latifolium Linn. Spec. 788. Bot. Mag. t. 245.
— 24 — *Habitat in Europa et Africa mediterranea.*

3834. *Teucrium orientale* Linn. Spec. 786.
Bot. Mag. t. 1279. Benth. Labiat. 667. — 24 — *Habitat in Asia minore et in Caucaso.*

3835. *Teucrium campanulatum* Linn.
Spec. 786. Benth. Labiat. 668. — 24 — *Habitat in regione mediterranea.*

3836. *Teucrium pseudochamaepitys*
Linn. Spec. 787. Benth. Labiat. 670. — 24 — *Habitat in Europae et Africae regione mediterranea.*

c. Stachyobotrys Benth.

3837. *Teucrium Arduini* Linn. Mant. 81.
Sibthorp Flor. graec. t. 531. Benth. Labiat. 673. *Scutellaria cretica* Linn. Spec. 836. — 24 — *Habitat in saxosis Europae austro-orientalis.*

d. Scorodonia Benth.

3838. *Teucrium Scorodonia* Linn. Spec.
789. Engl. Bot. t. 1543. Benth. Labiat. 676. — 24 — *Habitat in sylvis Europae totius.*

3839. *Teucrium massiliense* Linn. Spec.
789. Jacq. Hort. Vindob. I. t. 94. Benth. Labiat. 677.
— 24 — *Habitat in Europa mediterranea.*

e. Scordium Benth.

3840. *Teucrium spinosum* Linn. Spec. 793.
Sibthorp Flor. graec. t. 539. Benth. Labiat. 678. — 24 — *Habitat in regione mediterranea.*

3841. *Teucrium Scordium* Linn. Spec. 790.
Benth. Labiat. 679. — 24 — *Habitat in humidis uliginosis Europae et Asiae temperatae.*

3842. *Teucrium Scordioides* Schreb. Uni-
lab. 37. Benth. Labiat. 679. — 24 — *Habitat in uliginosis maritimis Europae praesertim australioris.*

3843. *Teucrium Botrys* Linn. Spec. 786.
Benth. Labiat. 679. — 24 — *Habitat in siccis calcareis Europae australis et Africae borealis.*

f. Chamaedrys Benth.

3844. **Teucrium lucidum** Linn. Spec. 680. Benth. Labiat. 680. — 24 — *Habitat in rupestribus regionis mediterraneae.*

3845. **Teucrium Chamaedrys** Linn. Spec. 790. E. B. t. 680. Benth. Labiat. 680. *Teucrium multiflorum* Hortul. — 24 — *Habitat in collibus Europae et Asiae ponticae.*

3846. **Teucrium canum** Fischer et Meyer Index Sem. Hort. Petrop. 1835. 40. Benth. Labiat. 745. — 24 — *Habitat in Asia media.*

3847. **Teucrium flavum** Linn. Spec. 791. Sibthorp Flor. graec. t. 533. Benth. Labiat. 682. — 24 — *Habitat in regione mediterranea Europae et Africae.*

3848. **Teucrium regium** Schreb. Unilab. 35. Benth. Labiat. 683. — 24 — *Habitat in Hispania et Italia.*

g. Polium Benth.

3849. **Teucrium Polium** Linn. Spec. 791. Sibthorp Flor. graec. t. 535. Benth. Labiat. 685. — 24 — *Habitat in regione mediterranea Europae, Africae et Asiae.*

3850. **Teucrium montanum** Linn. Spec. 791. Sibthorp Flor. graec. t. 534. Benth. Labiat. 687. *Teucrium supinum* Linn. Spec. 791. — 24 — *Habitat in collibus Europae australioris.*

3680. Ajuga Linn.**α. Bugula Tournef.**

3851. **Ajuga reptans** Linn. Spec. 785. E. B. t. 489. Benth. Labiat. 692. *Bugula reptans* Mönch Meth. 382. — 24 — *Habitat in herbidis Europae et Asiae mediae.*

3852. **Ajuga orientalis** Linn. Spec. 785. Benth. Labiat. 693. *Bugula obliqua* Mönch Meth. 382. — 24 — *Habitat in pascuis siccis regionis mediterraneo-ponticae.*

3853. **Ajuga genevensis** Linn. Spec. 785. Benth. Labiat. 694. *Ajuga alpina* Linn. Mant. 80. E.

B. t. 477. *Ajuga foliosa* Tratt. Arch. d. Gewächsk. I. 25. *Ajuga rugosa* Host Flor. austr. II. 120. *Teucrium genevense* Crantz Stirp. austr. 253. *Bugula alpina* All. Flor. Ped. I. 45. — 2 — *Habitat in graminosis Europae et Asiae rossicae.*

β. *Chamaepitys* Tournef.

3854. *Ajuga Lazmanni* Benth. Labiat. 697. *Teucrium Lazmanni* Linn. Syst. Veg. 439. *Phleboanthe Lazmanni* Tausch in Bot. Zeit. 1828. I. 323. — 2 — *Habitat in Europa austro-orientali et in Asia media.*

3855. *Ajuga Iva* Schreb. Unilab. 25. Benth. Labiat. 698. *Teucrium Iva* Linn. Spec. 787. — 2 — *Habitat in regione mediterranea.*

Ordo LXXXVII. Verbenaceae.

Tribus I. Lippieae.

3684. *Lippia* Linn.

α. *Zapania* Juss.

3856. *Lippia purpurea* Jacq. f. Eclog. t. 85. — 3 — *Habitat in Mexico.*

β. *Aloysia* Orteg.

3857. *Lippia citriodora* Kunth in Humb. et Bonpl. Nov. gen. et spec. II. 269. *Aloysia citriodora* Ortega in Persoon Synops. II. 139. *Verbena triphylla* Herit. Stirp. 21. t. 11. — 3 — *Habitat in Peruvia et Chili.*

3685. *Verbena* Linn.

α. *Stachytarpheta* Vahl.

3858. *Verbena angustifolia* Miller Dict. IV. 595. *Verbena indica* Jacq. Observ. IV. t. 86. *Stachytarpheta angustifolia* Vahl Enum. I. 205. — ☉ — *Habitat in America tropica.*

3859. **Verbena jamaicensis** Linn. Spec. 27. Jacq. Observ. IV. t. 85. *Stachytarpheta jamaicensis* Vahl Enum. I. 206. — ☉ — *Habitat in Jamaica.*

3860. **Verbena pilosiuscula.** *Stachytarpheta pilosiuscula* Kunth in Humb. et Bonpl. Nov. gen. et sp. II. 279. — ☉ — *Habitat in America tropica.*

3861. **Verbena Salisburii.** *Stachytarpheta urticaefolia* Sims Bot. Mag. t. 1848. *Cymburus urticaefolius* Salisb. Parad. 53. — ☉ — *Habitat in Antillis.*

3862. **Verbena cajennensis.** *Stachytarpheta cajennensis* Richard in Act. Soc. h. n. Paris. I. 105. — ☉ — *Habitat in Cajenna.*

6. **Euverbena** Endl.

3863. **Verbena angustifolia** Michaux Flor. Bor. Amer. II. 14. — 2 — *Habitat in America boreali.*

3864. **Verbena paniculata** Lam. Dict. VIII. 548. Bot. Reg. t. 1102. — 2 — *Habitat in America boreali.*

3865. **Verbena bonariensis** Linn. Spec. 28. — ☉ — *Habitat in Bonaria.*

3866. **Verbena urticaefolia** Linn. Spec. 29. — 2 — *Habitat in America boreali.*

3867. **Verbena bracteosa** Michaux Flor. Bor. Amer. II. 13. Bot. Mag. t. 2910. — 2 — *Habitat in America boreali.*

3868. **Verbena Aubletia** Jacq. Hort. Vind. II. 82. t. 176. Bot. Mag. t. 308. — 2 — *Habitat in America boreali.*

3869. **Verbena Tweediana** Hooker Bot. Mag. t. 3541. — 2 — *Habitat in Chili.*

3870. **Verbena hastata** Linn. Spec. 29. Herm. Parad. t. 242. — 2 — *Habitat in Canada.*

3871. **Verbena alata** Link et Otto ex Sweet Fl. Gard. II. t. 41. — 2 — *Habitat in Monte Video.*

3872. **Verbena officinalis** Linn. Spec. 29. E. B. t. 769. — ☉ — *Habitat per Europam omnem.*

3873. **Verbena multifida** Ruiz et Pav. Flor. Peruv. t. 33. f. 2. B. R. t. 1766. — 2 — *Habitat in Chili.*

3874. **Verbena venosa** Hook. in Bot. Mag. t. 3127. — 4 — *Habitat in Chili.*

3690. **Priva** Adans.

3875. **Priva mexicana** Pers. Synops. II. 139. *Verbena mexicana* Linn. Spec. 28. — 4 — *Habitat in Mexico.*

3876. **Priva Mitchellii**. *Phryma leptostachya* Linn. Spec. 838. — 4 — *Habitat in America boreali.*

3877. **Priva Roxburghii**. *Streptium asperum* Roxb. Corom. t. 146. Wight in Hook. Journ. of Bot. t. 130. — 4 — *Habitat in India orientali.*

Tribus II. **Lantaneae.**

3694. **Spielmannia** Medic.

3878. **Spielmannia africana** Willd. Spec. III. 321. Bot. Mag. t. 1899. *Lantana africana* Linn. Spec. 857. — 5 — *Habitat in Capite bonae spei.*

3695. **Lantana** Linn.

3879. **Lantana aculeata** Linn. Mant. 419. — 5 — *Habitat in America tropica.*

3880. **Lantana scabrida** Aiton Hort. kew. ed. 1. II. 352. Loddig. Bot. Cab. t. 1171. — 5 — *Habitat in Antillis.*

3881. **Lantana Camara** Linn. Syst. ed. 15. p. 603. — 5 — *Habitat in America tropica.*

3882. **Lantana nivea** Vent. Jard. Malmais. t. 8. — 5 — *Habitat in India orientali.*

β. *Mutabilis* Bot. Mag. t. 3110.

3883. **Lantana involucrata** Linn. Syst 474. — 5 — *Habitat in America tropica.*

3884. **Lantana recta** Aiton Hort. kew. ed. 1. II. 351. Jacq. Hort. Schönbr. III. 59. t. 360. — 5 — *Habitat in America tropica.*

3885. **Lantana Sellowiana** Link et Otto Abbild. 107. t. 50. — 5 — *Habitat in Monte Video.*

3886. **Lantana Radula** Swartz Flor. Ind. occid. II. 1057. — ♂ — *Habitat in Antillis.*

3887. **Lantana alba** Miller Dict. Link Enum. II. 126. — ♂ — *Habitat in America tropica.*

3888. **Lantana brasiliensis** Link Enum. II. 126. — ♂ — *Habitat in Brasilia.*

3889. **Lantana cinerea** Lam. Dict. I. 566. — ♂ — *Patria ignota.*

3890. **Lantana salviaefolia** Jacq. Hort. Schönbr. III. 18. t. 285. — ♂ — *Habitat in Capite bonae spei.*

3697. **Hosta** Jacq.

3891. **Hosta caerulea** Jacq. Hort. Schönbr. I. 60. t. 114. Bot. Reg. t. 1204. *Cornutia punctata* Willd. Spec. III. 322. Bot. Mag. t. 2611. — ♂ — *Habitat in America tropica.*

3700. **Vitex** Linn.

3892. **Vitex Agnus castus** Linn. Spec. 890. — ♂ — *Habitat in Europa australi.*

3893. **Vitex incisa** Linn. Spec. Syst. 579. *Vitex Negundo* Bot. Mag. t. 364. — ♂ — *Habitat in China.*

3894. **Vitex ovata** Thunb. Flor. Japon. 257. — ♂ — *Habitat in China et Japonia.*

3704. **Gmelina** Linn.

3895. **Gmelina arborea** Roxburgh Plant. corom. t. 246. — ♂ — *Habitat in India orientali.*

3706. **Citharexylon** Linn.

3896. **Citharexylon quadrangulare** Jacq. Hort. Vindob. I. t. 22. — ♂ — *Habitat in India occidentali.*

3897. **Citharexylon subserratum** Swartz Flor. ind. occid. II. 1043. — ♂ — *Habitat in Antillis.*

3898. **Citharexylon pentandrum** Vent.
Cels. t. 47. — ♂ — *Habitat in Portorico.*

3708. **Clerodendron** Linn.

3899. **Clerodendron cernuum** Wallich
Catalog. — ♂ — *Habitat in India orientali.*

3900. **Clerodendron Siphonanthus** R.
Brown Hort. kew. IV. 65. *Siphonanthus indica* Linn.
Spec. 159. *Ovieda mitis* Linn. Spec. 888. — ♀ —
Habitat in India orientali.

3901. **Clerodendron buxifolium** Spreng.
Syst. II. 758. *Volkameria buxifolia* Willd. Enum. II.
658. — ♂ — *Patria ignota.*

3902. **Clerodendron emirnense** Hooker
in Bot. Mag. t. 2925. *Clerodendron floribundum* Lindl.
in Bot. Reg. t. 1035. — ♀ — *Habitat in Madagascar.*

3903. **Clerodendron fortunatum** Linn.
Spec. 889. — ♀ — *Habitat in India orientali.*

3904. **Clerodendron squamatum** Vahl
Symb. II. 74. *Volkameria Kaempferi* Jacq. Ic. rar. t.
500. — ♀ — *Habitat in Japonia.*

3905. **Clerodendron phlomoides** Vahl
Symb. II. 74. — ♀ — *Habitat in India orientali.*

3906. **Clerodendron fragrans** Vent. Malm.
t. 70. *Volkameria japonica* Hortulan. — ♀ — *Habitat
in Japonia.*

Flore pleno.

3907. **Clerodendron viscosum** Vent. Malm.
25. Bot. Mag. t. 1805. — ♀ — *Habitat in India orien-
tali.*

3709. **Duranta** Linn.

3908. **Duranta Plumierii** Linn. Spec. 888.
Bot. Reg. t. 244. — ♀ — *Habitat in Antillis.*

3909. **Duranta Ellisia** Linn. Spec. 888. Bot.
Mag. t. 1759. — ♀ — *Habitat in Antillis.*

3910. **Duranta Mutisii** Linn. Suppl. 291.
— ♀ — *Habitat in Peruvia.*

Tribus III. Aegiphileae.

3712. *Callicarpa* Linn.

3911. *Callicarpa cana* Linn. Mant. 198.
— ♀ — *Habitat in India orientali.*

3912. *Callicarpa arborea* Roxburgh Flor.
ind. 1. 390. — ♀ — *Habitat in India orientali.*

3713. *Aegiphila* Jacq.

3913. *Aegiphila glabrata* Schott msc.
— ♂ — *Habitat in Brasilia.*

Ordo LXXXVIII. Globularieae.

3725. *Globularia* Linn.

3914. *Globularia bisnagarica* Linn. Spec.
139. — ♂ — *Habitat in India orientali.*

3915. *Globularia longifolia* Aiton Hort.
kew. ed. 1. l. 130. Bot. Reg. t. 685. *Globularia sa-
licina* Lam. Dict. II. 733. — ♂ — *Habitat in Te-
neriffa.*

3916. *Globularia Alypum* Linn. Spec. 139.
— ♂ — *Habitat in Europa australi.*

3917. *Globularia vulgaris* Linn. Spec. 139.
Schuhr t. 21. — ♀ — *Habitat in Europa media.*

3918. *Globularia cordifolia* Linn. Spec.
139. Reichenb. Ic. f. — ♀ — *Habitat in Hungaria.*

Ordo LXXXIX. Selagineae.

3728. *Dischisma* Choisy.

3919. *Dischisma ciliatum* Choisy in Mem.
soc. h. n. Genev. II. 93. *Hebenstreitia ciliata* Berg.
Flor. cap. 154. — ♀ — *Habitat in Capite bonae spei.*

Ordo XC. Myoporineae.

3733. **Myoporum** Banks et Sol.

3920. **Myoporum ellipticum** R. Brown Prodr. 515. *Pogonia glabra* Andrews Bot. Reposit. t. 283. — ♂ — *Habitat in Nova Hollandia.*

3921. **Myoporum acuminatum** R. Brown Prodr. 515. — ♂ — *Habitat in Nova Hollandia.*

3922. **Myoporum parvifolium** R. Brown Prodr. 516. Bot. Mag. t. 1691. — ♂ — *Habitat in Nova Hollandia.*

3923. **Myoporum tuberculatum** R. Brown Prodr. 516. — ♂ — *Habitat in Nova Hollandia.*

3924. **Myoporum oppositifolium** R. Brown Prodr. 516. — ♂ — *Habitat in Nova Hollandia.*

3736. **Stenochilus** R. Br.

3925. **Stenochilus glaber** R. Brown Prodr. 517. Bot. Mag. t. 1942. — ♂ — *Habitat in Nova Hollandia.*

3926. **Stenochilus maculatus** Ker in Bot. Reg. t. 647. — ♂ — *Habitat in Nova Hollandia.*

Ordo XCI. Cordiaceae.

3738. **Cordia** Linn.

3927. **Cordia bifurcata** Römer et Schult. Syst. IV. 466. *Varronia bifurcata* Ruiz et Pav. Flor. peruv. II. 24. t. 146. f. a. — ♂ — *Habitat in Peruvia.*
 β. *Parviflora*. *Varronia parviflora* Ortega Decad. VII. 86.

3741. **Patagonula** Löffl.

3928. **Patagonula americana** Linn. Spoc. 212. — ♂ — *Habitat in Brasilia australi et Patagonia.*

Ordo XCII. Asperifoliae.

Subordo I. Ehretiaceae.

Tribus I. Tournefortieae.

3743. **Ehretia** Linn.

3929. **Ehretia tinifolia** Linn. Amoen. V. 595.
— 5 — *Habitat in Antillis.*

3930. **Ehretia laxa** Jacq. Hort. Schönbr. t.
41. — 5 — *Habitat in insula Bourbon.*

3745. **Grabowskia** Schlecht.

3931. **Grabowskia boerhaviaefolia**
Schlechtend. in Linnaea VII. 72. Lindley in Bot.
Reg. t. 1985. *Lycium boerhaviaefolium* Linn Suppl. 150.
Ehretia halimifolia Heritier Stirp. I. 45. t. 83. — 5 —
Habitat in Peruvia et Brasilia meridionali.

3746. **Beurreria** Jacq.

3932. **Beurreria succulenta** Jacq. Amer.
44. t. 173. f. 17. Observ. II. 2. t. 26. — 5 — *Habi-
tat in Antillis.*

3747. **Tournefortia** R. Br.

3933. **Tournefortia cymosa** Linn. Spec.
202. Jacq. Ic. rar. t. 31. — 5 — *Habitat in Antillis.*

3934. **Tournefortia mutabilis** Vent. Choix
t. 3. — 5 — *Habitat in Java.*

3935. **Tournefortia suffruticosa** Willd.
Spec. I. 794 — 5 — *Habitat in Antillis.*

3936. **Tournefortia tomentosa** Miller Dict.
n. 4. — 5 — *Habitat in America tropica.*

3748. **Messerschmidtia** Röm. et Schult.

3937. **Messerschmidtia hirsutissima** Röm.

et Schult. Syst. IV. 541. *Tournefortia hirsutissima* Swartz
Observ. 56. — ♂ — *Habitat in America tropica.*

3938. *Messerschmidtia volubilis* Römer
et Schult. Syst. IV. 541. *Tournefortia volubilis* Willd.
Enum. I. 188. Lam. t. 95. f. 2. — ♂ — *Habitat in
Antillis.*

Tribus II. Heliotropeae.

3751. *Heliotropium* Linn.

3939. *Heliotropium peruvianum* Linn.
Spec. 187. Bot. Mag. t. 141. — ♀ — *Habitat in Pe-
ruvia.*

3940. *Heliotropium corymbosum* Ruiz
et Pav. Flor. peruv. II. 2. t. 107. f. a. Bot. Mag. t.
1609. *Heliotropium grandiflorum* Link Enum. I. 163.
— ♀ — *Habitat in Peruvia.*

3941. *Heliotropium parviflorum* Linn.
Mant. 201. Dillen. Elth. 178. t. 146. f. 175. — ☉ —
Habitat in India orientali.

3942. *Heliotropium europaeum* Linn.
Spec. 187. Jacq. Flor. austr. t. 207. — ☉ — *Habi-
tat in Europa australiore et Caucaso.*

3752. *Tiaridium* Lehm.

3943. *Tiaridium indicum* Lehmann Aspe-
rif. I. 14. *Heliotropium indicum* Linn. Spec. 187. — ☉ —
Habitat inter-tropicos totius orbis.

Subordo II. Borragineae.

Tribus I. Anchuseae.

3753. *Cerinth* Linn.

3944. *Cerinth major* Linn. Spec. 195.
— ☉ — *Habitat in subalpinis Europae.*

3945. **Cerinthē minor** Linn. Spec. 196.
— ☉ — *Habitat in sterilibus Europae fere totius.*

3946. **Cerinthē aspera** Roth Catalect. I. 33.
— ☉ — *Habitat in Europa australiore.*

3754. **Onosma** Linn.

3947. **Onosma echioides** Linn. Spec. 196.
Jacq., Flor. austr. t. 295. — 4 — *Habitat in collibus asperis Europae australioris.*

3948. **Onosma stellulatum** Waldst. et Kitaib. Plant. rar. Hung. II. 189. t. 279. — 4 — *Habitat in asperis Europae australis.*

3949. **Onosma setosum** Ledebour Flor. alt. I. 181. Ic. t. 196. — 4 — *Habitat in regione caspico-caucasica.*

3950. **Onosma rigidum** Ledebour Flor. alt. I. 180. Ic. t. 238. — 4 — *Habitat in Tauria.*

3757. **Echium** Tournef.

* Fruticosa.

3951. **Echium giganteum** Linn. f. Suppl. 131. Vent. Malmais. t. 71. — 5 — *Habitat in rupibus Teneriffae.*

3952. **Echium lineatum** Jacq. f. Eclog. t. 42. — 5 — *Habitat in insulis Canariis.*

3953. **Echium candicans** Linn. f. Suppl. 131. Jacq. Ic. rar. t. 30. — 5 — *Habitat in rupibus Maderae.*

3954. **Echium fastuosum** Aiton Hort. kew. ed. 2. I. 300. Jacq. f. Eclog. t. 41. — 5 — *Habitat in Teneriffa.*

3955. **Echium strictum** Linn. f. Suppl. 131. Jacq. Hort. Schönbr. t. 35. — 5 — *Habitat in Teneriffa.*

3956. **Echium simplex** DC. Cat. Hort. monsp. 108. — 5 — *Habitat in Teneriffa.*

3957. **Echium petraeum** Trattinik. Host Flor. austr. I. 141. — 5 — *Habitat in Dalmatia.*

** Herbacea.

3958. **Echium italicum** Linn. Spec. 201. *Echium altissimum* Jacq. Flor. austr. t. 16. *Echium asperrimum* Bieberst. Flor. Taur. cauc. l. 135. — ☉ — *Habitat in Europa australiore.*

3959. **Echium pyrenaicum** Linn. Mant. 334. — ☉ — *Habitat in Pyrenaeis.*

3960. **Echium rubrum** Jacq. Flor. austr. App. 27. t. 3. — ☉ — *Habitat in Europa australiore.*

3961. **Echium vulgare** Linn. Spec. 200. Flor. dan. 445. — ☉ — *Habitat in Europa et Caucaso.*
β. *Tuberculatum* Hort.

3962. **Echium violaceum** Linn. Mant. 42. — ☉ — *Habitat in Europa australiore.*

3963. **Echium parviflorum** Willd. Enum. I. 187. *Echium micranthum* Schousb. Marocc. 75. — ☉ — *Habitat in Barbaria.*

3964. **Echium creticum** Linn. Spec. 200. Sibthorp Flor. graec. t. 183. — ☉ — *Habitat in Creta et Oriente.*

3759. **Pulmonaria** Tournef.

3965. **Pulmonaria officinalis** Linn. Spec. 194. Reichenb. Iconogr. f. 699. — 4 — *Habitat in sylvaticis umbrosis Europae.*

β. *Immaculata.*

3966. **Pulmonaria mollis** Wolff ex Heller Flor. Wirceb. Suppl. 13. Reichenb. Iconogr. f. 696. *Pulmonaria media* Host Flor. austr. I. 235. — 4 — *Habitat in rupestribus umbrosis Europae.*

3760. **Steenhammera** Reichenb.

3967. **Steenhammera virginica**. *Pulmonaria virginica* Linn. Spec. 194. Mill. Ic. t. 212. *Mertensia pulmonarioides* Roth Catalect. I. 54. *Mertensia virginica* Persoon Encheir. — 4 — *Habitat in Virginia et Carolina.*

3761. **Lithospermum** Tournef.

3968. **Lithospermum arvense** Linn. Spec. 190. Flor. dan. t. 456. — ☉ — *Habitat in agris et arvis Europae.*

3969. **Lithospermum tenuiflorum** Linn. f. Suppl. Jacq. Ic. rar. 313. — ☉ — *Habitat in Aegypto.*

3970. **Lithospermum orientale** Linn. Syst. 156. Bot. Mag. t. 515. — 2 — *Habitat in Oriente.*

3971. **Lithospermum Pallasii** Ledebour Flor. alt. I. 176. Ic. t. 23. *Pulmonaria bracteata* Willd. ex Röm. et Schult. Syst. IV. 747. — 2 — *Habitat in alpestribus montium Altaicorum.*

3972. **Lithospermum officinale** Linn. Spec. 189. Flor. dan. t. 1084. — 2 — *Habitat in montanis asperis Europae.*

3973. **Lithospermum latifolium** Michaux Flor. Bor. Amer. I. 131. — 2 — *Habitat in America boreali.*

3974. **Lithospermum purpureo-caeruleum** Linn. Spec. 190. Jacq. Flor. austr. t. 14. — 2 — *Habitat in sylvis montanis Europae australioris.*

3975. **Lithospermum distichum** Ortega et Willd. Enum. I. 177. — 2 — *Habitat in Cuba.*

3761. **Amsinckia** Lehm.

3976. **Amsinckia lycopsioides** Lehmann Ind. Sem. Hort. Hamb. 1832. Fischer Index Sem. Hort. Petrop. II. 26. — ☉ — *Habitat in Chili.*

3977. **Amsinckia angustifolia** Lehmann Ind. Sem. Hort. Hamb. 1832. Fischer Index Sem. Hort. Petrop. II. 26. *Amsinckia parviflora* Bernhardt Index Sem. Hort. Erfurt. 1833. *Lithospermum calycinum* Moris in Act. Academ. Taurin. XXXVII. p. 108. t. 22. — ☉ — *Habitat in Chili.*

3978. **Amsinckia intermedia** Fischer et C. A. Meyer Ind. Sem. Hort. Petrop. II. 26. — ☉ — *Habitat in Nova California.*

3765. *Nonnea* Medic.

3979. *Nonnea rosea* Link Enum. I. 167. *Anchusa rosea* Bieberst. Flor. Taur. cauc. I. 225. Cent. I. t. 43. *Lycopsis rosea* Lehm. Asperif. II. 261. — ☉ — *Habitat ad fluvium Terek.*

3980. *Nonnea decumbens* Mönch Method. 422. *Nonnea nigricans* Röm. et Schult. Syst. IV. 70. *Lycopsis nigricans* Persoon Encbeir. I. 163. *Lycopsis vesicaria* Linn. Spec. 198. *Echioides nigricans* Desfont. Flor. atl. I. 163. — ☉ — *Habitat in Europa et Africa boreali.*

3981. *Nonnea pulla* DC. Fl. fr. III. 626. *Lycopsis pulla* Linn. Spec. 196. Jacq. Flor. austr. t. 188. *Lycopsis vesicaria* Hornem. Hort. Hafn. I. 181. non Linn. *Anchusa pulla* Bieberst. Flor. Taur. cauc. I. 125. *Echiodes violacea* Desfont. Flor. atl. I. 164. — ♀ — *Habitat in Europa media et australi.*

3982. *Nonnea lutea* DC. Flor. fr. VI. 420. *Lycopsis lutea* Lam. Ill. n. 1828. *Anchusa lutea* Bieberst. Flor. Taur. cauc. I. 126. — ☉ — *Habitat in Europa australiore et Caucaso.*

3983. *Nonnea flavescens* G. Don Syst. IV. 337. *Lycopsis flavescens* C. A. Meyer Cauc. 98. — ☉ — *Habitat in Caucaso.*

3767. *Lycopsis* Linn.

3984. *Lycopsis variegata* Linn. Spec. 198. Sibth. Flor. graec. t. 178. *Anchusa variegata* Lehmann Asperifol. 223. — ☉ — *Habitat in Italia et Graecia.*

3985. *Lycopsis arvensis* Linn. Spec. 199. Flor. dan. t. 435. *Anchusa arvensis* Lehmann Asperif. 225. — ☉ — *Habitat inter segetes Europae et Americae borealis.*

3767. *Caryolopha* Fisch. et Mey.

3986. *Caryolopha sempervirens* Fischer et Meyer Index Sem. Hort. Petrop. 1835. III. 31. *Anchusa sempervirens* Linn. Spec. 192. Hooker Flor. Lond. IV. t. 21. — ♀ — *Habitat in Europa australi et Britannia.*

3768. **Anchusa** Linn.

3987. **Anchusa officinalis** Linn. Spec. 191.
— ⊙ — *Habitat in lapidosis Europae.*

β. *Incarinata.*

3988. **Anchusa capensis** Thunb. Prodr. I.
34. Andrews Bot. Reposit. t. 336. Bot. Mag. t. 1822.
— ⊙ — *Habitat in Capite bonae spei.*

3989. **Anchusa Barrelierii** DC. Fl. fr. n.
2731. — ⊙ — *Habitat in Gallia australi et Italia.*

3990. **Anchusa hybrida** Tenore Flor. neap.
t. 11. — ⊙ — *Habitat in agro neapolitano.*

3991. **Anchusa italica** Retz Observ. I. 12.
Jacq. Collect. IV. 302. *Anchusa paniculata* Aiton Hort.
kew. I. 177. Sibthorp Flor. graec. t. 163. — ⊙ —
Habitat in regione mediterranea.

3992. **Anchusa stylosa** Bieberst. Flor. Taur.
cauc. I. 123. — ⊙ — *Habitat in Tauria.*

3993. **Anchusa crispa** Vivian. Append. Flor.
cors. — ⊙ — *Habitat in Corsica.*

3769. **Plagiobothrys** Fisch. et Mey.

3994. **Plagiobothrys rufescens** Fisch. et
Meyer Ind. Sem. Hort. Petrop. III. 1836. p. 46. — ⊙ —
Habitat in Chili.

3771. **Bothriospermum** Bung.

3995. **Bothriospermum tenellum** Fisch.
et Meyer Index Sem. Hort. Petrop. II. 1835. p. 23.
Anchusa tenellu Hornem. Hort. Hafn. I. 176. *Anchusa*
zeylanica Jacq. f. Eclog. t. 29. — ⊙ — *Habitat in China.*

3772. **Myosotis** Linn.

3996. **Myosotis sparsiflora** Mikan in Hoppe
Taschenb. 1807. 74. — ⊙ — *Habitat in Europa et*
Asia media.

3997. **Myosotis sylvatica** Ehrh. Herb. 31.
Lehm. Asperif. 85. — ⊙ — *Habitat in sylvis montanis*
Europae et Asiae mediae.

3998. **Myosotis caespitosa** Schultz Flor. Starg. Suppl. 11. E. B. t. 2661. — ☉ — *Habitat in Europa borealiore et Asia media.*

3999. **Myosotis palustris** With. Arrang. 225. E. B. t. 1973. — ☉ — *Habitat juxta rivulos Europae mediae.*

4000. **Myosotis arvensis** Sibthorp Flor. oxon. 68. — ☉ — *Habitat in sterilibus regionum extratropicarum amphigaea.*

4001. **Myosotis hispida** Schlechtend. in Berl. Magaz. VIII. 229. — ☉ — *Habitat in collibus et versuris Europae mediae.*

4002. **Myosotis lutea** Persoon Encheir. I. 156. *Anchusa lutea* Cav. Ic. t. 69. f. 1. excl. synonym. — ☉ — *Habitat in Hispania.*

4003. **Myosotis peduncularis** Lehmann Asperif. 102. *Myosotis pedunculata* Treviranus in Berl. Schrift. nat. Fr. 1813. p. 147. t. 2. f. 6 — 9. — ☉ — *Habitat in arvis prope Astrachan.*

3776. **Symphytum** Linn.

4004. **Symphytum officinale** Linn. Spec. 195. Wagner pharm. Bot. t. 4. — 2 — *Habitat in Europae et Sibiriae pratis humidiusculis umbrosis.*

β. *Album.* — γ *Roseum.*

4005. **Symphytum orientale** Linn. Spec. 195. Bot. Mag. t. 1912. — 2 — *Habitat in Tauria.*

4006. **Symphytum asperrimum** Bieberst. Flor. Taur. cauc. I. 129. Bot. Mag. t. 929. — 2 — *Habitat in Tauria et Caucaso.*

3777. **Trachystemon** Don.

4007. **Trachystemon orientale** D. Don in Edinb. philosoph. Journ. Juli 1832. *Borrago orientalis* Linn. Spec. 197. Bot. Reg. t. 288. — 2 — *Habitat in Oriente.*

3778. *Borrage* Tournef.

4008. *Borrage officinalis* Linn. Spec. 197.
E. B. t. 36. — ☉ — *Habitat in Oriente.*

4009. *Borrage laxiflora* DC. Fl. fr. VI. 422.
Anchusa laxiflora Poir. Suppl. I. 736. Bot. Mag. t. 1798.
— 2 — *Habitat in Corsica.*

Tribus II. Cynoglosseae.

3779. *Trichodesma* R. Br.

4010. *Trichodesma indicum* R. Brown
Prodr. 496. *Borrage indica* Linn. Spec. 197. — ☉ —
Habitat in India orientali.

3780. *Omphalodes* Tournef.

4011. *Omphalodes verna* Mönch Method.
420. *Cynoglossum omphalodes* Linn. Spec. 192. — 2 —
Habitat in sylvis umbrosis Europae australioris.

3781. *Rindera* Pall.

4012. *Rindera tetraspis* Pallas It. App. 486.
t. F. f. 1. 2. *Cynoglossum laevigatum* Linn. Syst. 157.
Cynoglossum Rindera Pallas Flor. ross. II. 96. t. 88.
— 2 — *Habitat in Sibiria.*

3782. *Mattia* Schult.

4013. *Mattia umbellata* Schultes Observ.
32. *Cynoglossum umbellatum* Waldst. et Kitaib. Plant.
Hung. rar. II. 158. t. 148 — 2 — *Habitat in Europa
australiore.*

4014. *Mattia Columnae* G. Don Syst. IV.
310. *Cynoglossum Columnae* Bivona Manip. II. 2. — 2 —
Habitat in Italia australi.

4015. *Mattia magellensis* G. Don Syst. IV.
310. *Cynoglossum magellense* Tenore Prodr. 33. — 2 —
Habitat in regno neapolitano.

3783. *Solenanthus* Ledeb.

4016. *Solenanthus circinatus* Ledebou
Flor. alt. I. 193. Ic. t. 26. — 4 — *Habitat in Sibiria
altaica.*

3784. *Cynoglossum* Linn.

4017. *Cynoglossum glochidatum* Wal-
lich Catalog. n. 922. — 4 — *Habitat in India orientali.*

4018. *Cynoglossum furcatum* Wallich in
Roxb. Flor. ind. II. 6. — 4 — *Habitat in Nepalia.*

4019. *Cynoglossum lanceolatum* Forsk.
Aegypt. 41. — ☉ — *Habitat in Arabia.*

4020. *Cynoglossum canescens* Hornem.
Hort. Hafn. I. 177. *Cynoglossum hirsutum* Jacq. Hort.
Schönbr. t. 489. — ☉ — *Habitat in India orientali.*

4021. *Cynoglossum clandestinum* Des-
font. Flor. atlant. I. 159. t. 42. — ☉ — *Habitat in
Lusitania et Barbaria.*

4022. *Cynoglossum divaricatum* Lehmann
Asperif. II 161. — 4 — *Habitat in Sibiria.*

4023. *Cynoglossum officinale* Linn Spec.
193. E. B. t. 921. — ☉ — *Habitat in Europa, Asia
media et America boreali.*

β *Bicolor* Willd. Enum. 180.

4024. *Cynoglossum pictum* Aiton Hort.
kew. ed. 1. I. 179. Bot. Mag. t. 2134. — ☉ — *Ha-
bitat in Europa australi et Barbaria.*

4025. *Cynoglossum montanum* Lam. Dict.
II. 237. *Cynoglossum sylvaticum* Smith E. B. t. 1642.
Cynoglossum virginicum Linn. Syst. 13. 157. — ☉ —
Habitat in Europa et America boreali.

4026. *Cynoglossum longiflorum* Lehm.
Asperif. 162. — ☉ — *Habitat in Sibiria.*

4027. *Cynoglossum apenninum* Linn.
Spec. 193. — ☉ — *Habitat in Europa australi.*

3786. *Echinospermum* Swartz.

4028. *Echinospermum virginicum* Lehm

Asperif. 117. *Myosotis virginica* Linn. Spec. 189. — ☉ —
Habitat in America boreali.

4029. *Echinospermum Lappula* Lehm.
Asperif. 121. *Myosotis Lappula* Linn. Spec. 189. — ☉ —
Habitat in regionibus extratropicis totius fere orbis.

4030. *Echinospermum heteracanthum*
Ledebour Flor. alt. I. 198. — ☉ — *Habitat prope Astrachan.*

4031. *Echinospermum barbatum* Lehm.
Asperif. 128. *Myosotis barbata* Bieberst. Cent. I. t. 36.
— ☉ — *Habitat in Tauria.*

4032. *Echinospermum Szovitsianum* Fischer et Meyer Index Sem. Hort. Petrop. III. 1836.
p. 36. — ☉ — *Habitat in Persia.*

3787. *Rochelia* Reichenb.

4033. *Rochelia stellulata* Reichenb. Iconogr. t. 123. *Cynoglossum dispernum* Linn. f. Dec. I. t. 7. — ☉ —
Crescit in Hispania et Caucaso.

Ordo XCIII. Convolvulaceae.

3788. *Dichondra* Forst.

4034. *Dichondra sericea* Swartz Flor. Ind. occid. I. 556. Ic. t. 10. — 24 — *Habitat in America tropica.*

4035. *Dichondra argentea* Willd. Hort. berol. II. t. 81. — 24 — *Habitat in Mexico.*

4036. *Dichondra repanda* Willdenow in Röm. et Schult. Syst. VI. 209. — 24 — *Habitat in America tropica.*

3789. *Falkia* Thunb.

4037. *Falkia repens* Linn. Suppl. 211. — 24 — *Habitat in Capite bonae spei.*

3797. **Porana** Burm.

4038. **Porana racemosa** Roxburgh Flor. ind. II. 41. *Dinetus racemosus* Sweet Fl. Gard. t. 127. — ☉ — *Habitat in Nepalia.*

3801. **Calystegia** R. Br.

4039. **Calystegia sepium** R. Brown Prodr. 483. *Convolvulus sepium* Linn. Spec. 218. — 4 — *Habitat in temperatis extratropicis totius orbis.*

4040. **Calystegia sylvestris** Röm. et Schult. Syst. IV. 183. *Convolvulus sylvaticus* Waldst. et Kit. Plant. rar. Hung. t. 261. — 4 — *Habitat ad thermas Herculis.*

4041. **Calystegia lucana** Don Syst. IV. 296. *Convolvulus lucanus* Tenore App. 5. — 4 — *Habitat in Lucania.*

3803. **Convolvulus** Linn.

α. Convolvulus Chois.

4042. **Convolvulus scoparius** Aiton Hort. kew. I. 213 Vent. Choix t. 24. — 5 — *Habitat in insulis Canariis.*

4043. **Convolvulus Cantabrica** Linn. Spec. 225. Jacq. Flor. austr. t. 296. — 4 — *Habitat in Europa australiore.*

4044. **Convolvulus Cneorum** Linn. Spec. 224. Bot. Mag. t. 459. — 4 — *Habitat in Hispania et Graecia.*

4045. **Convolvulus oleifolius** Desr. in Lam. Dict. III. 552. — 5 — *Habitat in Oriente.*

4046. **Convolvulus linearis** Curtis Bot. Mag. t. 289. — 5 — *Habitat in Hispania et Gallia australi.*

4047. **Convolvulus tricolor** Linn. Spec. 225. Bot. Mag. t. 27. — ☉ — *Habitat in Sicilia, Hispania et Lusitania.*

4048. **Convolvulus siculus** Linn. Spec. 223.

Bot. Règ. t. 445. — ☉ — *Habitat in Sicilia, Hispania et Graecia.*

4049. **Convolvulus elongatus** Willd. Enum. I. 205. Bot. Règ. t. 498. *Convolvulus Pseudosiculus* Cavan. Descript. 97. — ☉ — *Habitat in insulis Canariis.*

4050. **Convolvulus arvensis** Linn. Spec. 218. — 2 — *Habitat passim in solo macro, horti nostri dira pestis.*

4051. **Convolvulus hirsutus** Bieberst. Flor. Taur. cauc. I. 442. Cent. I. t. 66. — 2 — *Habitat in littoribus aridis Tauriae.*

4052. **Convolvulus italicus** Röm. et Schult. Syst. IV. 266. *Convolvulus hirsutus* Tenore Flor. Neap. t. 15. — 2 — *Habitat in Italia australiore.*

4053. **Convolvulus farinosus** Linn. Mant. 2. 203. Jacq. Hort. Vindob. t. 35. — 3 — *Habitat in Madeira.*

4054. **Convolvulus Hermanniae** Herit. Stirp. 67. t. 33. *Convolvulus crenatus* Jacq. Ic. rar. t. 315. — 2 — *Habitat in Peru.*

5. *Ipomaea* Chois.

4055. **Convolvulus peltatus** Linn. Spec. 221. *Ipomaea peltata* Choisy in Mem. Soc. phys. Genev. VI. 452. — 3 — *Habitat inter tropicos Asiae.*

4056. **Convolvulus tamnifolius** Spreng. Syst. I. 602. *Ipomaea tamnifolia* Linn. Spec. ed. 1. p. 885. — ☉ — *Habitat in America boreali.*

4057. **Convolvulus leucanthus** Desrouss. in Dict. encyclop. III. 541. *Ipomaea leucantha* Jacq. Ic. rar. t. 318. — ☉ — *Habitat in America tropica.*

4058. **Convolvulus sibiricus** Linn. Mant. 203. *Ipomaea sibirica* Jacq. Collect. III. 304. — ☉ — *Habitat in Sibiria.*

4059. **Convolvulus rubro - caeruleus.** *Ipomaea rubro - caerulea* Hooker Bot. Mag. t. 3297. *Ipomaea Hookeri* Don Syst. IV. 274. — ☉ — *Habitat in India orientali.*

4060. **Convolvulus ocellaris.** *Ipomaea ocellaris*

luris Bartling Index Sem. Hort. Götting. 1839. — ☉ —
Habitat in insula Java.

4061. **Convolvulus hirsutulus.** *Ipomaea hirsutula* Jacq. f. Eclog. t. 44. *Ipomaea scabra* Hort. Madrid. — ☉ — *Patria ignota.*

4062. **Convolvulus copticus** Linn. Mant. 559. *Ipomaea coptica* Roth Nov. spec. 110. — ☉ —
Habitat inter tropicos Asiae, Africae et Americae.

4063. **Convolvulus dasyspermus.** *Ipomaea dasysperma* Jacq. f. Eclog. I. 132. t. 89. — ☉ —
Habitat in India orientali et Nova Hollandia.

4064. **Convolvulus dissectus.** *Ipomaea dissecta* R. Brown Prodr. 487. — ☉ — *Habitat in Nova Hollandia tropica.*

4065. **Convolvulus Pes Tigridis** Spreng. Syst. I. 455. *Ipomaea Pes Tigridis* Linn. Spec. 230. — ☉ — *Habitat in Asia tropica.*

3805. **Calonyction** Choisy.

4066. **Calonyction speciosum** Choisy in Mem. Soc. phys. Genev. VI. 441. *Ipomaea bona nox* Linn. Spec. 228. Bot. Mag. t. 752. — ☉ — ☾ —
Habitat in America tropica.

4067. **Calonyction muricatum** Don Syst. IV. 264. *Ipomaea muricata* Jacq. Hort. Schönbr. t. 323. — ☉ — *Habitat in India orientali.*

3806. **Quamoclit** Tournef.

4068. **Quamoclit phoeniceum** Choisy in Mem. Soc. phys. Genev. VI. 433. *Ipomaea phoenicea* Roxburgh Flor. ind. ed. Walt. II. 92. — ☉ —
Habitat in Coromandel et in Moluccis.

4069. **Quamoclit coccineum** Don Syst. IV. 258. *Ipomaea coccinea* Linn. Spec. 163. Bot. Mag. t. 221. — ☉ — *Habitat in America boreali calidiore et tropica.*

4070. **Quamoclit luteolum** Don Syst. IV.

258. *Ipomaea luteola* Jacq. Ic. rar. t. 35. — ☉ —
Habitat in Guatimala.

4071. **Quamoclit trilobum** Don Syst. IV.
 258. *Ipomaea triloba* Linn. Spec. 229. — ☉ — *Habitat in America tropica.*

4072. **Quamoclit vulgare** Choisy in Mem. Soc. phys. Genev. VI 434. *Ipomaea Quamoclit* Linn. Spec. 227. Bot. Mag. t. 244. — ☉ — *Habitat inter tropicos totius orbis.*

3807. **Batatas** Choisy.

4073. **Batatas edulis** Choisy in Mem. Soc. phys. Genev. VI. 435. *Convolvulus Batatas* Linn. Amoen. Academ. VI. 138. — 4 — *Habitat in India orientali.*

4074. **Batatas heterophylla** Don Syst. IV.
 261. *Ipomaea heterophylla* Ortega Dec. 9. Jacq. Fragm. t. 42. f. 4. — 4 — *Habitat in Cuba.*

4075. **Batatas pentaphylla** Choisy in Mem. Soc. phys. Genev. VI. 436. *Ipomaea pentaphylla* Jacq. Ic. rar. t. 319. — 4 — *Habitat inter tropicos totius orbis.*

4076. **Batatas ternata** Don Syst. IV. 262. *Ipomaea ternata* Jacq. Hort. Schönbr. t. 37. — 4 ☉ — *Habitat in Brasilia.*

3808. **Pharbitis** Juss.

4077. **Pharbitis hispida** Choisy in Mem. Soc. phys. Genev. VI. 438. *Ipomaea purpurea* Lam. Ill. n. 2129. *Convolvulus purpureus* Linn. Spec. 219. Bot. Mag. t. 113. 1005. 1682. — ☉ — *Habitat in America tropica.*

4078 **Pharbitis diversifolia** Lindley in Bot. Reg. t. 1988. — ☉ — *Habitat in Mexico.*

4079. **Pharbitis Nil** Choisy in Mem. Soc. phys. Genev. VI. 439. *Convolvulus Nil* Linn. Spec. 219. *Ipomaea Nil* Roth Catalect. I. 36. *Ipomaea caerulea* König in Bot. Reg. t. 276. — ☉ — *Habitat inter tropicos totius orbis.*

4080. **Pharbitis hederacea** Choisy in Mem.

Soc. phys. Genev. VI. 440. *Ipomaea hederacea* Jacq. Ic. rar. t. 36. — ☉ — *Habitat in America tropica, boreali calidior et Nova Hollandia.*

4081. **Pharbitis Purshii** Don Syst. IV. 262. *Ipomaea Nil* Pursh Flor. Bor. Am. I. 146. Bot. Mag. t. 188. non Linn. — ☉ — *Habitat in Virginia et Carolina.*

4082. **Pharbitis barbata** Don Syst. IV. 263. *Ipomaea barbata* Roth Catal. I. 27. *Ipomaea hederacea* Ker Bot. Reg. t. 85. non Linn. — ☉ — *Habitat in Virginia et Carolina.*

4083. **Pharbitis Dillenii** Don Syst. IV. 263. *Ipomaea Dillenii* Röm. et Schult. Syst. IV. 227. — ☉ — *Habitat in Aethiopia.*

4084. **Pharbitis cuspidata** Don Syst. IV. 263. *Ipomaea cuspidata* Ruiz et Pavon Flor. peruv. t. 119. f. 2. — ☉ — *Habitat in Peruvia.*

* Nolanaceae.

3817. **Nolana** Linn.

4085. **Nolana atriplicifolia** D. Don in Sweet Fl. Gard. n. 5. t. 305. *Nolana grandiflora* Lehm. — ☉ — *Habitat in Peru.*

4086. **Nolana prostrata** Linn. f. Decad. I. t. 2. Curtis Bot. Mag. t. 731. — ☉ — *Habitat in Peruvia littorali arenosa.*

4087. **Nolana paradoxa** Lindley in Bot. Reg. t. 865. — ☉ — *Habitat in Chili.*

Ordo XCIV. Polemoniaceae.

3818. **Bonplandia** Cav.

4088. **Bonplandia geminiflora** Cavanill. Ic. VI. 21. t. 532. *Caldasia heterophylla* Willdenow Hort. Berol. I. 71. t. 71. — ☉ — *Habitat in Nova Hispania.*

3819. **Phlox** Linn.

4089. **Phlox paniculata** Linn. Spec. 216. Miller Ic. II. t. 205. f. 2. — 2 — *Habitat in Virginia.*

4090. **Phlox latifolia** L. C. Richard in Michaux Flor. Bor. Amer. I. 143. — 2 — *Habitat in Carolina.*

4091. **Phlox scabra** Sweet Fl. Gard. t. 248. — 2 — *Habitat in America boreali.*

4092. **Phlox acuminata** Pursh Flor. Bor. Amer. II. 730. Sims Bot. Mag. t. 1800. — 2 — *Habitat in Georgiæ et Carolinae montibus.*

4093. **Phlox suffruticosa** Venten. Malmais. II. Ker in Bot. Reg. t. 68. — 2 — *Habitat in America boreali.*

4094. **Phlox Drummondii** Hooker Bot. Mag. t. 3441. — 2 — *Habitat in Texas.*

4095. **Phlox subulata** Linn. Spec. 217. Curtis Bot. Mag. t. 411. Jacq. Fragm. t. 44. f. 4. — 2 — *Habitat in sabulosis et rupestribus Carolinae.*

3820. **Collomia** Nutt.

4096. **Collomia heterophylla** Hooker Bot. Mag. t. 2895. Lindley Bot. Reg. t. 1347. — ☉ — *Habitat in America boreali-occidentali.*

4097. **Collomia coccinea** Lehmann Delect. Sem. Hort. Hamb. 1832. *Collomia Cavanillesii* Hooker et Arnott ad Beechey. *Phlox linearis* Cavanill. Ic. VI. 17. t. 527. — ☉ — *Habitat in Chili.*

4098. **Collomia linearis** Nuttall Gen. Bor. Am. I. 126. Lindley Bot. Reg. t. 1166. Hooker Bot. Mag. t. 2893. — ☉ — *Habitat in America boreali occidentali.*

4099. **Collomia grandiflora** Douglas in Bot. Reg. t. 1274. Hooker Bot. Mag. t. 2894. — ☉ — *Habitat in America boreali occidentali.*

4100. **Collomia gracilis** Benth. in Bot. Reg. *Gillia gracilis* Douglas in Bot. Mag. t. 2924. — ☉ — *Habitat in California et Chili.*

3821. **Gillia** Ruiz et Pav.**a. Leptosiphon** Benth.

4101. **Gillia androsacea**. *Leptosiphon androsaceus* Benth in Horticult. Transact. n. Ser. I. t. 18. f. 1. Bot. Reg. t. 1710. — ☉ — *Habitat in California.*

4102. **Gillia densiflora**. *Leptosiphon densiflorus* Benth in Horticult. Transact. n. Ser. I. t. 18. f. 2. Bot. Reg. t. 1725. — ☉ — *Habitat in California.*

b. Ipomopsis L. C. Rich.

4103. **Gillia coronopifolia** Persoon Encheir. I. 187. Lindley Bot. Reg. t. 1691. *Ipomopsis elegans* L. C. Richard in Michaux Flor. Bor. Amer. I. 141. Smith Exot. Bot. I. t. 13. *Ipomopsis coronopifolia* Nuttall Gen. Bor. Am. I. 124. *Cantua coronopifolia* Willdenow Spec. II. 879. Andrews Bot. Reposit. t. 415. *Polemonium rubrum* Linn. Spec. 231. *Ipomaea rubra* Linn. Syst. 171. — ☉ — *Habitat in Carolina.*

c. Eugillia Benth.

4104. **Gillia tricolor** Benth in Horticult. Transact. N. S. t. 18. f. 3. Bot. Reg. t. 1704. — ☉ — *Habitat in California.*

4105. **Gillia inconspicua** Douglas in Bot. Mag. t. 2883. *Ipomopsis inconspicua* Smith Exot. Bot. I. t. 14. *Gillia parviflora* Sprengel Syst. I. 626. *Cantua parviflora* Pursh Flor. Bor. Am. II. 730. — ☉ — *Habitat in America boreali-occidentali.*

4106. **Gillia achilleaeefolia** Benth in Bot. Reg. t. 1682. — ☉ — *Habitat in California.*

4107. **Gillia capitata** Douglas in Bot. Mag. t. 2698. Bot. Reg. t. 1770. — ☉ — *Habitat in America boreali-orientali.*

d. Navarretia Ruiz et Pav.

4108. **Gillia eryngioides** in Flora 1833. I. 122. *Aegochloa eryngioides* Benth in Bot. Reg. n. 1622. — ☉ — *Habitat in Chili.*

4109. **Gillia involucrata.** *Navarettia involucrata* Ruiz et Pav. Flor. peruv. II. 8. — ☉ — *Habitat in Peruvia.*

3822. **Polemonium** Tournef.

4110. **Polemonium caeruleum** Linn. Spec. 230. E. B. t. 17. Flor. dan. t. 255. — ♀ — *Habitat in sylvis montanis Europae.*

β. *Albiflorum.*

4111. **Polemonium sibiricum** G. Don in Sweet Fl. Gard. t. 182. *Polemonium lacteum* Lehmann Pugill. I. 27. *Polemonium dissectum* Reichenb. Iconogr. t. 463. — ♀ — *Habitat in Sibiria.*

4112. **Polemonium pulchellum** Bunge in Ledebour Flor. alt. I. 233. Ic. t. 20. — ♀ — *Habitat in lapidosis Sibiriae.*

4113. **Polemonium Richardsonii** Graham in Bot. Mag. t. 2800. — ♀ — *Habitat in America arctica.*

4114. **Polemonium villosum** Georgi Besch. des russ. Reiches III. 777. Sweet Fl. Gard. t. 266. *Polemonium humile* Römer et Schultes Syst. IV. 792. Lindley Bot. Reg. t. 1304. — ♀ — *Habitat in Sibiria et Kamtschatka.*

4115. **Polemonium mexicanum** Cervant. in Lagasca Nov. gen. et sp. 10. Her in Bot. Reg. t. 242. — ♀ — *Habitat in Mexico.*

3823. **Hoitzia** Juss.

4116. **Hoitzia coccinea** Cavanill. Ic. IV. 44. t. 365. Kunth in Humb. et Bonpl. Nov. gen. et sp. III. 162. *Hoitzia mexicana* Lam. Dict. III. 134. *Cantua Hoitzia* Willd. Spec. I. 878. *Cantua coccinea* Poiret Suppl. II. 80. *Loeselia coccinea* G. Don Syst. IV. 247. — ♂ — *Habitat in Mexico.*

3825. **Cobaea** Cav.

4117. **Cobaea scandens** Cav. Ic. I. 11. t. 16

17. et 500. Bot. Mag. t. 851. — 2 ♀ — *Habitat in Mexico.*

4118. **Cobaea stipularis** Lindl. in Bot. Reg. 1841. t. 25. — 2 ♀ — *Habitat in Mexico.*

Ordo XCV. Hydrophyllae.

3827. **Hydrophyllum** Tournef.

4119. **Hydrophyllum canadense** Linn. Spec. 208. Lam. t. 97. f. 2. Ker in Bot. Reg. t. 241. — 2 ♀ — *Habitat in Canada et Pennsylvania.*

4120. **Hydrophyllum virginicum** Linn. Spec. 208. Lam. t. 97. f. 1. Ker Bot. Reg. t. 331. Schkuhr Handb. t. 35. — 2 ♀ — *Habitat in Americae borealis rupestribus a Canada ad Carolinam.*

3828. **Ellisia** Linn.

4121. **Ellisia Nyctelaea** Linn. Syst. 195. Lam. t. 97. Gärtner f. Carp. III. t. 184. f. 6. *Polemonium Nyctelaea* Linn. Spec. 231. — ☉ — *Habitat in Virginia in littoribus fluvii Potomac et Missouri.*

3829. **Nemophila** Bart.

4122. **Nemophila parviflora** Douglas ex Benth. in Linn. Transact. XVII. 275. — ☉ — *Habitat in America boreali - occidentali.*

4123. **Nemophila phaceloides** Barton Flor. Bor. Am. 61. Sims Bot. Mag. t. 2373. — ☉ — *Habitat in America boreali.*

4124. **Nemophila insignis** Douglas ex Benth. in Linn. Transact. XVII. 275. Lindley Bot. Reg. t. 1713. — ☉ — *Habitat in California.*

4125. **Nemophila aurita** Lindley in Bot. Reg. t. 1601. — ☉ — *Habitat in California.*

4126. **Nemophila atomaria** Fischer et C. A. Meyer Index Sem. Hort. Petrop. II. p. 42. Lindley in Bot. Reg. t. 1940. — ☉ — *Habitat in California.*

3830. **Eutoca** R. Br.

4127. **Eutoca Menziesii** R. Brown in Franklin Narrat. 764. t. 27. Douglas in Bot. Reg. t. 1180.

— ⊙ — *Habitat in America boreali - occidentali.*

4128. **Eutoca divaricata** Benth in Linn. Transact. XVII 276. Lindley in Bot. Reg. t. 1784.

— ⊙ — *Habitat in California.*

4129. **Eutoca Wrangeliana** Fischer et C. A. Meyer Index Sem. Hort. Petrop. II. p. 37. — ⊙ — *Habitat in California.*

4130. **Eutoca viscida** Benth in Bot. Reg. t. 1808. — ⊙ — *Habitat in California.*

3831. **Phacelia** Juss.

4131. **Phacelia circinnata** Jacq. f. Eclóg. I. 135. t. 91. *Aldea pinnata* Ruiz et Pav. Flor. Peruv. II. 8. t. 114. — 2 — *Habitat in America boreali - occidentali, Mexico, Peruvia, Chili et Magellania.*

4132. **Phacelia umbriata** L. C. Richard in Michaux Flor. Bor. Amer. I. 134. *Cosnanthus fimbriatus* Nolte. — 2 — *Habitat in America boreali.*

4133. **Phacelia tanacetifolia** Benth in Linn. Transact. XVII. 279. Lindley in Bot. Reg. t. 1696. — 2 — *Habitat in California.*

4134. **Phacelia conferta** Hooker in Bot. Mag. t. 3452. — ⊙ — *Habitat in Texas.*

Ordo XCVI. **Solanaceae.**Tribus I. **Nicotianeae.**3838. **Fablana** Ruiz et Pav.

4135. **Fablana imbricata** Ruiz et Pavon Flor. Peruv. II. 12. t. 122. f. b. Lindley in Bot. Reg. 1839. t. 59. — ♂ — *Habitat in arvis Chili.*

3839. *Nierembergia* Ruiz et Pav.

4136. *Nierembergia gracilis* Hooker Bot. Mag. t. 3108. — 4 — *Habitat in Bonaria.*

4137. *Nierembergia filicaulis* Lindley in Bot. Reg. t. 1649. Hooker in Bot. Mag. t. 3370. — 4 — *Habitat in Bonaria.*

3840. *Petunia* Juss.

4138. *Petunia nyctaginiflora* Jussieu in Annal. Mus. II. 216. t. 47. f. 2. Sims Bot. Mag. t. 2552. *Nicotiana nyctaginiflora* Lehmann Nicot. 20. — 4 — *Habitat in America australi, ad ostia fluvii La Plata.*

3841. *Nicotiana* Linn.

a. *Tabacum.*

4139. *Nicotiana Tabacum* Linn. Spec. 258. — ☉ — *Habitat in America tropica.*

Var. β. *Havannensis.* *Nicotiana havannensis* Lagasca Elench. Hort. Madrit. 1796.

Var. γ. *Macrophylla* Hoppe in Flora 1807. p. 260.

b. *Rustica.*

4140. *Nicotiana paniculata* Linn. Spec. 259. Ruiz et Pavon Flor. peruv. II. t. 129. f. b. — ☉ — *Habitat in Peruvia.*

4141. *Nicotiana glauca* Graham in Bot. Mag. t. 2837. — 5 — *Habitat in Bonaria.*

4142. *Nicotiana Langsdorfi* Weinm. in Römer et Schultes Syst. IV. 323. Sims in Bot. Mag. t. 2221. et 2555. — ☉ — *Habitat in Brasilia.*

4143. *Nicotiana rustica* Linn. Spec. 258. — ☉ — *Habitat in America, nunc passim per orbem terrarum culta et hinc inde eferata.*

c. *Petunioides.*

4144. *Nicotiana suaveolens* Lehmann Nicot. 43. *Nicotiana undulata* Venten. Malm. t. 10. Jacq. II.

Fragm. t. 56. Sims Bot. Mag. t. 673. R. Brown Prodr. 447. — 24 — *Habitat in Nova Hollandia.*

4145. **Nicotiana noctiflora** Hooker Bot. Mag. t. 2785. — 24 — *Habitat in Chili.*

4146. **Nicotiana persica** Lindley in Bot. Reg. t. 1592. — ☉ — *Habitat in Persia.*

4147. **Nicotiana plumbaginifolia** Viviani Elench. Hort. di Negro 26. t. 5. *Nicotiana crispa* Jacq. Fragn. 57. t. 84. — ☉ — *Patria ignota.*

d. Polydichia.

4148. **Nicotiana quadrivalvis** Pursh Flor. Bor. Am. I. 141. Lehmann Nicot. t. 4. Sims Bot. Mag. t. 1778. — ☉ — *Habitat in America boreali.*

e. Sairanthus.

4149. **Nicotiana glutinosa** Linn. Spec. 259. Andrews Bot. Reposit. t. 484 *Nicotiana militaris* Linn. in Act. Holm. 1753. XV. 44. t. 2. *Sairanthus glutinosus* G. Don Syst. IV. 467. — ☉ — *Habitat in Peruvia.*

Tribus II. Datureae.

3845. Datura Linn.

a. Stramonium Bernh.

4150. **Datura ferox** Linn. Amoen. III. 403. — ☉ — *Habitat in India orientali.*

4151. **Datura Stramonium** Linn. Spec. 255. E. B. t. 1288. Flor. dan. t. 436. — ☉ — *Plantae mortalium commercio per orbem terrarum divulgatae patria ignota.*

4152. **Datura Tatula** Linn. Spec. 256. Sweet Fl. gard. t. 83. — ☉ — *Habitat in America, nunc per Europam eferata.*

4153. **Datura quercifolia** Kunth. in Humb. et Bonpl. Nov. gen. et sp. III. 7. — ☉ — *Habitat in Mexico.*

b. *Dutra* Bernh.

4154. ***Datura fastuosa*** Miller Dict. n. 6. Linn. Spec. 256. — ☉ — *Habitat in India orientali et Aegypto.*

4155. ***Datura muricata*** Bernhardi in Gart. Magaz. IV. 163. c. ic. *Datura laevis* Schkuhr Handb. I. 140. — ? *Datura hybrida* Tenore. — ☉ — *Patria ignota.*

4156. ***Datura Metel*** Linn. Spec. 256. Sims Bot. Mag. t. 1440. — ☉ — *Habitat in India orientali.*

c. *Ceratocaulis* Bernh.

4157. ***Datura Ceratocaulon*** Ortega Decad. 11. Jacq. Hort. Schönbr. III. 48. t. 309. Hooker Bot. Mag. t. 3351. — ☉ — *Habitat in Cuba et Mexico.*

d. *Brugmansia* Pers.

4158. ***Datura suaveolens*** Willd. Enum. I. 227. *Brugmansia suaveolens* G. Don Syst. IV. 475. — ♀ — *Habitat in Mexico et Peruvia.*

4159. ***Datura sanguinea*** Ruiz et Pavon Flor. Peruv. II. 15. *Datura bicolor* D. Don in Sweet Fl. Gard. n. 5. t. 272. *Brugmansia bicolor* Persoon Encheir. I. 216. — ♀ — *Habitat in Nova Granada et Peruvia.*

3846. ***Solandra*** Swartz.

4160. ***Solandra grandiflora*** Swartz in Act. Holm. 1787. p. 300. t. 11. Jacq. Hort. Schönbr. I. 21. t. 45. Salisbury in Linn. Transact. VI. 100. t. 6. Sims Bot. Mag. t. 1874. *Swartzia grandiflora* Gmelin Syst. 360. — ♀ — *Habitat in Jamaica.*

4161. ***Solandra nitida*** Zuccagn. in Römer Collect. 128. n. 40. — ♀ — *Patria ignota.*

Tribus III. Hyoscyameae.

3847. **Hyoscyamus** Tournef.

4162. **Hyoscyamus niger** Linn. Spec. 257. Flor. dan. t. 1452. E. B. t. 591. — ☉ — *Habitat in ruderatis Europae et Asiae fere totius.*

4163. **Hyoscyamus pallidus** Waldst. et Kitaibel in Willdenow Enum. I. 228. — ☉ — *Habitat in Hungaria.*

4164. **Hyoscyamus aureus** Linn. Spec. 257. Curtis Bot. Mag. t. 87. Sibthorp Flor. graec. t. 231. — ♀ — *Habitat in Oriente et insula Creta.*

4165. **Hyoscyamus canariensis** Ker in Bot. Reg. t. 180. — ♀ — *Habitat in insulis Canariis.*

4166. **Hyoscyamus pusillus** Linn. Syst. 220. Mant. 339. — ☉ — *Habitat in Persia.*

4167. **Hyoscyamus physaloides** Linn. Amoen. acad. VII. t. 6. f. 1. Curtis Bot. Mag. t. 852. *Physochlaina physaloides* G. Don Syst. IV. 470. — ♀ — *Habitat in Sibiria et Caucaso.*

4168. **Hyoscyamus orientalis** Bieberstein Flor. Taur. cauc. I. 164. Sims Bot. Mag. t. 2414. *Physochlaina orientalis* G. Don Syst. IV. 470. — ♀ — *Habitat in Iberia.*

3848. **Anisodus** Link.

4169. **Anisodus luridus** Link et Otto Ic. select. 77. *Nicundra anomala* Link et Otto op. cit. t. 35. *Whitleya stramonifolia* Sweet Fl. Gard. t. 125. — ♀ — *Habitat in Himalaya.*

3849. **Scopolia** Jacq.

4170. **Scopolia carniolica** Jacq. Observ. I. 32. t. 20. *Scopolina atropoides* Schultes Oesterr. Flor. ed. 2. n. 844. *Hyoscyamus Scopolia* Linn. Syst. 221. Sims Bot. Mag. t. 1126. — ♀ — *Habitat in sylvis montanis Carnioliae et Croatiae.*

Var. β. *Lutea.*

Tribus IV. Solaneae.

3850. *Nicandra* Adans.

4171. *Nicandra physaloides* Gärtner II. 237. t. 131. Sims Bot. Mag. t. 2458. *Calydermos erosus* Ruiz et Pavon Flor. Peruv. II. 44. *Atropa physaloides* Linn. Spec. 260. Jacq. Observ. IV. t. 98. *Physalis peruviana* Miller Dict. n. 16. — ☉ — *Habitat in Peruvia nunc per orbem terrarum divulgata.*

3851. *Physalis* Linn.

4172. *Physalis somnifera* Nees in Linnaea VI. 453. — 2 — *Habitat in regione mediterranea et inter tropicos.*

a. *Flexuosa* Nees l. c. *Physalis flexuosa* Linn. Spec. 261. Jacq. f. Eclog. t. 23.

β. *Alpini*. *Physalis Alpini* Jacq. f.

b. *Hypnotica*. *Physalis somnifera* Linn. Spec. 261. Jacq. f. Eclog. t. 22.

4173. *Physalis viscosa* Linn. Spec. 261. Jacq. Hort. Vindob. t. 136. *Physalis pensylvanica* Linn. Spec. 1670. — 2 — *Habitat in America boreali.*

4174. *Physalis lanceolata* Michaux Flor. Bor. Am. I. 149. — 2 — *Habitat in Carolina.*

4175. *Physalis Alkekengi* Linn. Spec. 262. Schkuhr t. 45. — 2 — *Habitat in Europa media.*

4176. *Physalis chenopodifolia* Lam. Ill. n. 2401. — 2 — *Habitat in Peruvia.*

4177. *Physalis peruviana* Nees in Linnaea VI. 464. — 2 — *Habitat in tropicis et subtropicis totius orbis.*

β. *Edulis* Sims Bot. Mag. t. 1068.

4178. *Physalis pubescens* Linn. Spec. 262. *Physalis Rothiana* Hort. Berol. — 2 — *Habitat inter tropicos totius orbis.*

β. *Barbadensis* Jacq. Ic. rar. t. 39.

4179. *Physalis aequata* Jacq. f. msc. ex Nees Linnaea VI. 470. *Physalis ixocarpa* Brotero msc. — ☉ — *Patria ignota.*

4180. **Physalis angulata** Linn. Spec. 262.
— ⊙ — *Habitat in India orientali.*

3852. **Saracha** R. et P.

4181. **Saracha viscosa** Schrad. Ind. Hort. Götting. 1832. Don in Sweet Fl. Gard. II. t. 323.
— 2 — *Habitat in Mexico.*

4182. **Saracha Jaltomata** Schlechtend. in Linnaea Litt. Ber. XIII. 98. *Jaltomata edulis* Schlecht. Ind. sem. Hall. 1838. — 2 — *Habitat in Mexico.*

3854. **Capsicum** Tournef.

α. Fructibus erectis oblongis.

4183. **Capsicum annuum** Linn. Spec. 270.
— ⊙ — *Habitat in America tropica.*

4184. **Capsicum bicolor** Jacq. Fragm. t. 99.
— 3 — *Patria ignota.*

4185. **Capsicum frutescens** Willd. Enum. Hort. berol. I. 242. — 3 — *Habitat in Asia et America tropica.*

β. Fructibus erectis subrotundis.

4186. **Capsicum baccatum** Linn. Spec. Mant. 46. — 3 — *Habitat inter tropicos totius orbis.*

β. *Microcarpum* DC. Hort. monsp. 86. *C. ciliare* Willd. Enum. I. 243.

γ. *Darfuricum* Hort. Genev.

4187. **Capsicum grossum** Willd. Enum. I. 21. Fingerh. Caps. t. 5. 6. — ⊙ — *Habitat in India orientali.*

γ. Fructibus pendulis oblongis.

4188. **Capsicum longum** DC. Cat. Hort. monsp. 86. Fingerh. Caps. t. 6. 7. — ⊙ — *Habitat in America tropica.*

3855. **Solanum** Linn.*a. Inermia.*

4189. **Solanum tuberosum** Linn. Spec. 265.
 — 2 — *Habitat in America occidentali.*
4190. **Solanum etuberosum** Lindl. in Bot. Reg. t. 1712. — 2 — *Habitat in Chili.*
4191. **Solanum stoloniferum** Schlechtend. in Linnaea VIII. 255. — 2 — *Habitat in Mexico.*
4192. **Solanum verrucosum** Schlechtend. Hort. Hall. t. 2. — 2 — *Habitat in Mexico.*
4193. **Solanum betaceum** Cavanill. Ic. VI. t. 524. — 5 — *Habitat in Nova Hispania.*
4194. **Solanum laciniatum** Aiton Hort. kew. I. 247. Bot. Mag. t. 349. — 2 — *Habitat in Nova Hollandia et Nova Zeelandia.*
4195. **Solanum glaberrimum** Dunal Synops. 9. — 2 — *Habitat in Insula Timor.*
4196. **Solanum radicans** Linn. f. Decad. 1. t. 10. — 2 — *Habitat in Peruvia.*
4197. **Solanum corymbosum** Jacq. Collect. I. 78. Ic. rar. t. 40. — 2 — *Habitat in Peruvia.*
4198. **Solanum Dulcamara** Linn. Spec. 264. Wagner Pharm. Bot. t. 46. — 5 — *Habitat in sepibus humidis Europae, Asiae et Americae borealis.*
Offic. Stipites Dulcamarae.
4199. **Solanum persicum** Willdenow msc. ex Schult. Syst. IV. 662. — 5 — *Habitat in Persia.*
4200. **Solanum capsicastrum** Link msc. ex Desfont. Cat. Hort. Paris. ed. 3. Suppl. p. 437. — 5 — *Patria ignota.*
4201. **Solanum pseudocapsicum** Linn. Spec. 263. — 2 — *Habitat in Madera.*
4202. **Solanum Berterii** Desfont. Cat. Hort. Paris. ed. 3. Suppl. p. 437. — ☉ — *Habitat in Chili.*
4203. **Solanum nodiflorum** Jacq. Collect. II. 288. Ic. rar. t. 326. — ☉ — *Habitat in Guyana.*
4204. **Solanum guineense** Lam. Illustr. n. 2339. — ☉ — *Habitat in Guinea.*

4205. **Solanum nigrum** Linn. Spec. 266. E. B. t. 566. — ☉ — *Habitat in ruderatis Europae passim.*

4206. **Solanum flavum** Kitaib. in Schult. Flor. austr. I. 871. — ☉ — *Habitat in Europa australi.*

4207. **Solanum villosum** Lam. Ill. 2338. Hayne Arzneigew. II. 40. — ☉ — *Habitat in cultis Europae.*

4208. **Solanum viscosum** Mönch Suppl. 79. — ☉ — *Patria ignota.*

4209. **Solanum bombense** Jacq. Amer. 49. Jacq. f. Eclog. t. 24. — ♀ — *Habitat circa Carthagenam.*

4210. **Solanum pubigerum** Dunal Sol. 160. t. 6. — ♀ — *Habitat in Mexico.*

4211. **Solanum auriculatum** Aiton Hort. kew. I. 240. — ♀ — *Habitat in insulis Mascarenis et Madagascaria.*

4212. **Solanum argenteum** Dunal Synops. 19. — ♀ — *Habitat in Brasilia.*

4213. **Solanum diphyllum** Linn. Spec. 264. Jacq. Collect. II. 331. Ic. rar. t. 322. — ♀ — *Habitat in America tropica.*

4214. **Solanum fugax** Jacq. Collect. IV. 123. Ic. rar. t. 324. — ♀ — *Habitat circa Caracas.*

6. Aculeata.

4215. **Solanum elaeagnifolium** Cavanill. Ic. III. 21. t. 243. — ♀ — *Habitat in Chili.*

4216. **Solanum igneum** Linn. Spec. 270. Jacq. Hort. Vindob. t. 14. — ♀ — *Habitat in India occidentali.*

4217. **Solanum tomentosum** Linn. Spec. 269. — ♀ — *Habitat in America tropica.*

4218. **Solanum coccineum** Jacq. Miscell. II. 321. Ic. rar. t. 43. — ♀ — *Patria ignota.*

4219. **Solanum bonariense** Linn. Spec. 264. — ♀ — *Habitat in Bonaria.*

4220. **Solanum fastigiatum** Willd. Enum. I. 235. Jacq. f. Eclog. t. 6. — ♀ — *Patria ignota.*

4221. **Solanum lanceolatum** Cavanill. Ic. III. 23. t. 245. — ♀ — *Habitat in Nova Hispania.*

4222. **Solanum astroites** Jacq. f. Eclog. t. 65. — ♀ — *Patria ignota.*

4223. **Solanum Vespertilio** Aiton Hort. kew. I. 252. **Nycterium cordifolium** Vent. Malmais. t. 85. — ♀ — *Habitat in insulis Canariis.*

4224. **Solanum Lichtensteinii** Willdenow Enum. I. 238. — ♀ — *Habitat in Capite bonae spei.*

4225. **Solanum atropurpureum** Schrank in Syllog. Plant. I. 200 — ♀ — *Habitat in Brasilia.*

4226. **Solanum fuscatum** Linn. Spec. 268. Jacq. Ic. rar. t. 42 — ☉ — *Habitat in America tropica.*

4227. **Solanum serpentinum** Desfont. Catalog. Hort. Paris ed. 3. p. 115 et 397. — ☉ — *Patria ignota.*

4228. **Solanum sodomeum** Linn. Spec. 268. Sibthorp Flor. graec. t. 235. — ♀ — *Habitat in sub-tropicis totius orbis.*

4229. **Solanum coagulans** Forsk. Aegypt. 47. Jacq. Hort. Schönbr. t. 469. — ♀ — *Habitat in Arabia.*

4230. **Solanum indicum** Linn. Spec. 268. — ♀ — *Habitat in India orientali.*

4231. **Solanum marginatum** Linn. f. Suppl. 147. Jacq. Ic. rar. t. 45. — ♀ — *Habitat in Abyssinia.*

4232. **Solanum campechiense** Linn. Spec. 267. — ☉ — *Habitat in America tropica.*

4233. **Solanum cinereum** R. Brown Prodr. 446. — ♀ — *Habitat in Nova Hollandia.*

4234. **Solanum rigescens** Jacq. Hort. Schönbr. I. 19. t. 42. — ♀ — *Habitat in Capite bonae spei.*

4235. **Solanum violaceum** Jacq. Fragm. 82. t. 133. f. 1. — ♀ — *Habitat in India orientali.*

4236. **Solanum Pyracanthos** Lam. Dict. IV. 299. Jacq. Hort. Schönbr. t. 470. — ♀ — *Habitat in Madagascaria.*

4237. **Solanum Richardi** Dunal Synops. 45.
— ♂ — *Patria ignota.*

4238. **Solanum fontanesianum** Dunal Synops. 46. — ♂ — *Patria ignota.*

3856. **Lycopersicum** Tournef.

4239. **Lycopersicum Humboldtii** Dunal Sol. 112. *Solanum Humboldtii* Willd. Hort. berol. t. 27.
— ☉ — *Habitat in America tropica.*

4240. **Lycopersicum peruvianum** Miller Dict. n. 5. *Solanum peruvianum* Linn. Spec. 265. Jacq. Ic. rar. t. 327. — ♀ — *Habitat in Peruvia.*

4241. **Lycopersicum pyriforme** Dunal Sol. 112. *Solanum pomiferum* Cav. Descript. 112. — ☉ — *Patria ignota.*

4242. **Lycopersicum cerasiforme** Dunal Sol. 113. *Solanum Pseudo-lycopersicon* Jacq. Hort. Vindob. I. t. 11. — ☉ — *Habitat in maritimis Peruviae.*

4243. **Lycopersicum esculentum** Miller Dict. n. 2. Dunal Solan. 113, t. 3, f. 3. *Solanum Lycopersicon* Linn. Spec. 265. excl. Var. β. — ☉ — *Habitat in America tropica.*

β. *Phoeniceum.* — γ *Xanthocarpum.*

3857. **Atropa** Linn.

4244. **Atropa Belladonna** Linn. Spec. 260. Jacq. Flor. austr. t. 309. — ♀ — *Habitat in sylvis Europae totius.*

3858. **Withania** Pauq.

4245. **Withania frutescens** Pauqui Dissert. de Bellad. 1824. *Atropa frutescens* Linn. Spec. 260. Lam. Ill. t. 114, f. 2. *Physalis suberosa* Cavanill. Ic. II. 1. t. 102. — ♂ — *Habitat in Hispania.*

3859. **Mandragora** Tournef.

4246. **Mandragora vernalis** Bertol. Mandrag. 9. t. 1. — ♀ — *Colitur in hortis Italiae.*

4247. **Mandragora officinarum** Bertol. Mandrag. 10. t. 2. *Mandragora autumnalis* Sprengel Syst. 1. 699. *Atropa Mandragora* Linn. Spec. 259. Sibthorp Flor. graec. t. 232. — 2 — *Habitat in Graecia et Sicilia.*

4248. **Mandragora microcarpa** Bertol. Mandrag. 12. t. 3. — 2 — *Habitat in Sardinia.*

3860. **Himeranthus** Endl.

4249. **Himeranthus runcinatus.** *Jaborosa runcinata* Link et Otto Ic. select. 103. t. 48. an Lam.? — 2 — *Habitat in arvis Bosariae et Montevideo.*

3863. **Lycium** Linn.

a. Stamina exserta.

4250. **Lycium europaeum** Linn. Syst. 288. Sibthorp Flor. graec. t. 236. — 3 — *Habitat in Europa australi, nobis passim in sepibus cultum.*

4251. **Lycium barbarum** Linn. Spec. 277. Schkuhr Handb. t. 46. Watson Dendrolog. t. 9. — 3 — *Habitat in Europa australi.*

4252. **Lycium chinense** Miller Dict. n. 5. Lam. t. 112. f. 2. Watson Dendrolog. t. 8. — 3 — *Habitat in China.*

4253. **Lycium ruthenicum** Murray in Comment. Götting. 1779. p. 2. t. 2. *Lycium tataricum* Pallas Flor. ross. I. 78. t. 49. — 3 — *Habitat in Tauria et Sibiria.*

b. Stamina inclusa.

4254. **Lycium afrum** Linn. Spec. 277. Ker in Bot. Reg. t. 354. Sweet Fl. Gard. n. 5. t. 324. — 3 — *Habitat in Capite bonae spei.*

3864. **Acnistus** Schott.

4255. **Acnistus cauliflorus** Schott in Wiener Zeitschr. IV. 1180. Linnaea 1831. Litterat. Ber.

54. *Acnistus arborescens* Schlechtend. in Linnaea VII.
 67. *Cestrum cauliflorum* Jacq. Hort. Schönbr. III. 41.
 t. 325. *Atropa arborescens* Linn. Amoen. Academ. IV.
 307. *Lycium aggregatum* Ruiz et Pavon Flor. Peruv.
 t. 182. f. a. — 5 — *Habitat in America tropica.*

Tribus V. Cestrineae.

3865. *Cestrum* Linn.

4256. *Cestrum pendulinum* Jacq. Hort. Schönbr. III. 42. t. 327. — 5 — *Habitat in Caracas et Nova-Granada.*

4257. *Cestrum vespertinum* Linn. Syst. 227. Jacq. Hort. Schönbr. III. 43. t. 328. — 5 — *Habitat in India occidentali.*

4258. *Cestrum diurnum* Linn. Spec. 277. Heritier Stirp. I. 74. — 5 — *Habitat in Cuba.*

4259. *Cestrum odontospermum* Jacq. Hort. Schönbr. III. 44. t. 331. — 5 — *Patria ignota.*

4260. *Cestrum fastigiatum* Jacq. Hort. Schönbr. III. 44. t. 330. — 5 — *Patria ignota.*

4261. *Cestrum foetidissimum* Jacq. Hort. Schönbr. III. 43. t. 329. — 5 — *Habitat in India occidentali.*

4262. *Cestrum auriculatum* Heritier Stirp. I. 71. t. 35. Ruiz et Pavon Flor. Peruv. II. 28. t. 155. f. a. — 5 — *Habitat in Peruvia.*

4263. *Cestrum Parqui* Heritier Stirp. I. 73. t. 36. Schmidt Baumz. III. t. 15. Sims Bot. Mag. t. 1770. — 5 — *Habitat in Chili.*

4264. *Cestrum salicifolium* Jacq. Hort. Schönbr. III. 42. t. 326. — 5 — *Habitat in Caracas.*

4265. *Cestrum hirsutum* Jacq. Hort. Schönbr. III. 41. t. 324. — 5 — *Patria ignota.*

4266. *Cestrum undulatum* Ruiz et Pav. Flor. Peruv. II. 28. t. 155. — 5 — *Habitat in Peruvia.*

4267. *Cestrum suberosum* Jacq. Hort. Schönbr. IV. 26. t. 452. — 5 — *Patria ignota.*

4268. **Cestrum nocturnum** Heritier Stirp.
I. 70 — ♀ — *Habitat in America tropica.*

4269. **Cestrum laurifolium** Heritier Stirp.
I. 69. t. 34. Smith Spicileg. II. t. 2. — ♀ — *Habitat in America tropica.*

Tribus VI. Vestieae.

3868. **Vestia** Willd.

4270. **Vestia lycioides** Willd. Enum. I. 208.
Cantua ligustrifolia Jussieu in Annal. Mus. III. 118.
Periphragmos foetidus Ruiz et Pavon Flor. peruv. II.
17. t. 132. — ♂ — *Habitat in Chili.*

Ordo XCVII. Scrophularineae.

Tribus I. Verbasceae.

3878. **Verbascum** Linn. Himmelbrand.

4271. **Verbascum pinnatifidum** Vahl Symb.
II. 39. Sibthorp Flor. graec. t. 228. *Verbascum bipinnatifidum* Sims in Bot. Mag. t. 1777. — ♀ — *Habitat in Graecia et Tauria.*

4272. **Verbascum gnaphalodes** Bieberst.
Flor. Taur. Cauc Suppl. 152. Schrader Verbasce. II.
15. *Verbascum Stevenii* Catalog. Sem. Hort. Vindob.
1821. — ☉ — *Habitat in Tauria meridionali.*

4273. **Verbascum Lychnitis** Linn. Spec.
253. — ☉ — *Habitat in Europa, Asia et America boreali.*

β. *Weldenii*. **Verbascum Weldenii** Moretti.

4274. **Verbascum orientale** Bieberst. Flor.
Taur. Cauc. I. 160. — ♀ — *Habitat in Ucraina.*

4275. **Verbascum puniceum** Schrader Hort.
Götting. II. 10 t. 14. — ♀ — *Habitat in Europa australi.*

4276. **Verbascum Wiedemannianum** Fi-

scher et C. A. Meyer Index IV. Sem. Hort. Petropol. 1837. p. 51. — ☉ — *Habitat in Natolia.*

4277. **Verbascum phoeniceum** Linn. Spec. 254. Jacq. Flor. austr. t. 125. Curtis Bot. Mag. t. 885. — 4 — *Habitat in Europa australi et orientali, nec non in Caucaso et Sibiria.*

4278. **Verbascum Blattaria** Linn. Spec. 254. E. B. t. 393. — ☉ — *Habitat in Europa media et australi, nec non in Oriente.*

4279. **Verbascum pyramidatum** Bieberst. Flor. Taur. cauc. I. 161. Sweet Fl. Gard. t. 31. — 4 — *Habitat in Caucaso et Iberia.*

4280. **Verbascum spinosum** Linn. Amoen. Academ. IV. 307. Sibthorp Flor. graec. t. 229. — 3 — *Habitat in Graecia et Aegypto.*

3879. **Celsia** Linn.

a. **Arcturus** Benth.

4281. **Celsia persica** C. A. Meyer Verz. cauc. Pflanz. 111. — 4 — *Habitat in lapidosis montium Talisch.*

4282. **Celsia Arcturus** Linn. Syst. 561. Curtis Bot. Mag. t. 1962. **Verbascum Arcturus** Linn. Spec. 254. Jacq. Hort. Vindob. II. t. 117. — ☉ — *Habitat in Candia.*

b. **Nefflea** Benth.

4283. **Celsia sublanata** Jacq. Fragm. 79. t. 126. Ker in Bot. Reg. t. 438. — ☉ — *Patria ignota.*

3880. **Alonsoa** Ruiz et Pav.

4284. **Alonsoa incisifolia** Ruiz et Pav. Syst. 154. **Hemimeris urticaefolia** Willdenow Spec. III. 282. **Celsia urticifolia** Curtis Bot. Mag. t. 417. — 4 — *Habitat in Chili.*

3882. **Calceolaria** Linn.

4285. **Calceolaria pinnata** Linn. in Act.

Holm. 1770. p. 286. t. 8. Curtis in Bot. Mag. t. 41.
— ☉ — *Habitat in humidis Peruviae.*

4286. **Calceolaria bicolor** Ruiz et Pavon
Flor. Peruv. I. 16. t. 25. f. b. — 24 — *Habitat in
Peruvia.*

4287. **Calceolaria angustifolia** Ruiz et
Pavon Flor. Peruv. I. 17. t. 28. f. a. Hooker in Bot.
Mag. t. 3094. — 24 — *Habitat in Peruvia.*

3883. **Scrophularia** Linn.

a. *Scorbdoniae.*

4288. **Scrophularia sambucifolia** Linn.
Spec. 865. *Scrophularia mellifera* Vahl Symb. II. 68.
Desfont. Flor. atlant. t. 143. — 24 — *Habitat in Hispania,
Lusitania et Mauritania.*

4289. **Scrophularia peregrina** Linn. Spec.
866. — ☉ — *Habitat in Europa mediterranea.*

4290. **Scrophularia nodosa** Linn. Spec.
863. E. B. t. 1544. Flor. dan. t. 1167. — 24 — *Habitat in humidis Europae totius.*

4291. **Scrophularia aquatica** Linn. Spec.
864. E. B. t. 854. Flor. dan. t. 507. — 24 — *Habitat in humidis Europae totius et Caucasi.*

4292. **Scrophularia verbenaeifolia** Desfont. Catalog. Hort. Paris 77. Wydler Scrophul. 38.
Scrophularia luciniata Waldst. et Kitaibel Plant. Hung.
rar. II. 185. t. 170. — 24 — *Habitat in rupibus calcareis Croatiae.*

4293. **Scrophularia divaricata** Ledebour
Flor. alt. II. 440 Ic. t. 121. — 24 — *Habitat in Iberia.*

4294. **Scrophularia variegata** Bieberst.
Flor. Taur. cauc. III. 416. Reichenb. Iconogr. t. 257.
— 24 — *Habitat in lapidosis Caucasi.*

4295. **Scrophularia rupestris** Bieberst.
Flor. Taur. cauc. II. 79. Reichenb. Iconogr. t. 258.
— 24 — *Habitat in rupestribus Taurinae australis.*

4296. **Scrophularia lucida** Linn. Spec. 865.

Willdenow Hort. Berolin. t. 57. — 24 — *Habitat in Graecia et Iberia.*

4297. **Scrophularia rhicifolia** Miller Dict. ed. 8. n. 10. Smith Prodr. Sibth. I. 436. — 24 — *Habitat in Graecia.*

8. Caninae.

4298. **Scrophularia canina** Linn. Spec. 865. — 24 — *Habitat in Europa mediterranea.*

Var. β. *Chrysanthemifolia* Wydler Scrophul. 44. *Scrophularia chrysanthemifolia* Bieberst. Flor. Taur. cauc. II. 78. Willdenow Hort. Berol. t. 59.

4299. **Scrophularia cretacea** Fischer in Sprengel Syst. II. 788. Wydler Scrophular. 46. t. 4. — 24 — *Habitat in rupibus cretaceis Sibiriae.*

Tribus II. Hemimerideae.

3885. **Angelonia** Humb. et Bonpl.

4300. **Angelonia minor** Fischer et C. A. Meyer Index V. Sem. Hort. Petrop. 1838. p. 33. — 24 — *Habitat in Brasilia.*

3888. **Nemesia** Vent.

4301. **Nemesia chamaedrifolia** Vent. Malmais. 41. *Antirrhinum macrocarpum* Aiton Hort. kew. II. 335. — 24 — *Habitat in Capite bonae spei.*

4302. **Nemesia floribunda** Lehmann. *Nemesia affinis* Benth. Bot. Mag. Comp. II. 21. — ☉ — *Habitat in Capite bonae spei.*

Tribus III. Antirrhineae.

3890. **Anarrhinum** Desf.

4303. **Anarrhinum pubescens** Fresen. Mus. Senkenberg. I. 89. *Cardiotheca pubescens* Ehrenb. msc. — ☉ — *Habitat in Arabia petraea.*

3891. **Linaria** Tournef.**a. Chaenorrhinum** DC.

4304. **Linaria villosa** DC. Fl. fr. V. 410. Chavann. Antirrh. 93. *Antirrhinum villosum* Linn. Spec. 852. — 4 — *Habitat in Hispania prope Gibraltar.*

4305. **Linaria origanifolia** DC. Fl. fr. III. 591. Chavann. Antirrh. 94. t. 6. *Antirrhinum origanifolium* Linn. Spec. 852. — 4 — *Habitat in Galliae australis, Lusitaniae et Siciliae muris vetustis et rupibus calcareis.*

b. Microrrhinum Endl.

4306. **Linaria minor** Desfont. Flor. atlant. II. 46. Chavann. Antirrh. 97. *Antirrhinum minus* Linn. Spec. 852. Flor. dan. t. 502. E. B. t. 2014. — ☉ — *Habitat in cultis et inter segetes Europae totius.*

c. Cymbalaria Chavann.

4307. **Linaria Cymbalaria** Miller Dict. ed. 8. n. 17. Chavann. Antirrh. 99. *Antirrhinum Cymbalaria* Linn. Spec. 851. E. B. t. 502. — 4 — *Habitat in muris vetustis Europae mediae et australis.*

d. Elatineoides Chavann.

4308. **Linaria spuria** Miller Dict. ed. 8. n. 15. Chavann. Antirrh. 105. *Antirrhinum spurium* Linn. Spec. 851. E. B. t. 691. Flor. dan. t. 913. — ☉ — *Habitat inter segetes Europae totius.*

4309. **Linaria Elatine** Miller Dict. ed. 8. n. 16. Chavann. Antirrh. 107. *Antirrhinum Elatine* Linn. Spec. 851. Flor. dan. t. 426. E. B. t. 692. — ☉ — *Habitat inter segetes Europae totius.*

4310. **Linaria cirrhosa** Willd. Enum. 689. Chavann. Antirrh. 109. *Antirrhinum cirrhosum* Linn. Mant. 249. Jacq. Hort. Vindob. t. 82. — ☉ — *Habitat in Gallia mediterranea, Corsica, Graecia, Aegypto.*

e. Linariastrum Chavann.

4311. **Linaria triphylla** Miller Dict. ed. 8.

n. 2. Chavann. Antirrh. 117. *Antirrhinum triphyllum* Linn. Spec. 852. — 2 — *Habitat in Italia et Hispania.*

4312. *Linaria dalmatica* Miller Dict. ed. 8. n. 13. Chavann. Antirrh. 126. *Antirrhinum dalmaticum* Linn. Spec. 857. — 2 — *Habitat in Dalmatia, Graecia et Oriente.*

4313. *Linaria genistaefolia* Miller Dict. ed. 8. n. 14. Reichenb. Iconogr. t. 435. Chavann. Antirrh. 128. *Antirrhinum genistaefolium* Linn. Spec. 858. Jacq. Flor. austr. t. 244. — 2 — *Habitat in arenosis Europae australioris.*

4314. *Linaria vulgaris* Miller Dict. ed. 8. n. 1. Chavann. Antirrh. 131. *Antirrhinum Linaria* Linn. Spec. 858. Flor. dan. t. 982 — 2 — *Habitat in arenosis et in campis Europae totius frequens.*

» *Esula lactescit, sine lacte Linaria crescit.* «

4315. *Linaria macroua* Reichenb. Iconogr. t. 432. Chavann. Antirrh. 137. *Linaria macroua* Bieberst. Flor. Taur. cauc. II. 75. — 2 — *Habitat in desertis Tauriae et regionis caspico-caucasicae.*

4316. *Linaria chalepensis* Miller Dict. ed. 8 n. 12. Chavann. Antirrh. 148. *Antirrhinum chalepense* Linn. Spec. 859. Sibthorp Flor. graec. t. 592. — 2 — *Habitat in regione mediterranea.*

4317. *Linaria striata* DC. Fl. fr. III. 586. Chavann. Antirrh. 152. *Antirrhinum striatum* Lam. Fl. fr. II. 343. *Antirrhinum repens* Linn. Spec. 854. — 2 — *Habitat in Europa austro-occidentali.*

4318. *Linaria supina* Desfont. Flor. atlant. II. 44. Chavann. Antirrh. 160. *Antirrhinum supinum* Linn. Spec. 856. Sibthorp Flor. graec. t. 595. — 2 — *Habitat in Europa australi.*

3892. *Antirrhinum* Juss.

4319. *Antirrhinum majus* Linn. Spec. 859. Schkuhr Handb. t. 172. Chavann. Antirrh. 86. t. 3. f. 26. — 2 — *Habitat in regione mediterranea.*

4320. *Antirrhinum siculum* Ucria Plant.

sic. in Röm. Archiv. I. 69. Chavann. Antirrh. 88. t. 3. f. 24. — 24 — *Habitat in Sicilia et Calabria.*

4321. **Antirrhinum Orentium** Linn. Spec. 860. Schkuhr Handb. t. 173. E. B. t. 1155. Chavann. Antirrh. 89 t. 3. f. 18. 19. — 24 — *Habitat juxta vias et in ruderatis, in temperatis hemisphaerae borealis amphigaeum.*

3893. **Maurandia** Orteg.

4322. **Maurandia antirrhiniflora** Willdenow Hort. Berol. t. 83. Bot. Mag. t. 1643. Kunth in Humb. et Bonpl. Nov. gen. et sp. II. 291. Chavann. Antirrh. 78. *Usteria antirrhiniflora* Poiret Suppl. V. 105. — 24 — *Habitat in Mexico.*

4323. **Maurandia semperflorens** Ortega Decad. II. 21. Jacq. Hort. Schönbr. III. 20. t. 288. Bot. Mag. t. 460. Chavann. Antirrh. 78. **Maurandia scandens** Persoon Encheir. II. 160. *Usteria scandens* Cav. Ic. II. 15. t. 116. Andrews Bot. Reposit. t. 63. — 24 — *Habitat in Mexico.*

4324. **Maurandia Barclayana** Lindley in Bot. Reg. t. 1108. Chavann. Antirrh. 77. — 24 — *Habitat in Mexico.*

3895. **Lophospermum** Don.

4325. **Lophospermum scandens** Don in Linn. Transact. XV. 349. Hooker in Bot. Mag. t. 3650. — 24 — *Habitat in Mexico.*

3896. **Rhodochiton** Zucc.

4326. **Rhodochiton volubile** Zuccarini msc. Bot. Mag. t. 3367. Bot. Reg. t. 1755. *Lophospermum sanguineum* Zuccarini Plant. nov. t. 13. — 24 — *Habitat in Mexico.*

3897. **Collinsia** Nutt.

4327. **Collinsia bicolor** Benth. in Hortic.

Transact. n. s. I. 480. Lindley Bot. Reg. 1734.
— ☉ — *Habitat in California.*

4328. **Collinsia parviflora** Lindley Bot. Reg.
1082. — ☉ — *Habitat ad flumen Columbia.*

Tribus IV. Salpiglossideae.

3898. **Schizanthus** Ruiz et Pav.

4329. **Schizanthus pinnatus** Ruiz et Pavon
Flor. Peruv. I. 13. t. 17. Hooker Exot. Flor. t. 73.
Bot. Mag. t. 2404. — 2 — *Habitat in Chili.*

3902. **Anthocereis** Labill.

4330. **Anthocereis littorea** Labillard. Nov.
Holl. II. 19. t. 158. Ker Bot. Reg. t. 212. — 3 —
Habitat in Novae Hollandiae ora australi.

3903. **Browallia** Linn.

4331. **Browallia elata** Linn. Spec. 880. Cur-
tis Bot. Mag. t. 34. — 2 — *Habitat in Peruvia.*

Var. β . *Laotea.*

4332. **Browallia elongata** Kunth in Humb.
et Bonpl. Nov. gen. et sp. II. 372. — 2 — *Habitat*
in Nova Granada.

Var. β . *Alba.*

3905. **Brunfelsia** Plum.

4333. **Brunfelsia americana** Linn. Spec.
276. Curtis Bot. Mag. t. 394. — 5 — *Habitat in An-*
tillis.

Tribus V. Digitaleae.

3908. **Chelone** Linn.

4334. **Chelone glabra** Linn. Spec. 849. Will-
denow Spec. III. 225. — 2 — *Habitat in Virginia &*
Canada.

3909. **Pentastemon** Herit.

1. **Legitimi** Trauttv. in Bullet. Academ. St. Petersb. V. n. 22. **Antherae glaberrimae. Stamen sterile barbatum.**

* **Paniculae contractae, subcylindricae, subverticillatae, pedunculis rhachi adpressis, pedicellis abbreviatis**
Trauttv.

4335. **Pentastemon confertus** Douglas msc. ex Lindley in Bot. Reg. n. 1260. — 24 — *Habitat in America boreali - occidentali sub 48° L. B.*

α. *Ochroleucus* Trauttv. l. c. *Pentastemon confertus* Bot. Reg. t. 1260.

β. *Violaceus* Trauttv. l. c. *Pentastemon procerus* Douglas msc. Bot. Mag. t. 1954.

** **Racemi subsimplices v. paniculae ramosae, laxae, pedicellis plerumque longis** Trauttv.

† **Foliis integris.**

4336. **Pentastemon campanulatus** Aiton Hort. kew. ed. 2. IV. 8. — 24 — *Habitat in imperio mexicano.*

α. *Purpureus* Trauttv. l. c. *Pentastemon campanulatus* Willd. Spec. III. 228. *Chelone campanulata* Cavanill. Ic. t. 29. *Chelone campanuloides* Andrews Bot. Reposit. t. 40.

δ. *Atropurpureus* Trauttv. l. c. *Chelone atropurpurea* Sweet Fl. Gard. t. 235.

ε. *Pulchellus* Trauttv. l. c. *Pentastemon pulchellus* Lindley in Bot. Reg. t. 1138.

4337. **Pentastemon diffusus** Douglas msc. ex Lindley in Bot. Reg. t. 1132. — 24 — *Habitat ad fluvium Columbiae Americae borealis.*

4338. **Pentastemon ovatus** Douglas msc. ex Hooker in Bot. Mag. t. 1903. — 24 — *Habitat in rupibus calcareis juxta magnas fluvii Columbiae cataractas.*

4339. **Pentastemon Digitalis** Nuttall Gen. Bor. Am. II. 522. — 24 — *Habitat in America boreali.*

α. *Albidus* Trauttv. l. c. *Pentastemon Digitalis* Sims in Bot. Mag. t. 1587.

β. *Pubescens* Trauttv. l. c. *Pentastemon pubescens* Willd. Spec. III. 227.

δ. *Glaucus* Trauttv. l. c. *Pentastemon glaucus* Bot. Reg. t. 1286.

ε. *Gracilis* Trauttv. l. c. *Pentastemon gracilis* Nuttall Gen. Bor. Am. II. 522. Hooker in Bot. Mag. t. 1945.

*** **Folius pinnatifido-incisis, antherarum valvulis ciliato-denticulatis.**

4340. **Pentastemon Richardsonii** Douglas msc. ex Lindley in Bot. Reg. t. 1121. — 24 — *Habitat in America boreali-occidentali, prope fluvii Columbia littora.*

2. **Leptostemon** Trauttv. in Bullet. Academ. St. Petersb. V. n. 22.

4341. **Pentastemon gentianoides** Lindley in Bot. Reg. 1838. t. 3. Hooker in Bot. Mag. t. 3661. *Chelone gentianoides* Kunth in Humb. et Bonpl. Nov. gen. et sp. II. 363. t. 172. — 24 — *Habitat in montibus Toluco, 10,500 ped. elevatione.*

4342. **Pentastemon barbatus** Lindley in Bot. Reg. 1839. t. 21. *Chelone barbata* Cavanill. Ic. III. 22. t. 242. Willd. Spec. III. 226. *Chelone ruelioides* Andrews Bot. Reposit. t. 34. *Chelone formosa* Wendl. Observ. 51. — 24 — *Habitat in Mexico.*

3. **Erianthera** Trauttv. in Bullet. Academ. St. Petersb. V. n. 22. *Antherae pilosae.*

4343. **Pentastemon nemorosus** Trauttv. l. c. *Chelone nemorosa* Douglas msc. ex Lindley in Bot. Reg. t. 1211. — 24 — *Habitat in America boreali occidentali.*

4344. **Pentastemon glandulosus** Douglas msc. ex Lindley in Bot. Reg. t. 1262. — 24 — *Habitat in America boreali-occidentali.*

4345. **Pentastemon venustus** Douglas msc. ex Lindley in Bot. Reg. t. 1309. — 24 — *Habitat in America boreali occidentali.*

3910. **Russelia** Jacq.

4346. **Russelia multiflora** Sims in Bot. Mag. t. 1528. — 4 — *Habitat in montibus inter Vera Cruz et Mexico.*

4347. **Russelia juncea** Zuccarini in Nov. stirp. pugill. II. 327. — 4 — *Habitat in Mexico.*

3915. **Digitalis** Tournef.a. **Digitalis** Lindl.

4348. **Digitalis purpurea** Linn. Spec. 866. Curtis Flor. Lond I. t. 48. Lindley Digit. t. 2. — 4 — *Habitat in sylvis caeduis montium Europae.*

4349. **Digitalis intermedia** Lindley Digit. II. t. 4. — 4 — *Habitat in Lusitania.*

4350. **Digitalis ambigua** Murray Prodr. 62. Schkuhr Handb. t. 174. Lindley Digit. t. 7. **Digitalis grandiflora** Allioni Flor. Pedem. I. 70. — 4 — *Habitat in Europa media et Sibiria.*

4351. **Digitalis ochroleuca** Jacq. Flor. austr. I. 36. t. 57. Lindley Digit. t. 8. — 4 — *Habitat in sylvis caeduis montium Austriae et Carpathorum.*

Var. β . *Fuscescens. Digitalis fuscescens* Waldst. et Kitaibel Plant. Hung. rar. t. 274.

4352. **Digitalis laevigata** Waldst. et Kitaibel Plant. rar. Hung. II. 271. t. 158. Lindley Digit. t. 10. — 4 — *Habitat in rupibus calcareis Croatiae.*

4353. **Digitalis aurea** Lindley Digit. t. 13. **Digitalis ferruginea** Sibthorp Flor. graec. t. 606. — 4 — *Habitat in Parnasso et Olympo.*

4354. **Digitalis lanata** Ehrhart Beitr. VII. 153. Waldst. et Kitaibel Plant. Hung. rar. I. 76. t. 74. Lindley Digit. t. 15. — 4 — *Habitat in vineis Hungariae tibiscanae.*

4355. **Digitalis orientalis** Lam. Dict. II. 280. Lindley Digit. t. 16. Sims Bot. Mag. t. 2253. — 4 — *Habitat in Oriente.*

4356. **Digitalis parviflora** Jacq. Hort. Vin.

dob. I. 6. t. 17. Ker in Bot. Reg. t. 257. Lindley Digit. t. 17. — 2 — *Patria ignota.*

4357. **Digitalis lutea** Linn. Spec. 867. Jacq. Hort. Vindob. II. 47. t. 105. Lindley Digit. t. 23. — 2 — *Habitat in Europa media.*

5. Isoplexis Lindl.

4358. **Digitalis Sceptrum** Linn. Suppl. 282. Heritier Sert. t. 24. Smith Exot. Bot. II. 27. t. 73. *Isoplexis Sceptrum* Lindley Digit. 26. t. 28. — 3 — *Habitat in Madera.*

Tribus VI. Gratioleae.

3918. Halleria Linn.

4359. **Halleria lucida** Linn. Spec. 872. Sims Bot. Mag. t. 1744. Duham. Arbr. ed. nov. t. 69. — 3 — *Habitat in Capite bonae spei.*

3919. Teedia Rudolph.

4360. **Teedia lucida** Rudolphi in Schraders Journ. II. 289. Ker in Bot. Reg. t. 209. *Capraria lucida* Aiton Hort. kew. ed. 1, II. 353. — 3 — *Habitat in Capite bonae spei.*

3920. Freylinia Coll.

4361. **Freylinia cestroides** Colla Dissert. Hort. Rip 56. Benth. in Bot. Mag. Comp. II. 55. *Capraria lanceolata* Linn. Suppl. 284. Link et Otto ic. t. 4. *Freylinia oppositifolia* Spin. not. 13. *Buddlea glaberrima* Hort. taur. — 3 — *Habitat in Capite bonae spei.*

3926. Stemodia Linn.

4362. **Stemodia verticillaris** Link Enum. II. 144. *Conobea verticillaris* Spreng. Nov. prov. 13. — 2 — *Habitat in Brasilia.*

3928. **Erinus** Linn.

4363. **Erinus alpinus** Linn. Spec. 878. Curtis Bot. Mag. t. 310. — 24 — *Habitat in alpidus Europae totius.*

3930. **Dodartia** Tournef.

4364. **Dodartia orientalis** Linn. Spec. 883. Miller Ic. t. 127. Sweet Fl. Gard. t. 147. — 24 — *Habitat in Armenia.*

3931. **Mazus** Lour.

4365. **Mazus rugosus** Loureiro Flor. cochinch. 385. Sweet Fl. Gard. t. 36. *Hornemannia bicolor* Willdenow Enum. 634. Reichenb. Ic. exot. t. 37. — ☉ — *Habitat in Nepalia, China et Japonia.*

3934. **Diplacus** Nutt.

4366. **Diplacus puniceus** Nuttall in Annal. of nat. hist. I. 137. et Bot. Mag. t. 3655. — 24 — *Habitat in California superiore prope St. Diego.*

4367. **Diplacus glutinosus** Nuttall in Annal. of nat. hist. I. 138. *Mimulus glutinosus* Wendl. Obser. 51. *Mimulus aurantiacus* Curtis Bot. Mag. t. 354. — 24 — *Habitat in America boreali.*

3935. **Mimulus** Linn.

4368. **Mimulus Cardinalis** Douglas ex Benth. Scrof. ind. 28. — 24 — *Habitat in California.*

4369. **Mimulus roseus** Douglas ex Lindley in Bot. Reg. t. 1591. Benth. Scrof. ind. 28. — 24 — *Habitat in America boreali-occidentali.*

4370. **Mimulus luteus** Linn. Spec. 844. Lindley in Bot. Reg. t. 1030. Hooker in Bot. Mag. t. 3336. 3353. 3363. — 24 — *Habitat in Chili.*

4371. **Mimulus guttatus** DC. Catalog. Hort. monsp. 127. *Mimulus luteus* Sims in Bot. Mag. t. 1501. — 24 — *Habitat in California.*

4372. **Mimulus parviflorus** Lindley in Bot. Reg. t. 874. Benth. Scrof. ind. 38. — ☉ — *Habitat in Chili.*

4373. **Mimulus floribundus** Douglas in Bot. Reg. 1125. — ☉ — *Habitat in California.*

3936. **Leucocarpus** Don.

4374. **Leucocarpus alatus** D. Don in Sweet Fl. Gard. II. t. 124. *Conobea alata* Graham in Edinb. n. philosoph. Journ. Octob. 1830. *Mimulus perfoliatus* Kunth in Humb. et Bonpl. Nov. gen. et sp. II. 271. Bot. Mag. t. 3067. — 4 — *Habitat in Mexico.*

3940. **Herpestes** Gärtn.

4375. **Herpestes chrysantha** Cham. et Schlechtend. in Linnaea II. 577. — ☉ — *Habitat in Mexico.*

3946. **Gratiola** Linn.

4376. **Gratiola officinalis** Linn. Spec. 34. Flor. dan. t. 363. — 4 — *Habitat in paludosis Europae totius.*

Offic. Herba Gratiolae.

3952. **Vandellia** Linn.

4377. **Vandellia erecta** Benth. Scroph. ind. 36. — ☉ — *Habitat in India orientali.*

4378. **Vandellia scabra** Benth. Scrof. ind. 36. *Torrenia hirta* Cham. et Schlechtend. in Linnaea II. 36. — ☉ — *Habitat in India orientali et in insulis Philippinis.*

4379. **Vandellia crustacea** Benth. Scrof. ind. 36. *Capraria crustacea* Linn. Mant. 87. *Torenia crustacea* Cham. et Schlechtend. in Linnaea II. 570. *Gratiola lucida* Roxburgh Plant. corom. t. 202. *Hornemannia ovata* Link et Otto Abbild. t. 9. *Tittmannia ovata* Reichenb. Ic. exot. I. 27. t. 38. — ☉ — *Habitat in India orientali.*

Tribus VII. Buddleeae.

3971. *Buddlea* Linn.

4380. *Buddlea brasiliensis* Jacq. f. ex Spreng. Syst. I. 430. Graham in Bot. Mag. t. 2713. *Buddlea Neemdu* Link Enum. I. 125. — ♀ — *Habitat in Brasilia.*

4381. *Buddlea spicata* Ruiz et Pav. Flor. Peruv. I. 53. t. 81. f. a. — ♀ — *Habitat in aridis Peruviae.*

4382. *Buddlea madagascariensis* Vahl Symb. III. 14. Lam. Illustr. t. 69. f. 3. Hooker Bot. Mag. t. 2824. — ♀ — *Habitat in Madagascaria.*

4383. *Buddlea saligna* Willdenow Enum. I. 159. *Buddlea salicifolia* Jacq. Hort. Schönbr. I. 12. t. 29. — ♀ — *Habitat in Capite bonae spei.*

Tribus VIII. Veroniceae.

3973. *Scoparia* Linn.

4384. *Scoparia dulcis* Linn. Spec. 168. — ♀ — *Habitat inter tropicos totius orbis.*

3979. *Veronica* Linn.

a. *Diplophyllum*.

4385. *Veronica Crista Galli* Steven in Linn. Transact. II. 408. t. 31. *Diplophyllum Veroniciforme* Lehmann in Berl. Magaz. IV. 2. — ☉ — *Habitat in ripis fluvii Cuban.*

b. *Cochlidiosperma* Reichenb.

4386. *Veronica agrestis* Linn. Spec. 18. Reichenb. Iconogr. t. 227. — ☉ — *Habitat in cultis Europae et Asiae.*

4387. *Veronica Buxbaumii* Tenore Flor. neap. 7. t. 1. *Veronica Tournefortii* Gmelin Flor. Bad. I. 39. — ☉ — *Habitat in cultis Europae totius.*

4388. **Veronica arvensis** Linn. Spec. 18. Flor. dan. t. 515. E. B. t. 734. — ☉ — *Habitat in cultis Europae et Americae borealis.*

4389. **Veronica ceratocarpa** C. A. Meyer Verzeichn. cauc. Pflanz. 106. — ☉ — *Habitat in Caucaso.*

4390. **Veronica acinacifolia** Linn. Spec. 19. — ☉ — *Habitat in Europa media.*

4391. **Veronica Cymbalaria** Bertoloni In Soc. med. d' emul. di Genova. I. 74. Sibthorp Flor. graec. t. 9. Viviani Fragm. flor. ital. I. 14. f. 1. *Veronica cymbalariaefolia* Vahl Enum. I. 81. — ☉ — *Habitat in Germania, Italia, Graecia, Tauria.*

4392. **Veronica hederæfolia** Linn. Spec. 19. Flor. dan. t. 428. E. B. t. 784. — ☉ — *Habitat in cultis Europae totius.*

4393. **Veronica triphyllos** Linn. Spec. 19. Flor. dan. t. 627. — ☉ — *Habitat agrestis per Europam omnem.*

4394. **Veronica digitata** Vahl Symb. I. 84. — ☉ — *Habitat in Hispania et Gallia mediterranea.*

4395. **Veronica repens** Clairv. in DC. Flor. fr. III. 727. — ☉ — *Habitat in montibus Corsicae.*

c. Euveronica.

* Racemis terminalibus.

4396. **Veronica foliosa** Waldst. et Kitaibel Plant. Hung. rar. II. 106. t. 102. — 2 — *Habitat in humidis Europae mediae.*

4397. **Veronica spicata** Linn. Spec. 14. E. B. t. 2. Flor. dan. t. 52. — 2 — *Habitat in solo calcareo Europae mediae.*

4398. **Veronica Clusii** Schott ex Römer et Schultes Syst. I. 94. — 2 — *Habitat in Austria et Hungaria.*

4399. **Veronica villosa** Schrader Veron. 13. t. 1. f. 3. — 2 — *Patria ignota.*

4400. **Veronica crassifolia** Kitaibel ex Römer et Schultes Syst. I. 96. — 2 — *Habitat in Hungaria.*

4401. **Veronica orchidea** Crantz Stirp. austr. IV. 333. Sims Bot. Mag. t. 2210. *Veronica cristata* Bernh. Veronic. 14. *Veronica Crantzii* Schultes Observ. Bot. n. 16. — 2 — *Habitat in Austria, Hungaria et Caucaso.*

4402. **Veronica Ponaë** Gouan Illustr. 1. t. 1. f. 1. *Veronica Gouanii* Moretti in Giorn. di Fisica V. 41. — 2 — *Habitat in monte Baldo et Pyrenæis.*

4403. **Veronica grandis** Fischer ex Sprengel N. E. II. 122. — 2 — *Habitat in Sibiria.*

4404. **Veronica incisa** Aiton Hort. kew. ed. 1. I. 19. Loddig. Bot. Cab. t. 1397. — 2 — *Habitat in Sibiria.*

4405. **Veronica gentianoides** Vahl Symb. I. 1. Venten. Malm. t. 86. Sims Bot. Mag. t. 1002. Sibthorp Flor. graec. t. 5. — 2 — *Habitat in Tauria, Cappadocia et Armenia.*

β. *Pallida*. *Veronica pallida* Hornem. Catalog. Hort. Hafn. L. 17.

4406. **Veronica saxatilis** Linn. Suppl. 83. Wulfen in Jacquin Collect. III. 25. — 2 — *Habitat in rupestribus subalpinis Europae totius.*

4407. **Veronica fruticulosa** Linn. Spec. 15. Wulfen in Jacquin Collect. IV. 229. t. 5. E. B. t. 1028. — 2 — *Habitat in subalpinis Europae totius.*

**** Racemis axillaribus v. laterallibus.**

4408. **Veronica officinalis** Linn. Spec. 14. Flor. dan. t. 248. E. B. t. 765. — 2 — *Habitat in sylvis Europae et Americae borealis.*

4409. **Veronica Chamaedrys** Linn. Spec. 17. Flor. dan. t. 448. E. B. t. 623. — 2 — *Habitat in agris et arvis Europae totius.*

β. *Lamiifolia*. *Veronica lamiifolia* Hayne in Berlin. Magaz. VII. 182.

4410. **Veronica latifolia** Linn. Spec. 18. — 2 — *Habitat in Europa media et Sibiria.*

4411. **Veronica dentata** Schrader Flor.

Germ. I. 37. — 24 — *Habitat in collibus siccis Europae australioris et Sibiriae.*

4412. **Veronica taurica** Willdenow Spec. I. 70. — 24 — *Habitat in Tauria.*

4413. **Veronica austriaca** Jacq. Enum. Vindob. 3. — 24 — *Habitat in Austria.*

4414. **Veronica caucasica** Bieberst. Flor. Taur. cauc. I. 13. III. 14. — 24 — *Habitat in Caucaso et Iberia.*

4415. **Veronica Beccabunga** Linn. Spec. 16. Flor. dan. t. 655. — 24 — *Habitat passim juxta rivulos, in temperatis hemisphaerae borealis amphigea.*

4416. **Veronica Anagallis** Linn. Spec. 16. Flor. dan. t. 903. — ☉ — *Habitat in humidis hemisphaerae borealis.*

d. Leptandra Nutt.

4417. **Veronica sibirica** Linn. Spec. 12. *Leptandra sibirica* Nuttall Gen. Amer. I. 7. — 24 — *Habitat in Dauria.*

4418. **Veronica virginica** Linn. Spec. 13. Hoffmann. Phytogr. Blätt. 89. t. 9. f. 1. *Leptandra virginica* Nuttall Gen. Amer. I. 7. — 24 — *Habitat in Virginia.*

3980. Paederota Linn.

4419. **Paederota Ageria** Linn. Mant. 171. *Paederota lutea* Linn. f. Suppl. 84. *Paederota Bonarota* Jacq. Hort. Vindob. II. t. 121. non Linn. *Wulfenia Ageria* Smith in Linn. Transact VI. 96. *Wulfenia lutea* Host Flor. austr. I. 19. — 24 — *Crescit in fissuris rupium montium et alpium Carnioliae.*

3982. Wulfenia Jacq.

4420. **Wulfenia carinthiaca** Jacq. Collect. II. 62. t. 8. f. 1. Ic. rar. t. 2. — 24 — *Habitat in solo pingui alpium calcarearum Carinthiae.*

Tribus IX. Rhinanthaeae.

4017. **Alectorolophus** Bieberst.

4421. **Alectorolophus Crista Galli** Bieberst. Flor. Taur. cauc. II. 68. *Rhinanthus Crista Galli* Linn. Spec. 840. E. B. t. 657. Curtis Flor. Lond. V. t. 43. — ☉ — *Habitat in Europa et America boreali.*

4018. **Melampyrum** Linn.

4422. **Melampyrum arvense** Linn. Spec. 842. Flor. dan. t. 911. — ☉ — *Habitat in agris, solo calcareo et argillaceo.*

4024. **Ramondia** L. C. Rich.

4423. **Ramondia pyrenaica** L. C. Richard in Persoon Encheir. I. 216. *Myconia borraginea* Lapeyr. Abreg. 115. *Chaixia Myconi* Lapeyr. Abreg. Suppl. 37. *Verbascum Myconi* Linn. Spec. 255. Miller Ic. t. 277. Curtis Bot. Mag. t. 236. — 24 — *Habitat in Pyrenaeis et Pedemontio.*

Ordo XCVIII. Acanthaceae.

Tribus I. Thunbergieae.

4027. **Thunbergia** Linn.

4424. **Thunbergia fragrans** Roxburgh Plant. corom I. 47. t. 67. Nees in Wallich Plant. As. rar. III. 77. — 24 — *Habitat ad ripas fluviorum Indiae orientalis.*

4425. **Thunbergia alata** Hooker Exot. Flor. t. 177. Nees in Wallich Plant. As. rar. III. 78. — 24 — *Habitat in Africa tropica inter 5 — 6° L. A.*

4029. **Hexacentris** Nees.

4426. **Hexacentris coccinea** Nees in Wal-

lich Plant. As. rar. III. 78. *Thunbergia coccinea* Hooker Exot. Flor. t. 195. — 2 — *Habitat in Asia tropica.*

Tribus II. Nelsonieae.

4031. *Elytraria* Vahl.

4427. *Elytraria virgata* Michaux Flor. Bor. Am. I. 9. t. 1. — 2 — *Habitat in Carolina.*

Tribus III. Echmatacanthi.

Subtribus I. Ruellieae.

4041. *Dyschoriste* Nees.

4428. *Dyschoriste littoralis* Nees in Wallich Plant. As. rar. III. 81. *Ruellia littoralis* Linn. Suppl. 289. — 2 — *Habitat in India orientali.*

4043. *Dipteracanthus* Nees.

4429. *Dipteracanthus Schauerianus* Nees Index Sem. Hort. Wratisl. 1838. Linnaea L. B. 1839. p. 118. *Ruellia brasiliensis* Hortor. — 3 — *Habitat in Brasilia.*

4430. *Dipteracanthus viscidulus* Nees l. c. *Ruellia viscidula* Mart. Catalog. Hort. Monac. — 3 — *Habitat in Brasilia.*

Stigma bifidum lobo superiore erecto brevissimo, inferiore triplo longiore acuto revoluta. Capsula octosperma. Semina lenticulari-compressa, margine tumido cincta.

4431. *Dipteracanthus strictus* Nees l. c. *Ruellia oblongifolia* Pursh Flor. Bor. Amer. II. 420. non Michaux.? *Ruellia strepens* Hort. — 2 — *Habitat in America boreali.*

Stigma ut in *D. viscidulo* Nees.

4432. *Dipteranthus patulus* Nees in Wallich Plant. As. rar. III. *Ruellia patula* Jacq. Ic. rar. I. t. 119. — 3 — *Habitat in India orientali.*

4047. **Ruellia** Linn.

4433. **Ruellia macrophylla** Vahl Symb. II. 72. t. 39. — 2 — *Habitat in America tropica.*

4434. **Ruellia tetragona** Link Enum. II. 133. — 2 — *Habitat in Brasilia.*

4435. **Ruellia pubescens** Pers. Synops. — 2 — *Habitat in America tropica.*

4436. **Ruellia formosa** Andrews Bot. Reposit. t. 610. Bot. Mag t. 1400. — 2 — *Habitat in Brasilia.*

4437. **Ruellia pulchella** Schott msc. — 2 — *Habitat in Brasilia.*

4056. **Goldfussia** Nees.

4438. **Goldfussia anisophylla** Nees in Wallich Plant. As. rar. III. 88. Hooker in Bot. Mag. t. 3404. **Ruellia anisophylla** Roxb. msc. Hooker Exot. Flor. t. 191. Spreng. Cur. post. 236. **Ruellia persicifolia** Lindley in Bot. Reg. t. 955. — 2 — *Habitat in India orientali.*

4058. **Cryphiacanthus** Nees.

4439. **Cryphiacanthus barbadensis** Nees Index Sem. Hort. Wratislaw. 1841. **Ruellia clandestina** Linn. Spec. 885. **Ruellia tuberosa** Linn. Spec. 885. — 2 — *Habitat in Antillis.*

4440. **Cryphiacanthus lacteus** Nees l. c. **Ruellia lactea** Cavan. Ic. t. 255. — 2 — *Habitat in America australi.*

Subtribus II. Barlerieae.

4060. **Asteracantha** Nees.

4441. **Asteracantha longifolia** Nees in Wallich Plant. As. rar. III. 90. **Barleria longifolia** Linn. Amoen. Academ. IV. 310. — 2 — *Habitat in India orientali.*

4061. **Barleria** Linn.

4442. **Barleria Prionitis** Linn. Spec. 887. Vahl Symb. I. 46. Willd. Spec. III. 376. Nees in Vahl Plant. As. rar. III. 93. — ♀ — *Habitat in Asia tropica.*

4443. **Barleria cristata** Linn. Spec. 887. — ♀ — *Habitat in India orientali.*

4444. **Barleria flava** Jacq. Fil. Eclog. I. 67. t. 64. *Barleria mitis* Ker in Bot. Reg. t. 191. *Dianthera flava* Forskael Aegypt. 9. Vahl Symb. 1. 5. *Justicia flava* Vahl Symb. II. 15. Willdenow Spec. I. 92. *Eranthemum flavum* Willd Enum. Hort. Berolin. Suppl. 2. — ♀ — *Habitat in Arabia felici.*

4445. **Barleria lupulina** Lindley in Bot. Reg. t. 1483. *Dicliptera spinosa* Hort. — ♀ — *Habitat in insula Mauriti.*

4064. **Geissomeria** Lindl.

4446. **Geissomeria longiflora** Lindley in Bot. Reg. t. 1045. — ♀ — *Habitat in Brasilia.*

Subtribus III. **Acantheae.**4071. **Acanthus** Linn.

4447. **Acanthus mollis** Linn. Spec. 891. Sibthorp Flor. graec. t. 610. — 2 — *Habitat in Europa australi.*

4448. **Acanthus spinosus** Linn. Spec. 891. Sibthorp Flor. graec. t. 611. Bot. Mag. t. 1808. — 2 — *Habitat in Europa australi.*

4449. **Acanthus spinosissimus** Persoon Encheir. II. 179. — 2 — *Habitat in regione mediterranea.*

Subtribus IV. **Russeggereae.**4072. **Schwabea** Endl.

4450. **Schwabea modesta** Endl. Nov. Stirp.

Mus. Vindob. Decad. 91. — ☉ — *Habitat in Africa tropica.*

4072. **Pelethanthus** Endl.

4451. **Pelethanthus ciliaris** Endl. msc. *Justicia ciliaris* Linn. Suppl. 84. *Justicia ciliata* Jacq. Hort. Vindob. II. 47. t. 104. — ☉ — *Patria ignota.*

4072. **Athlianthus** Endl.

4452. **Athlianthus spiciflorus** Endl. msc. — ☉ — *Habitat in Africa tropica.*

Subtribus V. *Justicieae*.

4073. **Crossandra** Salisb.

4453. **Crossandra infundibuliformis** Nees in Wallich Plant. As. rar. III. 98. *Crossandra undulataefolia* Salisbury in Aiton Hort. kew. IV. 54. Bot. Reg. t. 69. *Justicia infundibuliformis* Linn. Spec. 21. *Ruellia infundibuliformis* Andrews Bot. Reposit. t. 542. *Harrachia speciosa* Jacq. f. Eclog. t. 21. — ☿ — *Habitat in India orientali.*

4074. **Aphelandra** R. Br.

4454. **Aphelandra cristata** R. Brown in Aiton Hort. kew. ed. 2. IV. 55. Bot. Mag. t. 1578. Lindley in Bot. Reg. t. 1477. *Justicia arborea* Miller Dict. ed. 8. *Justicia tetragona* Vahl Symb. III. 5. *Justicia cristata* Jacq. Hort. Schönbr. III. 38. t. 320. *Justicia pulcherrima* Willd. Enum. 25. *Ruellia cristata* Andrews Bot. Reposit. t. 506. — ♂ — *Habitat in America aequatoriuli.*

4080. **Odontonema** Nees.

4455. **Odontonema lucidum** Nees msc. *Justicia lucida* Andr Bot. Reposit. t. 313. Bot. Mag. t. 1014. — ♀ — *Habitat in Barbudoes.*

4081. **Schaueria** Nees.

4456. **Schaueria calycotricha** Nees ex Lindley Bot. Reg. Ind. syst. XXI. *Justicia calytricha* Hooker Exot. Flor. t. 212. *Justicia flavicoma* Lindley in Bot. Reg. t. 1027. *Justicia calycotricha* Link et Otto Plant. select. 113. t. 53. Sprengel Cur. post. 18. Hooker in Bot. Mag. t. 2816. — ♂ — *Habitat in Brasilia.*

4082. **Adhatoda** Nees.

4457. **Adhatoda Vasica** Nees in Wallich Plant. As. rar. III. 103. *Justicia Adhatoda* Linn. Flor. Zeylan. Roxburgh Flor. Ind. edit. Wallich I. 127. Bot. Mag. t. 861. — ♂ — *Habitat in India orientali.*

4083. **Gendarussa** Nees.

4458. **Gendarussa vulgaris** Nees in Wallich Plant. As. rar. III. 104. *Justicia Gendarussa* Linn. Suppl. 85. Willd. Spec. I. 87. Röm. et Schult. Syst. I. 152. Bot. Reg. t. 635. Jacq. f. Eclog. t. 11. Roxburgh Flor. ind. edit. Wall. I. 129. — ♂ — *Habitat in India orientali.*

4459. **Gendarussa furcata** Nees in Wallich Plant As. rar. III. 105. *Justicia furcata* Jacq. Hort. Schönbr. t. 3. — ♀ — *Habitat in America tropica.*

4087. **Eranthemum** R. Br.

4460. **Eranthemum microphyllum** R. Brown Prodr. 477. in not. *Justicia microphylla* Lam. Illustr. I. 37. Vahl Eclog. II. 1. Enum. I. 168. — ♂ — *Habitat in insulis Antillanis.*

4461. **Eranthemum armatum** R. Brown Prodr. 477. in not. *Justicia armata* Swartz Prodr. 13. — ♂ — *Habitat in montibus Jamaicae.*

4462. **Eranthemum bicolor** Schrank Hort. Monac. t. 8. *Justicia bicolor* Sims in Bot. Mag. t. 1413. — ♂ — *Habitat in insula Luçon.*

4463. **Eranthemum strictum** Colebr. in Roxb. Flor. ind. ed. Wallich. I. 114. Nees in Wallich Plant. As. rar. III. 106. — 2 — *Habitat in India orientali.*

4464. **Eranthemum parviflorum** R. Brown Prodr. 477. in not. *Justicia parviflora* Ortega Decad. I. 1. — 2 — *Habitat in Mexico.*

4465. **Eranthemum nervosum** R. Brown Prodr. 477. Nees in Wallich Plant. As. rar. III. 106. **Eranthemum pulchellum** Andrews Bot. Reposit. t. 88. *Justicia nervosa* Vahl Enum. I. 164. Sims Bot. Mag. t. 1358. Loddig. Bot. Cab. t. 146. *Justicia pulchella* Roxburgh Plant. Corom. II. 41. t. 177. *Ruellia varians* Venten. Jard. Cels. t. 46. — 2 — *Habitat in India orientali.*

4089. **Justicia** Nees.

4466. **Justicia coccinea** Aublet Guian. I. 10. t. 3. Smith Ic. pict. II t. 8. — 2 — *Habitat in Cayenna.*

4467. **Justicia bracteolata** Jacq. Collect. III. 253. Ic. rar. II. t. 205. — 2 — *Habitat ad Caracas.*

4468. **Justicia quadrifida** Vahl Enum. I. 124. *Justicia coccinea* Cavanill. Ic. II. t. 199. — 2 — *Habitat in Nova Hispania.*

4469. **Justicia formosa** Willd. Enum. I. 28. — 2 — *Patria ignota.*

4470. **Justicia hyssopifolia** Linn. Spec. 21. — 2 — *Habitat in insulis Canariis.*

4471. **Justicia lithospermifolia** Jacq. Hort. Schönbr. 1. 3. t. 4. — 2 — *Habitat in Peruvia.*

4472. **Justicia carnea** Lindley in Bot. Reg. t. 1397. Bot. Mag. t. 3383. — 2 — *Habitat in Brasilia.*

4090. **Rhinacanthus** Nees.

4473. **Rhinacanthus communis** Nees in Wallich Plant. As. rar. III. 109. *Justicia nasuta* Linn. Spec. 63. — 2 — *Habitat in India orientali.*

Subtribus VI. Dicliptereae.

4091. **Blechum** Juss.

4474. **Blechum Brownei** Juss. *Ruellia Blechum* Linn. Spec. 1554. — ☉ — *Habitat in Antillis.*

4093. **Dicliptera** Juss.

4475. **Dicliptera resupinata** Jussieu in Annal. Mus. IX. 268. *Justicia resupinata* Vahl Enum. I. 114. *Justicia sexangulata* Cavan. Ic. t. 203. — 24 — *Habitat in Nova Hispania.*

4476. **Dicliptera multiflora** Jussieu in Annal. Mus. IX. 268. *Dianthera multiflora* Ruiz et Pav. Flor. peruv t 14. b. *Justicia multiflora* Vahl Enum. I. 160. — 24 — *Habitat in Quito.*

4477. **Dicliptera peruviana** Jussieu in Annal. Mus. IX. 268. *Dianthera mucronata* Ruiz et Pav. Flor. peruv. t. 16. f. a. *Justicia peruviana* Vahl Enum. I. 148. — 24 — *Habitat in Peruvia.*

4478. **Dicliptera martinicensis** Jussieu in Annal. Mus. IX. 268. *Justicia martinicensis* Jacq. Amer. t. 2. f. 3. — 24 — *Habitat in Martinica.*

4095. **Peristrophe** Nees.

4479. **Peristrophe speciosa** Nees in Wallich Plant. As. rar. III. 113. *Justicia speciosa* Roxburgh Flor. Ind. edit. Wallich. I. 123. Hooker in Bot. Mag. 2722 — 24 — *Habitat in India orientali.*

4480. **Peristrophe bicalyculata** Nees in Wallich Plant As. rar. III. 113. *Justicia bicalyculata* Vahl Symb. II. 13. — 24 — *Habitat in India orientali.*

Subtribus VII. Andrographideae.

4101. **Andrographis** Nees.

4481. **Andrographis paniculata** Nees in

Wallich Plant. As. rar. III. 77. *Justicia paniculata*
Burm. Flor. Ind. 9. Jacq. f. Eclog. t. 34. — 2 —
Habitat in India orientali.

Ordo XCIX. Bignoniaceae.

Subordo I. Sesameae.

4105. *Sesamum* Linn.

4482. *Sesamum orientale* Linn. Spec. 883.
— ☉ — *Habitat in Asia tropica.*

Subordo II. Eccremocarpeae.

4106. *Calampelis* Don.

4483. *Calampelis scabra* Don in Sweet
Fl. Gard. n. 5. t. 30. Endlicher Iconogr. t. 95. *Eccremocarpus scaber* Ruiz et Pavon Syst. 157. Lindley
Bot. Reg. t. 939. — 2 ☉ — *Habitat in Chili.*

Subordo III. Incarvilleae.

4109. *Amphicome* Royle.

4484. *Amphicome arguta* Royle Himalay.
t. 72. f. 1. Lindley in Bot. Reg. 1838. t. 19. *Incarvillea arguta* Royle op. cit. p. 296. — 5 — *Habitat in montibus Himalayanis altitudine 6000 — 8000 pedum.*

4110 *Incarvillea* Juss.

4485. *Incarvillea sinensis* Lam. Dict. III.
233. Bunge Plant. chin. 45. — 2 — *Habitat in China boreali.*

Subordo IV. Bignonieae.

4113. **Catalpa** Juss.

4486. **Catalpa syringaefolia** Sims Bot. Mag. t. 1094. *Bignonia Catalpa* Linn. Spec. 868. — ♂ — *Habitat in America boreali ad ripas fluviorum Ohio, Mississippi et Deluware.*

Var. β. *Pumila*.

4114. **Tecoma** Juss.α. **Pandorea** Endl.

4487. **Tecoma australis** R. Brown Prodr. 471. Lindley in Bot. Reg. t. 2002. *Bignonia pandorea* Venten. Malmais. t. 43. Andrews Bot. Reposit. t. 86. Sims Bot. Mag. t. 865. — ♂ ♀ — *Habitat in Nova Hollandia tropica et orientali extrutropica.*

β. **Eutecoma** Endl.

4488. **Tecoma stans** Jussieu Gen. 139. Hooker Bot. Mag. t. 3191. *Bignonia stans* Linn. Spec. 871. — ♂ — *Habitat in America tropica.*

4489. **Tecoma radicans** Jussieu Gen. 139. *Bignonia radicans* Linn. Spec. 871. Curtis Bot. Mag. t. 485. — ♂ ♀ — *Habitat in Carolina, Florida et Virginia.*

β. *Coccinea*. — γ. *Flammea*.

4490. **Tecoma grandiflora** Sweet Hort. Brit. 184. *Bignonia grandiflora* Thunberg Flor. japon. 253. Banks Ic. Kampf. t. 21. *Bignonia chinensis* Lam. I. 424. *Rjotsjo* Kampf. Amoen. exot. 856. — ♂ ♀ — *Habitat in Japonia et China, ubi vulgo Tung-vong-fa.*

c. **Tecomaria** Endl.

4491. **Tecoma capensis** Lindley in Bot. Reg. t. 1117. *Bignonia capensis* Thunberg Prodr. 105. — ♂ ♀ — *Habitat in Capite bonae spei.*

4116. **Rhigozum** Burch.

4492. **Rhigozum trichotomum** Burchell
Travels in South Africa I. 389. Fenzl in Regensb.
Denkschrift III. t. 5. — ♂ — *Habitat in Capite bonue
spei.*

4124. **Bignonia** Juss.

4493. **Bignonia rigescens** Jacq. Hort.
Schönbr. II. 44. t. 210. — ♂ ♀ — *Habitat in Caracas.*

4494. **Bignonia jasminifolia** Kunth in
Humb. et Bonpl. Nov. gen. et sp. III. 141. — ♂ ♀ —
Habitat in ripis Orinoci.

Genus dubiae affinitatis.

4129. **Platycarpum** Humb. et Bonpl.

4495. **Platycarpum orinocense** Humb. et
Bonpl. Plant. aequinoct. II 81. t. 104. — ♂ — *Ha-
bitat ad ripas Orinoci.*

Observ. Planta Platycarpi orinocensis titulo ab hortulanis
belgis nobis vendita, dubii omnino generis, nondum floruit.

Ordo C. Gesneraceae.

Subordo I. Cyrtandreae.

4134. **Aeschynanthus** Jack.

4496. **Aeschynanthus grandiflorus** Spreng.
Syst. IV. 238. Lindl. in Bot. Reg. 1841. t. 49. *Aeschy-
nanthus parasitica* Wallich Catalog n. 796. *Incarvillea
parasitica* Roxburgh Plant. Corom. t. 291. *Trichospor-
um grandiflorum* D. Don Nepal. 125. — ♂ ♀ — *Habi-
tat in sylvis Bengaliae et Silhet.*

4497. **Aeschynanthus maculatus** Lindley
in Bot. Reg. 1841. t. 28. — ♂ ♀ — *Habitat in India
orientali.*

4140. **Streptocarpus** Lindl.

4498. **Streptocarpus Rexii** Lindley in Bot. Reg. t. 1173. *Didymocarpus Rexii* Hooker Exot. Flor. t. 227. — 4 — *Habitat in Capite bonae spei.*

Subordo II. Gesnereae.

4157. **Columnnea** Plum.

4499. **Columnnea scandens** Linn. Spec. 891. Swartz Observ. 249. Jacq. Hort. Vindob. III. t. 48. Lam. t. 514. f. 1. c. Martius Nov. gen. et sp. t. 226. f. 2. DC. Prodr. VII. 542. *Columnnea rotundifolia* Salisbury Parad. t. 29. — 5 0 — *Habitat in insulis Antillanis, ubi ob copiosum nectar quod in fundo floris secernitur » Liane a syrop » dicitur.*

4500. **Columnnea hirsuta** Swartz Flor. Ind. occid. II. 1080. Hooker Bot. Mag. t. 3081. DC. Prodr. VII. 542. — 5 — *Habitat in sylvis montosis Jamaicae.*

4164. **Episcia** Mart.

4501. **Episcia melittifolia** Martius Nov. gen. et sp. III. 42. DC. Prodr. VII. 547. *Besleria melittaeifolia* Linn. Spec. 862. Schrank Hort. monac. t. 44. — 4 — *Habitat in Antillis et Guiana.*

4165. **Gesnera** Mart.

4502. **Gesnera latifolia** Martius Nov. gen. et sp. III. 35. DC. Prodr. VII. 527. *Gesnera macrostachya* Lindley in Bot. Reg. t. 1202. — 4 — *Habitat in umbrosis rupestribus Brasiliae.*

4503. **Gesnera tuberosa** Martius Nov. gen. et sp. III. 29. t. 212. Hooker in Bot. Mag. t. 3664. DC. Prodr. VII. 529. *Gesnera rupestris* Graham in Edinb. new philosoph. Journ. 1837. — 4 — *Habitat in fissuris rupium quarzoso-schistosarum provinciae Minarum Brasiliae.*

4504. **Gesnera rutila** Lindley in Bot. Reg.

t. 1158. DC. Prodr. VII. 529. — 4 — *Habitat in umbrosis sylvaticis Brasiliae prope Sebastianopolim et in Serrados Orgaos.*

4505. **Gesnera Lindleyi** Hooker in Bot. Mag. t. 3602. DC. Prodr. VII. 529. *Gesnera rutila* var. *atro-sanguinea* Lindley in Bot. Reg. t. 1279. — 4 — *Habitat in Brasilia prope Sebastianopolim.*

4506. **Gesnera bulbosa** Ker in Bot. Reg. t. 343. Martius Nov. gen. et sp. III. 35. Schwägrichen in Schriften der Leipz. naturf. Gesellsch. 1822. Vol. I. p. 205. t. 6. Loddiges Bot. Cab. t. 1724. DC. Prodr. VII. 529. — 4 — *Habitat in saxosis umbrosis provinciae Minarum Brasiliae.*

4507. **Gesnera Cooperi** Hort. Woburn, ex DC. Prodr. VII. 530. — 4 — *Patria ignota.*

4508. **Gesnera spicata** Kunth in Humb. et Bonpl. Nov. gen. et sp. II. 393. t. 188. DC. Prodr. VII. 531. — 4 — *Habitat in America tropica.*

4509. **Gesnera Douglasii** Lindley in Hortic. Transact. Nep. 1827. Bot. Reg. t. 1110. DC. Prodr. VII. 532. *Gesnera verticillata* Hooker Bot. Mag. t. 2776. non Cav. — 4 — *Habitat in Brasiliae sylvis montanis, umbrosis.*

4510. **Gesnera prasinata** Ker in Bot. Reg. t. 428. Martius Nov. gen. et sp. III. 37. DC. Prodr. VII. 532. — 4 — *Habitat in campis provinciae Minarum Brasiliae.*

4511. **Gesnera magnifica** Loudon Hort. 697. — 4 — *Patria ignota.*

4166. **Trevirana** Willd.

4512. **Trevirana coccinea** Willdenow Enum. 638. *Trevirana pulchella* Martius Nov. gen. et sp. III. 66. t. 226. f. 2 *Cyrilla pulchella* Heritier Stirp. I. 147. t. 71. *Achimenes coccinea* Persoon Encheir. II. 164. DC. Prodr. VII. 535. *Gesnera pulchella* Swartz Prodr. 90. *Columnnea erecta* Lam. Dict. II. 66. Delaune Herb. Amat. t. 216. *Buchnera coccinea* Scopoli Delic. II. 10. t. 5. — 4 — *Habitat in rupibus madidis Jamaicae australis.*

4167. **Gloxinia** Herit.α. **Eugloxinia** DC.

4513. **Gloxinia maculata** Herit. Stirp. 149. Sims in Bot. Mag. n. 1937. in not. Reichenb. Magaz. t. 3. DC. Prodr. VII. 534. *Gloxinia trichotoma* Mönch Suppl. 194. *Martynia perennis* Linn. Spec. 862. *Gloxin* Observ. 13. — 4 — *Habitat in Carthageria Americae tropicae.*

4514. **Gloxinia speciosa** Loddig. Bot. Cab. t. 18 Ker in Bot. Reg. t. 213. Sims in Bot. Mag. t. 1937. Reichenb. Magaz. t. 4. DC. Prodr. VII. 534. *Gloxinia formosa* Hortor. *Martynia speciosa* Delaun. Herb. Amat. t. 225. — 4 — *Habitat in Brasilia.*

β. *Albiflora* Hooker Bot. Mag. t. 8106. *Gloxinia candida* Hortor.

4515. **Gloxinia caulescens** Lindley in Bot. Reg. t. 1117. DC. Prodr. VII. 534. — 4 — *Habitat in America tropica.*

4516. **Gloxinia hirsuta** Lindley in Bot. Reg. t. 1004. Bot. Mag. t. 1690. DC. Prodr. VII. 534. — 4 — *Habitat in Brasilia.*

δ. **Sinningia** Nees.

4517. **Gloxinia Helleri** Martius Nov. gen. et sp. III. 62. in not. DC. Prodr. VII. 534. *Sinningia Helleri* Nees in Annal. sc. nat. VI. 291. t. 12. Lindley in Bot. Reg. t. 997. — 4 — *Habitat in Brasilia.*

* **Crescentieae.**4172. **Crescentia** Linn.

4518. **Crescentia Cujete** Linn. Spec. 873. Jacq. Amer. 175. t. 111. Edit. pict. 86. t. 167. — 5 — *Habitat in America tropica.*

4173. **Tripinnaria** Pers.

4519. **Tripinnaria africana** Spreng. Syst.

- II. 842. *Crescentia pinnata* Jacq. Collect. III. 203. t. 18. *Tanaecium pinnatum* Willd. Spec. III. 312. — 5 —
Habitat in Africae ora Mozambique.

Ordo CI. Pedalineae.

4175. *Martynia* Linn.

4520. *Martynia proboscidea* Gloxin Observ. 14. Sims Bot. Mag. t. 1056. *Martynia annua* Linn. Spec. 862. Gärtner Carp. II. 131. t. 110. — ☉ —
Habitat in Mexico et in America boreali calidiore.

4521. *Martynia fragrans* Lindley in Bot. Reg. 1841. t. 6. — ☉ — *Habitat in Mexico.*

4522. *Martynia diandra* Gloxin Observ. 14. t. 1. Jacquin Hort. Schönbr. III. 21. t. 289. — ☉ —
Habitat in Mexico.

Ordo CII. Primulaceae.

Tribus I. Primuleae.

Subtribus I. Primuleae.

4197. *Androsace* Tournef.

4523. *Androsace maxima* Linn. Spec. 203. Jacq. Flor. austr. t. 331. — ☉ — *Habitat inter segetes Europae et Sibiriae.*

4524. *Androsace elongata* Linn. Spec. 1668. Jacq. Flor. austr. t. 330. — ☉ — *Habitat in campis Europae et Caucasi.*

4525. *Androsace nana* Hornem. Hort. Hafn. I. 184. — ☉ — *Habitat in Europa australiore.*

4526. *Androsace septentrionalis* Linn. Spec. 203. Miller Ic t 30. f. 2. — ☉ — *Habitat per omnem Europam.*

4527. **Androsace lactiflora** Fischer Hort. Gorenk. 30. *Androsace coronopifolia* Aiton Hort. kew. App. Andrews Bot. Reposit. t. 647. — 4 — *Habitat in Sibiria.*

4199. **Primula** Linn.

4528. **Primula cortusoides** Linn. Spec. 206. Jacq. Hort. Schönbr. t. 259. — 4 — *Habitat in Sibiria.*

4529. **Primula suaveolens** Bertoloni Amoen. ital. 95. *Primula Columnae* Tenore Flor. Neap. t. 13. — 4 — *Habitat in Italia.*

4530. **Primula acaulis** Allioni Flor. ped. n. 331. — 4 — *Habitat in Europa et Tauria.*

4531. **Primula elatior** Jacq. Miscell. I. 158. — 4 — *Habitat in Europa et Tauria.*

4532. **Primula inflata** Lehmann Prim. 26. t. 2. — 4 — *Habitat in Hungaria.*

4533. **Primula veris** Willd. Spec. I. 810. E. B. t. 5. — 4 — *Habitat in Europa et Caucaso.*

4534. **Primula Auricula** Linn. Spec. 205. Jacq. Flor. austr. t. 415. — 4 — *Habitat in montanis et subalpinis Europae.*

4535. **Primula Palinuri** Petagna Inst. II. 332. Jacq. f. Eclog. t. 43. — 4 — *Habitat in rupibus Palinuri prope Salernum.*

4536. **Primula crenata** Lam. Illustr. n. 1936. t. 198. f. 3. *Primula marginata* Curt. Bot. Mag. t. 191. — 4 — *Habitat in alpinis Europae australis.*

4537. **Primula longiflora** Allioni Flor. pedem. n. 335. t. 39. f. 3. Jacq. Flor. austr. App. t. 46. — 4 — *Habitat in alpinis Europae australioris.*

4538. **Primula farinosa** Linn. Spec. 205. E. B. t. 6. Flor. dan. t. 125. — 4 — *Habitat in uliginosis montanis Europae.*

4539. **Primula nivalis** Pallas It. III. App. 81. t. 9. f. 2. — 4 — *Habitat in alpinis Davuriae.*

4540. **Primula carniolica** Jacq. Misc. I. 160. Flor. austr. App. t. 4. — 4 — *Habitat in Carniolia.*

4541. **Primula venusta** Host Flor. austr. I. 248. Bot. Reg. t. 1983. *Primula Freyeri* Hoppe. — 24 — *Habitat in subalpinis Carnioliae.*

4542. **Primula pubescens** Wulfen in Jacq. Misc. I. 187. t. 18. f. 2. — 24 — *Habitat in alpidus Europae.*

4543. **Primula minima** Linn. Spec. 205. Jacq. Flor. austr. t. 273. — 24 — *Habitat in alpidus Europae.*

4544. **Primula verticillata** Forsk. Aegypt. II. 42. Vahl Symb. I. 15. t. 5. — 24 — *Habitat in Arabia felici.*

4545. **Primula sinensis** Sabine in Lindley Collect. t. 7. *Primula praeinitens* Ker in Bot. Reg. t. 539. *Auganthus sinensis* Link Handb. *Oscaria chinensis* Lilja in Lindbloms Bot. Notis. 1839. p. 39. — 24 — *Habitat in China.*

4200. **Cortusa** Linn.

4546. **Cortusa Matthioli** Linn. Spec. 206. Jacq. Ic. rar. t. 32. — 24 — *Habitat in subalpinis et alpinis Europae.*

4201. **Cyclamen** Tournef.

4547. **Cyclamen coum** Miller Dict. n. 6. Curt. Bot. Mag. t. 4. — 24 — *Habitat in Europa australi et Tauria.*

4548. **Cyclamen europaeum** Linn. Spec. 207. Jacq. Flor. austr. t. 401. — 24 — *Habitat in montibus Europae mediae.*

4549. **Cyclamen persicum** Miller Dict. n. 3. Bot. Mag. t. 44. — 24 — *Habitat in Graecia.*
β. *Albiflorum.*

4550. **Cyclamen neapolitanum** Tenore Prodr. Suppl. II. 66. — 24 — *Habitat in Europa australiore.*

4202. **Dodecatheon** Linn.

4551. **Dodecatheon Meadia** Linn. Spec.

407. Bot. Mag. t. 12. — 4 — *Habitat in America boreali.*

4203. Soldanella Tournef.

4552. **Soldanella alpina** Linn. Spec. 206. Jacq. Flor. austr. t. 13. — 4 — *Habitat in alpinis et subalpinis Europae.*

Subtribus II. Lysimachieae.

4204. Glaux Tournef.

4553. **Glaux maritima** Linn. Spec. 301. — 4 — *Habitat in saluginosis Europae et Asiae mediae.*

4206. Naumburgia Mönch.

4554. **Naumburgia guttata** Mönch Method. Suppl. 23. **Lysimachia thyrsiflora** Linn. Spec. 209. — 4 — *Habitat in paludibus et fossis Europae.*

4207. Lysimachia Mönch.

4555. **Lysimachia ciliata** Linn. Spec. 210. — 4 — *Habitat in fossis et paludibus Europae.*

4556. **Lysimachia verticillata** Pallas ex Willd. Enum. I. 195. — 4 — *Habitat ad fossas Hungariae et Taurinae.*

4557. **Lysimachia vulgaris** Linn. Spec. 209. Flor. dan. t. 689. — 4 — *Habitat in paludosis Europae.*

β. *Paludosa* Baumg. Flor. Transylv.

4558 **Lysimachia punctata** Linn. Spec. 210. Jacq. Flor. austr. t. 366. — 4 — *Habitat ad ripas et in stagnis Europae.*

4559. **Lysimachia nummularia** Linn. Spec. 211. Schkuhr t. 36. — 4 — *Habitat ad fossas et in sylvis humidis Europae.*

4560. **Lysimachia azorica** Hornem. Bot. Mag. t. 3273. — ☉ — *Habitat in insulis Azoricis.*

4561. **Lysimachia Ephemeron** Linn.

Spec. 209. Murray Comm. Götting. 1782. t. 2. —○—
Habitat in Europa australiore et Sibiria.

4562. **Lysimachia dubia** Aiton Hort. kew.
 I. 199. Sibthorp Flor. graec. t. 188. —○— *Habitat in Oriente et Caucaso.*

4211. **Coris** Tournef.

4563. **Coris monspeliensis** Linn. Spec. 252.
 Bot. Mag. t. 2131. Bot. Reg. t. 536. —♂— *Habitat in Europa australi.*

Tribus II. Anagallideae.

4213. **Anagallis** Linn.

4564. **Anagallis arvensis** Linn. Spec. 211.
 —○— *Habitat in agris et arvis Europae.*

4565. **Anagallis latifolia** Linn. Spec. 211.
 —○— *Habitat in Hispania et Hungaria.*

Tribus III. Samoleae.

4215. **Samolus** Tournef.

4566. **Samolus littoralis** R. Brown Prodr.
 428. —♀— *Habitat in Nova Hollandia et Nova Zeelandia.*

Ordo CIII. Myrsineae.

4221. **Myrsine** Linn.

4567. **Myrsine retusa** Aiton Hort. kew. ed. 1.
 I. 271. Venten. Cels. t. 86. —5— *Habitat in insulis Azoricis.*

4568. **Myrsine melanophleos** R. Brown
 Prodr. 533. *Sideroxylon melanophleum* Linn. Mant. 48.
 Jacq. Hort. Vindob. I. 89. t. 71. —5— *Habitat in Capite bonae spei.*

4222. **Ardisia** Sw.

4569. **Ardisia solanacea** Roxburgh Plant. corom. t. 27. *Ardisia humilis* Vahl Symb. 40. — 5 — *Habitat in India orientali.*

4570. **Ardisia paniculata** Roxburgh Flor. Ind. II. 270. Ker in Bot. Reg. t. 638. Sims Bot. Mag. t. 2364. — 5 — *Habitat in Silhet.*

4571. **Ardisia crenulata** Venten. Choix. t. 5. — 5 — *Habitat in India occidentali.*

4228. **Jacquinia** Linn.

4572. **Jacquinia arborea** Vahl Eclog. I. 26. Kunth in Humb. et Bonpl. Nov. gen. et sp. III. 250. — 5 — *Habitat in Cumana, ubi vulgo » Barbasco « et in insula Montserrat.*

4229. **Theophrasta** Juss.

4573. **Theophrasta Jussieui** Lindley Collect. t. 26. D. Don in Edinb. new philosoph. Journ. 1831. X. 233. — 5 — *Habitat in montibus insulae St. Domingo.*

4230. **Clavija** Ruiz et Pav.

4574. **Clavija ornata** D. Don in Edinb. new philosoph. Journ. 1831. X. 233. *Theophrasta longifolia* Jacq. Collect. IV. 136. Hort. Schönbr. t. 116. — 5 — *Habitat in Caracas.*

Ordo CIV. **Sapotaceae.**4234. **Chrysophyllum** Linn.

4575. **Chrysophyllum Cainito** Linn. Spec. 278. Jacq. Amer. 51. t. 37. f. 1. Edit. pict. 30. t. 51. — 5 — *Habitat in America tropica.*

4576. **Chrysophyllum argenteum** Jacq. Amer. 53. t. 38. f. 1. Edit. pict. 31. t. 54. — 5 — *Habitat in Martinica.*

4238. **Bumelia Sw.**

4577. **Bumelia lycioides** Gärtner f. Carp. III. 127. t. 120. *Sideroxylon lycioides* Duhamel Arbr. II. 260. t. 68. — 5 — *Habitat in Carolina.*

4578. **Bumelia tenax** Willd. Spec. I. 1085. *Sideroxylon tenax* Linn. Mant. 48. *Chrysophyllum carolinense* Jacq. Observ. III. 3. t. 54. *Chrysophyllum tenax* Jussieu Hort. Paris. — 5 — *Habitat in Carolina.*

4579. **Bumelia ambigua** Tenore Ind. Hort. Neap. 1829. p. 15. *Bumelia pubescens* Tenore Ind. Hort. Neap. 1827. *Lycium pubescens* Hort. Casert. — 5 — *Patria ignota.*

4243. **Mimusops Linn.**

4580. **Mimusops Elengi** Linn. Spec. 497. Gärtner Carp. I. 198. t. 42. Roxburgh Plant. Corom. I. 15. t. 14. Lam. Illustr. t. 300. — 5 — *Habitat in India orientali.*

Ordo CV. **Ebenaceae.**4249. **Diospyros Linn.**

4581. **Diospyros Lotus** Linn. Spec. 1510. Miller Ic. t. 116. — 5 — *Habitat in Europa australi et Caucaso.*

4582. **Diospyros virginiana** Linn. Spec. 1510. — 5 — *Habitat in America boreali.*

4250. **Rymia Endl.**

4583. **Rymia polyandra** Endl. *Diplonema elliptica* G. Don Syst. IV. 42. *Royena polyandra* Linn. Suppl. 240. — 5 — *Habitat in Capite bonae spei.*

4251. **Royena Linn.**

4584. **Royena lucida** Linn. Spec. 568. Lam. Illustr. t. 370. f. 1. — 5 — *Habitat in Capite bonae spei.*

4585. **Royena hirsuta** Linn. Spec. 568. Jacq. Collect. Suppl. 110. t. 13. f. 1. Lam. t. 370. f. 2.
— ♂ — *Habitat in Capite bonae spei.*

4586. **Royena cuneata** Lam. Dict. VI. 322.
Royena pubescens Willd. Enum. 457. Bot. Reg. t. 500.
— ♂ — *Habitat in Capite bonae spei.*

Ordo CVI. Styraceae.

4257. **Styrax** Tournef.

4587. **Styrax officinale** Linn. Spec. 635.
Cav. Dissert. VI. 338. t. 188. f. 2. — ♂ — *Habitat in Graecia, ubi vulgo λαγομνια, et in Oriente.*

4258. **Halesia** Linn.

4588. **Halesia tetraptera** Linn. Spec. 636.
Cavan. Diss. t. 186. — ♂ — *Habitat in America boreali.*

Ordo CVII. Epacrideae.

4269. **Stenanthera** R. Br.

4589. **Stenanthera pinifolia** R. Brown Prodr. 538. Bot. Reg. t. 218. DC. Prodr. VII. 739.
— ♂ — *Habitat in Nova Hollandia orientali.*

4271. **Cyathodes** R. Br.

4590. **Cyathodes acerosa** R. Brown Prodr. 539. in not. A. Cunningh. in Annal. of nat. hist. II. 47. DC. Prodr. VII. 741. *Styphelia acerosa* Soland. msc. *Ardisia acerosa* Gärtner Carp. II. 78. t. 94. f. 2.
— ♂ — *Habitat in Nova Zeelandia.*

4272. **Lissanthe** R. Br.

4591. **Lissanthe ciliata** R. Brown Prodr. 540. DC. Prodr. VII. 743. — ♂ — *Habitat in insula Diemen.*

4273. **Leucopogon** R. Br.

4592. **Leucopogon lanceolatus** R. Brown Prodr. 541. excl. synonym. Hooker in Bot. Mag. t. 3162. DC. Prodr. VII. 744. — ♂ — *Habitat in Nova Hollandia meridionali et orientali, in montibus cueruleis frequens.*

4593. **Leucopogon Cunninghamii** R. Brown msc. ex DC. Prodr. VII. 745. — ♂ — *Habitat in Novae Hollandiae orientalis ditione Illuwarra.*

4594. **Leucopogon amplexicaulis** R. Brown Prodr. 543. DC. Prodr. VII. 748. *Styphelia amplexicaulis* Rudge in Linn. Transact. VIII. 192. t. 8. — ♂ — *Habitat in Nova Hollandia prope Port Jackson.*

4281. **Epacris** Smith.

4595. **Epacris pulchella** Cavan. Ic. IV. 26. t. 345. Sims Bot. Mag. t. 1170. R. Brown Prodr. 550. Loddiges Bot. Cab. t. 194. DC. Prodr. VII. 760. *Epacris purpurascens* Sieber Herb. Nov. Holl. n. 37. — Fruticulus, floribus albis v. roseo tinctis. — ♂ — *Habitat in Nova Hollandia orientali.*

4596. **Epacris longiflora** Cavan. Ic. IV. 25. t. 344. Delaun. Herb. Amat. t. 185. DC. Prodr. VII. 761. *Epacris grandiflora* Willd. Spec. I. 834. Smith Exot. Bot. I. 75. t. 39. Sims Bot. Mag. t. 982. R. Brown Prodr. 550. Sieber Herb. Nov. Holl. n. 85. — ♂ — *Habitat in Nova Hollandia orientali.*

4597. **Epacris variabilis** Loddig. Bot. Cab. t. 1816. DC. Prodr. VII. 761. — ♂ — *Habitat in insula Diemen.*

4598. **Epacris campanulata** Loddig. Bot. Cab. t. 1925. DC. Prodr. VII. 761. a. *Rubra*. — ♂ — *Habitat in Nova Hollandia.*

4599. **Epacris paludosa** R. Brown Prodr. 551. Loddig. Bot. Cab. t. 1226. Sieber Herb. Nov. Holl. n. 81. DC. VII. 762. — ♂ — *Habitat in paludosis circa Port - Jackson.*

4285. **Cosmella** R. Br.

4600. **Cosmella rubra** R. Brown Prodr. 553. Lindley in Bot. Reg. t. 1822. DC. Prodr. VII. 766. — ♂ — *Habitat in Novae Hollandiae australis turfosis prope King Georges Sound.*

4292. **Dracophyllum** Labill.

4601. **Dracophyllum secundum** R. Brown Prodr. 556. Guillem. Ic. lithogr. t. 1. Reichenb. Ic. exot. t. 108. Hooker Bot. Mag. t. 3264. DC. Prodr. VII. 769. — ♂ — *Habitat in Novae Hollandiae turfosis prope Port Jackson.*

4293. **Sphenotoma** R. Br.

4602. **Sphenotoma capitatum** Lindley in Bot. Reg. t. 1515. DC. Prodr. VII. 771. *Dracophyllum capitatum* R. Brown Prodr. 556. Hooker Bot. Mag. t. 3624. — ♂ — *Habitat in Novae Hollandiae ora meridionali.*

Ordo CVIII. Ericaceae.

Subordo I. Ericineae.

4309. **Blairia** Linn.

4603. **Blairia ericoides** Linn. Spec. 162. Bentham in DC. Prodr. VII. 698. *Erica Blairia* Thunb. Flor. cap. 358. *Erica orbicularis* Loddig. Bot. Cab. t. 153. — ♂ — *Habitat in montibus circa Cap-Town.*

4312. **Bruckenthalia** Reichenb.

4604. **Bruckenthalia spiculiflora** Reichenb. Flor. germ. excurs. 414. DC. Prodr. VII. 694. *Menziesia Bruckenthalii* Baumgart. Flor. Transylv. I. 333. *Erica Bruckenthalii* Sprengel N. E. I. 271. Reichenb. Iconogr. t. 169. *Erica spiculiflora* Salisb. in

Linn. Transact. VI. 324. Sibthorp Flor. graec. t. 353.
— ♀ — *Habitat in alpinis Transylvaniae, Rumeliae et Graeciae.*

4313. *Erica* Linn.

α. *Callicodon* Benth.

4605. *Erica carnea* Linn. Spec. 504. Jacq. Flor. austr. t. 31. DC. Prodr. VII. 614. *Erica herba-cea* Linn. Spec. 501. — ♀ — *Habitat in montanis et subalpinis Europae mediae.*

β. *Mediterranea*. *Erica mediterranea* Linn. Spec. 229. Bot. Mag. t. 471. — *Habitat prope Burdigalam, in Lusitania et Hibernia.*

δ. *Evanthe* Salisb.

4606. *Erica Uhria* Andr. Heath. t. 149. DC. Prodr. VII. 628. β. *Ewerana*. *Erica Ewerana* Solander in Aiton Hort. kew. ed. 2. II. 368. *Erica Uhria pilosa* Andrews Heath. t. 150. — ♀ — *Habitat in Capite bonae spei.*

4607. *Erica curviflora* Thunb. Dissert. n. 30. Loddig. Bot. Cab. t. 1663. DC. Prodr. VII. 633. — ♀ — *Habitat in Capite bonae spei.*

4608. *Erica curviflora* Wendl. Eric. f. 11. DC. Prodr. VII. 635. — ♀ — *Habitat in Capite bonae spei.*

δ.* *Dasyanthus* Benth.

4609. *Erica cerinthoides* Linn. Spec. 505. Fr. Bauer Ic. t. 30. Andr. Heath. t. 207. DC. Prodr. VII. 636. — ♀ — *Habitat in Capite bonae spei.*

δ.** *Bactridium* Salisb.

4610. *Erica spuria* Andr. Heath. t. 90. DC. Prodr. VII. 639. — ♀ — *Hybrida inter E. tubifloram et E. ventricosum.*

ε. *Ceramus* Salisb.

4611. *Erica incarnata* Thunb. Diss. n. 84. DC. Prodr. VII. 641. — ♀ — *Habitat in Capite bonae spei.*

4612. **Erica ventricosa** Thunberg Diss. n. 36. t. 1. Andr. Heath. t. 197. DC. Prodr. VII. 642. — ♀ — *Habitat in Capite bonae spei.*

d. Lampretis Don.

4613. **Erica comosa** Linn. Mant. 234. Fr. Bauer Ic. t. 18. Andr. Heath. t. 10. 11. DC. Prodr. VII. 650. — ♂ — *Habitat in Capite bonae spei.*

e. Trigemma Don.

4614. **Erica baccans** Linn. Mant. 233. Fr. Bauer Ic. t. 22. Andr. Heath. t. 53. Bot. Mag. t. 258. DC. Prodr. VII. 656. — ♀ — *Habitat in Capite bonae spei.*

4615. **Erica brevifolia** Salisb. in Linn. Transact. VI. 338. DC. Prodr. VII. 657. *Erica callosa* Wendl. Eric. fasc. 18. — ♀ — *Habitat in Capite bonae spei.*

f. Pachysa Don.

4616. **Erica ramentacea** Linn. Mant. 232. Fr. Bauer Ic. t. 23. Andr. Heath. t. 143. DC. Prodr. VII. 658. — ♀ — *Habitat in Capite bonae spei.*

g. Hermes Salisb.

4617. **Erica pulchella** Houttuyn Nat. hist. IV. 504. t. 23. f. 1. Andr. Heath. t. 40. DC. Prodr. VII. 662. *Erica phyllicoides* Willd. Spec. II. 361. — ♀ — *Habitat in Capite bonae spei.*

4618. **Erica empetrifolia** Linn. Spec. 507. Bot. Mag. t. 447. DC. Prodr. VII. 663. — ♀ — *Habitat in Capite bonae spei.*

h. Loxomeria Salisb.

4619. **Erica ciliaris** Linn. Spec. 503. E. B. t. 2618. DC. Prodr. VII. 665. — ♀ — *Habitat in Europa occidentali prope oceani littora, in Lusitania, Asturia, Gallia atlantica et Anglia austro-occidentali.*

i. Eremocallis Salisb.

4620. **Erica stricta** Andr. Heath. t. 92. DC.

Prodr. VII. 666. — ♀ — *Habitat in Corsica, Sardinia, Hispania et Hibernia.*

k. Gypsecallis Salisb.

4621. **Erica multiflora** Linn. Spec. 503. Andr. Heath. t. 175. DC. Prodr. VII. 667. — ♀ — *Habitat in rupibus calcareis Galliae et Hispaniae mediterraneae.*

4622. **Erica vagans** Linn. Mant. 230. E. B. t. 3. DC. Prodr. VII. 667. *Erica vaga* Sibthorp et Smith Flor. graec. t. 352. — ♀ — *Habitat in regione mediterranea et Anglia.*

l. Ephebus Salisb.

4623. **Erica hirtiflora** Curt. Bot. Mag. t. 481. DC. Prodr. VII. 674. *Erica pubescens* Andr. Heath. t. 37. non Linn. *Erica pubescens major* Hortul. — ♀ — *Habitat in Capite bonae spei.*

m. Orophanes Salisb.

4624. **Erica rubens** Andr. Heath. t. 43. DC. Prodr. VII. 676. — ♀ — *Habitat in Capite bonae spei.*

4625. **Erica margaritacea** Soland. in Aiton Hort kew. ed. 1. II. 20. Andr. Heath. t. 126. DC. Prodr. VII. 677. — ♀ — *Habitat in Capite bonae spei.*

n. Leptodendron Benth.

4626. **Erica Passerina** Linn. f. Suppl. 221. DC. Prodr. VII. 681. — ♀ — *Habitat in Capite bonae spei.*

o. Heliophanes Salisb.

4627. **Erica pyramidalis** Soland. in Fr. Bauer Ic. t. 27. Andr. Heath. t. 142. Bot. Mag. t. 366. DC. Prodr. VII. 682. — ♀ — *Habitat in Capite bonae spei.*

p. Lophandra Don.

4628. **Erica cubica** Linn. Mant. 283. Andr. Heath. t. 14. DC. Prodr. VII. 683. — ♀ — *Habitat in Capite bonae spei.*

g. Melastemon Salisb.

4629. **Erica melanthera** Linn. Mant. 232. DC. Prodr. VII. 684. — ♂ — *Habitat in Capite bonae spei.*

r. Polycodon Benth.

4630. **Erica floribunda** Loddig. Bot. Cab. t. 176. DC. Prodr. VII. 688. — ♂ — *Habitat in Capite bonae spei.*

s. Arsace Salisb.

4631. **Erica arborea** Linn. Spec. 502. Sibthorp Flor. graec. t. 351. DC. Prodr. VII. 690. — ♂ — *Habitat in calcareis regionis mediterraneae.*

t. Chlorocodon Benth.

4632. **Erica scoparia** Linn. Spec. 502. DC. Prodr. VII. 692. — ♂ — *Habitat in Europa austro-occidentali.*

4316. Calluna Salisb.

4633. **Calluna vulgaris** Salisb. in Linn. Transact. VI. 317. DC. Prodr. VII. 613. *Erica vulgaris* Linn. Spec. 501. — ♂ — *Habitat in Europa media imprimis occidentali et boreali, in Islandia et Terra nova Americae borealis.*

β. *Flore pleno.*

4317. Menziesia Smith.

4634. **Menziesia polifolia** Jussieu in Anal. Mus. I. 55. t. 4. f. 1. *Menziesia Daboeci* DC. Flor. fr. III. 674. *Erica Daboecia* Linn. Spec. 509. E. B. t. 35. *Andromeda Daboecia* Linn. Syst. 406. *Daboecia polifolia* D. Don in Sweet Fl. Gard. II. t. 276. DC. Prodr. VII. 713. — ♂ — *Habitat in ericetis turfosis Europae occidentalis, imprimis in Hibernia ubi vulgo » St. Dabeoc's Heath « s. » Irish Heath. «*

4318. Andromeda Linn.

4635. **Andromeda buxifolia** Cemm. msc.

ex Lam. Dict. I. 158. Smith Ic. inedit. I. t. 59. Hooker Bot. Mag. t. 2660. Loddig. Bot. Cab. t. 1494. *Agarista buxifolia* Don Syst. III. 837. *Leucothoe buxifolia* DC. Prodr. VII. 603. — 5 — *Habitat in rupibus volcanicis insulae Borboniae, Mauriti et Madagascariae.*

4636. **Andromeda speciosa** Michaux Flor. Bor. Amer. I. 256. Pursh Fl. Bor. Amer. I. 294. Elliot Carolin. I. 493. *Andromeda pulverulenta* Duhamel Arbr. edit. nov. I. 193. *Zenobia speciosa* Don Syst. III. 830. DC. Prodr. VII. 598. — 5 — *Habitat in paludosis Carolinae borealis, Virginiae et Floridae.*

a. *Viridis*. *A. speciosa nitida* Pursh l. c. *A. speciosa* Lodiges Bot. Cab. t. 551. *A. cassinaefolia* a. *nuda* Vent. Malmais. t. 79. Cels. t. 60.

b. *Pulverulenta*. *A. pulverulenta* Bartr. It. II. 476. t. 3. f. 2. Curtis Bot. Mag. t. 667. *A. dealbata* Lindley in Bot. Reg. t. 1010. *A. cassinaefolia* β. *pulverulenta* Vent. Malmais. t. 79. *A. speciosa glauca* Watson Dendrolog. II. t. 126. *A. glauca* Hortul.

4637. **Andromeda polifolia** Linn. Spec. 564. Flor. Lapp. 161. t. 1. f. 3. Flor. dan. t. 54. Duhamel Arbr. ed. nov. I. 183. t. 38. Hayne Arzneigew. III. t. 22. DC. Prodr. VII. 606. — 5 — *Habitat in turfosis montanis Europae borealis et mediae nec non Americae borealis.*

4320. **Clethra** Gärtn.

4638. **Clethra tomentosa** Lam. Dict. II. 46. Guimpel Holzart. t. 77. DC. Prodr. VII. 588. *Clethra alnifolia* var. *tomentosa* Michaux Flor. Bor. Amer. I. 260. — 5 — *Habitat in paludosis Virginiae et Carolinae.*

4639. **Clethra arborea** Aiton Hort. kew. II. 73. Sims Bot. Mag. t. 1057. Venten. Malmais. t. 40. Loiseleur in Duhamel Arbr. edit. nov. V. 131. t. 38. DC. Prodr. VII. 589. — 5 — *Habitat in sylvis Maderae.*

4323. **Gautiera** Kalm.

4640. **Gautiera Shallon** Pursh Flor. Bor. Amer. I. 284. t. 12. Hooker Bot. Mag. t. 2843. Lindl.

Bot. Reg. t. 1411. DC. Prodr. VII. 594. — ♂ — *Habitat in America boreali occidentali.*

4324. **Pernettya** Gaud.

4641. **Pernettya mucronata** Gaudich. Annal. sc. nat. V. 102. DC. Prodr. VII. 587. *Arbutus mucronata* Linn. Fil. Suppl. 239. Forster in Comment. Götting. IX. 31. Lam. t. 366 f. 7. Graham in Bot. Mag. t. 3093. Lindley in Bot. Reg. t. 1675. Loddiges Bot. Cab. t. 1848. — Suffrutex bi-tripedalis. — ♂ — *Habitat in Chili australi, ad fretum Magellan, in terra del Fuego et in Cap-Horn.*

4325. **Arbutus** Tournef.

4642. **Arbutus Ussedo** Linn. Spec. 366. Duham. Arbr. edit. nov. I. 73. t. 21. E. B. t. 2377. DC. Prodr. VII. 581. — ♂ — *Habitat in rupestribus regionis mediterraneae totius, in Gallia occidentali et Hibernia.*

4643. **Arbutus Andrachne** Linn. Spec. 566. Ker in Bot. Reg. t. 113. Sims Bot. Mag. t. 2024. Duhamel Arb. edit. nov. I. t. 22. DC. Prodr. VII. 582. *Andrachne frutescens* Ehret in Philosoph. Transact. LVII. 114. t. 6. — ♂ — *Habitat in regione mediterranea orientali, ab Athenis ad Carmelum montem et Taurum. 'Αρροκουραρία dicitur in Cypro insula.*

4644. **Arbutus procera** Douglas ex Lindley in Bot. Reg. t. 1753. DC. Prodr. VII. 582. — ♂ — *Habitat in Americae borealis ora occidentali.*

4326. **Enkyanthus** Lour.

4645. **Enkyanthus quinqueflorus** Loureiro Flor. cochinch. I. 339. Lindley Bot. Reg. t. 884. DC. Prodr. VII. 732. — ♂ — *Habitat in China.*

4646. **Enkyanthus reticulatus** Lindley in Bot. Reg. t. 885. — ♂ — *Habitat in China.*

Subordo II. Vaccinieae.

4333. **Thibaudia** Pav.

4647. **Thibaudia setigera** Wallich Cat. n. 752. *Agapetes setigera* Don Syst. III. 862. DC. Prodr. VII. 554. — ♂ — *Habitat in montibus Pundrea Indiae orientalis.*

Subordo III. Rhododendreae.

4339. **Kalmia** Linn.

4648 **Kalmia latifolia** Linn. Spec. 560. Schkuhr Handb. t. 116. Curtis Bot. Mag. t. 175. Michaux f. Flor. Bor. Amer. t. 5. Bigelow Med. Bot. I. 133. t. 13. DC. Prodr. VII. 729. — ♂ — *Habitat in rupibus et montosis Americae borealis a Canada ad Carolinam. Laurel et Calico-Bush Anglo-America-norum.*

4649. **Kalmia glauca** Aiton Hort. kew. II. 64. t. 8. Curtis Bot. Mag. t. 177. Duhamel Arbr. edit. nov. I. t. 45. DC. Prodr. VII. 729. — ♂ — *Crescit in turfosis montanis Canadae et Pennsylvaniae.*

4340. **Rhodothamnus** Reichenb.

4650. **Rhodothamnus Chamaecistus** Reichenb. Flor. excurs. I. 417. *Rhododendron Chamaecistus* Linn. Spec. 562. Jacq. Flor. austr. t. 217. Curt. Bot. Mag. t. 488. Schkuhr Handb. t. 117. Host Flor. austr. I. 493. Koch Synops. 478. DC. Prodr. VII. 726. *Ledum* Micheli Gen. 225. t. 106. non Linn. *Chamaecistus* VIII. Clusius Hist. I. 76. c. ic. — ♂ — *Habitat in Alpium Europae mediae alpibus calcareis, ex Helvetiae et montibus Carpathis exul.*

4341. **Rhododendron** Linn.

4651. **Rhododendron viscosum** Torrey Flor. unit. st. I. 424. *Azalea viscosa* Linn. Spec. 214.

DC. Prodr. VII. 715. — ♂ — *Habitat in sylvis umbrosis Americae borealis a Canada ad Carolinam.*

4652. **Rhododendron flavum** G. Don Syst. III. 847. *Azalea pontica* Linn. Spec. 1669. Pallas Flor. ross. t. 69. Andrews Bot. Rep. t. 16. Bot. Mag. t. 433. *Anthodendron ponticum* Reichenb. Flor. excurs. I. 416. — ♂ — *Habitat in demissioribus Caucasi, in Ponto prope Trapezuntum, in Iberia et Armenia.*

4653. **Rhododendron Catawbiense** Michaux Flor. Bor. Amer. I. 258. Sims Bot. Mag. t. 1671. DC. Prodr. VII. 723. — ♂ — *Habitat in Carolinae borealis montibus excelsis juxta originem fluvii Catawba.*

4654. **Rhododendron hirsutum** Linn. Spec. 562. Jacq. Flor. austr. t. 98. Sims Bot. Mag. t. 1853. Host. Flor. austr. I. 493. Reichenb. Flor. excurs. I. 417. Koch Synops. 477. *Ledi alpini genus alterum* Clusius Hist. I. 82. c. ic. — ♂ — *Habitat in Europae mediae alpidibus imprimis calcareis.*

4655. **Rhododendron dahuricum** Linn. Spec. 562. DC. Prodr. VII. 725. — ♂ — *Habitat in sylvis saxosis et pinetis Sibiriae, et in desertis Mongoliae.*

β. *Sempervirens* Hook. Bot. Mag. t. 1888. *Rhododendron dahuricum atrovirens* Ker in Bot. Reg. t. 194.

4656. **Rhododendron indicum** Sweet Brit. Fl. Gard. Ser. 2. n. 128. DC. Prodr. VII. 726. *Azalea indica* Linn. Spec. 214. Blume Bijdr. 852. *Tsutsui* Kämpfer Amoen. exot. 845 — 847. excl. ic. — ♂ — *Habitat in insula Japae regionibus depressis, juxta rivulos, in Japonia et apud Sinus cultum.*

4657. **Rhododendron arboreum** Smith Exot. Bot. n. 6. DC. Prodr. VII. 720. — ♂ — *Habitat in Indiae orientalibus montibus Himalaya.*

β. *Roseum* Lindl. in Bot. Reg. t. 1240.

4658. **Rhododendron campanulatum** D. Don in Mem. Werner. Soc. III. 409. Loddig. Bot. Cab. t. 1944. Sweet Fl. Gard. II. Ser. t. 241. DC. Prodr. VII. 721. — ♂ — *Habitat in Indiae borealis montibus ad Kumaon et in Emodo.*

4659. **Rhododendron ponticum** Linn. Spec. 562. Jacq. Ic. rar. I. t. 78. Sims Bot. Mag. t. 650. DC. Prodr. VII. 721. — ♂ — *Habitat in Asia minori, Iberia et Armenia, nuper a Webb in Hispania australiore in sylvis umbrosis montium freto Herculeo impendentium, juxta rivulorum alpestrium margines, inter Algesirus et Asindonem repertum.*

ζ. *Rh. azaleoides* Desfont. Catalog. Hort. Paris. 1815. Suppl. p. 272. Guimpel Holzgew. t. 15.

4660. **Rhododendron maximum** Linn. Spec. 563. Sims Bot. Mag. t. 951. Schmidt Baumz. t. 121. Michaux f. Arbr. amer. III. 144. t. 4. Bigelow Med. Bot. III. t. 51. DC. Prodr. VII. 722. — ♂ — *Habitat in America boreali, a Canada ad Carolinam, secus rivulos et lacus.*

4341. **Rhodora** Linn.

4661. **Rhodora canadensis** Linn. Spec. 561. Heritier Stirp. I. 161. t. 68. Curtis Bot. Mag. t. 474. Guimpel Holzgew. t. 14. DC. Prodr. VII. 719. — ♂ — *Habitat in turfosis Canadæ et Pennsylvaniae.*

Ordo CIX. Umbelliferae.

Tribus I. Hydrocotyleae.

4355. **Hydrocotyle** Tournef.

4662. **Hydrocotyle vulgaris** Linn. Spec. 338. Flor. dan. t. 90. Schkuhr Handb. t. 59. DC. Prodr. IV. 59. — 2 — *Habitat in inundatis Europae totius.*

4663. **Hydrocotyle bonariensis** Lam. Dict. III. 147. DC. Prodr. IV. 60. — 2 — *Habitat in maritimis Americae australis.*

α *Multiflora* Ruiz et Pav. Flor. peruv. III. 24. t. 246. f. a. *Hydrocotyle bonariensis* Rich. Hydr.

β. *Tribotrys* Ruiz et Pav. l. c. f. b. *Hydrocotyle polystachya* α Rich. Hydr. p. 31.

4664. **Hydrocotyle asiatica** Linn. Spec. 234. DC. Prodr. IV. 62. — 2 — *Habitat in locis humidis totius fere orbis australis et intertropici.*

4361. **Didiscus** DC.

4665. **Didiscus caeruleus** Hooker in Bot. Mag. t. 2875. DC. Coll. Mem. 5. t. 4. DC. Prodr. IV. 72. *Trachymene cyanea* Cunningh. msc. *Trachymene caerulea* Graham in Edinb. phil. Journ. 1828. Sept. p. 373. Lindl. Bot. Reg. t. 1225. *Hügelia caerulea* Reichenb. Iconogr. exot. t. 201. — 2 — *Habitat in Nova Hollandia.*

4364. **Leucolaena** R. Br.

4666. **Leucolaena rotundifolia** Benth. Enum. pl. Hug. 55. *Xanthosia rotundifolia* DC. Prodr. IV. 75. Hooker Bot. Mag. t. 3582. — 2 — *Habitat in Nova Hollandia.*

4365. **Bowlesia** Ruiz et Pav.

4667. **Bowlesia tenera** Spreng. Syst. Veg. I. 860. DC. Prodr. IV. 75. Link et Otto Neu. Abbild. t. 4. *Bowlesia incana* Hort. Paris. — ☉ — *Habitat in campis siccis Americae australis.*

Tribus II. Mulineae.

4370. **Asteriscium** Cham. et Schl.

4668. **Asteriscium chilense** Cham. et Schlecht. in Linnaea I. 254. DC. Prodr. IV. 82. — 2 — *Habitat in Chili.*

4376. **Spananthe** Jacq.

4669. **Spananthe paniculata** Jacq. Collect. III. 247. Icon. rar. III. t. 350. DC. Prodr. IV. 81. *Hydrocotyle Spananthe* Willd. Spec. pl. III. 1363. — ☉ — *Habitat in Peruvia et ad Caracas.*

Tribus III. Saniculeae.

4382. **Sanicula** Tournef.

4670. **Sanicula europaea** Linn. Spec. 339. Flor. dan. t. 283. DC. Prodr. IV. 84. *Sanicula officinalis* Gouan Hort. 131. — 2 — *Habitat in sylvis umbrosis Europae totius et Caucasi.*

4671. **Sanicula Marylandica** Linn. Spec. 339. Jacq. Ic. rar. t. 348. DC. Prodr. IV. 84. — 2 — *Habitat in America boreali.*

4383. **Hacquetia** Neck.

4672. **Hacquetia Epipactis** DC. Prodr. IV. 85. *Astrantia Epipactis* Linn. Fil. Suppl. 177. Flor. austr. V. t. 11. *Dondia Epipactis* Spreng. in Schult. Syst. Veg. VI. 241. — 2 — *Habitat in sylvis montanis Rhaetiae, vallis Augustanae, Carinthiae et Carniolae.*

4384. **Astrantia** Tournef.

4673. **Astrantia major** Linn. Spec. 339. Nees Off. Pfl. 12. t. 6. DC. Prodr. IV. 86. *Astrantia candida* Mill. Dict. n. 2. — 2 — *Habitat in pratis montanis et sylvaticis Europae fere totius.*

4674. **Astrantia intermedia** Bieberst. Suppl. 194. DC. Prodr. IV. 86. *Astrantia trifida* Hoffm Umbellif. ed. 2. v. I. p. 8. *Astrantia caucasica* Spreng. Umb. 17. Syst. Veg. I. 874. excl. syn. — 2 — *Habitat in pratis editis Caucasi.*

4675. **Astrantia helleborifolia** Salisb. Parad. lond. I. t. 60. DC. Prodr. IV. 87. *Astrantia maxima* Pall. Nov. Act. Petr. VII. 357. t. 11. Sims Bot. Mag. t. 1553. *Astrantia heterophylla* Willd. Nov. Act. Berol. III. 419. — 2 — *Habitat in pratis editis Caucasi orientalis.*

4386. **Eryngium** Tournef.

A. *Ramosinervia*.

4676. **Eryngium campestre** Linn. Spec. 337.

Flor. dan. t. 554. DC. Prodr. IV. 88. — 2 — *Vulgare in campis aridis Europae, praesertim mediae et australis.*

4677. **Eryngium Spina - alba** Vill. Fl. dauph. II. 660. t. 15. bis. DC. Prodr. IV. 88. *Eryngium rigidum* Lam. Dict. IV. 752. *Eryngium alpinum* Linn. Mant. 344. nec Spec. *Eryngium alpinum* β. Schult. Syst. Veg. VI. 323. — 2 — *Habitat in montibus aridis Delphinatus, Galloprovinciae, montis Ventosi.*

4678. **Eryngium amethystinum** Linn. Spec. 337. Var. α. Tratt. Arch. t. 206. DC. Prodr. IV. 88. — 2 — *Habitat in siccis Europae australioris.*

4679. **Eryngium multifidum** Sibthorp Flor. graec. t. 259. DC. Prodr. IV. 89. — 2 — *Habitat in collibus Peloponesi et Siciliae.*

4680. **Eryngium maritimum** Linn. Spec. 337. Flor. dan. t. 718. DC. Prodr. IV. 90. — 2 — *Habitat in littoribus arenosis Europae mediterraneae.*

4681. **Eryngium giganteum** Bieberst. Flor. Taur. cauc. I. 201. DC. Prodr. IV. 90. *Eryngium glaucum* Willd. Herb. *Eryngium asperifolium* Laroche. Eryng. 36. t. 11. — 2 — *Habitat in alpestribus Armeniae ibericae.*

4682. **Eryngium alpinum** Linn. Spec. 337. Jacq. Ic. rar. I. t. 55. Bot. Mag. t. 922. DC. Prodr. IV. 90. — 2 — *Habitat in pascuis alpium Helvetiae, Pedemontii, Croatiae, Carniolae, Forojulii etc.*

4683. **Eryngium planum** Linn. Spec. 337. Jacq. Flor. austr. t. 391. Laroche. Eryng. 40. DC. Prodr. IV. 90. — 2 — *Habitat in pratis Austriae, Hungariae, Galiciae, Transylvaniae, Caucasi, Russiae, Sibiriae, Mauritaniae.*

4684. **Eryngium triquetrum** Vahl Symb. II. 46. Desfont. Flor. atl. I. 225. t. 54. DC. Prodr. IV. 90. *Eryngium Zanonii* Lam. Dict. IV. 754. — 2 — *Habitat in agro tunetano et in collibus Siciliae.*

4685. **Eryngium dichotomum** Desf. Flor. atl. I. 226. t. 55. DC. Prodr. IV. 90. *Eryngium cuculeum* Bieberst. Flor. Taur. cauc. I. 200. *Eryngium syriacum* Lam. Dict. IV. 759. — 2 — *Habitat in apri-*

cis Asiae minoris, Caucasi, Libani, Cretae, Mauritaniae, Siciliae et circa Monspelium.

B. Parallelinervia.

4686. **Eryngium ebracteatum** Lam. Dict. IV. 759. Laroch. Eryng. 64. t. 32. DC. Prodr. IV. 97. *Eryngium nudiflorum* Willd. Herb. — 24 — *Habitat in Brasilia australi.*

Tribus IV. Ammineae.

4390. Rumia Hoffm.

4687. **Rumia seseloides** Hoffm. Umbell. 174. tit. f. 4. DC. Prodr. IV. 98. *Cachrys seseloides* Bieberst. Flor. Taur. Suppl. 217. in adn. *Trinia seseloides* Ledeb. Ic. pl. alt. I. p. t. 8. *Stenocoelium diraricatum* Turczan. — 24 — *Habitat in Sibiria et in desertis Kirghisicis.*

4391. Cicuta Linn.

4688. **Cicuta virosa** Linn. Spec. 368. Nees Pl. offic. 12. t. 8. DC. Prodr. IV. 99. — 24 — *Habitat in stagnis et ripis fluviorum per omnem Europam et Sibiriam.*

Offic. Cicuta aquatica.

4392. Zizia Koch.

4689. **Zizia aurea** Koch Umbellif. 129. DC. Prodr. IV. 100. *Smyrnum aureum* Linn. Spec. 377. *Sison aureus* Spreng. in Schult. Syst. Veg. VI. 410. *Thaspium aureum* Nutt. Gen. Am. I. 196. — 24 — *Habitat in collibus lapidosis et pascuis succulentis Americae borealis, a Carolina ad Pensylvaniam.*

4690. **Zizia cordata** Koch Umb. 129. DC. Prodr. IV. 100. *Smyrnum cordatum* Walt. Fl. card. 114. *Sison trifoliatum* Michaux Flor. Bor. Amer. I. 168. *Smyrnum trifoliatum* Müblenb. Cat. 31. — 24 — *Habitat in pascuis succulentis montium Carolinae.*

4691. **Zizia integerrima** DC. Prodr. IV. 100. *Smyrnum integerrimum* Linn. Spec. 1468. *Sison integerrimus* Spreng. Syst. Veg. I. 887. — 4 — *Habitat in montibus Virginiae, Noveboraci, Carolinae.*

4393. **Apium** Hoffm.

4692. **Apium graveolens** Linn. Spec. 379. Engl. Bot. t. 1210. Hayne Arzneigew. VII. 24. DC. Prodr. IV. 101. *Seseli graveolens* Scop. Fl. carn. 360. *Sium Apium* Roth Fl. germ. I. 128. *Sium graveolens* Vest. Man. bot. 517. — 4 — *Habitat in paludosis Europae totius.*

β. *Dulce* DC. l. c. *Apium dulce* Mill. Dict. n. 5. *Apium Celleri* Gärtn. fr. I. t. 22.

γ. *Rapaceum* DC. l. c. *Apium rapaceum* Mill. Dict. n. 5.

4394. **Petroselinum** Hoffm.

4693. **Petroselinum sativum** Hoffm. Umb. I. 78. t. 1. f. 7. Nees Offic. Pflanz. 16. t. 21. DC. Prodr. IV. 102. *Apium Petroselinum* Linn. Spec. 379. Hayne Arzneigew. VII. t. 23. *Apium vulgare* Lam. Fl. fr. III. 1027. — 4 — *Habitat in rupestribus umbrosis Sardiniae, Archipelagi.*

β. *Longifolium*.

4396. **Trinia** Hoffm.

4694. **Trinia Kitaibelii** Bieb. Suppl. Flor. Taur. 246. DC. Prodr. IV. 103. *Pimpinella glauca* Hoffm. Umb. 18. Waldst. et Kitaibel Plant. rar. Hung. I. t. 72. *Seseli pumilum* Linn. Spec. 378. — ☉ — *Habitat in Tauria, Rossia australi, Volhynia.*

4695. **Trinia vulgaris** DC. Prodr. IV. 103. *Trinia Henningii* Koch Umb. 127. — ☉☉ — *Habitat in Europa.*

α. *Henningii* Hoffm. Umb. 94. *Pimpinella dioica* Bess. Primit. Flor. Galic. *Pimpinella glauca* Linn. Spec. 378. *Pimpinella multicaulis* Poir. Suppl. I. 684. — ☉ — *Habitat praesertim in Europa orientali.*

β. *Jacquini* DC. Prodr. IV. 103. *Trinia glaberrima* var. Hoffm. Umb. 93. *Pimpinella dioica* Linn. Mant. 357. Engl. Bot. t. 1209. *Seseli glaucum* Lam. Fl. fr. III. 436. *Seseli pumilum* All. Flor. Pedem. *Pimpinella glauca* Spreng. Syst. Veg. I. 883. — ☉ — *Habitat frequens in Europa occidentali et centrali.*

4397. *Helosciadium* Koch.

I. *Mauchartia*.

4696. *Helosciadium repens* Koch Umb. 125. DC. Prodr. IV. 105. *Sium repens* Linn. f. Suppl. 181. Jacq. Flor. austr. t. 260. — 2 — *Habitat in inundatis et stagnis turfosis Galliae, Germaniae, Angliae et Daniae.*

4697. *Helosciadium nodiflorum* Koch Umb. 126. DC. Prodr. IV. 104. *Sium nodiflorum* Linn. Spec. 361. Engl. Bot. t. 639. non Flor. dan. *Seseli nodiflorum* Scopoli Flor. carn. II. 353. — 2 — *Habitat ad margines rivorum Europae.*

II. *Cyclospermum*.

4698. *Helosciadium leptophyllum* DC. Prodr. IV. 105. *Sison Ammi* Linn. Spec. 363. Jacq. h. vind. t. 200. *Aethusa Ammi* Spreng. Umb. Prodr. 22. *Pimpinella leptophylla* Persoon Encheir. I. 324. *Pimpinella lateriflora* Link Enum. h. berol I. 285. excl. syn. *Helosciadium lateriflorum* Koch Umb. 126. *Aethusa leptophylla* Spreng. Umb. Prodr. 22. — ☉ — *Habitat in America fere tota.*

4400. *Ptychotis* Koch.

4699. *Ptychotis heterophylla* Koch Umb. 124. DC. Prodr. IV. 108. *Carum Bunius* Linn. Syst. nat. XII. p. 733. Jacq. Hort. Vindob. II. t. 198. *Aethusa montana* Lam. Fl. fr. III. 649. *Seseli saxifragum* Linn. Spec. 374. *Pimpinella genevensis* Vill. Dauph. II. 604. *Seseli Bunius* Vill. Dauph. II. 588. *Meum heterophyllum* Mönch Meth. 86. *Sium saxifragum* Roth Flor. Germ. II. 338. *Sison divaricatus* Spreng. in Schult. Syst. Veg.

VI. 411. — ☉ — *Habitat in agris lapidosis et glareosis Galliae australis, Pedemontii, Helvetiae.*

4700. **Ptychotis verticillata** Duby Bot. gall. 235. DC. Prodr. IV. 108. *Sison Ammi* Ucr. h. pan. p. 132. non Linn. *Ammi Matthioli* Dalub. Lugd. 695. f. 2. *Seseli ammoides* Gouan Ill. p. 16. non Jacq. *Seseli verticillatum* Desf. Flor. atl. I. 260. *Ptychotis ammoides* Hoch Umb. 124. *Seseli corsicum* Link Enum. h. berol. I. 283. — ☉ — *Habitat in agris Dalmatiae, Etruriae, Sardiniae, Corsicae, Siciliae etc.*

4701. **Ptychotis coptica** DC. Prodr. IV. 108. *Ammi copticum* Linn. Mant. 56. Jacq. Hort. Vindob. II. t. 196. *Daucus copticus* Persoon Encheir. I. 307. *Bunium copticum* Spreng. Umb. 28. *Trachyspermum copticum* Link Enum. h. berol. I. 267. — ☉ — *In Aegypto et Creta dicitur indigena.*

4401. **Critamus** Bess.

4702. **Critamus agrestis** Bess. Enum. pl. Volh. 92. *Falcaria Rivini* Host Flor. austr. I. 381. DC. Prodr. IV. 110. *Sium Falcaria* Linn. Spec. 362. Jacq. Flor. austr. t. 257. *Bunium Falcaria* Bieberst. Flor. Taur. cauc. I. 211. *Drepanophyllum agreste* Hoffm. Umb. 110. *Seseli Falcaria* Crantz austr. 208. — 4 — *Habitat in campis editis et arvis Europae medinae et australis, et in Oriente.*

4703. **Critamus dahuricus** Hoffm. Umb. 184. *Falcaria dahurica* DC. Prodr. IV. 110. *Cicuta dahurica* Fischer Hort. Gorenk. 45. *Sium latifolium* β. Bieberst. Flor. Taur. cauc. I. 243. — 4 — *Habitat in Dahuria.*

4403. **Schultzia** Spreng.

4704. **Schultzia crinita** Spreng. Umb. Spec. 102. DC. Prodr. IV. 112. *Sison crinitum* Pall. Act. Petr. 1779. XII. p. 250. t. 7. — ☉ — *Habitat in altissimis jugis montium Altaicorum.*

4404. **Ammi** Tournef.

4705. **Ammi majus** Linn. Spec. 349. Sibthorp Flor. graec. t. 273. DC. Prodr. IV. 112. *Apium Ammi* Crantz austr. 217. — ☉☉ — *Habitat in agris Europae mediae et australis, Aegypti et Orientis.*

4405. **Aegopodium** Linn.

4706. **Aegopodium Podagraria** Linn. Spec. 379. For. dan. 670. Schkuhr Handb. t. 79. DC. Prodr. IV. 114. *Tragoselinum Angelica* Lam. Fl. fr. III. 449. *Pimpinella Angelica* Lam. Dict. I. 151. *Ligusticum Podagraria* Crantz austr. 200. *Seseli Aegopodium* Scop. Flor. carn. ed. II. 359. *Podagraria Aegopodium* Mönch Meth. 90. *Sison Podagraria* Spreng. Umb. Prodr. 35. — 2 — *Habitat in sepibus Europae totius usque ad Caucasum et Sibiriam.*

4406. **Carum** Koch.

4707. **Carum Bulbocastanum** Koch Umb. 121. DC. Prodr. IV. 115. *Bunium Bulbocastanum* Linn. Spec. 349 Flor. dan. t. 220. *Sium Bulbocastanum* Sprengel in Schult. Syst. Veg. VI. 538. *Bunium minus* Gouan Ill., p. 10. *Scandix Bulbocastanum* Mönch Meth. 101. — 2 — *Habitat in campis et vineis Europae.*

4407. **Bunium** Koch.

4708. **Bunium peucedanoides** Bieberst. Flor. Taur. cauc. I. 208. DC. Prodr. IV. 116. *Sium peucedanoides* Spreng. Umb. Spec. 41. n. 5. Syst. Veg. I. p. 906. *Peucedanum carvisolia* Bieb. olim. — 2 — *Habitat in herbidis Caucasi.*

4709. **Bunium virescens** DC. Prodr. IV. 116. *Sium virescens* Spreng. Umb. Spec. 94. *Peucedanum tauricum* Hort. Paris. 1826. — 2 — *Habitat in asperis Burgundiae ad montem » Afrique » dictum prope Divinonem.*

4710. **Bunium ferulaefolium** Desf. Ann. Mus. XI. 275. t. 30. DC. Prodr. IV. 117. *Sium feru-*

laefolium Spreng. in Schult. Syst. VI. 539. — 2 —
Habitat in arvis insularum Cypri. Cretae, Scio.

4408. **Chamaesciadium** C. A. Mey.

4711. **Chamaesciadium acaule** C. A. Meyer Verzeichn. cauc. Pflanz. 122. *Bunium acaule* Hoffm. Umb. I. p. 87 et 108. DC. Prodr. IV. 116. *Ammi acaule* Spreng. in Schult. Syst. VI. 530. — 2 —
Habitat in rupestribus Caucasi.

4409. **Cryptotaenia** DC.

4712. **Cryptotaenia canadensis** DC. Prodr. IV. 119. *Sison canadense* Linn. Spec. 363. *Sium canadense* Lam. Dict. I. 407. *Chaerophyllum canadense* Pers. Encheir. I. 320. *Conopodium canadense* Koch Umb. 119. *Myrrhis canadensis* Morris. Oxon. sect. 9. t. 10. — 2 —
Habitat in rupestribus sylvarum Americae borealis.

4410. **Pimpinella** Linn.

Sect. I. **Tragoselinum.**

4713. **Pimpinella rotundifolia** Bieberst. Flor. Taur. cauc. I. 242. DC. Prodr. IV. 119. *Sison rotundifolius* Spreng. Anleit. ed. 2. p. 2. t. 4. f. 1—4. — 2 —
Habitat in Caucaso iberico.

4714. **Pimpinella magna** Linn. Mant. 217. Flor. dan. t. 1155. DC. Prodr. IV. 119. *Tragoselinum magnum* Mönch. Meth. 99. — 2 —
Habitat in pratis sylvaticis montium Europae totius et Orientis.

β. *Rubens* DC. l. c. *Pimpinella rubra* Hoppe exs.

γ *Dissecta* DC. l. c. *Pimpinella dissecta* Retz Obs. 3. t. 2. *Pimpinella laciniata* Thore Chlor. laud. 108. Nees Off. Pfl. t. 19.

4715. **Pimpinella saxifraga** Linn. Spec. 378. Schkuhr Handb. t. 78. DC. Prodr. IV. 120. *Tragoselinum saxifragum* Mönch Meth. 99. — 2 —
Habitat in pratis siccis et in rupestribus Europae totius, Tauriae et Persiae.

4716. **Pimpinella aurea** DC. Prodr. IV. 120. — 4 — *Habitat in glareosis Persiae.*

Sect. II. Tragium.

4717. **Pimpinella peregrina** Linn. Mant. 357. Jacq. h. Vind. II. t. 131. DC. Prodr. IV. 121. *Tragium peregrinum* Spreng. Umb. Spec. 135. *Tragium tauricum* Ledeb. *Ledebouria pimpinelloides* Link Enum. Hort. berol. I. 186. — ☉ — *Habitat in siccis et rupestribus a Gallia australi ad Siciliam et Tauriam.*

4718. **Pimpinella aromatica** Bieberst. Flor. Taur. cauc. I. 141. DC. Prodr. IV. 122. *Tragium aromaticum* Spreng. Umb. Prodr. 26. — ☉ — *Habitat ad margines sylvarum et ad latera torrentium in Iberia et Caucasu orientali.*

Sect. III. Anisum.

4719. **Pimpinella Anisum** Linn. Spec. 399. Nees Officin. Pflanz. XII. t. 17. DC. Prodr. IV. 122. *Anisum vulgare* Clus. Hist. II. 202. Gärtn. Fr. I. t. 23. f. 1. *Anisum officinale* Münch Meth. 100. — ☉ — *Habitat in insula Scio et in Aegypto. Colitur in Europa.*

4412. Berula Koch.

4720. **Berula angustifolia** Koch Deutschl. Flora II. 455. *Sium angustifolium* Linn. Spec. 1672. Jacq. Flor. austr. t. 67. DC. Prodr. IV. 125. *Sium nodiflorum* Flor. dan. t. 247. non Linn. *Apium Sium* Crantz austr. 215. — 4 — *Habitat in fossis et aquis Europae totius usque ad Caucasum et Persiam.*

4413. Sium Koch.

Sect. I. Sisarum.

4721. **Sium Sisarum** Linn. Spec. 361. Schkuhr Handb. t. 69. DC. Prodr. IV. 124. — 4 — *Habitat in China et Japonia spontaneum, in Europa colitur.*

Sect. II. *Eusium*.

4722. ***Sium lancifolium*** Bieb. Suppl. Flor. Taur. 230. DC. Prodr. IV. 124. *Sium latifolium* Bieb. Flor. Taur. n. 562. *Sium latifolium Ukranicum* Cat. Hort. Gorenk. 1812. — 2 — *Habitat inter virgulta in paludosis Taurinae.*

4723. ***Sium latifolium*** Linn. Spec. 361. Jacq. Flor. austr. t. 66. DC. Prodr. IV. 124. *Coriandrum latifolium* Crantz Flor. austr. 219. *Drepanophyllum palustre* Hoffm. Umb. 40. — 2 — *Habitat in fossis et paludibus Europae totius et Americae borealis.*

4724. ***Sium lineare*** Michaux Flor. Bor. Amer. I. 167. DC. Prodr. IV. 125. — 2 — *Habitat in paludibus a Canada ad Carolinam.*

4414. ***Bupleurum*** Tournef.

4725. ***Bupleurum semicompositum*** Linn. Spec. 342. Sibthorp Flor. graec. t. 261. DC. Prodr. IV. 128. *Bupleurum divaricatum* β. Lam. Fr. Fl. *Odontites luteola* Hoffm. Umb. 209. t. 1. B. f. X. — ☉ — *Habitat in agris Europae australis.*

4726. ***Bupleurum Gerardi*** Jacq. Flor. austr. III. t. 256. DC. Prodr. IV. 128. *Bupleurum junceum* Lam. *Isophyllum Gerardi* Hoffm. *Buprestis Gerardi* Spreng. — ☉ — *Habitat in agris siccis Europae australis.*

4727. ***Bupleurum junceum*** Linn. Spec. 343. Reichenb Iconogr. eur. II. 57. t. 166. *Bupleurum junceum* β. Lam. Dict. I. 519. *Bupleurum Gerardi* Smith et Sibthorp Flor. graec. t. 262. *Bupleurum junceum* DC. Prodr. IV. 128. *Bupleurum junceum* α. Spreng. in Schult. Syst. Veg. VI. 371. — ☉ — *Habitat in Europa media et australi usque ad Caucasum.*

4728. ***Bupleurum Odontites*** Linn. Spec. 342. Jacq. Hort. Vindob. III. t. 91. DC. Prodr. IV. 129. *Bupleurum Fontanesii* Guss. Plant. rar. 112. — ☉ — *Habitat in agris siccis Europae mediterraneae.*

4729. ***Bupleurum protractum*** Link Enum. Hort. berol. I. 262. DC. Prodr. IV. 129. *Bupleurum*

lancifolium Horn. Cat. Hort. Taur. 1812. — ☉ — *Habitat in Aegypto.*

4730. **Bupleurum rotundifolium** Linn. Spec. 340. Engl. Bot. t. 99. DC. Prodr. IV. 129. *Bupleurum perfoliatum* Lam. Fl. fr. III. 405. — ☉ — *Habitat in agris Europae praesertim australis, Caucasi, Sibiriae australis.*

4731. **Bupleurum longifolium** Linn. Spec. 341. DC. Prodr. IV. 130. — 4 — *Habitat in montosis Galliae, Germaniae, Helvetiae, Transylvaniae.*

4732. **Bupleurum multinerve** DC. Prodr. IV. 130. — 4 — *Habitat in montibus Altaicis et ad lacum Baikal.*

4733. **Bupleurum ranunculoides** Linn. Spec. 342. DC. Prodr. IV. 131. *Bupleurum angulosum* Spreng. in Schult. Syst. VI. 366. *Bupleurum caricifolium et burserianum* Willd. *Bupleurum baldense* Host. — 4 — *Habitat in locis apricis asperis Alpium, Pyrenaeorum, Jurassi, Apenninorum etc.*

β. *Elatius.*

4734. **Bupleurum trifidum** Tenore Prodr. Flor. neap. 18. DC. Prodr. IV. 132. — 4 — *Habitat in rupibus siccis Calabriae.*

Tribus V. Seselineae.

4418. **Oenanthe** Lam.

α. **Oenanthe** Linn.

4735. **Oenanthe fistulosa** Linn. Spec. 365. Flor. dan. t. 846. E. B. t. 363. DC. Prodr. IV. 136. — 4 — *Habitat in fossis et stagnis Europae totius.*

4736. **Oenanthe Lachenalii** Gmelin Flor. Bad. I. 678. DC. Prodr. IV. 136. *Oenanthe rhenana* DC. Fl. fr. Suppl. 506. *Oenanthe megapolitana* Willd. in Berl. Magaz. III. 297. *Oenanthe gymnorrhiza* Brignol. Plant. Forojul. 21. — 4 — *Habitat in prutis humidis callis rhenanae, Germaniae et Italiae borealis.*

β. *Involucrata* DC. l. c.

4737. **Oenanthe Jordani** Tenore; Add. ad Flor. neap. 1827. — 4 — *Habitat in regno Neapolitano.*

4738. **Oenanthe peucedanifolia** Pollich Fl. palat. I. 289. f. 3. DC. Prodr. IV. 137. *Oenanthe filipenduloides* Thuill. Flor. Paris. 146. *Oenanthe Pollichii* Gmel. Flor. Bad. I. 679. *Oenanthe peucedanoides* Roth. *Oenanthe patens* Mönch. — 4 — *Habitat in pratis Europae mediae.*

4739. **Oenanthe silaifolia** Bieberst. Suppl. 232. DC. Prodr. IV. 137. *Oenanthe peucedanifolia* Smith E. B. t. 348. — 4 — *Habitat in humidis Europae mediae et Tauriae.*

4740. **Oenanthe pimpinelloides** Linn. Spec. 365. DC. Prodr. IV. 137. — 4 — *Habitat in Europa imprimis australi et Tauria.*

β. *Chaerophylloides* DC. l. c. *Oenanthe chaerophylloides* Pourret Act. Toulon. III. 323. — γ. *Rapacea.*

4741. **Oenanthe globulosa** Linn. Spec. 365. Gouan Illustr. t. 9. DC. Prodr. IV. 138. — 4 — *Habitat in pratis humidis Europae australis.*

4742. **Oenanthe prolifera** Linn. Spec. 365. Jacq. Hort. Vindob. III. t. 62. DC. Prodr. IV. 138. — 4 — *Habitat in Carniolia, Dalmatia, Calabria, Creta.*

4743. **Oenanthe crocata** Linn. Spec. 356. Jacq. Hort. Vindob. III. t. 55. DC. Prodr. IV. 138. *Habitat in aquosis et ad ripas fluviorum Europae mediae et australis.*

δ. **Phellandrium** Linn.

4744. **Oenanthe Phellandrium** Lam. Fl. fr. III. 432. DC. Prodr. IV. 138. *Phellandrium aquaticum* Linn. Spec. 366. Engl. Bot. t. 684. Nees Offic. Pflanz. 14. t. 6. *Oenanthe aquatica* Lam. Dict. IV. 530. *Ligusticum Phellandrium* Crantz. — ☉ — *Habitat in aquosis Europae, Tauriae, Sibiriae.*

4424. **Aethusa** Linn.

4745. **Aethusa Cynapium** Linn. Spec. 367

Hayne Arzneigew. I. t. 35. DC. Prodr. IV. 141. *Coriandrum Cynapium* Crantz Stirp. austr. 211. — ☉ — *Habitat in cultis et oleraceis Europae totius.*

4746. *Aethusa elata* Friedländer ex Fischer Cat. Hort. Gorenk. 1813. p. 45. DC. Prodr. IV. 141. — 24 — *Habitat in Podolia.*

4425. *Foeniculum* Adans.

4747. *Foeniculum vulgare* Gärtn. Fr. I. 105. DC. Prodr. IV. 141. *Anethum Foeniculum* Linn. Spec. 722. Engl. Bot. t. 1208. Hayne Arzneigew. VII. t. 18. *Foeniculum officinale* Allioni Flor. Pedem. n. 1359. *Meum Foeniculum* α Spreng. in Schult. Syst. VI. 433. *Ligusticum Foeniculum* Roth Flor. Germ. I. 124. — ☉ — *Habitat in apricis et incultis Europae.*

4426. *Kundmannia* Scop.

4748. *Kundmannia sicula* DC. Prodr. IV. 143. *Sium siculum* Linn. Spec. 562. Jacq. Hort. Vindob. t. 133. *Ligusticum balearicum* Linn. Mant. 218. *Brignolia pastinacaefolia* Bert. in Desv. Journ. IV. 76. *Campderia sicula* Lagasc. Am. nat. II. 99 — 24 — *Habitat in insulis Balearicis, Hispania, Mauritania, Corsica, Sicilia, in agris sterilibus Romae.*

4430. *Seseli* Linn.

α. *Hippomarathrum* Rivin.

4749. *Seseli Hippomarathrum* Linn. Spec. 373. Jacq. Flor. austr. t. 143. DC. Prodr. IV. 144. *Sium Hippomarathrum* Roth Flor. germ. I. 128. — 24 — *Habitat in rupibus calcareis Europae mediae et australis.*

β. *Viride*.

4750. *Seseli tomentosum* Visiani Plant. dalm. Specim. 6. t. 3. f. 1. DC. Prodr. IV. 144. — 24 — *Habitat in Dalmatia.*

δ. Hippomarathroides DC.

4751. **Seseli dichotomum** Bieberst. Flor. Taur. cauc. I. 235. Bot. Mag. t. 2073. DC. Prodr. IV. 144. — 2 — *Habitat in calcareis Tartariae.*

4752. **Seseli gummiferum** Smith Exot. Bot. t. 120. Bot. Mag. t. 2259. DC. Prodr. IV. 145. — ☉ — *Habitat in Tauria.*

4753. **Seseli rigidum** Waldst. et Kit. Plant. rar. Hung. II. 156. t. 146. DC. Prodr. IV. 145. — 2 — *Habitat in rupibus calcareis Banatus.*

4754. **Seseli lemospermum** Waldst. et Kit. Plant. rar. Hung. I. 92. t. 89. DC. Prodr. IV. 145. — 2 — *Habitat in collibus calcareis Hungariae.*

ε. Euseseli DC.

4755. **Seseli strictum** Ledebour Flor. alt. I. 338. Ic. t. 174. — 2 — *Habitat ad radices montium altaicorum.*

4756. **Seseli graveolens** Ledebour Flor. alt. I. 340. Ic. t. 104. — 2 — *Habitat in rupestribus trans fluvium Irtysh.*

4757. **Seseli gracile** Waldst. et Kitaib. Plant. rar. Hung. II. 122. t. 117. DC. Prodr. IV. 145. — 2 — *Habitat in Hungaria et Transylvania.*

4758. **Seseli elatum** Gouan Illustr. 16. t. 18. DC. Prodr. IV. 146. *Seseli Gouani* Koch Deutschl. Flora. — 2 — *Habitat in Europa australiore.*

4759. **Seseli varium** Treviran. in N. A. N. C. XIII. 168. *Seseli tauricum* Link in Spreng. Syst. I. 884. non Koch. — 2 — *Habitat in Caucaso.*

4760. **Seseli montanum** DC. Fl. fr IV. 285. Prodr. IV. 146. — 2 — *Habitat in apricis montanis Europae mediae et australis.*

α. *Laxiusculum* DC. *Seseli montanum* Linn. Spec. 372.

β. *Glaucum* DC. *Seseli glaucum* Linn. Spec. 372. Jacq. Flor. austr. t. 45.

4761. **Seseli tortuosum** Linn. Spec. 373. DC. Prodr. IV. 147. — 2 — *Habitat in apricis Europae australis.*

4762. **Seseli campestre** Besser Enum. cont.
44. DC. Prodr. IV. 148. — 2 — *Habitat in arenosis
Ukraniae et Bessarabiae.*

4763. **Seseli petraeum** Bieberst Flor. Taur.
cauc. I. 235. DC. Prodr. IV. 148. — 2 — *Habitat
in subalpinis Caucasi.*

4432. **Libanotis** Crantz.

4764. **Libanotis vulgaris** DC. Prodr. IV.
150. *Athamantia Libanotis* Linn. Spec 351. Jacq. Flor.
austr. t. 392. Flor. dan. t. 754. E. B. t. 138. *Seseli
Libanotis* Koch Umb. 111. — 2 — *Habitat in monta-
nis et campestribus Europae et Asiae temperatae.*

β. *Pubescens* DC. l. c. *Athamantia pubescens* Retz Ob-
serv. III. 28. DC. Fl. fr. Suppl. 511. — γ. *Daucifolia* DC. l. c.
Athamantia pyrenaica Jacq. Hort. Vindob. t. 197. *Athamantia
daucifolia* Host Flor. austr. I. 361. — δ. *Condensata* DC. l. c.
Athamantia condensata Linn. Spec. 351. — ε. *Sibirica*. *Atha-
mantia sibirica* Linn. Mant. 56. (*Seseli athamanthoides* Ledeb.
Flor. alt. I. 342?)

4765 **Libanotis buchtormensis** DC. Prodr.
IV. 150. *Bubon buchtormensis* Spreng. Pugill. II. 55.
Athamantia rigida Hornem. Hort. Havn. II. 960. *Se-
seli buchtormense* Koch Umb. 111. — 2 — *Habitat in
rupestribus locisque siccis sterilibus Sibiriae altaicae.*

4766. **Libanotis athamanthoides** DC.
Prodr. IV. 150. *Ligusticum athamanthoides* Spreng. Umb. ,
126. excl. syn. — 2 — *Patria ignota.*

4767. **Libanotis verticillata** DC. Prodr.
IV. 151. *Athamantia verticillata* Sibthorp Flor. graec.
t. 275. — 2 — *Habitat in monte Parnasso.*

4768. **Libanotis cachroides** DC. Prodr.
IV. 151. *Cachrys sibirica* Steph. ex Fisch. Cat. sem.
1823. — 2 — *Habitat in Dahuria.*

4434. **Cenolophium** Koch.

4769. **Cenolophium Fischeri** Koch Umb.
103. in add. DC. Prodr. IV. 151. *Athamantia denu-
data* Fisch. Hort. Gorenk. *Ligusticum Fischeri* Link

Enum. Hort. berol. I. 276. *Cnidium Fischeri* Spreng. Syst. Veg. I. 888. — 24 — *Habitat in campestribus sal-sugineis subhumidisque ad Wolgam inferiorem et ad Grodno Lithuaniae.*

4436. *Cnidium* Cusson.

4770. *Cnidium Monnieri* Cuss. in Mem. Soc. med. Paris. 1782. p. 280. DC. Prodr. IV. 152. *Selinum Monnieri* Linn. Spec. 351. Jacq. Hort. Vindob. t. 62. *Ligusticum minus* Lam. Fl. fr. III. 454. — ☉ — *Habitat in Gallia australi.*

4771. *Cnidium apioides* Spreng. Umb. Prodr. 40. DC. Prodr. IV. 152. *Ligusticum apioides* Lam. Dict. III. 577. *Laserpitium siluifolium* Jacq. Flor. austr. App. t. 44. — 24 — *Habitat in alpestribus Germaniae, Helvetiae, Galliae orientalis, Transylvaniae.*

4772. *Cnidium Petroselinum* DC. Prodr. IV. 152. *Peucedanum Petroselinum* Desf. Catal. Hort. Paris. 1821. — 24 — *Patria ignota.*

4773. *Cnidium venosum* Koch Umb. 109. DC. Prodr. IV. 152. *Seseli venosum* Hoffm. Fl. germ. 144. *Seseli dubium* Schkuhr Handb. I. t. 217. *Seseli saxifrugum* Scholl Barb. 307. *Selinum pratense* Spreng. Fl. hal. 92. t. 2. — 24 — *Habitat in pratis udis agri Halensis, Witenbergensis, Spirensis, in Caucaso, Rossia, Sibiria.*

4438. *Thaspium* Nutt.

4774. *Thaspium barbinode* Nutt. Gen. Am. I. 196. DC. Prodr. IV. 154. *Ligusticum barbinode* Michaux Flor. Bor. Amer. I. 167. *Smyrnum barbinode* Mühlenb. Cat. 32. — 24 — *Habitat ad ripas umbrosas fluminis Shuylkill circa Philadelphia.*

4440. *Athamantha* Koch.

4775. *Athamantha macedonica* Spreng. in Schult. Syst. Veg. VI. 491. DC. Prodr. IV. 155. *Bubon macedonicum* Linn. Spec. 364. — 24 — *Habitat in Macedonia et Atlante.*

4776. **Athamantha ramosissima** Portenschl. in Schult. Syst. VI. 496. Host Flor. austr. I. 364. — 4 — *Habitat ad rupes vallis di Brema agri Ragusini.*

4777. **Athamantha cretensis** Linn. Spec. 352. Jacq. Flor. austr. t. 52. DC. Prodr. IV. 155. *Libanotis cretensis* Scop. *Libanotis hirsuta* Lam. Fl. fr. III. 428. — 4 — *Habitat in apricis asperis montium Europae medinae et australis.*

4778. **Athamantha sicula** Linn. Spec. 352. Desf. Flor. atl. I. 324. DC. Prodr. IV. 155. *Bubon garganicum* Tenore Flor. neap. I. 123. t. 25. — 4 — *Habitat in rupestribus calcareis Gargani, Apuliae, Siciliae, et montium Atlantis.*

4441. **Turbith** Tausch.

4779. **Turbith Matthioli** Tausch in Flora 1834. p. 343. *Athamantha Matthioli* Wulf. in Jacq. Collect. I. 211. Icon. rar. I t. 57. DC. Prodr. IV. 155. *Libanotis rupestris* Scop. Flor. carn. n. 315. t. 9. *Seseli Turbith* Linn. Amoen. IV. 310. — 4 — *Habitat in alribus Carniae.*

4442. **Ligusticum** Koch.

4780. **Ligusticum scoticum** Linn. Spec. 359. Flor. dan. t. 207. E. B. t. 1207. DC. Prodr. IV. 157. — 4 — *Habitat in littoribus Oceani borealis.*

4781. **Ligusticum carniolicum** Host Flor. austr. I. 378. DC. Prodr. IV. 157. — 4 — *Habitat in Carnioliae agro Labacensi, in monte Grofskahlenberg.*

4782. **Ligusticum ferulaceum** Allioni Flor. Pedemont. t. 60. f. 1. DC. Prodr. IV. 157. *Laserpitium dauricum* Jacq. Hort. Vindob. t. 38. — 4 — *Habitat in apricis alpium demissarum Delphinatus, Jurassi et Dauriae.*

4783. **Ligusticum alatum** Spreng. Umb. Spec. 125. DC. Prodr. IV. 157. *Athamantha alata* Bieberst. Flor. Taur. cauc. I. 214. *Cnidium myrrhisifolium*

Bieb. Suppl. 212. — 2 — *Habitat in subalpinis Caucasii ad thermas Narzanas.*

4784. **Ligusticum pyrenaicum** Gouan Ill. 14. t. 7. f. 2. DC. Prodr. IV. 158. *Cnidium pyrenaicum* Spreng. in Schult. Syst. VI. 416. *Ligusticum pyrenaicum* Koch Umb. 105. — 2 — *Habitat in montibus apricis Pyrenaeorum.*

4785. **Ligusticum Segueri** Koch Umb. 105. DC. Prodr. IV. 158. *Selinum Segueri* Linn. f. Suppl. 179. Jacq. Hort. Vindob. I. t. 61. *Imperatoria Segueri* Spreng. Umb. Spec. 65. *Melanoselinum Segueri* Sweet Hort. brit. 190. — 2 — *Habitat in montibus calcareis Carnioliae, Forojulii, montis Baldi, m. Generosi, Apenninorum, Corsicae.*

4444. **Silaus** Bess.

4786. **Silaus pratensis** Besser ex Koch Umbellif. 105. DC. Prodr. IV. 161. *Peucedanum Silaus* Linn. Spec. 354. Jacq. Flor. austr. t. 15. — 2 — *Habitat in pratis humidis Europae et Tauriae.*

4787. **Silaus tenuifolius** DC. Prodr. IV. 161. *Peucedanum tenuifolium* Desfont. Hort. Paris. 1813. p. 120. *Peucedanum serotinum* Persoon Encheir. I. 310. — 2 — *Patria ignota.*

4788. **Silaus Besseri** DC. Prodr. IV. 161. *Silaus alpestris* Besser Enum. 43. — 2 — *Habitat in campis Podoliae.*

4789. **Silaus longifolius** Ledebour Flor. alt. I. 323. *Angelica Fischeri* Spreng. in Schult. Syst. VI. 605. *Ligusticum Fischeri* Link Enum. I. 276. *Cnidium Fischeri* Spreng. Syst. I. 888. *Crithmum mediterraneum* Bieberst. Flor. Taur. cauc. Suppl. 215. — 2 — *Habitat in pratis circa fluvium Irtysch et in Buchtorma.*

4445. **Meum** Tourn.

4790. **Meum athamanthicum** Jacq. Flor. t. 303. DC. Prodr. IV. 162. *Athamantia Meum* Linn. Spec. 353. *Seseli Meum* Scopoli Flor. carn. n. 352.

Aethusa Menum Linn. Syst. Veg. 287. Hayne Arznei-
gew. VII. t. 12. — 2 — *Habitat in pratis montanis Eu-
ropae mediae.*

4791. *Menum Mutellina* Gärtn. Fr. II. 106.
t. 23. DC. Prodr. IV. 162. *Phellandrium Mutellina* Linn.
Spec. 366. Jacq. Flor. austr. t. 56. *Aethusa Mutellina*
Lam. Fl. fr. 1025. — 2 — *Habitat in pratis altioribus
subalpinis Europae mediae.*

4448. *Conioselinum* Fisch.

4792. *Conioselinum Fischeri* Wimm. et
Grab. Fl. siles. I. 266. DC. Prodr. IV. 164. *Conio-
selinum tataricum* Hoffm. Umbell. ed. 2. p. 185. — 2 —
*Habitat in herbidis montium Sibiriae, Tatariae et in Su-
detis.*

4793. *Conioselinum Czernaevia* Fischer
et Meyer Ind. I. Sem. Hort. Petrop. 1835. p. 33. *Czer-
naevia laevigata* Turczan. — ☉ — *Habitat in Dahuria.*

4449. *Crithmum* Tournef.

4794. *Crithmum maritimum* Linn. Spec.
354. Jacq. Hort. Vindob. t. 187. Engl. Bot. t. 819.
DC. Prodr. IV. 164. — 2 — *Habitat in rupestribus
secus littora maris nigri, mediterranei et atlantici.*

Tribus VI. *Pachypleureae.*

4450. *Kruberia* Hoffm.

4795. *Kruberia leptophylla* Hoffm. Umb.
104. t. 3. DC. Prodr. IV. 199. *Tordylium peregrinum*
Linn. Mant. 55. *Conium dichotomum* Desf. Flor. atl.
245. t. 66. *Cynophyllum dichotomum* Lag. Gen. et Sp.
13. *Ulospermum dichotomum* Link Enum. Hort. berol.
I. 267. — ☉ — *Habitat in arvis et segetibus Hispaniae,
Lusitaniae, Siciliae, Mauritaniae, ins. Canariensium.*

4451. *Pachypleurum* Ledeb.

4796. *Pachypleurum alpinum* Ledebour

Flor. alt. I. 297. Icon. Pl. fl. ross. alt. illustr. — 2 —
Habitat in subalpinis et alpinis Altaicis.

Tribus VII. Angeliceae.

4453. *Levisticum* Koch.

4797. *Levisticum officinale* Koch Umb.
 101. f. 41. DC. Prodr. IV. 165. *Ligusticum Levisticum* Linn. Spec. 359. Hayne Arzneigew. VII. t. 6.
Angelica paludapifolia Lam. Dict. I. 173. *Angelica Levisticum* Allioni Flor. Pedem. n. 1309. — 2 — *Habitat in montanis Europae australioris.*

4454. *Selinum* Hoffm.

4798. *Selinum Carvifolia* Linn. Spec. 350.
 Jacq. Flor. austr. t. 16. Flor. dan. t. 667. DC. Prodr. IV. 165. — 2 — *Habitat in sylvis humidis et stagnis umbrosis Europae.*

4456. *Angelica* Hoffm.

4799. *Angelica lucida* Linn. Spec. 360.
 Jacq. Hort. Vindob. III. t. 24. DC. Prodr. IV. 168.
 — 2 — *Habitat in America boreali a Canada ad Pennsylvaniam.*

4800. *Angelica atropurpurea* Linn. Spec. 360. DC. Prodr. IV. 168. *Archangelica atropurpurea* Hoffm. Umb. 169. — 2 — *Habitat in pratis humidis Canadae et Virginiae.*

4457. *Archangelica* Hoffm.

4801. *Archangelica officinalis* Hoffm. Umb. I. 166. DC. Prodr. IV. 169. *Angelica Archangelica* Linn. Spec. 360. Nees Offic. Pflanz. IX. t. 14. Hayne Arzneigew. VII. t. 8. *Angelica officinalis* Mönch Meth. 81. *Angelica sativa* Miller Dict. n. 1. — 2 — *Habitat ad rivulos in montanis Europae borealis et mediae.*

β. *Decurrens.*

Tribus VIII. Peucedaneae.

4458. **Opopanax** Koch.

4802. **Opopanax Chironium** Koch Umb. 96. DC. Prodr. IV. 170. *Laserpitium Chironium* Linn. Spec. 376. *Pastinaca Opopanax* Linn. Spec. 376. Waldest. et Kit. Plant. rar. Hung. III. t. 211. Sibthorp Flor. graec. t. 288. *Selinum Opopanax* Crantz Flor. austr. 53. *Ferula Opopanax* Spreng. Umb. Spec. 77. *Pastinaca altissima* Lam. Fl. fr. III. 465. — 24 — *Habitat in apricis Galliae australis, Italiae, Croatiae, Siciliae, Graeciae.*

4459. **Ferula** Tournef.

4803. **Ferula sylvatica** Bess. Cont. Enum. Pl. Volh. et Pod. 44. DC. Prodr. IV. 171. *Peucedanum officinale* Bess. Prim. Fl. Gall. et Cat. Hort. Crem. 1816. *Ferulago sylvatica* Reichenb. Icon. cur. IV. t. 371. — 24 — *Habitat in pratis sylvaticis Volhyniae, Podoliae.*

4804. **Ferula Ferulago** Linn. Spec. 356. DC. Prodr. IV. 171. *Ferula nodiflora* Jacq. Flor. austr. App. t. 5. — 24 — *Habitat in collibus et apricis Europae mediterraneae.*

Var. *Falcata*? Var. *Taurica*?

4805. **Ferula thyrsiflora** Sibth. et Smith Prodr. n. 664. DC. Prodr. IV. 171. *Ferulago thyrsiflora* Koch Umb. 98. — 24 — *Habitat in rupibus insulae Cretae.*

4806. **Ferula sulcata** Desf. Flor. atl. I. 352. t. 67. DC. Prodr. IV. 171. — 24 — *Habitat in Tauria.*

β. *Campestris* DC. l. c. *Ferula campestris* Bess. in litt. Spreng. Syst. I. 914.

4807. **Ferula communis** Linn. Spec. 355. DC. Fl. fr. III. 343. Prodr. IV. 171. — 24 — *Habitat in collibus apricis regionis mediterraneae.*

4808. **Ferula glauca** Linn. Spec. 588. DC. Prodr. IV. 172. — 24 — *Habitat in apricis Galliae australis, Italiae, Siciliae, Graeciae.*

4809. **Ferula tingitana** Linn. Spec. 355
Desf. Flor. atl. I. 251. DC. Prodr. IV. 173. — 4 —
Habitat in arvis Mauritaniae.

4810. **Ferula Asafoetida** Linn. Mat. med.
79. DC. Prodr. IV. 173. — 4 — *Habitat in Persiae
provincia Khorassan.*

4462. **Peucedanum** Linn.

α. **Palimbia** Bess.

4811. **Peucedanum Chabraei** Gaud. Flor.
Helv. II. 330. *Palimbia Chabraei* DC. Prodr. IV. 176.
Selinum Chabraei Jacq. Flor. austr. t. 72. *Imperatoria*
Chabraei Spreng. Spec. Umbell. 64. *Oreoselinum*
Chabraei Bieberst. Flor. Taur. cauc. (*Peucedanum*
Chabraei Gaudin Flor. Helv. II. 330.) — 4 — *Ha-*
bitat in dumetis et nemoribus Europae mediae et aus-
tralis.

β. *Podolica* DC. l. c. *Oreoselinum podolicum* Besser
Enum. 12.

4812. **Peucedanum Schottii** Bess. in DC.
Prodr. IV. 178. *Imperatoria Chabraei* Bess. Fl. gallic.
Pteroselinum glaucum Reichenb. Fl. exc. 453. *Pastinaca*
glauc Scop. Fl. carn. I. 203. — 4 — *Habitat in ru-*
pestribus Carnioliae, Podoliae.

4813. **Peucedanum petraeum** Noë in Koch
Synops. Fl. germ. 304. — 4 — *Habitat in rupibus et*
locis asperis saxosis Illyriae.

β. **Eupeucedanum** DC.

* **Floribus flavis.**

4814. **Peucedanum officinale** Linn. Spec.
353. Hayne Arzneigew. VII. t. 4. DC. Prodr. IV.
177. *Selinum Peucedanum* Sow. E. B. t. 1767. — 4 —
Habitat in pratis humidis et umbrosis Europae.

4815. **Peucedanum longifolium** Waldst.
et Kit. Plant. rar. Hung. III. t. 251. DC. Prodr. IV.
177. — 4 — *Habitat in rupibus calcareis Banatus.*

β. *Majus.*

4816. **Peucedanum ruthenicum** Bieberst. Flor. Taur. cauc 539. DC. Prodr. IV. 177. *Peucedanum tauricum* Bieberst. Flor. Taur. cauc. 540. — 4 — *Habitat in sylvaticis montosis Banatus, Tauriae.*

4817. **Peucedanum Besserianum** DC. Prodr. IV. 177. — 4 — *Habitat in collibus circa Odessam.*

4818. **Peucedanum arenarium** Waldst. et Kit. Plant. rar. Hung. I. t. 20. DC. Prodr. IV. 177. — 4 — *Habitat in arenosis Hungariae et in calcareis Transylvaniae et Podoliae australis.*

4819. **Peucedanum coriaceum** Reichenb. Fl. exc. 866. *Pastinaca Petteri* Vis. ined. — 4 — *Habitat in Dalmatia circa Spalato.*

4820. **Peucedanum sibiricum** Willd. Spec. I. 1406. DC. Prodr. IV. 178. — 4 — *Habitat in Croatia, Bessarabia, Caucaso, Sibiria.*

4821. **Peucedanum tenuifolium** Thunb. Prodr. Fl. cap. 50. Fl. cap. 257. DC. Prodr. IV. 178. — 4 — *Habitat in Capite bonae spei.*

**** Floribus albis.**

4822. **Peucedanum parisiense** DC. Fl. fr. IV. 336. DC. Prodr. IV. 178. *Peucedanum gallicum* Pers. I. 310. — 4 — *Habitat in pratis circa Parisios, in Istria et in Occitania.*

c. Thysselinum DC.

4823. **Peucedanum sylvestre** DC. Prodr. IV. 179. *Selinum sylvestre* Linn. Hort. Ups. 59. Flor. dan. t. 412. *Thysselinum palustre* Hoffm. Umb. gen. I. 134. *Selinum sylvestre* Jacq. Flor. austr. t. 152. non Linn. — 4 — *Habitat in pratis paludosis et ad fossus Europae borealis et orientalis.*

4824. **Peucedanum baicalense** Koch Umb. 94. DC. Prodr. IV. 179. *Peucedanum terebinthinaceum* Fisch. in litt. *Selinum terebinthinaceum* Trevir. in Nov. Act. soc. nat. cur. XIII. 166. *Selinum baicalense* Redowsk. in Willd. Enum. 306. *Selinum collinum* Waldst. et Kit. in Willd. Herb. *Pteroselinum sibiricum* Rei-

chenb. Fl. exc. 464. — 24 — *Habitat ad lacum Baikal et in Hungaria.*

d. Cervaria DC.

4825. **Peucedanum alsaticum** Linn. Spec. 354. non Poir. Jacq. Flor. austr. t. 17. DC. Prodr. IV. 179. *Selinum alsaticum* Crantz St. austr. 59. — 24 — *Habitat in sylvis asperis Pyrenaeorum, Helvetiae, Austriae, Transylvanicae, Taurinae.*

4826. **Peucedanum Cervaria** Cusson ex Lapeyr. Abr. 149. DC. Prodr. IV. 180. *Athamantia Cervaria* Linn. Spec. 352. Jacq. Flor. austr. t. 69. *Selinum Cervaria* Linn. Spec. ed. 1. p. 1194. *Cervaria glauca* Gaud. Fl. Helv. II. 324. — 24 — *Habitat in montosis Europae mediae.*

4827. **Peucedanum Oreoselinum** Cusson ex Lapeyr. Abr. 149. DC. Prodr. IV. 180. *Athamantia Oreoselinum* Linn. Spec. 352. Jacq. Flor. austr. 68. Hayne Arzneigew. VII. t. 3. *Selinum Oreoselinum* Scop. Flor. carn. n. 330. — 24 -- *Habitat in collibus apricis Europae mediae et Caucasi.*

e. Selinoides DC.

4828. **Peucedanum austriacum** Koch Umb. 94. DC. Prodr. IV. 180. *Selinum austriacum* Jacq. Flor. austr. t. 71. *Oreoselinum austriacum* Hoffm. Umb. 155. — 24 — *Habitat in montanis Austriae, Pannoniae, Italiae superioris.*

4829. **Peucedanum montanum** Koch Umb. 94. DC. Prodr. IV. 180. *Selinum palustre* Linn. Spec. 350. — 24 — *Habitat in pratis asperis humidisve montium Helvetiae et Galliae.*

4830. **Peucedanum involucratum** Koch Umb. 94. DC. Prodr. IV. 181. *Selinum peucedanoides* Desf. Cat. Hort. Paris. 1813. p. 142. *Oreoselinum peucedanoides* Hoffm. Umb. 155. *Selinum argenteum* All. Flor. Pedem. n. 1304. — 24 — *Habitat in alpibus Pedemontanis.*

4831. **Peucedanum rablense** Koch Umb.

94. DC. Prodr. IV. 181. *Ferula rablensis* Wulf. in Jacq. Coll. IV. p. 312. *Selinum lineare* Schum. Flor. seel. I. 95. Flor. dan. t. 1330. *Selinum elegans* Balb. Cat. Hort. Taur. 23. t. 4. *Selinum rablense* Gaud. Flor. Helv. II. 335. — 24 — *Habitat in Carinthiae valle Rablensi, in locis asperis subalpinis montis Generosi et in maritimis Zeelandiae.*

4832. **Peucedanum selinoides** DC. Prodr. IV. 181. *Selinum sibiricum* Retz Obs. II. 15. — 24 — *Habitat in Sibiria.*

f. Imperatoria Linn.

4833. **Peucedanum Ostruthium** Koch Umb. 95. Nees Offic. Pflanz. XII. t. 7. *Imperatoria Ostruthium* Linn. Spec. 372. Engl. Bot. t. 1380. Hayne Arzneigew. VII. t. 15. DC. Prodr. IV. 183. — 24 — *Habitat in sylvis Europae frequens et in terra nova Americae.*

4834. **Peucedanum imperatorioides** Link Enum. Hort. ber. I. 269. *Imperatoria angustifolia* Bellard. in Horn. Hort. Hafn. I. 286. DC. Prodr. IV. 181. *Angelica angustifolia* Hoffm. Umb. 161. — 24 — *Habitat in alpihus Tendae prope Limone Pedemontii.*

4835. **Peucedanum caucasicum.** *Imperatoria caucasica* Spreng. Prodr. Umb. 17. *Selinum caucasicum* Bieberst. Flor. Taur. cauc. I. 213. — 24 — *Habitat in sylvaticis umbrosis Caucasi.*

4465. **Callisace** Fisch.

4836. **Callisace dahurica** Fisch. in litt. in Hoffm. Umb. ed. 2. p. 170. DC. Prodr. IV. 184. *Thysselinum dahuricum* Spreng. Syst. I. 894. — 24 — *Habitat in Dahuria.*

4467. **Anethum** Tournef.

4837. **Anethum graveolens** Linn. Spec. 377. Flor. dan. t. 1572. Hayne Arzneigew. VII. t. 17. DC. Prodr. IV. 186. — 24 — *Habitat inter segetes Europae praesertim australis.*

4473. **Pastinaca** Tournef.

4838. **Pastinaca sativa** Linn. Spec. 376. Hayne Arzneigew. VII. t. 16. DC. Prodr. IV. 188. *Selinum Pastinaca* Crantz austr. 161. *Anethum Pastinaca* Wibel Flor. Werth. 911. — ☉ — *Habitat in pratis Europae usque ad Caucasum.*

4839. **Pastinaca Fleischmanni** Hladnik in Koch Synops. Flor. germ. 307. — ☉ — *Habitat in montosis asperis Carnioliae prope Lubacum.*

4840. **Pastinaca graveolens** Bieberst. Flor. Taur. cauc. I. 237. DC. Prodr. IV. 189. *Malabaila graveolens* Hoffm. Umb. 126. et 209. t. 1. B. f. 6. *Heracleum graveolens* Spreng. Umb. tent. I. 12. — 2 — *Habitat in Caucaso ad Sareptam, Tauria et Podolia.*

4841. **Pastinaca pimpinellifolia** Bieberst. Flor. Taur. cauc. I. 237. Suppl. 247. DC. Prodr. IV. 190. *Malabaila pimpinellifolia* Hoffm. Umb. 126. et 209. t. 1. B. f. 6. a. b. — 2 — *Habitat in graminosis Caucasi et Iberiae, et in arenosis Persiae.*

4477. **Heracleum** Linn.a. **Euheracleum** DC.

4842. **Heracleum flavescens** Baumgarten Flor. Transylv. I. 214. DC. Prodr. IV. 191. — 2 — *Habitat in herbidis montanis a Delphinatu ad Sibiriam.*

α. *Latifolium* DC. l. c. *Heracleum austriacum* Pallas Ind. taur. *Heracleum sibiricum* Linn. Mant. 354. Hoffm. Umb. 143. t. 1. B. f. 1. — β. *Angustifolium* DC. l. c. *Heracleum angustifolium* Linn. Mant. 56. Jacq. Flor. austr. t. 173.

b. **Sphondylium** Hoffm.

4843. **Heracleum longifolium** Jacq. Flor. austr. t. 174. DC. Prodr. IV. 192. — 2 — *Habitat in pratis alpinis Austriae.*

4844. **Heracleum Sphondylium** Linn. Spec. 358. E. B. t. 939. Hayne Arzneigew. VII. t. 10. DC. Prodr. IV. 192. — ☉ — *Habitat in pratis Europae totius et Sibiriae.*

β. *Elegans* DC. l. c. *Heracleum elegans* Jacq. Flor. austr. i. 175. — γ. *Caspicum*. *Heracleum caspicum* Hortul. DC. Prodr. IV. 191.

4845. *Heracleum lanatum* Michaux Flor. Bor. Am. 1. 166. DC. Prodr. IV. 192. — 4 — *Habitat in pascuis humidis Americae borealis.*

4846. *Heracleum cordatum* Presl Delic. 135. DC. Prodr. IV. 193. — 4 — *Habitat in nemoribus humidiusculis Nebrodum Siciliae.*

4847. *Heracleum pyrenaicum* Lam. Dict. 1. 403. DC. Prodr. IV. 193. — 4 — *Habitat in pratis asperis Pyrenaeorum, Italiae, Croatiae et Tyrolis.*

4848. *Heracleum villosum* Fischer exSchultes Syst. VI. 579 DC. Prodr. IV. 193. *Heracleum pyrenaicum* Bieberst. Suppl. 559. *Heracleum giganteum* Horn. Hort. Hafn. Suppl. — 4 — *Habitat in glareosis Caucasi.*

β. *Subvillosum* DC. Prodr. l. c.

4849. *Heracleum Panaces* Linn. Spec. 358. DC. Prodr. IV. 193. — ☉ — *Habitat in alpinis Europae australioris.*

4850. *Heracleum pubescens* Bieberst. Suppl. 225. DC. Prodr. IV. 193. — 4 — *Habitat in Tauriae meridionalis umbrosis et in Caucasi orientalis subalpinis.*

4851. *Heracleum ligusticifolium* Bieberst. Flor. Taur. cauc. 560. DC. Prodr. IV. 194. — ☉ — *Habitat in collibus saxosis Tauriae et in subalpinis Caucasi.*

4852. *Heracleum barbatum* Ledeb. Ic. pl. Flor. ross. alt. illustr. t. 303. Flor. alt. I. 300. — ☉ — *Habitat in pratis montanis montium altaicorum.*

4853. *Heracleum dissectum* Ledeb. Icon. Flor. ross. alt. t. 304. Flor. alt. I. 301. — ☉ — *Habitat in pratis montium altaicorum.*

c. *Wendtia* Hoffm.

4854. *Heracleum austriacum* Jacq. Flor.

austr. t. 61. DC. Prodr. IV. 194. — 2 — *Habitat in pratis subalpinis Austriae, Carnioliae et Transylvaniae.*

4855. **Heracleum Chorodanum** DC. Prodr. IV. 194. *Heracleum longifolium* Bieberst. Flor. Taur. cauc. I. 223. *Wendtia Chorodanum* Hoffm. Umb. 139. t. 1. B. tit. f. 12. 13. — ☉ — *Habitat in Tauria.*

4478. **Zozimia** Hoffm.

4856. **Zozimia absinthifolia** DC. Prodr. IV. 195. *Heracleum absinthifolium* Vent. Choix. t. 22. Sibth. Flor. graec. t. 281. *Tordylium absinthifolium* Persoon Encheir. I. 314. *Zozimia orientalis* Hoffm. Umb. I. 148. t. 4. — 2 — *Habitat in Oriente, in Iberia, Caucaso, Persia.*

4481. **Hasselquistia** Linn.

4857. **Hasselquistia aegyptiaca** Linn. Amoen. IV. 270. excl. syn. Jacq. Hort. Vind. t. 87. DC. Prodr. IV. 197. *Tordylium aegyptiacum* Lam. Ill. t. 193. f. 2. — ☉ — *Habitat in Aegypto, ad radices Libani et in littore Syriaco.*

4858. **Hasselquistia cordata** Linn. Fil. Suppl. 179. Jacq. Hort. Vind. t. 193. DC. Prodr. IV. 197. *Tordylium cordatum* Poir. Dict. VII. 712. — ☉ — *Habitat in Oriente.*

4482. **Tordylium** Tournef.

a. **Eutordylium** DC.

4859. **Tordylium syriacum** Linn. Spec. 345. DC. Prodr. IV. 197. — ☉ — *Habitat in Syria, Asia minore et Graecia.*

4860. **Tordylium maximum** Linn. Spec. 345. Jacq. Flor. austr. t. 142. DC. Prodr. IV. 198. — ☉ — *Habitat in arvis Europae mediae, australis et Orientis.*

b. **Condylecarpus** Hoffm.

4861. **Tordylium officinale** Linn. Spec.

345. E. B. t. 2440. Sibthorp Flor. graec. t. 267. DC. Prodr. IV. 198. *Condyllocarpus officinalis* Koch Umbell. 86. — ☉ — *Habitat in arvis Angliae et Europae australis.*

4862. *Tordylium apulum* Rivini Pentap. reg. t. 2. Linn. Spec. 345. excl. synonym. Jacq. Hort. Vindob. t. 53. DC. Prodr. IV. 198. — ☉ — *Habitat inter segetes Europae australis.*

Tribus IX. Silerineae.

4484. *Agasyllis* Hoffm.

4863. *Agasyllis caucasica* Spreng. Umb. Prodr. 22. f. 4. DC. Prodr. IV. 200. *Cachrys latifolia* Bieberst. Flor. Taur. cauc. Suppl. n. 549. *Siler caucasicum* Spreng. Umb. Spec. 90. — 2 — *Habitat in subalpinis Caucasi.*

4485. *Siler* Scop.

4864. *Siler trilobum* Scop. Flor. carn. I. 217. DC. Prodr. IV. 200. *Siler aquilegifolium* Spreng. Umb. Prodr. 41. *Laserpitium trilobum* Linn. Spec. 357. — 2 — *Habitat in montibus Europae et Asiae.*

Tribus X. Cumineae.

4488. *Cuminum* C. Bauh.

4865. *Cuminum Cyminum* Linn. Spec. 365. Schkuhr Handb. t. 80. Nees Offic. Pflanz. XIII. t. 7. Hayne Arzneigew. VII. t. 11. DC. Prodr. IV. 201. — ☉ — *Habitat in Aegypto superiore.*

Tribus XI. Thapsieae.

4490. *Thapsia* Tournef.

4866. *Thapsia garganica* Linn. Mant. 57. Sibthorp Flor. graec. t. 287. DC. Prodr. IV. 202.

— 2 — *Habitat in collibus apricis Hispaniae, Sardiniae, Mauritaniae, Graeciae, Siciliae.*

4867. **Thapsia asclepium** Linn. Spec. 375. Sibthorp Flor. graec. t. 286. DC. Prodr. IV. 203.

— 2 — *Habitat in Apulia, Sicilia, Rhodo, et circa Byzantium.*

4492. **Laserpitium** Tournef.

4868. **Laserpitium asperum** Crantz austr. III. 54. DC. Prodr. IV. 204. *Laserpitium latifolium* Lam. Dict. III. 423. — 2 — *Habitat in collibus siccis ad margines sylvarum Europae.*

4869. **Laserpitium glabrum** Crantz austr. III. 54. DC. Prodr. IV. 204. *Laserpitium latifolium* Jacq. Flor. austr. t. 146. *Laserpitium Libanotis* Lam. Dict. III. 423. — 2 — *Habitat in siccis petrosis montium Europae.*

4870. **Laserpitium aquilegifolium** Murr. Syst. 228. DC. Prodr. IV. 204. *Laserpitium trilobum* Crantz austr. 187. non Linn. *Laserpitium alpinum* Waldst. et Kitaib. Plant. rar. Hung. III. 153. — 2 — *Habitat in montibus Austrinae, Hungariae, Galliae.*

4871. **Laserpitium Siler** Linn. Spec. 357. Jacq. Flor. austr. t. 145. DC. Prodr. IV. 205. *Siler luncifolium* Möench. — 2 — *Habitat in montanis Europae mediae et australis.*

4872. **Laserpitium gallicum** C. Bauh Pin. 156. Linn. Spec. 357. DC. Prodr. IV. 205. *Laserpitium trifurcatum* Lam. Fl. fr. III. 415. Var. *Laserpitium formosum* Willd. Spec. I. 1418. *Laserpitium angustifolium* Linn. Spec. 357. — 2 — *Habitat in collibus aridis Galliae australis et Italiae praesertim superioris.*

4873. **Laserpitium peucedanoides** Linn. Spec. 358. Jacq. Ic. rar. II. 350. DC. Prodr. IV. 205. — 2 — *Habitat in sylvis montanis Carnioliae, Croatiae, Italiae superioris.*

4874. **Laserpitium Archangelica** Jacq. Icon. rar. I. t. 58. Wulf. in Jacq. Coll. I. 214. DC. Prodr. IV. 206. *Laserpitium Chironium* Scopoli Flor.

carn. n. 324. — 4 — *Habitat in rupibus Carnioliae, Croatiae, Carpathorum, Silesiae.*

4875. **Laserpitium hispidum** Bieb. Flor. Taur. cauc. I. 221. Suppl. 222. DC. Prodr. IV. 206. *Laserpitium Archangelica* Hortul. non Jacq. — 4 — *Habitat in glareosis Tauriae et Caucasi.*

4876. **Laserpitium pruthenicum** Linn. Spec. 357. Jacq. Flor. austr. t. 153. DC. Prodr. IV. 206. *Laserpitium selinoides* Crantz austr. 182. — 4 — *Habitat in collibus Hungariae, Carnioliae, Germaniae, Helvetiae, Galliae australis.*

4494. **Melanoselinum** Hoffm.

4877. **Melanoselinum decipiens** Hoffm. Umb. ed. 2. I. 156. DC. Prodr. IV. 208. *Selinum decipiens* Schrad. et Wendl. Sert. Hann. III. 23. t. 13. Willd. Spec. I. 1400. — 3 — *Patria ignota.*

Tribus XII. Daucineae.

4496. **Orlaya** Hoffm.

4878. **Orlaya platycarpus** Koch Umb. 79. DC. Prodr. IV. 209. *Echinophora platycarpus* Col. Ecphr. I. 94. *Caucalis platycarpus* Linn. Spec. 347. *Caucalis latifolia* Lam. Fl. fr III. 426. — ☉ — *Habitat in arvis Galliae australis ad Tauriam usque.*

4497. **Daucus** Linn.

4879. **Daucus Carota** Linn Spec. 348. DC. Prodr. IV. 211. — ☉ — *Habitat in pratis et versuris hemisphaerii borealis.*

Subordo I. Campylospermae.

Tribus XIII. Elaeoselineae.

4498. **Elaeoselinum** Koch.

4880 **Elaeoselinum meoides** Koch in litt.

DC. Prodr. IV. 215. *Laserpitium meoides* Desf. Flor. atl. I. 253. t. 69. *Thapsia meoides* Guss. Prodr. Flor. sic. I. 370. — 24 — *Habitat in Mauritania et in collibus herbidis et vallibus Siciliae.*

Tribus XIV. Caucalineae.

4501. *Caucalis* Hoffm.

4881. *Caucalis daucoides* Linn. Mant. 351. non Spec. Jacq. Flor. austr. t. 157. DC. Prodr. IV. 216. *Conium Royeni* Linn. Spec. 340. — ☉ — *Habitat in arvis Europae mediae et australis usque ad Tauriam et Persiam.*

4882. *Caucalis leptophylla* Linn. Spec. 347. Jacq. Hort. Vindob. II. t. 195. DC. Prodr. IV. 216. *Caucalis parviflora* Lam. Dict. I. 657. — ☉ — *Habitat in arvis et segetibus Europae mediae et praesertim australis, Mauritaniae et Orientis.*

4502. *Turgenia* Hoffm.

4883. *Turgenia latifolia* Hoffm. Umb. 59. DC. Prodr. IV. 218. *Tordylium latifolium* Linn. Spec. 545. *Caucalis latifolia* Reich. Spec. I. 666. Jacq. Hort. Vindob. t. 128. — ☉ — *Habitat inter segetes Europae mediae et australis.*

4503. *Torilis* Spreng.

a. *Euterilis* DC.

4884. *Torilis microcarpa* Besser Enum. cont. n. 1362. DC. Prodr. IV. 218. *Torilis ukranica* Sprengel in Schultes Syst. VI. 485. — ☉ — *Habitat in Ukranica et Podolia australi.*

4885. *Torilis Anthriscus* Gmelin Flor. Bad. I. 613. DC. Prodr. IV. 218. *Tordylium Anthriscus* Linn. Spec. 346. Jacq. Flor. austr. t. 261. *Caucalis Anthriscus* Scopoli Flor. carn Flor. dan. t. 919. E.

B. t. 987. — ☉ — *Habitat in sepibus et dumetis Europae totius.*

4886. **Torilis neglecta** Schultes Syst. VI. 484. DC. Prodr. IV. 218. *Scandix infesta* Jacq. Flor. austr. t. 46. — ☉ — *Habitat in agris et ad sylvarum margines Europae mediae et australis.*

4887. **Torilis helvetica** Gmelin Flor. Bad. I. 617. DC. Prodr. IV. 219. *Caucalis helvetica* Jacq. Hort. Vindob. III. t. 16. *Scandix infesta* Linn. Syst. 237. non Jacq. — ☉ — *Habitat in arvis et inter segetes Europae totius.*

b. **Trichocarpaea** DC.

4888. **Torilis trichosperma** Spreng. Umb. Spec. 142. DC. Prodr. IV. 220. *Scandix trichosperma* Linn. Mant. 57. *Anthriscus trichosperma* Persoon Encheir. I. 685. — ☉ — *Habitat in Aegypto et in Syria.*

Tribus XV. Scandicinae.

4504. **Scandix** Gärtn.

a. **Pecten** DC.

4889. **Scandix pinnatifida** Vent. Hort. Cels. t. 14. Bieberst. Flor. Taur. cauc. I. 229. Suppl. 235. DC. Prodr. IV. 221. — 24 — *Habitat in lapidosis Orientis, in Persia, Tauria, Iberia.*

4890. **Scandix Pecten-Veneris** Linn. Spec. 368. Flor. dan. t. 844. Engl. Bot. t. 1497. DC. Prodr. IV. 221. *Myrrhis Pecten-Veneris* Allioni Flor. Pedem. n. 1376. — 24 — *Habitat in arvis et agris Europae totius, Orientis, Africae borealis et ins. Teneriffae.*

4891. **Scandix brachycarpa** Guss. Ind. Sem. 1825. Prodr. Fl. sic. I. 350. DC. Prodr. IV. 221. — ☉ — *Habitat in apricis herbis montium Nebrodisium Siciliae et in Syria.*

b. **Wylla** DC.

4892. **Scandix australis** Linn. Spec. 569.
II. 8

Sibthorp Flor. graec. t. 285. DC. Prodr. IV. 221. *Myrrhis australis* Allioni Flor. Pedem. n. 1377. *Wylia australis* Hoffm. Umb. I. 5. t. 2. f. 1. — ☉ — *Habitat in arvis et sterilibus Europae australis.*

4893. **Scandix grandiflora** Linn. Spec. 369. DC. Prodr. IV. 221. *Wylia grandiflora* Hoffm. Umb. I. 15. t. 2. f. 3. — ☉ — *Habitat in campis Graeciae, Tauriae, Iberiae et Dalmatiae.*

4894. **Scandix iberica** Bieberst. Flor. Taur. cauc. I. 230. Suppl. 425. DC. Prodr. IV. 222. *Wylia iberica* Hoffm. Umb. I. 19. t. 2. f. 4. — ☉ — *Habitat inter segetes et in glareosis Iberiae et Persiae.*

4505. **Anthriscus** Hoffm.

* *Species perennes.*

4895. **Anthriscus torquata** Duby in DC. Bot. Gall. I. 239. DC. Prodr. IV. 223. *Chaerophyllum torquatum* DC. Fl. fr. Suppl. 505. *Myrrhis bulbosa* Allioni Flor. Pedem. n. 1373. excl. syn. — 4 — *Habitat in alpibus Pedemontii et Galloprovinciae.*

4896. **Anthriscus cicutaria** Duby in DC. Bot. Gall. I. 239. DC. Prodr. IV. 223. *Chaerophyllum Cicutaria* Vill. Flor. Dauph. II. 644. ? — 4 — *Habitat in humidis alpium Delphinatus et Helvetiae, et in sylvaticis Podoliae et Volhyniae.*

4897. **Anthriscus sylvestris** Hoffm. Umb. 40. 46 t. 1. f. 19. p. 210. t. 1. B. f. 17. DC. Prodr. IV. 223. *Chaerophyllum sylvestre* Linn. Spec. 369. Sow. Engl. Bot. t. 762. Hayne Arzneigew. I. t. 33. — 4 — *Habitat in sepibus et cultis Europae totius usque ad Caucasum.*

4898. **Anthriscus nemorosa** Spreng. Umb. Prodr. 27. DC. Prodr. IV. 223. *Chaerophyllum nemorosum* Hoffm. Umb. 45 et 210. t. 1. B. f. 19. — 4 — *Habitat in Caucaso et Kumschatka.*

** *Species annuae.*

4899. **Anthriscus Cerefolium** Hoffm. Umb.

41. 47. t. 1. f. 21. p. 210. t. 1. B. f. 26. DC. Prodr. IV. 223. *Scandix Cerefolium* Linn. Spec. 368. Sow. Engl. Bot. t. 1268. Hayne Arzneigew. VII. t. 14. — ☉ — *Habitat in arvis et agris Europae australis.*

4900. ***Anthriscus trichosperma*** Schultes Syst. Veg. VI. 525. Koch Synops. Flor. germ. 316. *Anthriscus Cerefolium* β. *trichosperma* DC. Prodr. IV. 224. Mert. et Koch Deutschl. Flor. II. 459. *Chaerophyllum trichospermum* Schult. Oester. Flor. I. 504. — ☉ — *Habitat ad sepes Bohemiae, Pannoniae.*

4901. ***Anthriscus fumarioides*** Sprengel Umb. Prodr. 27. Schult. Syst. VI. 525. DC. Prodr. IV. 224. *Scandix fumarioides* Waldst. et Kitaib. Plant. rar. Hung. III. 299. t. 224. — ☉ — *In subalpinis et montanis calcareis Carnioliae, Croatiae.*

4902. ***Anthriscus vulgaris*** Pers. Encheir. I. 320. DC. Prodr. IV. 224. *Scandix Anthriscus* Linn. Spec. 368. Sow. Engl. Bot. t. 818. *Caucalis Scandix* Scop. Flor. carn. I. 191. *Caucalis scandicina* Roth Fl. germ. I. 121. — ☉ — *Habitat in locis cultis et incultis Europae usque ad Tauriam.*

4506. ***Chaerophyllum*** Hoffm.

α. *Phytocaulis* DC.

4903. ***Chaerophyllum nodosum*** Lam. Dict. I. 685. DC. Prodr. IV. 225. *Scandix nodosa* Linn. Spec. 369. Jacq. Hort. Vindob. III. t. 25. *Torilis macrocarpa* Gärtn. Fr. I. 83. t. 25. — ☉ — *Habitat in sepiibus Europae temperatae.*

β. *Euchaerophyllum* DC.

4904. ***Chaerophyllum coloratum*** Linn. Mant. 57. Jacq. Hort. Vindob. I. t. 51. DC. Prodr. IV. 225. *Myrrhis colorata* Spreng. in Schult. Syst. Veg. VI. 515. — ☉ — *Habitat in Dalmatia.*

4905. ***Chaerophyllum bulbosum*** Linn. Spec. 370. Jacq. Flor. austr. t. 63. DC. Prodr. IV. 226. *Scandix bulbosa* Roth Flor. germ. I. 123. — ☉ —

Habitat in Alsatia, Germania, in locis sylvaticis humidis ad Sibiriam et Persiam usque.

4906. **Chaerophyllum temulum** Linn. Spec. 370. Jacq. Flor. austr. t. 63. Hayne Arzneigew. I. t. 34. *Scandix temula* Roth Flor. germ. I. 22. — ☉ — *Habitat in sepibus et dumetis Europae.*

4907. **Chaerophyllum maculatum** Willd. Enum. Hort. berol. Suppl. 15. DC. Prodr. IV. 226. — 24 — *Habitat in Europa australi.*

4908. **Chaerophyllum roseum** Stev. Mem. Soc. mose. III. 260. DC. Prodr. IV. 226. *Myrrhis rosea* Spreng. in Schult. Syst. VI. 519. — 24 — *Habitat in pratis montanis Caucasi iberici.*

4909. **Chaerophyllum humile** Bieberst. Suppl. Flor. Taur. 240. DC. Prodr. IV. 227. *Myrrhis humilis* Schult. Syst. VI. 519. — 24 — *Habitat in Iberia ad flumen Ksani.*

4910. **Chaerophyllum aromaticum** Jacq. Flor. austr. t. 150. DC. Prodr. IV. 227. *Myrrhis aromatica* Spreng. in Schult. Syst. VI. 509. *Scandix tinctoria* Scop. Flor. carn. n. 351. — 24 — *Habitat in nemoribus et pratis sylvaticis Europae mediae.*

4508. **Chamaemyrrhis** Endl.

4911. **Chamaemyrrhis eriopoda**. *Caldaria eriopoda* DC. Prodr. IV. 229. — 24 — *Habitat in Nova Hollandia.*

4510. **Molopospermum** Koch.

4912. **Molopospermum cicutarium** DC. Prodr. IV. 230. *Molopospermum peloponnesiacum* Koch Umb. 108. *Ligusticum peloponnesiacum* Linn. Spec. 360. Jacq. Flor. austr. App t. 13. *Ligusticum cicutarium* Lam. Fl. fr. III. 453. — 24 — *Habitat in montanis asperis alpium Carnioliae, Pedemontii, Delphinatus, Galloprovinciae, Pyrenaeorum.*

Tribus XVI. Smyrneae.

4518. **Lagoecia** Linn.

4913. **Lagoecia cuminoides** Linn. Spec. 294. Sibthorp Flor. graec. t. 243. Schkuhr Handb. I. t. 48. Lam. Ill. t. 142. DC. Prodr. IV. 233. —⊙—
Habitat in arvis et vineis Hispaniae, Lybiae, Cretae, Graeciae, Galatiae, Persiae.

4522. **Echinophora** Tournef.

α. **Leucophora** DC.

4914. **Echinophora spinosa** Linn. Spec. 344. Cav. Icon. II. t. 127. Sibthorp Flor. graec. t. 265. DC. Coll. mem. VI. t. 16. Prodr. IV. 235. —⊥—
Habitat in arenosis maritimis secus mare mediterraneum.

4915. **Echinophora trichophylla** Smith in Rees Cyclop. XII. n. 3. DC. Prodr. IV. 235. —⊥—
Habitat in lapidosis Orientis ad pedem montis Ararat.

β. **Chrysophora** DC.

4916. **Echinophora tenuifolia** Linn. Spec. 344. Sibthorp Flor. graec. t. 266. DC. Prodr. IV. 235. —⊥— *Habitat in agris Apuliae, Siciliae, Graeciae, Smyrnae, Constantinopolis, Tauriae, Persiae.*

4525. **Cachrys** Tournef.

α. **Aegemarathrum**.

4917. **Cachrys Libanotis** Linn. Spec. 355. Schkuhr Handb. t. 65. DC. Prodr. IV. 237. —⊥—
Habitat in Sicilia et Mauritania.

4918. **Cachrys crispa** Pers. Encheir. I. 311. Spreng. in Schult. Syst. VI 443 DC. Prodr. IV. 237. *Hippomarathrum crispum* Koch Umb. 136. —⊥—
Habitat in Palaestina et in Caucaso orientali.

δ. Lophocachrys.

4919. **Cachrys pungens** Ian Pl. exs. Guss. Prodr. I. App. p. 7. DC. Prodr. IV. 238. — 2 — *Habitat ad littora arenosa Calubrine et Siciliæ.*

4527. Colladonia DC.

4920. **Colladonia triquetra** DC. Prodr. IV. 240. *Laserpitium triquetrum* Vent. Hort. Cels. t. 97. *Cachrys triquetra* Spreng. in Schult. Syst. VI. 443. — 2 — *Habitat circa Byzantium.*

4529. Magydaris Koch.

4921. **Magydaris tomentosa** Koch in litt. 1828. DC. Prodr. IV. 241. *Cachrys tomentosa* Desf. Flor. atl. I. 249. — 2 — *Habitat in Sicilia et Mauritania.*

4532. Conium Linn.

4922. **Conium maculatum** Linn. Spec. 349. Schkuhr Handb. t. 62. Sow. Engl. Bot. t. 1191. Hayne Arzneigew. I. t. 31. DC. Prodr. IV. 242. — ☉ — *Habitat in ruderalis Europæ totius, Asiae orientalis et in cultis Americae borealis.*

4536. Pleurospermum Hoffm.

4923. **Pleurospermum austriacum** Hoffm. Umb. in praef. p. IX tit. f. 16. 22. DC. Prodr. IV. 244. *Ligusticum austriacum* Linn. Spec. 360. Jacq. Fl. austr. t. 151. *Athamantha Goluka* Haecq. Pl. carn. t. 5. — 2 — *Habitat in alpibus Austriae, Silesiae, Helvetiae, Galloprovinciae, Delphinatus et in Carpathis.*

4540. Physospermum Cusson.

4924. **Physospermum aquilegifolium** Koch Umb. 134. DC. Prodr. IV. 246. *Danaea aquilegifolia* Allioni Flor. pedem. n. 1392. t. 63. *Henselera*

damaecornis Lagasc. Gen. et Spec. p. 13. *Ligusticum aquilegifolium* Willd. Spec. I. 1425. *Smyrnum nudicaule* Bieberst. Flor. Taur. cauc. I. 238. — 4 — *Habitat in sylvis asperis et umbrosis Tauriae, Italiae, Hispaniae, Lusitaniae.*

4925. **Physospermum cornubiense** DC. Prodr. IV. 246. *Ligusticum cornubiense* Linn. Spec. 359. Smith Ic. pict. t. 11. — 4 — *Habitat ad sepes et dumeta in Cornubia Angliae.*

4541. **Smyrnum** Lag.

4926. **Smyrnum Olusatrum** Linn. Spec. 376. Engl. Bot. t. 230. DC Prodr. IV. 247. — ☉ — *Habitat in locis humidis Europae mediae et australis.*

4927. **Smyrnum perfoliatum** Mill. Dict. n. 3. Linn. Spec. 376 Morett. Pl. ital. Dec. 2. p. 10. *Smyrnum Dioscoridis* Spreng. Umb. Spec. 25. — ☉ — *Habitat in Europa australiore.*

β. *Kitaibelii* DC. *Smyrnum perfoliatum* Waldst. et Kit. Plant. rar. Hung. I. 22. t. 23.

Subordo II. Coelospermeae.

Tribus XVII. Coriandreae.

4546. **Bifora** Hoffm.

4928. **Bifora testiculata** Spreng. in Schult. Syst. VI. 448. DC. Prodr. IV. 249. *Coriandrum testiculatum* Linn. Spec. 367. — ☉ — *Habitat inter segetes Europae australis.*

4549. **Coriandrum** Hoffm.

4929. **Coriandrum sativum** Linn. Spec. 367. Hayne Arzneigew. VII. t. 13. Sibthorp Flor. graec. t. 283. DC. Prodr. IV. 250. — ☉ — *Habitat inter segetes Tatariae, Orientis, Graeciae.*

Ordo CX. Araliaceae.

4550. **Adoxa** Linn.

4930. **Adoxa Moschatellina** Linn. Spec. 257. Schkuhr t. 109. — ♀ — *Habitat in nemorosis Europae et Asiae mediae.*

4551. **Panax** Linn.

4931. **Panax aculeatum** Aiton Hort. kew. III. 448. Jacq. Collect. IV. 175. Ic. rar. t. 634. DC. Prodr. IV. 252. *Zanthoxylum trifoliatum* Linn. Spec. 1455. — ♂ — *Habitat in China.*

4552. **Cussonia** Thunb.

4932. **Cussonia spicata** Thunb. Act. nov. ups. III. 212. t. 13. DC. Prodr. IV. 255. — ♂ — *Habitat ad Caput bonae spei.*

4933. **Cussonia thyrsiflora** Thunb. Act. nov. ups. III. 212. t. 12. Jacq. Fil. Eclog. I. 89. t. 61. DC. Prodr. IV. 255. *Cussonia thyrsoidea* Thunb. Nov. gen. I. 11. — ♂ — *Habitat ad Caput bonae spei.*

4558. **Aralia** Don.

4934. **Aralia nudicaulis** Linn. Spec. 393. DC. Prodr. IV. 257. — ♀ — *Habitat in America boreali.*

4934.* **Aralia spinosa** Linn. Spec. 392. — ♂ — *Habitat in America boreali.*

4558. **Dimorphanthus** Miq.

4935. **Dimorphanthus japonicus.** *Aralia japonica* Thunb. Flor. jap. 128. — ♂ — *Habitat in Japonia.*

4560. **Hedera** Swartz.

4936. **Hedera Helix** Linn. Spec. 292. E. B. t. 1267. — ♂ — *Habitat in Europa.*

β. *Variegata.* — γ. *Chrysocarpa* Dalech. — δ. *Latifolia.*

4937. **Hedera arborea** Swartz Flor. ind.

occid. 518. DC. Prodr. IV. 262. *Aralia arborea* Linn.
 Amoen. Acad. V. 369. Jacq. Hort. Schönbr. t. 51.
 — 5 — *Habitat in Jamaica et Portorico.*

4561. **Botryodendron** Endl.

4938. **Botryodendron capitatum** Endl.
Aralia capitata Jacq. Amer. 89. t. 61. *Hedera capitata*
 Smith Ic. pict. I. t. 4. DC. Prodr. IV. 262. — 5 —
Habitat in subalpinis Jamaicae, Guadelupae, et provin-
ciae Caraccasanae.

Ordo CXI. Ampelideae.

4566. **Cissus** Linn.

α. **Eucissus.**

4939. **Cissus vitiginea** Linn. Spec. 170.
 — 3 — *Habitat in India orientali.*

4940. **Cissus sicyoides** Linn. Spec. 170. Lam.
 Ill. t. 84. f. 1. — 4 — *Habitat in America tropica.*

4941. **Cissus acida** Linn. Spec. 170. Jacq.
 Hort. Schönbr. t. 33. — 5 — *Habitat in America*
tropica.

β. **Ampelopsis** Rich.

4942. **Cissus Ampelopsis** Pers. Encheir. I.
 42. *Ampelopsis cordata* L. C. Rich. in Michaux Flor.
 Bor. Amer. I. 160. *Vitis indivisa* Willd. Baumz. 538.
 — 3 — *Habitat in America boreali.*

4943. **Cissus hederacea** Pers. Encheir. I.
 143. *Hedera quinquefolia* Linn. Spec. 292. *Vitis quin-*
quefolia Lam. Ill. n. 2815. *Ampelopsis quinquefolia* Rich.
 in Michaux Flor. Bor. Amer. I. 160. *Ampelopsis hede-*
racea DC. Prodr. I. 633. — 5 — *Habitat in America*
boreali.

β. *Hirsuta.* **Ampelopsis hirsuta** Don Cat. 166.

4566. **Vitis** Linn.

4944. **Vitis vinifera** Linn. Spec. 293. — ♂ —
Habitat in Asia calidiore.

β. *Apiifolia*. — γ. *Apyrena*. — δ. *Alexandrina*.

4945. **Vitis Labrusca** Linn. Spec. 293. Jacq.
 Hort. Schönbr. t. 426. — ♂ — *Habitat in America boreali.*

β. *Alba*.

4946. **Vitis aestivalis** Michaux Flor. Bor.
 Amer. II. 230. *Vitis vulpina* Jacq. Hort. Schönbr.
 t. 425. — ♀ — *Habitat in America boreali.*

4947. **Vitis cordifolia** Michaux Flor. Bor.
 Amer. II. 231. *Vitis incisa* Jacq. Hort. Schönbr. t. 427.
 — ♂ — *Habitat in America boreali.*

4948. **Vitis riparia** Michaux Flor. Bor. Amer.
 II. 231. — ♂ — *Habitat in America boreali.*

4569. **Leea** Linn.

4949. **Leea sambucina** Willd. Spec. I. 1177.
Aquilicia sambucina Linn. Mant. 211. Cav. Diss. VII.
 t. 218. — ♂ — *Habitat in India orientali.*

4950. **Leea crispa** Linn. Mant. 124. *Leea*
pinnata Andrews Bot. Reposit. t. 355. — ♂ — *Habi-*
tat in Capite bonae spei.

Ordo CXII. **Corneae.**4573. **Benthamia** Lindl.

4951. **Benthamia fragifera** Lindl. in Bot.
 Reg. t. 1579. *Cornus capitata* Wallich Plant. As. rar.
 t. 214. — ♂ — *Habitat in Nepalia.*

4574. **Cornus** Tourn.

α. *Arctocraniae.*

4952. **Cornus canadensis** Linn. Spec. 172.
 Bot. Mag. t. 880. — ♀ — *Habitat in America boreali.*

b. *Tanycrania*.

4953. **Cornus florida** Linn. Spec. 171. Schmidt Baumz. II. t. 52. — ♂ — *Habitat in America boreali*.

4954. **Cornus mas** Linn. Spec. 171. Schmidt Baumz. II. t. 63. — ♂ — *Habitat in Europa et Asia temperata*.

c. *Thelycrania*.

4955. **Cornus sericea** Herit. Corn. t. 2. **Cornus caerulea** Lam. Dict. II. 116. **Cornus lanuginosa** Michaux Flor. Bor. Amer. I. 92. — ♂ — *Habitat in America boreali*.

4956. **Cornus asperifolia** Michaux Flor. Bor. Amer. I. 93. — ♂ — *Habitat in America boreali*.

4957. **Cornus stricta** Lam. Dict. III. 116. Schmidt Baumz. II. t. 67. **Cornus fastigiata** Michaux Flor. Bor. Amer. I. 92. — ♂ — *Habitat in America boreali*.

4958. **Cornus paniculata** Herit. Corn. t. 5. Schmidt Baumz. II. t. 68. — ♂ — *Habitat in America boreali*.

4959. **Cornus alba** Linn. Mant. 40. Pallas Fl. ross. t. 34. **Cornus tatarica** Mill. **Cornus sibirica** Lodd. — ♂ — *Habitat in Asia boreali*.

4960. **Cornus stolonifera** Michaux Flor. Bor. Amer. I. 92. **Cornus alba** Auct. — ♂ — *Habitat in America boreali, Canadensibus vulgo » Osier rouge. «*

4961. **Cornus sanguinea** Linn. Spec. 171. Flor. dan. t. 481. — ♂ — *Habitat in Europa*.

β. *Candidissima*. — γ. *Variegata* Loddig.

4962. **Cornus alternifolia** Linn. f. Suppl. 125. Herit. Corn. t. 6. — ♂ — *Habitat in America boreali*.

4575. **Aucuba** Thunb.

4963. **Aucuba japonica** Thunb. Flor. japon. 64. t. 12. 13. Sims Bot. Mag. t. 1197. DC. Prodr. IV. 274. — ♂ — *Habitat in Japonia*.

Ordo CXIII. Loranthaceae.

4584. *Viscum* Tournef.

4964 *Viscum album* Linn. Spec. 1451 — 3 —
Varios hortū arbores, imprimis Populos et Robinias in-
festat.

Loranthum ex vicinis sylvis in hortum transferre nondum
 contigit.

Ordo CXIV. Bruniaceae.

4596. *Berzelia* Brongn.

4965. *Berzelia ericoides* Eckl. et Zeyh.
 Enum. 137. *Brunia ericoides* Wendl. Collect. II. t. 57.
 — 1 ♂ — *Habitat in Capite bonae spei.*

Ordo CXV. Crassulaceae.

4609. *Septas* Linn.

4966. *Septas capensis* Linn. Amoen. VI.
 87. Lam. Ill. t. 276. DC. Prodr. III. 383. *Crassula*
Septas Thunberg Fl. cap. 291. — 2 — *Habitat ad*
Caput bonae spei.

4610. *Crassula* Haworth.

α. *Tetraphyle* Eckl. et Z.

4967. *Crassula lycopodioides* Lam. Dict.
 II. 173. DC. Prodr. III. 385. *Crassula imbricata* Aiton
 Hort. kew. I. 393. *Crassula muscosa* Thunb. Fl. cap.
 281. *Tetraphyle lycopodioides* Eckl. et Zeyh. Enum.
 plant. cap. 294. — 2 — *Habitat in collibus ad Caput*
bonae spei.

δ. **Crassula** Eckl. et Z.

* **Latifoliae** DC.

4968. **Crassula arborescens** Willd. Spec. I. 1554. DC. Prodr. III. 383. *Crassula Cotyledon* Curt. Bot. Mag. t. 384. Jacq. Misc. bot. II. 295. t. 19. — δ — *Habitat ad Caput bonae spei.*

4969. **Crassula portulacea** Lam. Dict. II. p. 172. DC. Plant. grass. t. 79. Prodr. III. 383. *Crassula obliqua* Aiton Hort. kew. ed. 1. II. 393. — δ — *Habitat ad Caput bonae spei.*

Radix ab incolis Hottentottis editur et nominatur » *T' Karckay.* «

4970. **Crassula lactea** Aiton Hort. kew. ed. 1. I. 496. DC. Plant. grass. t. 37. Prodr. III. 383. Smith Exot. bot. t. 33. Sims Bot. Mag. t. 1771. Jacq. Hort. Schönbr. t. 430. — δ — *Habitat ad Caput bonae spei.*

** **Subulares** DC.

4971. **Crassula tetragona** Linn. Spec. 404. DC. Plant. grass. t. 19. Prodr. III. 384. — δ — *Habitat ad Caput bonae spei.*

*** **Perfilatae** DC.

4972. **Crassula perfossa** Lam. Dict. II. 173. DC. Plant. grass. t. 25. Prodr. III. 385. Jacq. Hort. Schönbr. t. 432. *Crassula perfilata* Scop. del. insabr. III. 12. t. 6. c. *Crassula coronata* Don Cat. — δ — *Habitat inter saxi ad Caput bonae spei.*

**** **Pellucidae** Eckl. et Zeyh.

4973. **Crassula marginalis** Aiton Hort. kew. ed. 1. I. 396. Jacq. Hort. Schönbr. IV. t. 471. DC. Prodr. III. 385. *Crassula marginata* Thunberg Flor. cap. 287. — 4 — *Habitat in locis humidis et nemoribus Capitis bonae spei.*

***** **Petiolares** DC.

4974. **Crassula cordata** Aiton Hort. kew. ed. 1. I. 396. Jacq. Hort. Schönbr. t. 431. DC. Prodr. III. 386. — δ — *Habitat in Capite bonae spei.*

4975. **Crassula spathulata** Thunberg Prodr. Flor. cap. 58. DC. Plant. grass. t. 49. Prodr. III. 386. *Crassula lucida* Lam. Dict. II. 173. *Crassula cordata* Lodd. Bot. Cab. t. 359. — ♀ — *Habitat ad Caput bonae spei.*

***** Rosulares DC.

4976. **Crassula orbicularis** Linn. Mant. 361. DC. Plant. grass. t. 43. Prodr. III. 389. — ♀ — *Habitat inter saxa Capitis bonae spei.*

***** Cillares Eckl. et Zeyh.

4977. **Crassula ciliata** Linn. Spec. 405. DC. Plant. grass. t. 7. Prodr. III. 387. — ♀ — *Habitat in arido-arenosis Capitis bonae spei.*

c. Pyrgosea Sweet.

4978. **Crassula linguaefolia** Haw. Misc. nat 175. DC. Prodr. III. 386. *Turgosea linguaefolia* Haw. Rev. 14. — ♀ — *Habitat ad Caput bonae spei.*

4611. **Globulea** Haw.

4979. **Globulea cultrata** Haw. Synops. 60. DC. Prodr. III. 391. *Crassula cultrata* Linn. Spec. II. p. 405. Bot. Mag. t. 1940. — ♀ — *Habitat inter frutices Capitis bonae spei.*

4612. **Thisantha** Eckl. et Zeyh.

4980. **Thisantha glomerata** Ecklon et Zeyher Enum. Plant. cap 302. *Crassula glomerata* Linn. Mant. 60. DC. Prodr. III. 389. — ☉ — *Habitat in sabulosis Capitis bonae spei.*

4615. **Rochea** DC.

Sect. I. **Danielia** DC.

4981. **Rochea falcata** DC. Plant. grass. t. 103. Prodr. III. 393. *Larochea falcata* Haw. Synops. 50. Tratt. Thesaur. t. 20. *Crassula falcata* Willd. Enum.

Hort. ber. 341. Sims Bot. Mag. t. 2035. — ♀ — *Habitat ad Caput bonae spei.*

4982. **Rochea perfoliata** DC. Prodr. III. 393. *Crassula perfoliata* Linn. Spec. 404. — ♀ — *Habitat in Capite bonae spei.*

Sect. II. **Franciscea** DC.

4983. **Rochea coccinea** DC. Plant. grass. t. 1. ex ind. Prodr. III. 394. *Larochea coccinea* Haworth Synops. 50. *Crassula coccinea* Linn. Spec. 404. Curtis Bot. Mag. t. 495. *Dietrichia coccinea* Trattin. Thesaur. t. 19. *Kalosanthes coccinea* Haworth Revis. 18. — ♀ — *Habitat inter saxa strata in vertice montis tabularis ad Caput bonae spei.*

4616. **Kalanchoë** Adans.

4984. **Kalanchoë crenata** Haworth Synops. p. 109. DC. Prodr. III. 395. *Vereia crenata* Andrews Bot. Reposit. t. 21. *Cotyledon crenata* Vent. H. Malm. t. 49. Sims Bot. Mag. t. 1436. — ♀ — *Habitat ad latera montium in Capite bonae spei et in Sierra - Leona.*

4985. **Kalanchoë laciniata** DC. Plant. grass. t. 100. Prodr. III. 395. *Cotyledon laciniata* Linn. Spec. 615. *Planta anatis* Rumph. Amb. V. t. 95. — ♀ — *Habitat in Java, ins. Moluccis et Mauritanis.*

4617. **Bryophyllum** Salisb.

4986. **Bryophyllum calycinum** Salisb. Parad. 3. Sims Bot. Mag. t. 1409. DC. Prodr. III. 396. *Cotyledon pinnata* Lam. Dict. II. 141. *Kalanchoë pinnata* Persoon Encheir. I. 446. *Cotyledon calycina* Roth Nov. Spec. 217. — ♀ — *Habitat in Asia et Africa tropica.*

4618. **Cotyledon** DC.

*Folius oppositis.

4987. **Cotyledon orbiculata** Linn. Spec. 614. DC. Plant. grass. t. 76. Prodr. III. 396. — ♀ — *Habitat in Capite bonae spei.*

α. Rotundifolia DC.

β. Obovata DC. *Cotyledon orbiculata* var. *α.* DC. Plant. grass. t. 76. Curt. Bot. Mag. t. 321.

4988. **Cotyledon ramosissima** Haworth Suppl. 25. DC Prodr. III. 396. — *♂* — *Habitat in Capite bonae spei.*

4989. **Cotyledon corruscans** Haworth Suppl. 21. DC. Prodr. III. 396. Bot. Mag. t. 2601. — *♂* — *Habitat in Capite bonae spei.*

****Folii alternis marcescentibus.**

4990. **Cotyledon spuria** Linn. Spec. 614. DC. Prodr. III. 397. *Cotyledon teretifolia* Lam. Dict. II. 139. non Thunb. — *♂* — *Habitat ad Caput bonae spei.*

4991. **Cotyledon fascicularis** Aiton Hort. kew. ed. 1. II. 166. DC. Prodr. III. 397. *Cotyledon paniculata* Thunb. Flor. cap. 396. *Cotyledon tardiflorum* Bonpl. nav. t. 37. — *♂* — *Habitat in Capite bonae spei.*

*****Folii alternis persistentibus.**

4992. **Cotyledon haemisphaerica** Linn. Spec. 614. DC. Plant. grass. t. 87. Prodr. III. 398. — *♂* — *Habitat inter saxa ad Caput bonae spei.*

4620. **Umbilicus** DC.

Sect. I. **Cotyle** DC.

4993. **Umbilicus pendulinus** DC. Plant. grass. t. 156. DC. Prodr. III. 400. *Cotyledon Umbilicus* Linn. Spec. 615. var. *α.* Sowerb. Engl. Bot. t. 325. — *♀* — *Habitat in locis lapidosis et rupibus et muris Europae occidentalis et australis.*

Sect. II. **Orostachys** DC.

4994. **Umbilicus spinosus** DC. Prodr. III. 400. *Cotyledon spinosa* Linn. Spec. 615. *Sedum spinosum* Thunb. Flor. japon. 186. Murr. Comm. Götting

VII. 33. t. 5. *Crassula spinosa* Linn. Mant. 388. Gmel. Lib. IV. t. 67. f. 2. *Orostachys chlorantha* Fisch. Catal. Hort. Gorenk. p. 99. — ☉ — *Habitat in Sibiria, China et Japonia.*

4995. **Umbilicus malacophyllus** DC. Prodr. III. 400. *Cotyledon malacophylla* Pallas It. App. t. 10. f. 1. *Orthostachys malacophylla* Fischer Catal. Hort. Gorenk. p. 99. — ☉ — *Habitat in rupestribus Dahuriae.*

4621. **Echeveria** DC.

4996. **Echeveria coccinea** DC. Prodr. III. 401. *Cotyledon coccinea* Cavan. Icon. II. 54. t. 170. Lodd. Bot. Cab. t. 832. — ♀ — *Habitat in Mexico.*

4997. **Echeveria gibbiflora** DC. Prodr. III. 401. *Cotyledon gibbiflora* Icon. Fl. mex. ined. — ♀ — *Habitat in Mexico.*

4998. **Echeveria racemosa** Cham. et Schlecht. in Linnaea. V. 554. — ♀ — *Habitat in Mexico.*

4622. **Sedum** Linn.

A. *Planifolia.*

* *Floribus luteis.*

4999. **Sedum Rhodiola** DC. Fl. fr. ed. 3. IV. 386. Plant. grass. t. 143. Prodr. III. 401. *Rhodiola rosea* Linn. Spec. 1465. Schkuhr t. 331. *Sedum roseum* Scopoli Flor. carn. ed. 2. n. 560. non Stev. *Rhodiola odorata* Lam. Ill. t. 819. — 2 — *Habitat in locis rupestribus alpium Europae mediae.*

5000. **Sedum Aizoon** Linn. Spec. 617. DC. Plant. crass. t. 101. Prodr. III. 402. — 2 — *Habitat in Sibiria.*

5001. **Sedum hybridum** Linn. Spec. 617. Gmel. Nov. Comm. Götting. VI. 36. t. 5. DC. Prodr. III. 402. — 2 — *Habitat in Tartaria.*

β. *Altaicum.*

**** Floribus albis, rubris aut caeruleis.**

5002. **Sedum maximum** Sut. Flor. Helv. I. 270. Reichenb. Iconogr. eur. VIII. 969. *Sedum latifolium* Bertol. Amoen. ital. 366. DC. Prodr. III. 402. — 2 — *Habitat in montanis Helvetiae, Germaniae, Italiae, Galliae etc.*

β. *Purpureum*. — γ. *Rubens*.

5003. **Sedum Telephium** Linn. Spec. 616. α. γ. DC. Prodr. III. 402. — 2 — *Habitat in Europae montosis apricis, muris, ad aggeres et dumeta.*

α. *Album*. *Anacampseros albida* Haworth Synops. 111. Fuchs Hist. t. 800.

β. *Ochroleucum*. *Anacampseros vulgaris* Haworth Synops. 111.

γ. *Purpureum*. *Sedum Telephium* γ. Linn. ex syn. *Sedum Telephium* β *purpureum* Hoch Synops. 258. *Anacampseros purpurea et triphylla* Haworth Synops. 111. *Sedum Telephium* Reichenb. Iconogr. eur. VIII. f. 968.

5004. **Sedum Fabaria** Koch Synops. Flor. germ. 258. *Sedum Telephium* β. *purpureum* Linn. Spec. 616. ex syn. C. Bauh. — 2 — *Habitat in montanis Europae mediae.*

5005. **Sedum spurium** Bieberst. Flor. Taur. cauc. I. 352. Sims Bot. Mag. t. 2370. DC. Prodr. III. 402. — 2 — *Habitat in rupibus Caucasi.*

5006. **Sedum lividum** Willd. Enum. Hort. Berol. Suppl. 24. DC. Prodr. III. 403. *Anacampseros livida* Haworth Revis. 25. — 2 — *Patria ignota.*

5007. **Sedum cruciatum** Desf. Cat. 162. DC. Fl. fr. IV. 389. Prodr. III. 403. *Sedum Monregalense* Balb. Miscell. 23. t. 6. Reichenb. Iconogr. eur. III. f. 438. — 2 — *Habitat in vallibus montium Pedemontii Monregalensis, in Corsica, Liguria apuana.*

5008. **Sedum oppositifolium** Sims Bot. Mag. t. 1807. DC. Prodr. III. 403. *Anacampseros ciliaris* Haworth Synops. 113. Revis. 25. — 2 — *Habitat in Caucaso.*

β. *Rubrum*.

5009. **Sedum ternatum** Michaux Flor. Bor.

Amer. l. 277. Bot. Reg. t. 142. Bot. Mag. t. 1977. DC. Prodr. III. 403. *Sedum portulacoides* Willd. Enum. Hort. ber. 484. *Sedum octogonum* Hortul. — 2 — *Habitat in rupibus Pensylvanicae, Virginiae, Carolinae.*

5010. ***Sedum populifolium*** Linn Fil. Suppl. 242. Bot. Mag. t. 211. DC. Plant. grass. t. 110. Prodr. III. 403. — 2 — *Habitat in Sibiriae montibus Saianensibus.*

5011. ***Sedum Eversii*** Ledebour Flor. alt. II. 191. Ic. t. 58. — 2 — *Habitat in Sibiria altaica.*

5012. ***Sedum Sieboldii*** Hort. — 2 — *Habitat in Japonia.*

5013. ***Sedum sempervivum*** Ledebour in Spreng. Syst. Veg. II. 434. DC. Prodr. III. 404. *Sedum sempervivoides* Fisch. msc. Bieberst. Flor. Taur. Suppl. 313. Sims Bot. Mag. t. 3474. — 2 — *Habitat in Iberia.*

B. Teretifolia.

* **Floribus albis, rubris aut caeruleis.**

5014. ***Sedum caeruleum*** Vahl Symb. II. 51. Bot. Mag. t. 2224. Bot. Reg. t. 520. DC. Prodr. III. 404. *Sedum azureum* Desf. Flor. atl. I. 362. — ☉ — *Habitat in fissuris rupium regni tunetani.*

5015. ***Sedum atratum*** Linn. Spec. 1673. Jacq. Flor. austr. t. 8. DC. Prodr. III. 405. *Sedum haematodes* Scopoli Flor. carn. IV. 323. non Mill. — ☉ — *Habitat in locis petrosis apricis alpium.*

5016. ***Sedum glaucum*** Waldst. et Kitaibel Plant. rar. Hung. II. 198. t. 181. DC. Prodr. III. 405. *Sedum Hungaricum* Poir. — ☉ — *Habitat in collibus arenosis Banatus Hungariae.*

5017. ***Sedum dasyphyllum*** Linn. Spec. 618. Jacq. Hort Vindob. II. t. 153. DC. Plant grass. t. 93. Prodr. III. 406. *Sedum glaucum* Lam. Dict. IV. 630. non Kit. — 2 — *Habitat in rupibus humidiusculis vallium alpinarum, et ad muros planitierum alpes comitantium.*

5018. **Sedum hispanicum** Linn. Spec. 618. DC. Prodr. III. 406. *Sedum Guettardi* Gmel. Flor. bad. II. 280. — ☉ — *Habitat in rupibus convallium alpinarum.*

5019. **Sedum album** Linn. Spec. 619. Flor. dan. t. 66. DC. Plant. grass. t. 22. Prodr. III. 406. *Sedum teretifolium* a. Lam. Fl. fr. III. 84. — 2 — *Habitat in rupibus, locis asperis, muris apricis Europae.*

****Floribus flavis.**

5020. **Sedum sexangulare** Linn. Spec. 620. DC. Plant. grass. t. 118. Prodr. III. 407. *Sedum Forsterianum* Reichenb. Iconogr. eur. IX. f. 1135. *Sedum boloniense* Reichenb. l. c. IX. p. 18. — 2 — *Habitat in campis arenosis pratisque apricis Europae.*

5021. **Sedum reflexum** Linn. Spec. 618. DC. Prodr. III. 408. *Sedum collinum* Wimm. et Grab. Fl. siles. I. 444. — 2 — *Habitat in rupibus et muris Europae.*

α *Viride* Koch l. c. *Sedum reflexum* Linn. Spec. 618. Reichenb. Iconogr. III. f. 459. *Sedum crassicaule* Link Enum. I. 438.

β *Glaucum* Koch l. c. *Sedum rupestre* Linn. Spec. 618. excl. syn. Dill. *Sedum collinum* Willd. et *Sedum recurvatum* Willd. l. c. *Sedum glaucum* Smith Engl. Flor. II. 321.

γ *Cristatum* DC. *Sedum cristatum* Schrad. Hort. Götting. t. 10. *Sedum crassicaule* Hortul.

5022. **Sedum virescens** Willd. Enum. Hort. berol. DC. Prodr. III. 408. — 2 — *Habitat in Sibiria.*

5023. **Sedum altissimum** Poir. Dict. IV. 634. DC. Plant. grass. t. 116. Prodr. III. 408. *Sempervivum sediforme* Jacq. Hort. Vindob. t. 81. et var. *monstrosa* miscell. I. 133. t. 5. *Sedum fruticosum* Brot. Flor. lusit. II. 206. *Sedum rufescens* Tenore Flor. neap. t. 41. *Sedum nicaeense* Allioni Flor. pedem. n. 1752. t. 90. f. 1. *Sedum Jacquini* Haworth in philos. Mag. 1825. p. 174. — 2 — *Habitat in Europa australl.*

5024. **Sedum annuum** Linn. Spec. 620. excl. cit. Raii. *Sedum saxatile* Weiggers. Prim. 35. DC. Plant. grass t. 119. Prodr. III. 409. (excl. syn. *Sedi*

alpestris Vill.) non All. *Sedum nestivum* Allioni Flor. pedem. II. 121. *Sedum rupestre* Oed. Flor. dan. t. 50. *Sedum Oederi* Retz pr. 562. — ☉ — *Habitat in muris et rupibus apricis in subalpinis, in alpes altissimas ascendens.*

5025. ***Sedum tenellum*** Bieberst. Suppl. Flor. Taur. 315. DC. Prodr. III. 410. — ☉ — *Habitat in alpestribus Caucasi.*

4623. ***Sempervivum*** Linn.

Sect. I. ***Chronobium*** DC.

* ***Fruticosa.***

5026. ***Sempervivum tortuosum*** Ait. Hort. kew. ed. 1. II. 148. Bot. Mag. t. 296. DC. Plant. grass. t. 156. — ♀ — *Habitat in Canariis.*

5027. ***Sempervivum glutinosum*** Ait. Hort. kew. ed. 1. II. 147. Jacq. Hort. Schönbr. IV. t. 464. Bot. Mag. t. 1963. Bot. Reg. t. 278. — ♀ — *Habitat in Madera.*

5028. ***Sempervivum urbicum*** Horném. Hort. Hafn. Suppl. 60. — ♀ — *Habitat in Canariis ad muros urbium.*

5029. ***Sempervivum arboreum*** Linn. Spec. 664. DC. Plant. grass. t. 125. et 125. — ♀ — *Habitat ad rupes et muros Lusitaniae, Barbariae, Cretae, Zazynthi etc.*

β. ***Nigrum.***

5030. ***Sempervivum tabulaeforme*** Haworth Suppl. 69. Revis. 63. — ♀ — *Habitat in Madera.*

5031. ***Sempervivum canariense*** Linn. Spec. 664. DC. Plant. grass. t. 141. — ♀ — *Habitat in insulis Canariis.*

β. ***Subtabulaeforme.***

5032. ***Sempervivum barbatum*** C. Smith in Hor. berol. 37. *Sempervivum lineolare* Haworth Suppl. 69. Revis. 65. *Sempervivum spathulatum* Hor-

nem. Hort. Hafn. Suppl. 60. — 3 — *Habitat in Canariis.*

β. *Hybridum* Salm-Dyck in DC. — γ. *Arboreum.*

5033. ***Sempervivum caespitosum*** C. Smith in Hor. Phys. berol. 38. DC. Prodr. III. 412. *Sempervivum ciliatum* Sims Bot. Mag. t. 1978. non Willd. *Sempervivum ciliare* Haworth Revis. 64. *Sempervivum Simsii* Sweet Hort. suburb. 230. *Sempervivum barbatum* Horn. Hort. Hafn. Suppl. 61. — 3 2 — *Habitat in summis rupibus insulae Magnae Canariae.*

**** Herbacea.**

5034. ***Sempervivum aureum*** C. Smith in Hor. Phys. berol. 37. *Sempervivum calyciforme* Hornem. Hort. Hafn. Suppl. 69. Bot. Reg. t. 892. — 3 — *Habitat in montibus insulae Teneriffae.*

β. *Spurium.*

Sect. II. Jovibarba DC.

*** Floribus flavescentibus.**

5035. ***Sempervivum hirtum*** Linn. Spec. 665. DC. Plant. grass. t. 107. — 2 — *Habitat in rupibus montanis et subalpinis Austriae.*

5036. ***Sempervivum Wulfeni*** Hoppe in Koch Synops. 262. *Sempervivum globiferum* Wulfen ap. Jacq. Flor. austr. V. App. t. 40. — 2 — *Habitat in rupibus summorum alpium Tyrolensium et Carinthiacarum.*

**** Floribus purpurascenscentibus.**

5037. ***Sempervivum tectorum*** Linn. Spec. 664. DC. Plant. grass. t. 104. *Sedum tectorum* Scop. Flor. carn. ed. 2. II. 325. n. 529. — 2 — *Habitat in rupibus alpium, in muris et tectis.*

5038. ***Sempervivum montanum*** Linn. Sp. 665. Jacq. Flor. austr. V App. t. 41. — 2 — *Habitat in rupibus aridis alpium altissimarum.*

5039. **Sempervivum arachnoideum** Linn.
Spec. 665. DC. Plant. grass. t. 105. Prodr. III. 413.
— 2 — *Habitat in rupibus alpium Europae.*

Sect. III. **Monanthes** Haw.

5040. **Sempervivum Monanthes** Ait. Hort.
kew. ed. 1. II. 149. Bot. Mag. t. 93. DC. Plant. grass.
t. 157. *Monanthes polyphylla* Haworth Revis. 68. — 2 —
Habitat in insulis Canariis.

* **Francoaceae.**

4626. **Francoa** Cav.

5041. **Francoa appendiculata** Cavan. Ic.
VI. 77. t. 596. Hooker et Arnott Bot. Miscell. III.
249. Kunze in Flora 1831. p. 369. Lindley Bot. Reg.
t. 1645. Hooker Bot. Mag. t. 3178. DC. Prodr. VII.
777. — 2 — *Habitat in Chili.*

5042. **Francoa sonchifolia** Cavan. Ic. VI.
77. in not. Hooker et Arnott Bot. Miscell. III. 249.
Kunze in Flora 1831. p. 369. DC. Prodr. VII. 777.
Francoa appendiculata Adr. Jussieu in Annal. sc. nat.
III. 195. t. 12. *Panke sonchifolia* Willdenow Spec. II.
487. *Llaupanke Feuillé* Obs. II. t. 31. — 2 — *Habi-
tat in Chili.*

5043. **Francoa ramosa** Don in Edinb. ph.
Journ. 1826. Octob. DC. Prodr. VII. 778. — 2 —
Habitat in Chili.

Ordo CXVI. Saxifragaceae.

Subordo I. Saxifrageae.

4634. **Saxifraga** Linn.

a. Alzoonia Tausch.

5044. **Saxifraga longifolia** Lapeyr. Flor.
Pyren. 26. t. 11. DC. Prodr. IV. 19. — 2 — *Habi-
tat in Pyrenaeis.*

5045. **Saxifraga aizoon** Jacq. Flor. austr. t. 438. DC. Prodr. IV. 19. — 4 — *Habitat in alpi-
bus Austriae, Helvetiae, Carpathi et Pyrenaeorum.*

β. *Minor brevifolia* Sternberg Revis. t. 3. b.

5046. **Saxifraga intacta** Willdenow Hort. Berolin. t. 75. DC. Prodr. IV. 20. — 4 — *Habitat
in alpi-
bus Tyrolis calidioris.*

5047 **Saxifraga caesia** Linn. Spec. 571. Jacq. Flor. austr. t. 374. Sternberg Revis. t. 9. f. 1. 2. DC. Prodr. IV. 21. — 4 — *Habitat in alpi-
bus Helvetiae, Subaudiae, Austriae et Pyrenaeorum.*

δ. *Dactyloides* Tausch.

5048. **Saxifraga muscoides** Wulfen in Jacq. Collect. II. 123. DC. Prodr. IV. 25. — 4 — *Habitat in alpi-
bus Europae totius.*

β. *Lineata* Sternberg Revis. Suppl. I. 10. t. 7. f. 1. — γ. *Caespitosa* Sternberg Revis. t. 11. b. f. 1. — δ *Moschata* Wulfen Op. at. t. 21. f. 21.

5049. **Saxifraga ajugaefolia** Linn. Spec. 578. DC. Prodr. IV. 28. — 4 — *Habitat in saxosis
humidis Pyrenaeorum.*

5050. **Saxifraga irrigua** Bieberst. Flor. Taur. cauc. II. 460. Bot. Mag. t. 2207. — 4 — *Habitat in
saxis irriguis Caucasi.*

5051. **Saxifraga trifurcata** Schrader Hort. Götting. I. 13. t. 7. DC. Prodr. IV. 30. *Saxifraga ce-
ratophylla* Dryander in Aiton Hort. kew. ed. 2. III. 70. Sims Bot. Mag. t. 1651. — 4 — *Habitat in His-
pania.*

5052. **Saxifraga hypnoides** Linn. Spec. 579. DC. Prodr. IV. 31. — 4 — *Habitat in montibus cal-
careis Europae australioris.*

α *Gemmifera* Sering. *Saxifraga hypnoides* DC. Fl. fr. IV. 376. — β. *Condensata* Smith Engl. Flor. II. 278. *Saxi-
fraga palmata* Lejeune Flor. Spa. I. 194. *Saxifraga Gmelini* Host Flor. austr. I. 512. — γ. *Leptophylla* Haworth Enum. 33. *Saxifraga Schraderi* Sternberg Revis. Suppl. 11. t. 8. — δ. *Sternbergii* Willdenow Enum. 462. Sternberg Revis. 56. t.

14. — *s. Decipiens* Ehrhart Beitr. V. 45. *Saxifraga palmata* Smith E. B. t. 455.

5053. **Saxifraga petraea** Linn. Spec. 578. Jacq. Ic. rar. t. 81. DC. Prodr. IV. 34. — 2 — *Habitat in Carniolia et Monte Baldo.*

5054. **Saxifraga tridactylites** Linn. Spec. 578. E. B. t. 501. DC. Prodr. IV. 35. — ☉ — *Habitat in arenosis Europae.*

5055. **Saxifraga granulata** Linn. Spec. 577. E. B. t. 500. DC. Prodr. IV. 35. — 2 — *Habitat in collibus sylvaticis Europae totius.*

5056. **Saxifraga cernua** Linn. Spec. 577. Flor. dan. t. 22. et 390. E. B. t. 664. DC. Prodr. IV. 36. — 2 — *Habitat in Helvetia, Anglia et Sibiria.*

5057. **Saxifraga multiflora** Ledebour Flor. alt. II. 126. Ic. t. 335. — 2 — *Habitat in Sibiria.*

c. *Bergenia* Mönch.

5058. **Saxifraga crassifolia** Linn. Spec. 573. Curtis Bot. Mag. t. 196. DC. Prodr. IV. 37. *Megasea crassifolia* Haworth Enum. 6. — 2 — *Habitat in alpinis Sibiriae.*

5059. **Saxifraga cordifolia** Haworth Misc. nat. 157. DC. Prodr. IV. 38. *Megasea cordifolia* Haworth Enum. 7. — 2 — *Habitat in Sibiria.*

5060. **Saxifraga ligulata** Wallich in Asiat. Research. XIII. 398. DC. Prodr. IV. 38. *Megasea ciliata* Haworth Enum. 7. — 2 — *Habitat in Nepalia.*

d. *Hydaticea* Tausch.

5061. **Saxifraga cuneifolia** Linn. Spec. 574. Waldst. et Kitaib. Plant. rar. Hung. t. 44. DC. Prodr. IV. 41. — 2 — *Habitat in alpinis Europae.*

5062. **Saxifraga umbrosa** Linn. Spec. 574. Lapeyr. Pyren. t. 22. DC. Prodr. IV. 42. — 2 — *Habitat in Pyrenaeis et in Hibernia.*

5063. **Saxifraga hirsuta** Linn. Spec. 574. DC. Prodr. IV. 42. — 2 — *Habitat in Sibiria et in Hiberniae alpinis.*

a. Serrata Walker Arnott mac. *Saxifraga hirsuta* E. B. t. 2322. Lapeyrouse Pyren. t. 23. *Saxifraga polita* Hortor. — *β. Geum. Saxifraga Geum* Linn. Spec. 574.

5064. ***Saxifraga sarmentosa*** Linn. f. Suppl. 240. Curt. Bot. Mag. t. 92. DC. Prodr. IV. 43. *Saxifraga stolonifera* Jacq. Ic. rar. t. 80. *Saxifraga ligulata* Murray in Comment. Götting. 1781. p. 26. t. 1. *Saxifraga chinensis* Loureiro Flor. cochinch. I. 345. *Ligularia sarmentosa* Borkhausen in Römer Magaz. I. 29. — 2 — *Habitat in China et Japonia.*

c. Micropetalum Tausch.

5065. ***Saxifraga rotundifolia*** Linn. Spec. 576. Lapeyrouse Pyren. t. 24. — 2 — *Habitat in umbrosis subalpinis Europae totius.*

4638. ***Chrysosplenium*** Tournef.

5066. ***Chrysosplenium alternifolium*** Linn. Spec. 569. — ☉ — *Habitat in umbrosis humidis Europae totius.*

4639. ***Heuchera*** Linn.

a. Euheuchera Torr. et A. Gray.

5067. ***Heuchera americana*** Linn. Spec. 226. Torrey et A. Gray Flora of North Amer. I. 577. — 2 — *Habitat in sylvaticis et rupestribus Americae borealis.*

5068. ***Heuchera caulescens*** Pursh Flor. Bor. Amer. I. 188. Torrey et A. Gray Flora of North Amer. I. 578. — 2 — *Habitat in montibus Carolinae.*

5069. ***Heuchera villosa*** Michaux Flor. Bor. Amer. I. 172. Torrey et A. Gray Flora of North Amer. I. 578. *Heuchera parviflora* Bartling Index Sem. Hort. Götting. 1838. — 2 — *Habitat in montibus Marylandiae, Virginiae, Carolinae borealis, nec non in Canada.*

5070. ***Heuchera glabra*** Willdenow in Römer et Schultes Syst. VI. 216. Hooker Flor. Bor. Amer. I. 236. t. 79. Torrey et A. Gray Flora of North

Amer. I. 578. *Heuchera divaricata* Fischer ex DC. Prodr. IV. 52. — 4 — *Habitat in America boreali - occidentali.*

5. *Heuchera* Torr. et A. Gray.

5071. *Heuchera pubescens* Pursh Flor. Bor. Amer. I. 187. Torrey et A. Gray Flora of North Amer. I. 579. — 4 — *Habitat in montibus Pennsylvaniae et Virginiae.*

4642. *Tellima* R. Br.

5072. *Tellima grandiflora* Douglas in Bot. Reg. t. 1178. Torrey et A. Gray Flora of North Amer. I. 583. — 4 — *Habitat in America boreali - occidentali.*

4643. *Tiarella* Linn.

5073. *Tiarella cordifolia* Linn. Spec. 405. Lam. t. 373. f. 1. Bot. Mag. t. 1589. Torrey et A. Gray Flora of North Amer. I. 587. — 4 — *Habitat in sylvis Americae borealis a Canada ad Pensylvaniam, nec non in montanis Virginiae.*

4644. *Hoteia* Morr. et Dec.

5074. *Hoteia japonica* Morr. et Decaisne Norw. Annal. sc. nat. II. 316. t. 11. *Spiraea japonica* Thunb. Flor. japon. 209. — 4 — *Habitat in Japonia.*

Subordo II. Cunonieae.

4648. *Callicoma* Andr.

5075. *Callicoma serratifolia* Andrews Bot. Reposit. t. 566. Sims Bot Mag. t. 1811. — 3 — *Habitat in Nova Hollandia orientali.*

4662. *Cunonia* Linn.

5076. *Cunonia capensis* Linn. Spec. 569. Lam. t. 371. Loddiges Bot. Cab. t. 826. — 5 — *Habitat in Capite bonae spei.*

4665. **Bauera** Kenned.

5077. **Bauera humilis** Sweet Hort. suburb.
 124. Loddig. Bot. Cab. t. 1197. DC. Prodr. IV. 13.
 — ♂ — *Habitat in Nova Hollandia.*

Genus **Cunoniceis** affine.4665. **Astorganthus** Endl.

5078. **Astorganthus Hügelii** Endl. — ♂ —
Habitat in Nova Zeelandia.

Subordo III. **Hydrangeae**.4668. **Hydrangea** Linn.

5079. **Hydrangea arborescens** Linn. Spec.
 568. Bot. Mag. t. 437. — ♂ — *Habitat in America boreali.*
 β. *Cordata* Torrey et A. Gray Flora of North Amer. I.
 591. *Hydrangea cordata* Pursh Flor. Bor. Amer. I. 309. DC.
 Prodr. IV. 14.
 5080. **Hydrangea Hortensia** DC. Prodr.
 IV. 15. *Hydrangea hortensis* Smith Ic. pict. I. t. 12.
Hortensia opuloides Lam. Dict. III. 136. Duhamel Arbr.
 ed. nov. III. 97. t. 14. *Hortensia speciosa* Persoon En-
 cheir. I. 505. — ♂ — *Habitat in China et Japonia.*

Subordo IV. **Escallonieae**.4674. **Escallonia** Mutis.

5081. **Escallonia rubra** Persoon Encheir.
 II. 235. Hooker Bot. Mag. t. 2890. DC. Prodr. IV. 3.
Stereoxylon rubrum Ruiz et Pavon Flor. peruv. t. 236.
 f. 6. — ♂ — *Habitat in Chili.*
 5082. **Escallonia floribunda** Kunth in
 Humb. et Bonpl. Nov. gen. et sp. III. 297. DC. Prodr.
 IV. 4. — ♂ — *Habitat in Andibus Novo-Granadensibus.*

* **Brexia** ceae.4681. **Brexia** Thouar.

5083. **Brexia madagascariensis** Her in Bot. Reg. t. 730. — ♂ — *Habitat in Madagascaria.*

5084. **Brexia spinosa** Lindley in Bot. Reg. t. 872. *Theophrusta serratifolia* Hortul. — ♂ — *Habitat in Madagascaria.*

Ordo CXVII. Ribesiaceae.4682. **Ribes** Linn.**α. Grossularia** A. Rich.

5085. **Ribes Cynosbati** Linn. Spec. 292. Jacq. Hort. Vindob. II. t. 123. Guimpel et Hayne Holzart. t. 135. DC. Prodr. III. 479. Torrey et A. Gray Flora of North Amer. I. 545. — ♂ — *Habitat in Canadae montibus.*

5086. **Ribes oxyacanthoides** Linn. Spec. 291. DC. Prodr. III. 478. Torrey et A. Gray Flora of North Amer. I. 546. — ♂ — *Habitat in rupestribus Canadae.*

5087. **Ribes rotundifolium** Michaux Flor. Bor. Amer. I. 110. Torrey et A. Gray Flora of North Amer. I. 547. *Ribes triflorum* Willdenow Hort. berol. t. 61. Guimpel et Hayne Holzart. t. 3. DC. Prodr. III. 479. — ♂ — *Habitat in montanis rupestribus Americae borealis.*

5088. **Ribes niveum** Lindley in Bot. Reg. t. 1692. Torrey et A. Gray Flora of North Amer. I. 548. — ♂ — *Habitat in America boreali-occidentali.*

5089. **Ribes lacustre** Poir. Suppl. II. 856. Guimpel et Hayne Holzart. t. 136. DC. Prodr. III. 548. Torrey et A. Gray Flora of North Amer. I. 548. — ♂ — *Habitat in paludosis montanis Americae borealis.*

β. Echinatum. *Ribes echinatum* Douglas ex Lindley Bot. Reg. t. 1349.

5090. **Ribes aciculare** Smith in Rees Cyclop. DC. Prodr. III. 478. Ledebour Flor. alt. I. 272. Ic. t. 230. — ♂ — *Habitat in rupestribus regionis altaicae et Sibiriae.*

Baccae edules, Rossis et Calmuccis vulgo »Kren - Bersen« dictae.

5091. **Ribes saxatile** Pallas in Nov. Act. Petrop. X. 376. Ledebour Ic. t. 239. — ♂ — *Habitat in rupestribus regionis altaicae et Sibiriae.*

5092. **Ribes Uva crispa** DC. Fl. fr. IV. 408. Prodr. III. 478. — ♂ — *Habitat in Europa et Asia media.*

Var. a. *Sylvestre* DC. l. c. *Ribes Uva crispa* Linn. Spec. 291. — Var. b. *Sativum* DC. l. c. *Ribes Grossularia* Linn. Spec. 291.

6. **Ribesia** DC.

5093. **Ribes diacantha** Linn. f. Suppl. 157. DC. Prodr. III. 479. — ♂ — *Habitat in Dahuriae et Sibiriae saxosis.*

Var. β. *Inermis.*

5094. **Ribes alpinum** Linn. Spec. 291. DC. Prodr. III. 480. — ♂ — *Habitat in alpinis Europae et Sibiriae.*

5095. **Ribes floridum** Heritier Stirp. I. 4. Guimpel et Hayne Holzart. t. 1. DC. Prodr. III. 482. Torrey et A. Gray Flora of North Amer. I. 549. *Coreosma florida* Spach in Nouv. Annal. sc. nat. IV. 9. — ♂ — *Habitat in sylvis Americae borealis a Virginia ad Canadam (54° L. B.).*

β. *Recurvatum.* *Ribes recurvatum* Michaux Flor. Bor. Amer. I. 110.

5096. **Ribes nigrum** Linn. Spec. 291. DC. Prodr. III. 481. — ♂ — *Habitat in sylvis Europae et Sibiriae.*

Var. β. *Variegatum.*

5097. **Ribes heterotrichum** C. A. Meyer in Ledebour Flor. alt. I. 270. Ic. t. 235. — ♂ — *Habitat in rupestribus Sibiriae altaicae.*

5098. **Ribes triste** Pallas in Nov. Comment.

Petrop. X. 378. DC. Prodr. III. 481. — ♂ — *Habitat in Sibiriae et Mongoliae montibus.*

5099. **Ribes prostratum** Heritier Stirp. I. 3. t. 2. DC. Prodr. III. 481. Torrey et A. Gray Flora of North Amer. I. 550. *Ribes glandulosum* Aiton Hort. kew. ed. 1. I. 279. *Ribes rigens* Michaux Flor. Bor. Amer. I. 110. — ♂ — *Habitat in rupestribus Americae borealis.*

5100. **Ribes spicatum** Robson in Linn. Transact. III. 240. t. 21. Smith Engl. Bot. t. 1290. DC. Prodr. III. 481. — ♂ — *Habitat in sylvis Angliae.*

5101. **Ribes rubrum** Linn Spec. 290. DC. Prodr. III. 481. — ♂ — *Habitat in sylvis Europae.*

β. *Album* Desfont. Cat. Hort. Paris. 164.

5102. **Ribes resinosum** Pursh Flor. Bor. Amer. I. 163. DC. Prodr. III. 481. Torrey et A. Gray Flora of North Amer. I. 550. — ♂ — *Habitat in Americae borealis montibus.*

5103. **Ribes cereum** Douglas in Hortic. Transact. VII. 312. Lindley in Bot. Reg. t. 1263. Hooker in Bot. Mag. t. 3008. Torrey et A. Gray Fl. of North Amer. I. 551. *Ribes inebrians* Lindley in Bot. Reg. t. 1471. *Ribes pumilum* Nuttall msc. — ♂ — *Habitat in montibus scopulosis Americae borealis.*

5104. **Ribes punctatum** Ruiz et Pav. Flor. Peruv. III. 12. t. 233. f. a. DC. Prodr. III. 482. — ♂ — *Habitat in Chili.*

5105. **Ribes glutinosum** Bentham in Hortic. Transact. N. S. I. 476. Torrey et A. Gray Flora of North Amer. I. 551. — ♂ — *Habitat in California.*

5106. **Ribes sanguineum** Pursh Flor. Bor. Amer. I. 164. Douglas in Hortic. Transact. VII. 509. t. 13. Lindley in Bot. Reg. t. 1349. Hooker in Bot. Mag. t. 3335. Torrey et A. Gray Flora of North Amer. I. 551. — ♂ — *Habitat in America boreali-occidentali inter 38° et 52° L. B.*

c. **Siphocalyx** Berland.

5107. **Ribes aureum** Pursh Flor. Bor. Amer.

I. 164. Bot. Reg. t. 125. Berlandier in Mem. Soc. phys. Genev. III. t. 2. f. 23. DC. Prodr. III. 552. Torrey et A. Gray Flora of North Amer. I. 552. — ♂ — *Habitat in Americae borealis ditone Arkansas et Missouri, juxta fluvios.*

Var. β. *Album.* — γ. *Jeffersonii.* — δ. *Praecox.* — ε. *Sanguineum.* — ζ. *Serotinum.*

5108. **Ribes tenuiflorum** Lindley in Hort. Transact. VII. 242. Bot. Reg. t. 1274. Torrey et A. Gray Flora of North Amer. I. 552. *Chrysobotrya Lindleyana* Spach in Nouv. Annal. sc. nat IV. 20. — ♂ — *Habitat in Nova California.*

Var. β. *Atropurpureum.* — γ. *Luteum.* — δ. *Rubrum.*

4683. **Robsonia** Berland.

5109. **Robsonia speciosa** Spach Suites a Buffon VI. 1. *Ribes speciosum* Pursh Flor. Bor. Amer. II. 732. Don in Sweet Fl. Gard. II. t. 149. Lindley in Bot. Reg. t. 1557. Torrey et A. Gray Flora of North Amer. I. 545. *Ribes stamineum* Smith in Rees Cyclop. *Ribes fuchsioides* Berlandier in Mem. soc. phys. Genev. III. t. 3. — ♂ — *Habitat in California.*

Ordo CXVIII. Menispermæ.

4685. **Menispermum** Tourn.

5110. **Menispermum canadense** Linn. Spec. 1468. Lam. III. t. 824. Sims Bot. Mag. t. 1910. DC. Syst. I. 540. Prodr. I. 102. — 2♂ — *Habitat in America boreali.*

5111. **Menispermum dauricum** DC. Syst. I. 540. Prodr. I. 102. Delessert Ic. select. I. t. 100. *Trilophus Ampelisagria* Fisch. in Hort. Gorenk. — 2♂ — *Habitat in collibus saxosis Dauriae.*

4687. **Cocculus** DC.

5112. **Cocculus carolinus** DC. Syst. I. 524. Prodr. I. 98. *Menispermum carolinum* Linn. Spec. 1468. *Wendlandia populifolia* Willd. Spec. II. 275. — 40 — *Habitat in sylvis et sepibus Carolinae, Floridae et Georgiae.*

4695. **Cissampelos** Linn.

5113. **Cissampelos capensis** Thunb. Prodr. 110. DC. Syst. I. 538. — 50 — *Habitat in Capite bonae spei.*

Ordo CXIX. Anonaceae.4717. **Uvaria** Linn.

5114. **Uvaria triloba** Torrey et A. Gray Flora of North Amer. I. 45. *Asimina triloba* Dunal Anon. 81. — 5 — *Habitat in America boreali calidiore, vulgo Papaw.*

4723. **Anona** Linn.

5115. **Anona Cherimolia** Miller Dict. n. 5. Dunal Anon. 72. DC. Syst. I. 473. Prodr. I. 85. *Anona tripetala* Aiton Hort. kew. ed. 1. II. 252. Wendland Observ. 24. t. 3. f. 24. Sims Bot. Mag. t. 2011. — 5 — *Habitat in Peruvia.*
Fructus sapidissimi, vulgo Cherimolia et Fruto de Conde.

*** Eupomatieae.**4730. **Eupomatia** R. Br.

5116. **Eupomatia laurina** R. Brown in Flinders Voy. II. 497. t. 2. — 5 — *Habitat in Nova Hollandia orientali extratropica.*

Ordo CXX. Schizandraceae.

4731. *Kadsura* Juss.

5117. *Kadsura japonica* Dunal Anon. 57. Zuccarini Flor. japon. I. 40. t. 17. *Uvaria japonica* Linn. Spec. 756. *Futó - Kadsura* s. *Sane Kadsura* Kaempfer Amoen. exot. 476. c. ic. et 785. Geschichte von Japan 393. t. 12. — ♂ — *Crescit in majorum insularum imperii japonici sylvis montanis, locis humidis, praeruptis, nullibi frequens, a Sieboldio in Europa introducta.*

E ramulis coctis mucilago obtinetur, in praeparanda charta e Broussonetia et Thymeleis utilis. Matronae lautiores crines oleis medicatis madidos Kadsurae succo tergunt. Fructus viscidus, insipidi.

4732. *Sphaerostemma* Blum.

5118. *Sphaerostemma propinquum* Blume Flor. Jav. Schizandr. p. 14 in not. *Kadsura propinqua* Wallich Flor. nepal. p. 11. t. 15. — ♂ — *Habitat in Nepaliae collibus et in monte Sheapore.*

Ordo CXXI. Magnoliaceae.

Subordo I. Magnolieae.

4737. *Magnolia* Linn.

§. 1. *Magnoliastrum*.

5119. *Magnolia acuminata* Linn. Spec. 756. Duhamel Arbr. edit. nov. II. 222. Michaux f. Arbr. Am. III. 82. t. 3. — ♂ — *Habitat in Americae borealis locis depressis, a Novo-Eboraco ad Georgiam, in provinciis australioribus monticola.*

5120. *Magnolia cordata* L. C. Richard in Michaux Flor. Bor. Amer. I. 328. Michaux f. Arbr. Am. III. 87. t. 4. Ker in Bot. Reg. t. 325. — ♂ — *Habitat in montibus Carolinae borealis et Georgiae.*

5121. **Magnolia umbrella** Lam. Dict. III. 673. *Magnolia tripetala* Linn. Spec. 756. Michaux f. Arbr. Am. III. 90. t. 5. — ♂ — *Habitat in America boreali.*

§. 2. *Guillimia* Rottl.

5122. **Magnolia obovata** Thunb. in Linn. Transact. II. 336. *Magnolia purpurea* Curt. Bot. Mag. t. 324. *Magnolia discolor* Vent. Malm. t. 24. — ♂ — *Habitat in Japonia.*

5123. **Magnolia pumila** Andr. Bot. Rep. t. 226. Vent. Malm. t. 37. — ♂ — *Habitat in Amboina.*

4740. **Liriodendron** Linn.

5124. **Liriodendron Tulipifera** Linn. Spec. 755. Michaux f. Arbr. Am. bor. III. 92. t. 5. — ♂ — *Habitat in America boreali.*

Subordo II. *Illicieae*.

4741. **Tasmannia** R. Br.

5125. **Tasmannia aromatica** R. Brown in DC. Syst. I. 445. Delessert Ic. select. I. t. 84. *Winterana lanceolata* Poiret Dict. VIII. 799. — ♂ — *Habitat in montibus insulae Diemen.*

Cortex aromaticus.

4743. **Illicium** Linn.

5126. **Illicium floridanum** Ellis in Philosoph. Transact. LX. 524. Lam. Illustr. t. 493. Duhamel Arbr. edit. nov. III. 190. t. 47. Sims Bot. Mag. t. 439. Loddig. Bot. Cab. t. 209. — ♂ — *Habitat in Americae borealis provinciis Louisiana, Alabama et Florida, locis paludosis.*

5127. **Illicium religiosum** Sieboldt et Zuccarini Flor. japon. I. 1. t. 1. *Illicium anisatum* Linn. Spec. 664. Gärtner Fruct. I. 338. t. 69. Lam. Illustr. t. 493. f. 2. Duhamel Arbr. edit. nov. III. 191. non

Loureiro. *Somo* vulgo *Skimi* Kämpfer Amoen. exot. 880. c. ic. — ♀ — *Colitur in Japonia.*

Illicii religiosi, arboris vigintiquinquepedalis ante hominum memoriam in Japoniam introductae rami floridi ornandis idolorum altaribus et decorandis bustis inserviunt. Corticis liber modice adstringens, aromaticus, capsulae saporis vapidus. *Illicium anisatum* Lour. mater *Anisi stellati*, stirps botanicis ignota.

Ordo CXXII. Dilleniaceae.

4753. *Hibbertia* Andr.

5128. *Hibbertia volubilis* Andrews Bot. Reposit. t. 126. *Dillenia speciosa* Curtis Bot. Mag. t. 449. excl. synonym. — ♂ ♀ — *Habitat in Nova Hollandia.*

5129. *Hibbertia Cunninghamii* Aiton msc. Hooker in Bot. Mag. t. 3183. — ♂ — *Habitat in Novae Hollandiae australis King Georges Sound.*

Ordo CXXIII. Ranunculaceae.

Tribus I. Clematideae.

4768. *Clematis* Linn.

α. *Viticella* DC.

5130. *Clematis florida* Thunb. Flor. jap. 240. Jacq. Hort. Schönbr. t. 357. Sims Bot. Mag. t. 834. DC. Syst. I. 160. Prodr. I. 8. — ♀ ♀ — *Habitat in Japonia.*

β. *Clematis Sieboldii* Hort. *Clematis florida bicolor* Lindley in Bot. Reg. 1838. t. 25.

5131. *Clematis caerulea* Lindley in Bot. Reg. t. 1955. — ♀ ♀ — *Habitat in Japonia, a Sieboldio in Europam introducta.*

5132. *Clematis Viticella* Linn. Spec. 762. DC. Syst. I. 160. Prodr. I. 9. — ♀ ♀ — *Habitat in septentrionalibus et dumetis Europae australis.*

5133. **Clematis parviflora** DC. Mem. soc. phys. Genev. I. 433. Prodr. I. 9. — 40 — *Patria ignota.*

δ. Flammula DC.

5134. **Clematis erecta** Allioni Flor. Pedem. n. 1078. DC. Syst. I. 133. Prodr. I. 2. **Clematis recta** Linn. Spec. 767. Jacq. Flor. austr. t. 291. — 4 — *Habitat in collibus Austrinae et Europae australioris.*

β. *Hispanica*. *Clematis Hispanica surrecta* etc. Tournef. Just. 394.

5135. **Clematis Flammula** Linn. Spec. 766. DC. Syst. I. 134. Prodr. I. 2. — 40 — *Habitat in collibus siocis Europae australis.*

α. *Vulgaris* DC. l. c. — β. *Rotundifolia* DC. l. c. *Clematis fragrans* Tenore Flor. neap. I. t. 48. — γ. *Maritima* DC. l. c. *Clematis maritima* Linn. Spec. 767.

5136. **Clematis orientalis** Linn. Spec. 765. DC. Syst. I. 135. Prodr. I. 3. — 40 — *Habitat in Oriente et Caucaso.*

Var. β. *Iberica*,

5137. **Clematis Vitalba** Linn. Spec. 766. Jacq. Flor. austr. t. 308. DC. Syst. I. 139. Prodr. I. 3. — 40 — *Habitat passim in sepibus et dunetis Europae mediae et australis.*

5138. **Clematis virginiana** Linn. Amoen. Academ. IV. 275. Spec. 766. DC. Syst. I. 142. Prodr. I. 4. — 40 — *Habitat in America boreali.*

5139. **Clematis angustifolia** Jacq. Collect. I. 137. Ic. rar. t. 104. DC. Syst. I. 154. Prodr. I. 7. — 40 — *Habitat in littore maris Adriatici.*

? β *Clematis lasiantha* Fischer Hort. Gorenk. — *Habitat in collibus Dahuriae.*

5140. **Clematis Viorna** Linn. Spec. 765. Jacq. Fil. Eclog. I. 50. t. 32. DC. Syst. I. 156. Prodr. I. 7. — 40 — *Habitat in America boreali.*

5141. **Clematis cylindrica** Sims in Bot. Mag. t. 1160. DC. Syst. I. 156. Prodr. I. 7. **Clematis Viorna** Andrews Bot. Reposit. t. 71. **Clematis crispa** Lam.

Dict. II. 44. — 4 ☉ — *Habitat in Pensylvania, Carolina et Virginia.*

5142. **Clematis integrifolia** Linn. Spec. 767. Jacq Flor. austr. t. 363. DC. Syst. I. 158. Prodr. I. 8. — 4 ☉ — *Habitat in Pyrenaeis, Austria, Hungaria et Sibiria.*

β. *Elongata* DC. **Clematis elongata** Trattinick Tabul. t. 178.

γ. **Cheirepsis** DC.

5143. **Clematis cirrhosa** Linn. Spec. 766. Sibthorp Flor. graec. t. 517. DC. Syst. I. 162. Prodr. I. 9. — 4 ☉ — *Habitat in Europa australi.*

5144. **Clematis balearica** Richard in Journ. phys. 1779. p. 127. DC. Syst. I. 163. Prodr. I. 9. **Clematis calycina** Aiton Hort. kew. ed. 1. III. 259. Schrank Hort Monac. t. 15. — 4 ☉ — *Habitat in insula Minorca.*

5145. **Clematis nepalensis** DC. Syst. I. 164. Prodr. I. 9. — 4 ☉ — *Habitat in Nepalia.*

4769. **Atragene** DC.

5146. **Atragene Alpina** Linn. Spec. ed. 1. p. 343. Jacq. Flor. austr. t. 241. — 4 — *Habitat in alpestribus Europae.*

5147. **Atragene sibirica** Linn. Spec. ed. 1. p. 343. Bot. Mag. t. 1951. — 4 — *Habitat in Sibiria.*

5148. **Atragene americana** Sims Bot. Mag. t. 887. **Clematis verticillaris** DC. Prodr. I. 10. — 4 — *Habitat in America boreali.*

Tribus II. Anemoneae.

4772. **Thalictrum** Linn.

α. **Tripterium** DC.

5149. **Thalictrum aquilegifolium** Linn. Spec. 770. Sims Bot. Mag. t. 1818. Jacq. Flor. austr.

t. 318. DC. Prodr. I. 11. — 24 — *Habitat in pratis sylvaticis nemoribusque montanis Europae totius.*

β. *Atropurpureum* DC. *Thalictrum atropurpureum* Murr. Syst. Veg. 513. Jacq. Hort. Vindob. III. t. 81.

δ. *Euthalictrum* DC.

5150. *Thalictrum carolinianum* Bosc. ined. DC. Prodr. I. 12. *Thalictrum rugosum* Pursh Flor. Bor. Amer. II. 388. — 24 — *Habitat in Carolina et Pennsylvania.*

5151. *Thalictrum purpurascens* Linn. Spec. 769. DC. Syst. I. 174. Prodr. I. 12. — 24 — *Habitat in Canada, Virginia et Pennsylvania.*

5152. *Thalictrum petaloideum* Linn. Spec. 770. DC. Syst. I. 175. Prodr. I. 12. Deless. Ic. select. I. t. 9. — 24 — *Habitat in montibus Dahuriae et ad limites sinenses.*

5153. *Thalictrum alpinum* Linn. Spec. 767. DC. Syst. I. 175. Prodr. I. 12. — 24 — *Habitat in pascuis editioribus montium Kamtschatkae, Lapponiae. Pyrenaeorum et Carinthiae.*

5154. *Thalictrum foetidum* Linn. Spec. 768. Lam. Illustr. t. 497. f. 3. DC. Syst. I. 176. Prodr. I. 13. *Thalictrum styloideum* Linn. Fil. Suppl. 271. — 24 — *Habitat in rupibus convallium alpinarum Helvetiae, Tyrolis.*

5155. *Thalictrum squarrosum* Steph. in Willd. Spec. II. 1299. DC. Syst. I. 177. Prodr. I. 13. — 24 — *Habitat in Sibiria.*

5156. *Thalictrum sibiricum* Gärtn. Fr. I. 355. t. 74. Linn. Spec. 769. ? DC. Syst. I. 177. Prodr. I. 13. *Thalictrum acuminatum* Spreng. Pug. n. 130. — 24 — *Habitat in Armenia, Sibiria.*

5157. *Thalictrum minus* Linn. Spec. 769. Koch Synops. 4. *Thalictrum montanum* Wallr. Sched. 255. *Thalictrum majus* Murr. Syst. Veg. 513. Jacq. Flor. austr. t. 420. DC. Prodr. I. 13. — 24 — *Habitat in pratis collibusque Europae totius.*

β. *Horidum* Koch Synops. 4. *Thalictrum minus* DC. Syst. I. 178. Prodr. I. 13. excl. syn. Jacq.

γ. *Glandulosum* Koch l. c. *Thalictrum pubescens* Schleicher Pl. exs. DC. Syst. I. 176. Prodr. I. 13. *Thalictrum montanum glandulosum* Wallroth Sched.

δ. *Strictum* Koch l. c. *Thalictrum minus* Pollin. Fl. pal. II. 100. *Thalictrum saxatile* DC. Syst. I. 178. Prodr. I. 13.

ε. *Dumosum* Koch l. c. *Thalictrum majus* Smith Fl. brit. 585. DC. Syst. I. 179. *Thalictrum elatum* Gaud. Fl. helv. et auct. germ. praeter Jacq. *Thalictrum ambiguum* Schleicher Pl. exs.

5158. ***Thalictrum collinum*** Wallr. Sched. crit. 259. DC. Prodr. I. 13. *Thalictrum minus* Jacq. Flor. austr. t. 419. *Thalictrum concinnum* Willd. Herb. — 2 — *Habitat in pratis siccis Europae.*

β *Nutans*. *Thalictrum nutans* Desf. Tabl. mus. par. ed. 123. DC. Fl. fr. IV. 876. Syst. I. 179. Prodr. I. 14. Schleicher pl. exs.

5159. ***Thalictrum calabricum*** Spreng. Pug. pl. I. 37. n. 67. DC. Prodr. I. 13. — 2 — *Habitat in monte Leonis Calabriae et in Sicilia.*

5160. ***Thalictrum elatum*** Jacq. Hort. Vindob. III. t. 95. Murr. Syst. ed. XIV. 513. DC. Syst. I. 179. Prodr. I. 13. excl. var. β. — 2 — *Habitat in collibus Hungariae, Austriae littoralis.*

5161. ***Thalictrum medium*** Murr. Syst. ed. XIV. 513. Jacq. Hort. Vindob. III. t. 96. DC. Syst. I. 179. Prodr. I. 14. — 2 — *Habitat in pratis humidis depressis ad ripas Danubii in Austria et Hungaria.*

5162. ***Thalictrum concinnum*** Willdenow Enum. Hort. berol. 584. DC. Syst. I. 180. Prodr. I. 14. — 2 — *Patria ignota.*

5163. ***Thalictrum glaucescens*** DC. Syst. I. 180. Prodr. I. 14. — 2 — *Habitat in imperio ruthenico.*

5164. ***Thalictrum galioides*** Nestler in Persoon Encheir. II. 101. Deless. Ic. select. I. t. 11. DC. Syst. I. 180. Prodr. I. 14. *Thalictrum angustifolium* Pollich Fl. pal. II. 101. *Thalictrum angustifolium* β. *galioides* DC. Fl. fr. n. 4601. — 2 — *Habitat in pratis et ericetis Europae mediae.*

5165. **Thalictrum angustifolium** Linn. Spec. 769. Jacquin Hort. Vindob. III. t. 43. *Thalictrum Bauhini* Spreng. Syst. Veg. II. 672. *Thalictrum Bauhinianum* Wallr. Sched. 264. — 2 — *Habitat in pratis humidis Europae mediae.*

α. (*Angustifolium*) *stenophyllum* Koch Synops. 6. *Thalictrum angustifolium* DC. Syst. I. 181. Prodr. I. 14. *Thalictrum angustifolium stenophyllum* Wimm. et Grab. Fl. siles. II. 157.

β *Heterophyllum* Koch l. c. *Thalictrum angustifolium heterophyllum* Wimm. et Grab. l. c. *Thalictrum nigricans* DC. Syst. I. 182. Prodr. I. 14. (non Jacq.) *Thalictrum Morisoni* Gmel. Fl. bad. IV. 422.

γ. *Laserpitiifolium* Koch l. c. *Thalictrum laserpitiifolium* Willd. Enum. Hort. ber. V. 40. *Thalictrum lucidum* DC. Syst. I. 181. Prodr. I. 14.

5166. **Thalictrum lucidum** Linn. Spec. 770. — 2 — *Habitat in Hispania.*

5167. **Thalictrum flavum** Linn. Spec. 770. DC. Prodr. I. 14. *Thalictrum pratense* Linn. Fl. lapp. 224. *Thalictrum nigricans* Jacq. Flor. austr. III. 421. *Thalictrum anonymum* Wallr. Sched. 263. — 2 — *Habitat in humidis Europae et Sibiriae.*

β. *Vaginatatum* DC. Prodr. I. 14. *Thalictrum vaginatatum* Desf. Cat. Hort. Paris. ed. 1. Suppl. 294. DC. Syst. I. 182.

5168. **Thalictrum simplex** Linn. Mant. 78. Flor. dan. t. 244. DC. Syst. I. 183. Prodr. I. 15. — 2 — *Habitat in collibus herbidis Germaniae borealis, Norvegiae et Sueciae.*

5169. **Thalictrum rugosum** Ait. Hort. kew. ed. 1. II. 262 DC. Syst. I. 185. Prodr. I. 15. *Thalictrum discolor* Willd. Enum. App. 46. — 2 — *Habitat secus rivos Americae borealis a Pensylvania ad Carolinam.*

5170. **Thalictrum tuberosum** Linn. Spec. 768. DC. Fl. fr. V. 623. Syst. I. 186. Prodr. I. 15. — 2 — *Habitat in pascuis sterilibus et petrosis collium Arragoniae et Pyrenaeorum.*

5171. **Thalictrum mexicanum** DC. Syst. I. 187. Prodr. I. 16. — 2 — *Habitat in Mexico.*

4773. **Anemone** DC.I. **Pulsatilla** Endl.*α. Campanaria* Endl.

5172. **Anemone albana** Stev. Mem. soc. nat. mosc. III. 264. DC. Syst. I. 545. Prodr. I. 17. — 2 — *Habitat in montibus excelsis Caucasi orientalis.*

II. **Anemanthus** Endl.*β. Anemonanthea* DC.

5173. **Anemone coronaria** Linn. Spec. 760. Bot. Mag. t. 841. DC. Syst. I. 196. Prodr. I. 18. — 2 — *Habitat in pascuis subhumidis Europae australis.*

5174. **Anemone hortensis** Linn. Spec. 761. Curtis Bot. Mag. t. 123. Koch Synops. 8. *Anemone stellata* Lam. Dict. I. 166. DC. Syst. I. 198. Prodr. I. 18. — 2 — *Habitat in dumetis et juniperetis Europae australioris.*

5175. **Anemone apennina** Linn. Spec. 762. Engl. Bot. t. 1060. Curt. Fl. Lond. VI. t. 35. DC. Syst. I. 202. Prodr. I. 19. — 2 — *Habitat in Belgio, in montibus Apenninis, Romanis, in Tauro et Caucaso.*

5176. **Anemone nemorosa** Linn. Spec. 762. Oed. Fl. dan. t. 549. DC. Syst. I. 203. Prodr. I. 20. Koch Synops. 9. — 2 — *Habitat in sylvis, nemoribus et pratis sylvaticis planitierum et montium Europae et Sibiriae.*

5177. **Anemone ranunculoides** Linn. Spec. 672. Flor. dan. t. 140. Engl. Bot. t. 1484. Loddig. Bot. Cab. t. 556. DC. Prodr. I. 20. *Anemone lutea* Lam. Fl. fr. III. 318. — 2 — *Habitat in nemoribus et sylvis Europae borealis et mediae nec non Sibiriae.*

β. Sessiliflora. — *γ. Plena.*

γ. Anemonospermus DC.

5178. **Anemone multifida** DC. Syst. I. 209. Prodr. I. 21. — 2 — *Habitat in America boreali.*

β. Hudsoniana DC. l. c. *Anemone multifida* Banks Herb.

5179. **Anemone pensylvanica** Linn. Mant. 247. DC. Prodr. I. 21. *Anemone aconitifolia* Michaux Flor. Bor. Amer. I. 320. — 4 — *Habitat in America boreali.*

4774. **Hepatica** Dill.

5180. **Hepatica triloba** Chaix in Vill. Dauph. I. 336. DC. Syst. I. 216. Var. α . Prodr. I. 22. *Anemone Hepatica* Linn. Spec. 758. Oed. Fl. dan. t. 612. *Hepatica nobilis* Volkam. Reichenb. Fl. exc. 730. — 4 — *Habitat in nemoribus et sylvis Europae.*

Var. *Carnea plena.* Var. *Caerulea plena.*

4775. **Knowltonia** Salisb.

5181. **Knowltonia vesicatoria** Sims in Bot. Mag. t. 775. DC. Syst. I. 219. Prodr. I. 23. *Adonis vesicatoria* Linn. Fil. Suppl. 272. — 4 — *Habitat in Capite bonae spei.*

4778. **Adonis** Dill.

5182. **Adonis vernalis** Linn. Spec. 771. Schkuhr Handb. t. 152. Bot. Mag. t. 134. Hayne Arzneigew. I. t. 11. Gärtn. Fr. I. 355. t. 74. DC. Syst. I. 224. Prodr. I. 24. *Adonis apennina* Jacq. Fl. austr. I. 27. t. 44. — 4 — *Habitat in apricis incultis solo calcareo Germaniae, Galliae, Helvetiae, Italiae, Oelandiae, Tauriae, Sibiriae.*

β . *Mentzelii* DC. Prodr. I. 25. Mentz. Pag. t. 3. f. 1. *Adonis apennina* Linn. Spec. 772. *Adonis vernalis* β . Lam. Dict. I. 45.

γ . *Sibirica* DC. l. c. Patrin. A. n. 43. Gmel. Flor. sib. IV. 200. — *Habitat circa Barnaoul in Sibiria.*

4779. **Callianthemum** C. A. Mey.

5183. **Callianthemum anemonoides.** *Callianthemum rutuefolium* Reichenb. Fl. exc. 727. *Ranunculus anemonoides* Zahlbr. in Bot. Ztg. 1823. I. 220. Reichenb. Iconogr. eur. VIII. 1048. — 4 — *Habitat in sylvis acerosis subalpinis Austriae et Styriae.*

4780. **Myosurus** Dill.

5184. **Myosurus minimus** Linn. Spec. 407. Flor. dan. t. 406. DC. Prodr. I. 25. Koch Synops. 10. *Ranunculus Myosurus* Afzel. in Liljebl. sv. fl. 230. — ☉ — *Habitat in agris et praecipue locis hyeme inundatis.*

Tribus III. **Ranunculeae.**4783. **Ranunculus** C. Bauh.**a. Ranunculastrum** DC.

5185. **Ranunculus millefoliatus** Vahl Symb. II. 63. t. 37. Desf. Flor. atl. t. 116. Bot. Mag. t. 3009. DC. Syst. I. 256. Prodr. I. 27. — 4 — *Habitat in cultis regni Tunetani, ad montes Sbibaie et Peloponnesi, in Sicilia.*

5186. **Ranunculus oxyspermus** Willd. Spec. pl. II. 1328. DC. Syst. I. 258. Prodr. I. 28. — 4 — *Habitat in campestribus Tauriae, Caucasi et Iberiae.*

5187. **Ranunculus pedatus** Waldst. et Kit. Plant. rar. Hung. II. 112. t. 108. Loddig. Bot. Cab. IV. 351. Bot. Mag. t. 2229. DC. Syst. I. 258. Prodr. II. 28. Reichenb. Fl. exc. 721. — 4 — *Habitat in collibus calcareo-arenosis Hungariae circa Budam, ad fluvium Volgam in Tataria.*

5188. **Ranunculus illyricus** Linn. Spec. 776. Jacq. Flor. austr. t. 222. DC. Syst. I. 259. Prodr. I. 28. Koch Synops. 16. *Ranunculus tomentosus* Mönch Method. 212. *Ranunculus sericeus* Willd. Enum. Hort. berol. 589. — 4 — *Habitat in pascuis et campis Austriae, Hungariae, Illyriae et Tauriae.*

5189. **Ranunculus spicatus** Desf. Fl. atl. I. 438. t. 115. DC. Syst. I. 260. Prodr. I. 29. Var. *a.* — 4 — *Habitat in paludibus Algeriae.*

5190. **Ranunculus asiaticus** Linn. Spec. 777. Mill. Ic. t. 216. DC. Syst. I. 261. Prodr. I. 29. — 4 — *Habitat in Oriente.*

5191. **Ranunculus cortusaefolius** Willd. Enum. Hort. berol. 588. Deless. Ic. sel. I. t. 36. DC. Syst. I. 264. Prodr. I. 29. — 4 — *Habitat in rupibus insulae Teneriffae.*

β. Thora DC.

5192. **Ranunculus Thora** Linn. Spec. 775. α. (Jacq. Flor. austr. V. t. 442.) DC. Syst. I. 264. Prodr. I. 30. **Ranunculus scutatus** Waldst. et Kit. Plant. rar. Hung. II. 205. t. 187. DC. Syst. I. 265. Prodr. I. 30. **Ranunculus Thora** Var. **Scutatus** Wahlenb. Flor. carp. n. 551. — 4 — *Habitat in sylvis montanis et pascuis subalpinis Europae praesertim australioris.*

5193. **Ranunculus hybridus** Biria Ranunc. 38. DC. Syst. I. 266. Prodr. I. 30. Koch Synops. 15. **Ranunculus Thora** Jacq. Obs. t. 13. Sturm D. Fl. fasc. 19. **Ranunculus Pseudo-Thora** Host Flor. austr. II. 108. **Ranunculus Phthora** Crantz St. austr. 119. Reichenb. Fl. exc. 722. **Ranunculus Thora** Var. **petiolatus** Wahlenb. Fl. carp. 170. — 4 — *Habitat in locis glareosis lapidosis Alpium calcarearum Europae mediae.*

γ. Hecatonia DC.

5194. **Ranunculus alpestris** Linn. Spec. 778. Seguiet Ver. I. 489. t. 12. f. 1. Jacq. Fl. austr. t. 110. DC. Syst. I. 239. Prodr. I. 31. — 4 — *Habitat in alpinis et subalpinis Europae.*

5195. **Ranunculus aconitifolius** Linn. Mant. 79. DC. Syst. I. 240. Prodr. I. 31. — 4 — *Habitat in montibus Europae mediae.*

α. *Minor.* **Ranunculus aconitifolius** Linn. Spec. 776. Morris Hist. III. 462.

β. **Platanifolius** DC. l. c. **Ranunculus platanifolius** Linn. Mant. 79. Flor. dan. t. 111.

γ. **Dealbatus** DC. l. c. **Ranunculus dealbatus** Lapeyr. Abr. 315.

5196. **Ranunculus pyrenaeus** Linn. Mant. 248. Deless. Ic. select. I. t. 27. f. B. DC. Syst. I. 243. Prodr. I. 31. — 4 — *Habitat in alpidis Europae.*

β. **Bupleurifolius** DC. l. c. **Ranunculus pyrenaeus** Jacq.

misc. I. 154. t. 18. f. 1. *Ranunculus bupleurifolius* Lapeyr. Abr. 314.

γ *Plantagineus* DC. l. c. *Ranunculus plantagineus* All. Flor. ped. t. 76. f. 1.

5197. ***Ranunculus gramineus*** Linn. Spec. ed. 1. p. 549. ed. 2. p. 773. Engl. Bot. t. 2306. DC. Syst. I. 245. Prodr. I. 32. — 4 — *Habitat in collibus apricis Vallesiae, Galliae et Lusitaniae.*

5198. ***Ranunculus Cymbalariae*** DC. Syst. I. 252. Prodr. I. 33. *Ranunculus nanus* Fisch. in litt. Amm. Ruth. 81. n. 107. t. 13. f. 2. — 4 — *Habitat in palustribus salsis Sibiriae.*

5199. ***Ranunculus auricomus*** Linn. Spec. 775. Flor. dan. t. 665. DC. Syst. I. 266. *Ranunculus polymorphus* All. Fl. ped t. 82. f. 2. *Ranunculus vernus* Spenn. Fl. Friburg. III. 1078. — 4 — *Habitat in nemoribus et pratis sylvaticis Europae, Sibiriae, Japoniae et Americae borealis.*

5200. ***Ranunculus cassubicus*** Linn. Spec. 775. Sims Bot. Mag. t. 2267. Loes. Pruss. t. 72. Reichenb. Icon. crit. II. 261. DC. Syst. I. 267. Prodr. I. 34. — 4 — *Habitat in pratis sylvaticis Borussiae, Russiae et Sibiriae.*

5201. ***Ranunculus abortivus*** Linn. Spec. 776. DC. Syst. I. 268. Prodr. I. 34. — 4 — *Habitat in Virginia et Carolina.*

5202. ***Ranunculus sceleratus*** Linn. Spec. 776. DC. Syst. I. 227. et 268. Prodr. I. 34. Flor. dan. t. 371. Curt. Fl Lond. t. 42. *Ranunculus digitatus* Gilib. Exerc. phyt. I. 373. *Hecatonia palustris* Lour. Flor. cochinch. 371. — 4 — *Habitat in fossis et paludibus Europae totius, Sibiriae, Cochinchinae, etc.*

5203. ***Ranunculus frigidus*** Willd. Spec. II. 1312. DC. Prodr. I. 35. *Ranunculus altaicus* Laxm. Nov. Comm. Acad. Petrop. 1774. XVIII. 538. t. 8. *Ranunculus sulfureus* DC. Syst. I. 274. excl. syn. — 4 — *Habitat in Asia boreali et Sibiria.*

5204. ***Ranunculus montanus*** Willd. Spec. II. 1321. DC. Syst. I. 276. Prodr. I. 36. Bot. Mag.

t. 3022. *Ranunculus nivalis* Jacq. Flor. austr. t. 325. 326. *Ranunculus trilobatus* Kit. ex Schlecht. anim. II. 21. — 2 — *Habitat in pratis asperis alpium Austriae, Helvetiae, Galliae et Pyrenaeorum.*

5205. *Ranunculus acris* Linn. Spec. 779. Smith Engl. Bot. t. 652. Curt. Bot. Mag. t. 215. DC. Syst. I. 277. Prodr. I. 36. — 2 — *Habitat in pratis humidis Europae.*

β. *Sylvaticus* DC. l. c. *Ranunculus sylvaticus* Thuill. Fl. Par. ed. II. 276.

γ. *Stevensi* Koch Synops. 17. *Ranunculus Stevensi* Andr. ap. Bess. Enum. Pl. Volhyn. 22. DC. Prodr. I. 36.

Var. *Bohemicus* et *garganicus*

5206. *Ranunculus caucasicus* Bieberst. Flor. Taur. cauc. II. 27. DC. Syst. I. 279. Prodr. I. 36. — 2 — *Habitat in subalpinis Caucasi.*

5207. *Ranunculus polyanthemus* Linn. Spec. 779. DC. Syst. I. 279. Prodr. I. 37. Koch Synops. 17. *Ranunculus napellifolius* var. Crantz Stirp. austr. II. 90. t. 4. f. 1. — 2 — *Habitat in pratis sylvaticis et sylvis Europae mediae.*

5208. *Ranunculus nemorosus* DC. Syst. I. 280. Prodr. I. 37. Koch Synops. 17. *Ranunculus Breyninus* Crantz Stirp. austr. II. 115. *Ranunculus aureus* Schleich. Pl. exs. Reichenb. Fl. exc. 724. — 2 — *Habitat in sylvis montanis, subalpinis et alpinis Europae mediae.*

5209. *Ranunculus lanuginosus* Linn. Spec. 779. DC. Syst. I. 281. Prodr. I. 37. Oed. Fl. dan. t. 397. Koch Synops. 17. — 2 — *Habitat in sylvis montanis Europae.*

5210. *Ranunculus bulbosus* Linn. Spec. 778. Flor. dan. t. 551. Engl. Bot. t. 515. DC. Syst. I. 294. Prodr. I. 41. Koch Synops. 18. — 2 — *Habitat in pascuis Europae et Americae borealis.*

d. *Echinella* DC.

5211. *Ranunculus Philonotis* Retz Obs. VI. 31. Ehrh. Beitr. II. 145. Engl. Bot. t. 1504. DC. Syst. I. 296. Prodr. I. 41. Koch Synops. 18. *Ranun-*

culus hirsutus Curt. Fl. Lond. t. 40. f. 2. *Ranunculus sardous* Crantz Flor. austr. 111. *Ranunculus pallidior* Vill. Delph. IV. 751. *Ranunculus agrarius* All. Auct. 27. *Ranunculus parvulus* Linn. Mant. 79. — 4 — *Habitat inter segetes, in vineis Europae mediae et australis, Taurinae.*

5212. **Ranunculus arvensis** Linn. Spec. 781. Flor. dan. t. 219. Engl. Bot. t. 135. DC. Syst. I. 297. Prodr. I. 41. Koch Synops. 18. — ☉ — *Habitat in agris Europae mediae et australis.*

β. *Tuberoulatus* Koch l. c. *Ranunculus tuberculatus* Hitaibel ex Balb. Cat. Hort. Taur. 1813. p. 64. DC. Syst. I. 297. Prodr. I. 41. *Ranunculus echinatus* Crantz St. austr. II. 118. non Vent.

5213. **Ranunculus muricatus** Linn. Spec. 780. Lam. Illustr. t. 498. Schkuhr Handb. t. 152. DC. Syst. I. 298. Prodr. I. 42. *Ranunculus lobatus* Mönch Meth. 214. — ☉ — *Habitat in locis cultis regionis mediterraneae.*

5214. **Ranunculus Chius** DC. Syst. I. 299. Prodr. I. 42. — ☉ — *Habitat in insula Scio archipelagi Graeci.*

5215. **Ranunculus parviflorus** Linn. Spec. 780. Engl. Bot. t. 126. DC. Syst. I. 300. Prodr. I. 42. *Ranunculus muricatus* Mönch Meth. 215. — ☉ — *Habitat in agris et locis cultis Europae australioris.*

5216. **Ranunculus trilobus** Desf. Fl. atl. I. 437. t. 113. DC. Syst. I. 301. Prodr. I. 42. — ☉ — *Habitat in humidis regionis mediterraneae.*

4784. **Ceratocephalus** Mönch.

5217. **Ceratocephalus falcatus** Persoon Encheir. 341. DC. Syst. I. 230. Prodr. I. 26. Koch Synops. 11. *Ranunculus falcatus* Linn. Spec. 781. Jacq. Flor. austr. t. 48. *Ranunculus spicatus* Mönch Meth. 218. *Ranunculus testiculatus* Crantz Stirp. austr. II. 119. — ☉ — *Habitat in arvis et agris totius regionis mediterraneae.*

5218. **Ceratocephalus orthoceras** DC.

Syst. I. 231. Prodr. I. 26. Deless. Ic. select. I. t. 23. Hoch Synops. 11. *Ranunculus falcatus* Bieberst. Flor. Taur. cauc. II. 29. excl. syn. — ☉ — *Habitat in colibus apricis et campis Austriae, Bohemiae, Hungariae, Tauriae et Sibiriae australis.*

4785. *Ficaria* Dill.

5219. *Ficaria ranunculoides* Mönch Meth. 215. Roth. Germ. I. 241. DC. Syst. I. 304. Prodr. I. 44. Reichenb. Flor. exc. 718 *Ranunculus Ficaria* Linn. Spec. 774. Flor. dan. t. 479. Engl Bot. t. 584. Koch Synops. 15. *Ficaria verna* Huds. Flor. angl. 244. — 2 — *Habitat in locis humidis umbrosis totius Europae.*
Var. *Variegata.*

Tribus IV. Helleboreae.

4786. *Caltha* Linn.

5220. *Caltha palustris* Linn. Spec. 784. Flor. dan. t. 661. Engl. Bot. t. 506. DC. Prodr. I. 44. — 2 — *Habitat in pratis nemoribusque humidis Europae, Asiae occidentalis et Americae borealis.*

Var. *Flore pleno.*

5221. *Caltha radicans* Forster in Transact. Linn. Soc. VIII. 321. t. 17. DC. Syst. I. 309. Prodr. I. 45. — 2 — *Habitat ad rivulos et lacus Scotiae.*

5222. *Caltha parnassifolia* Rafin. in New-York medic. Repos. II. 351. n. 28 et in Journ. Bot. 1808. I. 229. DC. Syst. I. 310. Prodr. I. 45. *Caltha ficarioides* Pursh Flor. Bor. Amer. II. 389. — 2 — *Habitat in paludibus umbrosis in New-Jersey et Carolina Americae borealis.*

4787. *Trollius* Linn.

5223. *Trollius europaeus* Linn. Spec. 782. Engl. Bot. t. 28. Flor. dan. t. 133. DC. Syst. I. 312. Herb. amat. t. 69. Prodr. I. 45. Koch Synops. 19. — 2 — *Habitat in pratis montanis et subalpinis Europae.*
II.

β. *Altissimus* Reichb. *Trollius altissimus* Crantz. Wender. in Flora 1818. p. 578.

γ. *Medius*. *Trollius medius* Wender. in Flora 1818. p. 579.

δ. *Napellifolius* DC. *Trollius napellifolius* Roeper in Flora 1820. p. 105.

5224. **Trollius asiaticus** Linn. Spec. 782. excl. syn. Buxb. et Tourn. Curt. Bot. Mag. t. 225. Herb. Amat. t. 88. DC. Syst. I. 313. Prodr. I. 46. — 2 — *Habitat in sylvis pratisque Sibiriae.*

5225. **Trollius americanus** Mühlenb. et Gaissenh. in Donn Cat. Hort. cantb. Lodd. Bot. Cab. t. 56. DC. Syst. I. 313. Prodr. I. 46. — 2 — *Habitat in America boreali.*

4788. **Eranthis** Salisb.

5226. **Eranthis hyemalis** Salisb. in Transact. Linn. Soc. VIII. 303. DC. Syst. I. 314. Prodr. I. 46. Koch Synops. 19. *Helleborus hyemalis* Linn. Spec. 783. Jacq. Flor. austr. t. 202. Herb. Amat. t. 42. Bot. Mag. t. 3. *Koellea hyemalis* Bir. Ran. 21. — 2 — *Habitat in nemoribus umbrosis Europae australis.*

4789. **Helleborus** Adans.

5227. **Helleborus niger** Linn. Spec. 783. Jacq. Flor. austr. t. 201. Bot. Mag. t. 8. DC. Syst. I. 316. Prodr. I. 46. — 2 — *Habitat in montosis sylvaticis subalpinis Europae.*

5228. **Helleborus purpurascens** Waldst. et Kitaib. Plant. rar. Hung. II. 105. t. 101. DC. Syst. I. 318. Prodr. I. 47. — 2 — *Habitat in pratis Hungariae, Podoliae, Volhyniae.*

5229. **Helleborus Bocconi** Tenore ex Reichenb. Fl. exc. 746. *Helleborus purpurascens* β. *Bocconi* DC. Prodr. I. 47. *Helleborus multifidus* Visiani exs. *Helleborus angustifolius* Host Flor. austr. II. 90. — 2 — *Habitat in montibus Dalmatiae.*

5230. **Helleborus odorus** Kitaib. ex Willd. Enum. Hort. ber. 592. Rochel Fl. ban. t. X. f. 24.

DC. Syst. I. 318. Prodr. I. 47. Reichenb. Fl. exc. 746. Koch Synops. 20. — 24 — *Habitat in sylvis montanis Salisburgi, Banatus, Slavoniae.*

5231. **Helleborus viridis** Linn. Spec. 784. Jacq. Flor. austr. t. 106. Engl. Bot. t. 200. Gärtner. Fr. I. t. 65. f. 2. DC. Syst. I. 318. Prodr. I. 47. — 24 — *Habitat in montanis sylvaticis Europae.*

5232. **Helleborus atropubens** Waldst. et Kit. Plant. rar. Hung. III. 301. t. 271. DC. Syst. I. 319. Prodr. I. 47. **Helleborus atropurpureus** Schult. Oesterr. Flora. II. 103. — 24 — *Habitat in sylvaticis Croatiae, Slavoniae.*

5233. **Helleborus dumetorum** Kitaib. ex Willd. Enum. Hort. ber. 592. DC. Syst. I. 320. Prodr. I. 47. Reichenb. Iconogr. crit. XI. Koch Synops. 20. **Helleborus pallidus** Host Flor. austr. II. 90. — 24 — *Habitat in montanis sylvaticis Croatiae, Illyriae.*

5234. **Helleborus cupreus** Host Fl. austr. II. 87. Reichenb. Fl. exc. 746. — 24 — *Habitat in montanis sylvaticis Slavoniae.*

5235. **Helleborus graveolens** Host Flor. austr. II. 89. Reichenb. Fl. exc. 745. — 24 — *Habitat in nemoribus montosis Slavoniae.*

5236. **Helleborus intermedius** Host Flor. austr. II. 88. Reichenb. Fl. exc. 746. — 24 — *Habitat in montosis sylvaticis Croatiae finitimaeque Carnioliae.*

5237. **Helleborus laxus** Host Flor. austr. II. 89. Reichenb. Flor. exc. 746. — 24 — *Habitat in montosis sylvaticis Slavoniae.*

5238. **Helleborus foetidus** Linn. Spec. 784. Engl. Bot. t. 613. DC. Syst. I. 320. Prodr. I. 47. — 24 — *Habitat in pascuis glareosis Europae praesertim occidentalis.*

4790. **Isopyrum** Linn.

a. **Olfa** Adans.

5239. **Isopyrum thalictroides** Linn. Spec. 783. Jacq. Flor. austr. t. 105. DC. Syst. I. 323. Prodr.

I. 48. Koch Synops. 20. — 24 — *Habitat in sylvis nemoribusque umbrosis Europae mediae.*

δ. Leptopyrum Reichenb.

5240. **Isopyrum fumarioides** Linn. Spec. 783. Schkuhr Handb. II. t. 153. DC. Prodr. I. 48. — 24 — *Habitat in nemoribus Sibiriae, Dakuriae.*

4793. Garidella Tournef.

5241. **Garidella Nigellastrum** Linn. Spec. 753. DC. Syst. I. 325. Prodr. I. 48. — ☉ — *Habitat in apricis inter vineas et oliveta Galloprovinciae.*

4794. Nigella Tournef.

α. Nigellastrum DC.

5242. **Nigella corniculata** DC. Syst. I. 326. Prodr. I. 49. — ☉ — *Patria ignota.*

β. Nigellaria DC.

5243. **Nigella hispanica** Linn. Spec. 753. Sims Bot. Mag. t. 1265. DC. Syst. I. 328. Prodr. I. 49. — ☉ — *Habitat in arvis Hispaniae.*

5244. **Nigella arvensis** Linn. Spec. 753. Schkuhr Handb. II. 92. t. 146. DC. Syst. I. 329. Prodr. I. 49. Koch Synops. 21. — ☉ — *Habitat in arvis inter segetes Europae mediae et meridionalis.*

5245. **Nigella sativa** Linn. Spec. 753. Sibth. et Smith Flor. graec. t. 511. DC. Syst. I. 330. Prodr. I. 49. Koch Synops. 21. *Melunthium sativum* Tabernaem. Kraeutb. 181. — ☉ — *Habitat in arvis Monspeli, Barbariae etc.*

β. Citrina, floribus plenis Moris. Hist. III. 516. Sect. XII. t. 18. f. 5.

γ. Erebatos DC.

5246. **Nigella damascena** Linn. Spec. 753. Bot. Mag. t. 22. DC. Syst. I. 331. Prodr. I. 49. Gärtner. Fr. II. t. 118. Koch Synops. 21. — ☉ — *Habitat inter segetes regionis mediterraneae,*

β. *Coarctata*. *Nigella coarctata* Gmel. Flor. bad. II. 502.
in adn.

γ. *Pygmaea*.

4795. *Aquilegia* Tournef.

5247. *Aquilegia vulgaris* Linn. Spec. 752.
Engl Bot. t. 297. Flor. dan. t. 695. DC. Syst. I. 334.
Prodr. I. 50. Koch Synops. 21. — 4 — *Habitat in
pratis sylvaticis Europae.*

α *Corniculata* DC. Clus. Hist. II. 204. f. 1.

β. *Stellata* DC. Clus. Hist. II. 205. f. 1.

5248. *Aquilegia viscosa* Gouan Fl. monsp.
267. Illustr. 33. t. 19. DC. Syst. I. 336. Prodr. I. 50.
— 4 — *Habitat in apricis regionis mediterraneae.*

5249. *Aquilegia glandulosa* Fisch. Ined.
ex Link Enum. Hort. ber. II. 84. DC. Prodr. I. 50.
— 4 — *Habitat in alpihus altaicis.*

5250. *Aquilegia sibirica* Lamarck Dict. I.
150. Deless. Ic. select. I. t. 47. DC. Syst. I. 336.
Aquilegia vulgaris dahurica Willd. Spec. II. 1246. — 4 —
Habitat in sylvis Dahuriae.

5251. *Aquilegia Sternbergii* Reichenb. Fl.
exc. 749. excl. syn. Sternb. Koch Synops. 21. *Aqui-
legia alpina* Haenke in Jacq. Collect. II. 39. nec Sternb.
nec Linn. — 4 — *Habitat in subalpinis Carinthiae et
Carnioliae.*

5252. *Aquilegia atrata* Koch in Bot. Zeitg.
1830. I. 118. Synops. 22. *Aquilegia nigricans* Reichenb.
Flor. exc. 748. — 4 — *Habitat in subalpinis et alpi-
bus Tyrolensibus, Bavaricis, Salisburgensibus.*

5253. *Aquilegia alpina* Linn. Spec. 752. Al-
lioni Flor. Pedem. t. 22. Koch Synops. 22. DC. Syst.
I. 336. Prodr. I. 50. *Aquilegia montana* Sternb. Denk-
schr. d. Regensb. Ges. 1828. p. 60. (nec ic.) — 4 —
Habitat in locis asperis petrosis alpium Europae.

5254. *Aquilegia pyrenaica* DC. Fl. fr. IV.
912. Syst. II. 337. Prodr. I. 50. Koch Synops. 22.
Aquilegia alpina Lam. Dict. I. 150. Sternb. in Denk-
schr. d. Regensb. bot. Ges. 1828. p. 61. t. 4. *Aqui-*

Syst. I. 360. Prodr. I. 55. — 4 — *Habitat in Sibiria.*

5273. **Delphinium laxiflorum** DC. Syst. I. 360. Prodr. I. 55. — 4 — *Habitat in Sibiria.*

5274. **Delphinium montanum** DC. Fl. fr. V. 641. Syst. I. 361. Prodr. I. 55. *Delphinium intermedium* Lois. Not. 86. — 4 — *Habitat in alpibus Helvetiae, Galloprovinciae, Pyrenaeorum.*

5275. **Delphinium speciosum** Bieberst. Flor. Taur. cauc. II. 12. Deless. Ic. select. I. t. 62. DC. Syst. I. 361. Prodr. I. 56. — 4 — *Habitat in regione Caucasica.*

5276. **Delphinium flexuosum** Bieberst. Flor. Taur. cauc. II. 12. Trev. Delph. obs. 15. t. 1. et t. 2. f. a — d. DC. Syst. I. 362. Prodr. I. 56. *Delphinium ciliatum* Suppl. ad Enum. Hort. Dorpat. 1811. ex Stev. — 4 — *Habitat in Caucaso iberico.*

5277. **Delphinium triste** Fischer in litt. DC. Syst. I. 362. Prodr. I. 56. *Delphinium obscurum* Steven Diss. ined. — 4 — *Habitat in Dahuria et Sibiria.*

4797. **Aconitum** Tournef.

α. Anthora DC.

5278. **Aconitum Anthora** Linn. Spec. 751. Ser. Mus. helv. I. 129. DC. Syst. I. 364. Prodr. I. 56. — 4 — *Habitat in rupibus alpinis Europae.*

α. Vulgare DC.

β *Jacquinianum* Ser. Mus. helv. 131. *Aconitum Anthora* Jacq. Flor. austr. 382. *Aconitum Jacquinii* Reichenb. Ill. t. 59.

β. Lycoctonum DC.

5279. **Aconitum Lycoctonum** Linn. Spec. 750. DC. Syst. I. 367. Ser. Mus. helv. t. 15. f. 5—11. et 48. DC. Prodr. I. 57. Koch Synops. 25. — 4 — *Habitat in sylvis montanis et alpinis Europae.*

α. Vulgare Ser. I. c.

β. *Pyrenaicum* Ser. I. c. *Aconitum pyrenaicum* Lam. Dict. I. 33. DC. Syst. I. 368. *Aconitum Lamarchii* Reichenb. Ill. 55.

γ. *Grandiflorum* Ser. l. c. *Aconitum Thelyphonum* Reichenb. Ill. t. 54. *Aconitum Lycocotum* Jacq. Flor. austr. t. 380. *Aconitum Jacquintanum* Host Flor. austr. II. 68.

δ. *Septemtrionale* Ser. l. c. *Aconitum septemtrionale* Koell. Spic. 22. et DC. Syst. I. 370. *Aconitum australe* Reichenb. Uebers. 71. Oed. Fl. dan. t. 123. *Aconitum pallidum* Reichenb. Ill. t. 50.

5280. ***Aconitum ochroleucum*** Willdenow Spec. II. 1233. Ser. Mus. helv. t. 15. f. 7. 8. 9. DC. Prodr. I. 58. *Aconitum album* Aiton Hort. kew. ed. 1. II. 246. — 4 — *Habitat in Caucaso.*

5281. ***Aconitum barbatum*** Patrin. in Pers. Encheir. II. 83. DC. Syst. I. 367. Deless. Ic. sel. I. t. 64. Prodr. I. 58. *Aconitum squarrosum* Linn. Spec. 751. DC. Syst. I. 368. — 4 — *Habitat in Sibiria.*

c. *Cammorum* DC.

5282. ***Aconitum paniculatum*** Lam. Fl. fr. ed. 1 Suppl. 1224. ex DC. Syst. I. 375. Ser. Mus. helv. I. 144. t. 15. f. 20. 21. DC. Prodr. I. 60. Koch Synops. 25. *Aconitum cernuum* Wulfen ap. Koelle Spicil. 17. *Aconitum molle* Reichenb. Ill. t. 31. — 4 — *Habitat in locis subhumidis alpium Europae.*

5283. ***Aconitum Stoerkeanum*** Reichenb. Illustr. t. 71. Koch Synops. 24. *Aconitum intermedium* DC. Syst. I. 374. Prodr. I. 61. *Aconitum Napellus* Stoerk. Lib. 69. *Aconitum neomontanum* Willd. Spec. II. 1236. *Aconitum exaltatum* Bernh. ap. Reichenb. Illustr. t. 72. — 4 — *Habitat in montosis sylvaticis subalpinis Europae mediae.*

5284. ***Aconitum japonicum*** Thunb. Flor. japon. 231. Sieb. et Zucc. Flor. jap ic. inedit. — 4 — *Habitat in Japone.*

d. *Napellus* DC.

5285. ***Aconitum Napellus*** Linn. Spec. 781. DC. Syst. I. 371. Prodr. I. 62. Koch Synops. 24. *Aconitum albidum* Bernhardi. *Aconitum Bernhardianum* Reichenb. Ill. t. 68. Fl. exc. 741. *Aconitum multifidum* Koch. Reichenb. Illustr. 70. *Aconitum tenuifolium* Ser. Mus. helv. I. 159. *Aconitum virgatum* Reichenb. Ue-

bers. 28. *Aconitum tauricum* Wulf. in Jacq. Collect. II. 112. Reichenb. Ill. t. 63. — 4 — *Habitat in locis humidis, ad rivos montium et alpium Europae.*

Tribus V. Paeonieae.

4798. *Trautvetteria* Fisch. et Mey.

5286. *Trautvetteria palmata* Fischer et Meyer Index Sem. Hort. Petrop. 1835. I. p. 22. *Actaea palmata* DC. Prodr. I. 64. *Cimicifuga palmata* Michaux Flor. Bor. Amer. I. 316. Bot. Mag. t. 1636. — 4 — *Habitat in America boreali.*

4799. *Actaea* Linn.

5287. *Actaea spicata* Linn. Spec. 722. Oed. Flor. dan. t. 589. Gärtn. de fruct. II. 154. t. 114. DC. Syst. I. 384. Prodr. I. 65. Koch Synops. 25. — 4 — *Habitat in nemoribus et sylvis umbrosis Europae fere totius.*

4800. *Botrophis* Raf.

5288. *Botrophis actaeoides* Rafin. ex Fischer et Meyer Index Sem. Hort. Petrop. 1835. I. p. 21. *Actaea racemosa* Linn. Spec. 722. — 4 — *Habitat in America boreali.*

4801. *Actinospora* Turcz.

5289. *Actinospora davurica* Turczaninow in Fischer Index Sem. Hort. Petrop. 1835. I. p. II. 26. — 4 — *Habitat in Asia media.*

4802. *Cimicifuga* Linn.

5290. *Cimicifuga foetida* Linn. Syst. nat. ed. XII. 659. Lam. Illustr. t. 487. Gärtn. Fr. II. 275. t. 140. *Actaea Cimicifuga* Linn. Amoen. II. 354. Linn. Spec. ed. 2. p. 922. DC. Syst. I. 382. Prodr. I. 64.

— 24 — *Habitat in sylvis umbrosis Moraviae, Galiciae, Hungariae et Sibiriae.*

4804. **Paeonia** Linn.

α. Paeon DC.

5291. **Paeonia corallina** Retz Obs. 34. DC. Syst. I. 388. Prodr. I. 65. Andr. Bot. Rep. t. 268. Koch Synops. 26. — 24 — *Habitat in sylvaticis asperis Europae.*

5292. **Paeonia banatica** Rochel Fl. ban. 48. t. 11 f. 5. *Paeonia rosea* Host Flor. austr. II. 64. *Paeonia corallina* Pollini Fl. ver. II. 192. — 24 — *Habitat in graminosis rupestribus Banatus, Croatiae.*

5293. **Paeonia pubens** Sims Bot Mag. 2264. Reichenb. Fl. exc. 751. — 24 — *Habitat in Europa australi.*

5294. **Paeonia officinalis** Linn. Spec. 747. var. α. Bot. Mag. t. 1784. DC. Syst. I. 339. Prodr. I. 65. Koch Synops. 26. Var. *alba*, *angustifolia*, *Sabini*. — 24 — *Habitat in sylvaticis regionum australiorum.*

5295. **Paeonia triternata** Pallas Nov. Act. Petrop. X. DC. Syst. I. 391. Prodr. I. 66. *Paeonia dahurica* Andr. Bot. Reposit. t. 486. — 24 — *Habitat in Tauria.*

5296. **Paeonia lobata** Desf. Cat. Hort. Paris. 126. DC. Syst. I. 391. Prodr. I. 66. — 24 — *Habitat in Lusitania.*

5297. **Paeonia tenuifolia** Linn. Spec. 748. Bot. Mag. t. 926. Rochel Fl. ban. t. XII. f. 26. DC. Syst. I. 394. Prodr. I. 66. — 24 — *Habitat in Banatu, Tauria et Sibiria.*

β. *Laciniata* DC. *Paeonia laciniata* Willd. Enum. Hort. ber. 573. non Pall.

5298. **Paeonia albiflora** Pallas Flor. ross. II. t. 84. Bot. Reg. t. 42. DC. Syst. I. 392. Andr. Bot. Reposit. 256. DC. Prodr. I. 66. — 24 — *Habitat in Sibiria.*

5299. **Paeonia humilis** Retz Obs. III. 35.
Bot. Mag. t. 1422. DC. Syst. I. 392. Prodr. I. 66.
— 24 — *Habitat in Hispania.*

5300. **Paeonia decora** Andrews Bot. Repos.
273. DC. Prodr. I. 66. — 24 — *Habitat in Oriente.*

α. Pallasii DC. l. c. — *β. Elatior* DC. l. c. *Paeonia byzantina* Clus. Hist. 276.

5301. **Paeonia arietina** Andrews Bot. Reposit. 275. DC. Prodr. I. 66. — 24 — *Habitat in Oriente.*

α. Andersonii DC. l. c. — *β. Carneae* DC. l. c.

5302. **Paeonia peregrina** Mill. Dict. n. 3.
Bot. Mag. t. 1050. Andr. Bot. Repos. 277. DC. Prodr.
I. 66. *Paeonia peregrina γ.* DC. Syst. I. 390. — 24 —
Habitat in Oriente.

5303. **Paeonia paradoxa** Andrews Bot.
Reposit. 288. DC. Prodr. I. 66. *Paeonia peregrina α.*
DC. Syst. I. 390. *Paeonia promiscua* Lobel. lc. 683.
f. 2. — 24 — *Habitat in montibus apricis Galliae australis.*

5304. **Paeonia mollis** Andrews Bot. Repos.
282. DC. Prodr. I. 66. — 24 — *Habitat in Sibiria.*

δ. Moutan DC.

5305. **Paeonia Moutan** Sims in Bot. Mag.
t. 1154. *Paeonia arborea* Don Cantabr. 196. — 5 —
Habitat in Chinae provincia Ho-nan, a Banksio ann.
1789 introducta.

β. Papaveracea Andr. Bot. Rep. t. 463.

Ordo CXXIV. Berberideae.

4806. **Podophyllum** Linn.

5306. **Podophyllum peltatum** Linn. Spec.
722. Lam. Ill. t. 449. Bigelow Mat. med. t. 33. DC.

Syst. II. 34. Prodr. I. 111. — 24 — *Habitat in America boreali a Canada ad Louisianam.*

Vulgo Mandrake, Mayappel.

4810. **Leontice** Linn.

5307. **Leontice Vesicaria** Pallas in Comment. Petrop. 1779. p. 2. t. 9. f. 4. DC. Syst. II. 25. Prodr. I. 109. — 24 — *Habitat in praeruptis limosis ad lacum salsum Indernensem deserti Kirghisorum.*

4811. **Epimedium** Linn.

a. Macroceras Morr. et Decaisn.

5308. **Epimedium Musschianum** Morren et Decaisn. in Nouv. Annal. sc. nat. II. 353. — 24 — *Habitat in Japonia, a Sieboldio in hortum Gandaviensem introductum.*

5309 **Epimedium macranthum** Morren et Decaisn. in Nouv. Annal. sc. nat. II. 352. — 24 — *Habitat in Japonia, a Sieboldio in hortum Gandaviensem introductum.*

5310. **Epimedium violaceum** Morren et Decaisne in Nouv. Annal. sc. nat. II. 354. t. 12. Graham in Bot. Mag. t. 3751. Bot. Reg. 1840. t. 43. — 24 — *Habitat in Japonia, a Sieboldio in hortum Gandaviensem introductum.*

b. Microceras Morr. et Decaisn.

5311. **Epimedium alpinum** Linn. Spec. 171. Schkuhr Handb. t. 24. DC. Syst. II. 28. Prodr. I. 110. — 24 — *Habitat in dumetis umbrosis montium celsiorum Europae mediae.*

4813. **Aceranthus** Morr. et Decaisn.

5312. **Aceranthus diphyllus** Morren et Decaisne in Nouv. Annal. sc. nat. II. 350. t. 2. *Epimedium diphyllum* Loddiges Bot. Cab. t. 1858. Graham in Bot. Mag. t. 3448. — 24 — *Habitat in Japonia.*

4814. **Berberis** Linn.**α. Berberis** Linn.

§. 1. **Pedunculis multifloris racemosis.**

5313. **Berberis vulgaris** Linn. Spec. 472. DC. Syst. II. 5. Prodr. I. 105. Schultes f. Syst. VII. 2. — ♂ — *Habitat in frutetis, imprimis calcareis, Europae totius, Asiae occidentalis et Americae borealis.*

Var. α. *Rubra* E. B. t. 49. Flor. dan. t. 904. — β. *Alba* Miller Dict. n. 1. — γ. *Lutea* Heritier msc. — δ. *Violacea* Willdenow Baumz. 52. — ε. *Asperma* Clusius Hist. I. 121. Bauhin. Pinax 454. — ζ. *Dulcis* Host Flor. austr. I. 454. — η. *Lucida* Schrad. in Linnaea XII. 363. — ? θ. *Macrocarpa* Schrad. Op. cit. 370. — ? ι. *Mitis* Schrad. Op. cit. 371. — ? κ. *Provincialis* Audib. ex Schrad. Op. cit. 381.

5314. **Berberis emarginata** Willd. Enum. I. 395. Guimpel Holzarzt. 78. t. 63. DC. Prodr. I. 105. Schultes f. Syst. VII. 5. — ♂ — *Habitat in Sibiria.*

5315. **Berberis canadensis** Miller Dict. n. 2. Guimpel Holzarzt. 79. t. 64. DC. Syst. II. 7. Prodr. I. 106. Schultes f. Syst. VII. 3. — ♂ — *Habitat in collibus fertilibus et in rupestribus Americae borealis.*

Var. β. *Major.*

5316. **Berberis sinensis** Desfont. Catalog. Hort. Paris. 1804. p. 150. Arbr. II. 27. DC. Syst. II. 27. Prodr. I. 106. — ♂ — *Habitat in China boreali circa Pe-king et Jehol.*

5317. **Berberis aristata** DC. Syst. II. 8. Prodr. I. 106. Hooker Exot. Flor. t. 98. excl. synonym. Bot. Mag. t. 2549. *Berberis Chitria* Hamilt. ex Don Nepal. 204. Bot. Reg. t. 729. Schultes f. Syst. VII. 5. — ♂ — *Habitat in Nepalia.*

5318. **Berberis cretica** Linn. Spec. 472. Desfont. Arbr. II. 27. DC. Syst. II. 8. Prodr. I. 106. Sibthorp Flor. graec. t. 342. Schultes f. Syst. VII. 5.

— ♂ — *Habitat in montibus sphakioticis Cretae, nec non in aliis Archipelugi insulis.*

5319. **Berberis crataegina** DC. Syst. II. 9. Prodr. I. 106. Schultes f. Syst. VII. 6. — ♂ — *Habitat in Asia minore.*

5320. **Berberis ilicifolia** Forster in Comment. Götting. IX. 28. DC. Syst. II. 12. Prodr. I. 107. Schultes f. Syst. VII. 9. *Berberis lagenaria* Poiret Dict. VIII. 619. — ♂ — *Habitat in rupibus Terrae del Fuego et in sinu Bougainville.*

5321. **Berberis asiatica** Roxburgh msc. ex DC. Syst. II. 13. Prodr. I. 106. Delessert Ic. select. II. 1. Schultes f. Syst. VII. 10. *Berberis ilicifolia* Roxburgh Asiat. Research. VI. 357. — ♂ — *Habitat in India orientali et Nepalia.*

Lignum intense flavum.

§. 2. Pedunculis unifloris.

5322. **Berberis dulcis** Sweet Fl. Gard. II. t. 100. — ♂ — *Habitat in America antarctica.*

5323. **Berberis sibirica** Pallas Flor. ross. II. t. 67. Desfont. Arbr. II. 28. Bot. Reg. t. 487. Guimpel Holzart. 80. t. 65. DC. Syst. II. 17. Prodr. I. 108. Schultes f. Syst. VII. 12. — ♂ — *Habitat in rupibus Sibiriae altaicae et Dauriae.*

5324. **Berberis buxifolia** Lam. Ill. t. 253. f. 3. DC. Syst. II. 107. Prodr. I. 107. Schultes f. Syst. VII. 13. — ♂ — *Habitat in terra del Fuego.*

5325. **Berberis empetrifolia** Lam. Ill. t. 253. f. 4. DC. Syst. II. 16. Prodr. I. 108. Schultes f. Syst. VII. 14. Bot. Reg. 1840. t. 27. — ♂ — *Habitat in sylvis subulpinis ad fretum Magellanicum.*

5326. **Berberis heterophylla** Jussieu ex Poiret Dict. VIII. 622. Hooker Exot. Flor. t. 14. DC. Syst. II. 16. Prodr. I. 108. Schultes f. Syst. VII. 14. — ♂ — *Habitat ad fretum Magellanicum.*

♂. Mahonia Nutt.

5327. **Berberis pinnata** Lagasca Elench.

Hort. madr. 1803. p. 6. 1816. p. 14. *Berberis fasciculata* Sims in Bot. Mag. t. 2396. Delessert Ic. select. II. t. 3. *Berberis fascicularis* Schultes f. Syst. VII. 17. *Mahonia fascicularis* DC. Syst. II. 19. Prodr. I. 108. — ♂ — *Habitat in California.*

5328. ***Berberis Aquifolium*** Pursh Flor. Bor. Amer. I. 219. t. 4. Schultes f. Syst. VII. 18. *Mahonia Aquifolium* Nuttall Gen. Am. I. 212. DC. Syst. II. 20. Prodr. I. 108. — ♂ — *Habitat in America boreali secus flumen Columbia.*

β. *Repens.* *Berberis repens* Lindl. in Bot. Reg. t. 1176.

5329. ***Berberis diversifolia*** Sweet Fl. Gard. II. 94. — ♂ — *Habitat in Monte Video.*

4815. ***Nandina*** Thunb.

5330. ***Nandina domestica*** Thunberg Flor. japon. 147. Lam. Ill. t. 261. Gärtner Carp. II. 69. t. 92. Sims Bot Mag. t. 1109. DC. Syst. II. 22. Prodr. I. 109. Schultes f. Syst. VII. 1. *Nandskokf* v. *Nandia* Kaempf. Amoen. exot. 776 Banks Ic. Kaempf. t. 13. 14. — ♂ — *Habitat in Japonia et China.*

Ordo CXXV. **Papaveraceae.**

Subordo I. **Papavereae.**

Tribus I. **Argemoneae.**

Subtribus I. **Bocconieae.**

4816. ***Bocconia*** Plum.

5331. ***Bocconia frutescens*** Linn. Spec. 634. Lam. t. 394. DC. Prodr. I. 121. — ♀ — *Habitat in Mexico.*

4817. **Macleya** R. Br.

5332. **Macleya cordata** R. Brown in Denh. et Clappert. Narrat. 218. *Bocconia cordata* Willdenow Spec. II. 841. Jacq. Fragm. 63. t. 93. f. 1. Bot. Mag. t. 1905. DC. Prodr. I. 121. — 4 — *Habitat in China.*

Subtribus II. **Papavereae verae.**4819. **Chelidonium** Tournef.

5333. **Chelidonium majus** Linn. Spec. 723. E. B. t. 1531. Flor. dan. t. 676. — 4 — *Habitat in ruderalis et sepibus Europae totius.*

β *Flore pleno.* — γ. *Foliis laciniatis.* *Chelidonium laciniatum* Mill. Dict. n. 2. *Chelidonium quercifolium* Will. Lorr. II. 613.

4821. **Argemone** Tournef.

5334. **Argemone mexicana** Linn. Spec. 727. Bot. Mag. t. 243. DC. Prodr. I. 120. — ☉ — *Habitat in Mexico, nunc per regiones tropicas totius orbis diffusa.*

5335. **Argemone ochroleuca** Sweet Fl. Gard. t. 242. — ☉ — *Habitat in Mexico.*

4822. **Meconopsis** Vig.

5336. **Meconopsis cambrica** Vig. Pap. 48. f. 3. DC. Prodr. I. 120 *Papaver cambricum* Linn. Spec. 727. E. B. t. 66. — 4 — *Habitat in pratis Pyrenaeorum et Angliae.*

4823. **Papaver** Tournef.* **Scapiflora.**

5337. **Papaver nudicaule** Linn. Spec. 725. — 4 — *Habitat in regionibus arcticis et in alpinis Europae.*

Var. β. *Luteum* Hort. — γ *Croceum.* *Papaver croceum* Ledeb. Ic. t. 141. Bot. Mag. t. 2344. — δ *Alpinum.* *Papaver alpinum* Linn. Mant. 401. Reichenb. Iconogr. f. 988.

**** Grandiflora.**

5338. **Papaver orientale** Linn. Spec. 727. Bot. Mag. t. 57. DC. Prodr. I. 119. — 4 — *Habitat in Armenia.*

5339. **Papaver bracteatum** Lindley Collect. t. 23. Bot. Mag. t. 658. DC. Prodr. I. 119. — 4 — *Habitat in monte Beschtau Caucasi.*

***** Miltantha.**

5340. **Papaver caucasicum** Bieberst. Flor. Taur. cauc. II. 5. Elkan Pap. 21. — ☉ — *Habitat in Caucaso et Iberia.*

α. *Genuinum*. (Bot. Mag. t. 1675.) — β. *Hispidum* Desf. *Papaver ibericum* Hort. — γ. *Persicum* Hort. Dijon. — δ. *Ramosissimum* Hort. Prag.

****** Rhocades.**

5341. **Papaver hybridum** Linn. Spec. 725. E. B. t. 43. DC. Prodr. I. 118. *Papaver hispidum* Lam. Fl. fr. III. 174. — ☉ — *Habitat in agris Europae mediae et australis.*

5342. **Papaver Argemone** Linn. Spec. 725. Flor. dan. t. 867. E. B. t. 643. DC. Prodr. I. 118. — ☉ — *Habitat in campis et agris arenosis Europae totius.*

5343. **Papaver dubium** Linn. Spec. 726. Jacq. Flor. austr. t. 25. DC. Prodr. I. 118. — ☉ — *Habitat in arvis Europae totius.*

5344. **Papaver Rhoeas** Linn. Spec. 726. E. B. t. 645. DC. Prodr. I. 118. — ☉ — *Habitat inter segetes Europae, Asiae et Americae.*

******* Mecones.**

5345. **Papaver somniferum** Linn. Spec. 726. Elkan Pap. 30. — ☉ — *Habitat in Oriente, nunc per omnem Europam cultum.*

A. *Seminibus nigris*. α. *Setigerum*. *Papaver setigerum* DC. Prodr. I. 119. Deless. Ic. select. II. t. 7. — β. *Nigrum*. *Papaver somniferum* α. DC. Prodr. I. 120.

B. *Seminibus albis.* γ. *Album.* *Papaver somniferum* β.
DC. Prodr. I. 120. (E. B. t. 1245.) *Papaver officinale* Gmel.
Flor. bad. II. 479.

5346. **Papaver amoenum** Lindley in Bot.
Reg 1839. App. n. 80. — ☉ — *Habitat in India boreali.*

4825. **Roemeria** Medik.

5347. **Roemeria hybrida** DC. Syst. II. 92.
Chelidonium hybridum Linn. Spec. 724. E. B. t. 201.
Chelidonium violaceum Lam. Fl. fr. III. 169. *Glaucium*
violaceum Juss. Gen. 236. Sibthorp Fl. graec. t. 490.
— ☉ — *Habitat in agris et vineis regionis mediterraneae,*
et inter segetes Angliae.

4826. **Glaucium** Tournef.

5348. **Glaucium luteum** Scop. Flor. carn.
I. 369. *Glaucium flarum* Crantz Fl. austr. II. 141. DC.
Syst. II. 94. *Chelidonium Glaucium* Linn. Spec. 724.
E. B. t. 8. — ☉ — *Habitat in glareosis Europae me-*
diae et australis.

5349. **Glaucium fulvum** Smith Exot. Bot.
I. 11. t. 7. DC. Syst. II. 95. *Chelidonium fulvum* Poi-
ret Suppl. V. 606. — ☉ — *Habitat in glareosis areno-*
sis Europae australis.

β. *Grandiflorum.*

5350. **Glaucium corniculatum** Curtis Fl.
lond. VI. t. 32. DC. Syst. II. 96. *Glaucium phoeniceum*
Crantz Fl. austr. II. 141. E. B. t. 1433. Sibthorp
Fl. graec. t. 489. *Chelidonium Glaucium* Linn. Spec.
724. — ☉ — *Habitat in Europa australi et Anglia.*

β. *Tricolor* Bernh.

5351. **Glaucium Fischeri** Bernh. in litt.
— ☉ — *Habitat in Persia.*

5352. **Glaucium rubrum** Sibthorp Flor.
graec. t. 488. DC. Syst. II. 97. — ☉ — *Habitat in*
Graecia et Asia minore.

Tribus II. Hunnemannieae.

4827. **Eschscholtzia** Cham.

5353. **Eschscholtzia californica** Cham. in Hor. Phys. Berol. 74. t. 15. *Eschscholtzia crocea* Benth. in Hort. Transact. N. S. I. 406. Bot. Reg. t. 1677. Bot. Mag. t. 3495. *Chryseis crocea* Lindley in Bot. Reg. n. 1948. — 2 — *Habitat in California.*

5354. **Eschscholtzia Douglasii** Hook. et Arn. ad Beechey. *Eschscholtzia californica* Lindley Bot. Reg. t. 1168. Hooker Bot. Mag. t. 2887. non Cham. *Chryseis crocea* Lindley in Bot. Reg. n. 1948. — ☉ — *Habitat in Oregon, Americae borealis.*

4828. **Hunnemania** Sweet.

5355. **Hunnemania fumariaefolia** Sweet Fl. Gard. II. t. 276. Hooker Bot. Mag. t. 3061. — 2 — *Habitat in Mexico.*

Tribus III. Platystemoneae.

4830. **Platystigma** Benth.

5356 **Platystigma lineare** Benth. in Hort. Transact. N. S. I. 407. Hooker Ic. t. 38. Bot. Mag. t. 3575. — ☉ — *Habitat in California.*

4832. **Platystemon** Benth.

5357 **Platystemon californicum** Benth. in Hort. Transact. N. S. I. 405. Bot. Reg. t. 1679. Bot. Mag. t. 3579. — ☉ — *Habitat in California.*

5358. **Platystemon lelocarpum** Fisch. et Meyer Index Sem. Hort. Petrop. II. 1835. p. 47. — ☉ — *Habitat in California.*

Subordo II. Fumariaceae.

Tribus I. Hypecoeae.

4833. **Hypecoum** Tourn.

5359. **Hypecoum procumbens** Linn. Spec. 181. Lam. t. 88. Schkuhr Handb. t. 27. DC. Syst. II. 123. — ☉ — *Habitat in agris sabulosis regionis mediterraneae.*

Tribus II. Fumarieae.

4837. **Adlumia** Raf.

5360. **Adlumia cirrhosa** Raf. in Desv. Journ. bot. II. 169. DC. Syst. II. 111. *Corydalis fungosa* Vent. Choix t. 19. *Fumaria fungosa* Willd. Spec. III. 857 — ☉ — *Habitat in America boreali.*

4839. **Corydalis** DC.

5361. **Corydalis longiflora** Pers. Encheir. II. 269. DC. Syst. II. 117. *Fumaria longiflora* Willd. Spec. III. 860. *Fumaria Schangini* Pallas in Act. Petrop. 1779. II. 267. t. 14. f. 1 — 3. — 4 — *Habitat in alpibus altaicis.*

5362. **Corydalis tuberosa** DC. Fl. fr. IV. 637. Syst. II. 117. *Corydalis bulbosa* Pers. Encheir. II. 69. *Corydalis cava* Wahlenb. Flor. Helv. 126. *Fumaria bulbosa* var. α . Linn. Spec. 983. *Fumaria cava* Miller Dict. n. 7. — 4 — *Habitat in sepibus Europae totius.*

α . *Floribus purpurascentibus* (Bot. Mag. t. 232.) — β . *Floribus albis* (Bot. Mag. t. 2340).

5363. **Corydalis fabacea** Pers. Encheir. II. 269. Flor. dan. t. 1394. DC. Syst. II. 118. *Fumaria bulbosa* var. β . Linn. Spec. 983. *Fumaria fabacea* Retz Prodr. ed. 2. n. 859. — 4 — *Habitat in umbrosis montanis Europae totius.*

5364. **Corydalis bulbosa** DC. r Fl. fr. IV. 637. Syst. II. 119. *Corydalis digitata* Pe s. Encheir. II. 269. *Corydalis Halleri* Willd. Enum. 740. *Fumaria bulbosa* γ. Linn. Spec. 983. *Fumaria solida* Ehrh. Beitr. VI. 146. — 4 — *Habitat in nemoribus montanis Europae.*

5365. **Corydalis nobilis** Pers. Encheir. II. 269. DC. Syst. II. 121. *Fumaria nobilis* Jacq. Hort. Vindob. t. 116. Bot. Mag. t. 1953 — 4 — *Habitat in Sibiria.*

5366. **Corydalis Gebleri** Ledeb. Index Sem. Hort. Dorpat. 1823. Fl. alt. III. 246. Ic. t. 49. — 4 — *Habitat in humidis umbrosis Sibiriae altaicae.*

5367. **Corydalis aurea** Willdenow Enum. 740. DC. Syst. II. 125. *Fumaria aurea* Mühlenb. msc. Bot. Reg. t. 66. — ☉ — *Habitat in America boreali.*

5368. **Corydalis capnoides** Pers. Encheir. II. 270. DC. Syst. II. 126. — 4 — *Habitat in fissuris rupium Europae australioris.*

α. *Ochroleuca*. *Corydalis ochroleuca* Koch in Sturm. D. Fl. 62. *Corydalis capnoides* α. *albida* DC. l. c. *Fumaria capnoides* Scop. Fl. carn. II. 47.

β. *Lutea*. *Corydalis lutea* DC. Fl. fr. IV. 638. *Fumaria lutea* Linn. Mant. 258. E. B. t. 588.

4842. **Cysticapnos** Boerh.

5369. **Cysticapnos africana** Gärtn. Carp. II. 161. t. 115. DC. Syst. II. 112. *Fumaria vesicaria* Linn. Spec. 985. — ☉ — *Habitat in Capite bonae spei.*

4843. **Fumaria** Linn.

5370. **Fumaria officinalis** Linn. Spec. 984. E. B. t. 589. DC. Syst. II. 134. — ☉ — *Habitat in agris et vineis Europae totius.*

5371. **Fumaria parviflora** Lam. Dict. II. 567. E. B. t. 590. DC. Syst. II. 136. — ☉ — *Habitat cum praecedente passim.*

Ordo CXXVI. Cruciferae.

Subordo I. Pleurorrhizeae.

Tribus I. Arabideae.

4845. *Matthiola* R. Br.

a. Pachynotum DC.

5372. *Matthiola graeca* Sweet Hort. suburb.
147. *Cheiranthus graecus* Jussieu in Persoon Encheir.
II. 201. — ☉ — *Habitat in Oriente.*

5373. *Matthiola fenestralis* R. Brown in
Aiton Hort. kew. ed. 2. IV. 119. *Cheiranthus fenestra-*
lis Linn. f. Decad. 31. t. 16. — ☉ — *Habitat in in-*
sulis Canariis.

5374. *Matthiola sinuata* R. Brown in Aiton
Hort. kew. ed. 2. IV. 120. *Cheiranthus sinuatus* Linn.
Spec. 926. E. B. t. 462. — ☉ — *Habitat in arenosis*
maritimis Europae.

b. Acinetum DC.

5375. *Matthiola tricuspidata* R. Brown in
Aiton Hort. kew. ed. 2. IV. 120. *Cheiranthus tricuspi-*
datus Linn. Spec. 926. Schkuhr Handb. t. 184. — ☉ —
Habitat in regione mediterranea.

5376. *Matthiola parviflora* R. Brown in
Aiton Hort. kew. ed. 2. IV. 121. *Cheiranthus parviflo-*
rus Schousb. in Schraders Journ. III. 369. — ☉ —
Habitat in Hispania meridionali.

4848. *Cheiranthus* R. Br.

a. Cheiri DC.

5377. *Cheiranthus Cheiri* Linn. Spec. 924.
Schkuhr Handb. t. 184. — ☉ — *Habitat in muris et*
rupibus Europae australioris.

δ. Cheiroides DC.

5378. **Cheiranthus mutabilis** Heritier Stirp. 92. Bot. Mag. t. 195. — ♂ — *Habitat in Madera.*

β. *Longifolius*. **Cheiranthus longifolius** Vent. Malm. t. 83. — *Habitat in Teneriffa.*

5379. **Cheiranthus scoparius** Willd. Enum. 681. — ♂ — *Habitat in Teneriffa.*

4850. Nasturtium R. Br.**α. Brachylobos DC.**

5380. **Nasturtium amphibium** R. Brown in Aiton Hort. kew. ed. 2. IV. 110. *Sisymbrium amphibium* Linn. Spec. 917. E. B. t. 1840. — ♀ — *Habitat in paludosis Europae totius.*

5381. **Nasturtium austriacum** Crantz Flor. austr. 15. *Myagrum austriacum* Jacq. Flor. austr. I. 111. *Camelina austriaca* Persoon Encheir. II. 191. — ♀ — *Habitat in paludosis Europae mediae.*

5382. **Nasturtium Camelinae** Fischer et Meyer Index Sem. Hort. Petrop. 1835. I. 34. — ♀ — *Habitat in China.*

β. Clandestina DC.

5383. **Nasturtium indicum** DC. Syst. II. 199. *Sisymbrium indicum* Linn. Mant. 93. — ☉ — *Habitat in India et China.*

5384. **Nasturtium microspermum** DC. Syst. II. 199. — ☉ — *Habitat in China.*

5385. **Nasturtium micropetalum** Fischer et Meyer Index Sem. Hort. Petrop. 1837. III. 41. — ☉ — *Habitat in America boreali.*

4851. Barbarea R. Br.

5386. **Barbarea vulgaris** R. Brown in Ait. Hort. kew. ed. 2. IV. 109. *Erysimum Barbarea* Linn. Spec. 922. Flor. dan. t. 985. — ♀ — *Habitat in Europa.*

5387. **Barbarea plantaginea** DC. Syst.

II. 208. Deless. Ic. select. II. t. 19. *Sisymbrium Barbareae* Linn. Spec. 921. — 2 — *Habitat in Oriente.*

4853. *Turritis* Dillen.

5388. *Turritis glabra* Linn. Spec. 930. E. B. t. 777. — ☉ — *Habitat in pascuis siccis Europae.*

5389. *Turritis stricta* Graham in Edinb. n. philosoph. Journ. 1829. p. 7. Hooker Flor. Bor. Am. I. 40. — ☉ — *Habitat in Americae borealis montibus scopulosis.*

5390. *Turritis retrofracta* Hooker Flor. Bor. Amer. I. 41. *Arabis retrofracta* Graham in Edinb. n. philosoph. Journ. 1829. p. 7. — ☉ — *Habitat in America boreali a sinu Hudsonis ad montes scopulosos.*

4854. *Arabis* Linn.

α. *Alomatium* DC.

5391. *Arabis rosea* DC. Syst. II. 215. Deless. Ic. select. II t. 23. — ☉ — *Habitat in Calabria.*

5392. *Arabis alpina* Linn. Spec. 298. — 2 — *Habitat in alpinis et subalpinis Europae.*

β. *Crispata.* *Arabis crispata* Willd. Enum. 694.

5393. *Arabis albida* Steven ex Catalog. Hort. Gorenk. 1812. p. 51. *Arabis caucasica* Willd. Enum. Suppl. 45. Schrank Hort. monac. t. 24. — 2 — *Habitat in Tauria.*

5394. *Arabis hirsuta* Scopoli Flor. carn. II. 30. *Turritis hirsuta* Linn. Spec. 930. — 2 — *Habitat in dumetis montanis Europae.*

5395. *Arabis Allionii* DC. Fl. fr. IV. 676. *Turritis stricta* Allioni Auct. 18. — 2 — *Habitat in Pedemontio.*

5396. *Arabis ciliata* R. Brown in Aiton Hort. kew. ed. 2. IV. 107. E. B. t. 1746. *Turritis alpina* Willd. Spec. 545. — ☉ — *Habitat in alpidibus Aquilegiensibus et in Hibernia.*

5397. *Arabis procurrens* Waldst. et Kitaib.
II.

Plant. rar. Hung. II. 154. t. 144. — 2 — *Habitat in rupibus calcareis Banatus.*

5398. **Arabis arenosa** Scop. Flor. carn. ed. 2. t. 40. *Sisymbrium arenosum* Linn. Spec. 919. — ☉ — *Habitat in vineis et rupibus Europae mediae.*

5399. **Arabis Halleri** Linn. Spec. 929. Waldst. et Kitaib. Plant. rar. Hung. t. 120. — ☉ — *Habitat in sylvis Europae mediae.*

5400. **Arabis fruticulosa** C. A. Meyer in Ledebour Flor. alt. III. 19. Ic. t. 336. — 2 — *Habitat in rupibus Sibiriae altaicae.*

5. Lomaspora DC.

5401. **Arabis Turrita** Linn. Spec. 930. Jacq. Flor. austr. t. 11. — ☉ — *Habitat in nemorosis Europae.*

5402. **Arabis pendula** Linn. Spec. 930. Jacq. Hort. Vindob. III. 20. t. 34. — ☉ — *Habitat in Sibiria.*

5403. **Arabis oxyota** DC. Syst. II. 236. — ☉ — *Habitat in Sibiria.*

5404. **Arabis pumila** Wulfen in Jacq. Collect. II. 59. Flor. austr. t. 281. — ☉ — *Habitat in lapidosis Europae australioris.*

5405. **Arabis bellidifolia** Jacq. Observ. I. 22. Flor. austr. t. 280. — ☉ — *Habitat in pratis alpinis et subalpinis.*

5406. **Arabis collina** Tenore Prodr. 39. — 2 — *Habitat in collibus circa Neapolim.*

4859. Cardamine Linn.

5407. **Cardamine amara** Linn. Spec. 915. E. B. t. 1000. — 2 — *Habitat ad rivulos Europae.*

5408. **Cardamine pratensis** Linn. Spec. 915. E. B. t. 776. — 2 — *Habitat in pratis humidis Europae totius et Asiae borealis.*

5409. **Cardamine impatiens** Linn. Spec. 914. E. B. t. 80. — ☉ — *Habitat in sylvis umbrosis Europae.*

5410. **Cardamine macrophylla** Willdenow Spec. III. 484. — 2 — *Habitat in Sibiria.*

4861. **Dentaria** Tournef.

5411. **Dentaria enneaphylla** Linn. Spec. 912. Jacq. Flor. austr. t. 316. — 4 — *Habitat in sylvis montanis Europae.*

5412. **Dentaria bulbifera** Linn. Spec. 912. E. B. t. 309. — 4 — *Habitat in sylvis montanis Europae.*

Tribus II. **Alyssineae.**4863. **Lunaria** Linn.

5413. **Lunaria rediviva** Linn. Spec. 911. — 4 — *Habitat in nemorosis montanis Europae mediae et australis.*

5414. **Lunaria biennis** Mönch Method. 261. *Lunaria annua* Linn. Spec. 911. Schkuhr Handb. II. t. 182. — ☉ — *Habitat in nemorosis montanis Europae occidentalis et borealis.*

4865. **Farsetia** Turra.

5415. **Farsetia lunarioides** R. Brown in Aiton Hort. kew. ed. 2. IV. 96 *Lunaria graeca* Willd. Enum. II. 675. — 5 — *Habitat in Archipelago graeca.*

5416. **Farsetia clypeata** R. Brown in Aiton Hort. kew. ed. 2. IV. 96. *Alyssum clypeatum* Linn. Spec. 909. Schkuhr Handb. t. 181. — ☉ — *Habitat in saxosis Europae australis.*

5417. **Farsetia triquetra** DC. Syst. II. 290. — 5 — *Habitat in Dalmatia.*

4867. **Berteroa** DC.

5418. **Berteroa incana** DC. Syst. II. 291. *Alyssum incanum* Linn. Spec. 978. — ☉ — *Habitat in arenosis Europae.*

5419. **Berteroa mutabilis** DC. Syst. II. 292. *Alyssum mutabile* Vent. Hort. Cels. t. 85. — 4 — *Habitat in insula Corcyra.*

4868. **Aubrietia** Adans.

5420. **Aubrietia deltoidea** DC. Syst. II. 294. *Alyssum deltoideum* Linn. Spec. 908. Bot. Mag. t. 126. — 2 — *Habitat in rupibus Calabriae et Graeciae.*

4869. **Vesicaria** Lam.

5421. **Vesicaria utriculata** Lam. Ill. t. 559. *Alyssum utriculatum* Linn. Mant. 92. Waldst. et Kit. Plant. rar. Hung. t. 196. — 2 — *Habitat in rupibus calcareis Europae australioris.*

5422. **Vesicaria sinuata** Poir. Dict. VIII. 570. *Alyssum sinuatum* Linn. Spec. 904. Schkuhr t. 181. — ☉ — *Habitat in Europa australi.*

5423. **Vesicaria grandiflora** Hooker Bot. Mag. t. 3464. — 2 — *Habitat in Texas.*

5424. **Vesicaria gracilis** Hooker Bot. Mag. n. 3464. — 2 — *Habitat in Texas.*

4872. **Aurinia** Desv.

5425. **Aurinia saxatilis** Desvaux Journ. Bot. III. 162. *Alyssum saxatile* Linn. Spec. 908. Bot. Mag. t. 159. — 2 — *Habitat in Podolia.*

4873. **Psilonema** C. A. Mey.

5426. **Psilonema calycinum** C. A. Meyer Bullet. Academ. Petrop. VII. 132. *Alyssum calycinum* Linn. Spec. 908. Jacq. Flor. austr. t. 338. — ☉ — *Habitat in campis siccis Europae mediae et australis.*

5427. **Psilonema dasycarpum** C. A. Meyer in Ledeb. Flor. alt. III. 51. Ic. t. 202. *Alyssum dasycarpum* Stephens in Willd. Spec. III. 469. *Alyssum sibiricum* Treviranus in Berl. Magaz. VII. 151. t. 2. f. 14. 15. — ☉ — *Habitat in Sibiria.*

4874. **Alyssum** Linn.

5428. **Alyssum rostratum** Steven in Mem.

Academ. Petrop. III. 295. t. 15. f. 1. — ☉ — *Habitat in Bessarabia et Tauria.*

5429. **Alyssum campestre** Linn. Spec. 309. — ☉ — *Habitat in campis Europae australioris.*

5430. **Alyssum edentulum** Waldst. et Kit. Plant. rar. Hung. I. 95. t. 92. — ☉ — *Habitat in rupibus calcareis Banatus.*

4875. **Odontarrhena** C. A. Mey.

5431. **Odontarrhena muralis.** *Alyssum murale* Waldst. et Kitaibel Plant. rar. Hung. I. 5. t. 6. — 4 — *Habitat in Transylvania.*

5432. **Odontarrhena alpestris.** *Alyssum alpestre* Linn. Mant. 92. *Alyssum suworanicum* Andr. in Besser Enum. 82. — 4 — *Habitat in alpibus Europae australioris.*

5433. **Odontarrhena tortuosa** C. A. Meyer in Ledeb. Flor. alt. III. 60. *Alyssum tortuosum* Waldst. et Kitaibel Plant. rar. Hung. t. 91. — 4 — *Habitat in Hungaria, Transylvania et Podolia.*

5434. **Odontarrhena Marschalliana** C. A. Meyer Verz. cauc. Pflanz. 182. *Alyssum Marschallianum* Andr. in DC. Syst. II. 308. *Alyssum alpestre* Bieberst. Flor. Taur. cauc. II. 102. excl. synon. — 4 — *Habitat in Tauria et Caucaso.*

5435. **Odontarrhena obovata** C. A. Meyer in Ledebour Flor. alt. III. 61. Ic. t. 277. — 4 — *Habitat in Sibiria altaica.*

4877. **Clypeola** Linn.

5436. **Clypeola Jonthlaspi** Linn. Spec. 910. Lam. Illust. t. 560. f. 1. — ☉ — *Habitat in apricis Europae australis et Persiae.*

5437. **Clypeola cyclodonta** Delile Diss. c. ic. — ☉ — *Habitat in agro monspessulano.*

4878. **Peltaria** Linn.

5438. **Peltaria alliacea** Linn. Spec. 910.

Jacq. Flor. austr. t. 123. — 24 — *Habitat in umbrosis Europae australioris.*

4880. **Draba** Linn.

α. **Holarges** DC.

5439. **Draba unalaschkiana** DC. Syst. II. 350. — ☉ — *Habitat in insula Unalaschka.*

5440. **Draba aurea** Wahl in Flor. dan. t. 1460. — ☉ — *Habitat in Grönlandia.*

5441. **Draba arabizans** Michaux Flor. Bor. Amer. II. 28. — ☉ — *Habitat in America boreali.*

β. **Leucodraba** DC.

5442. **Draba rupestris** R. Brown in Aiton Hort. kew. ed. 2. IV. p. 91. *Draba hirta* E. B. t. 1338. — 24 — *Habitat in rupibus Scotiae et Norvegiae.*

γ. **Chrysodraba** DC.

5443. **Draba tridentata** DC. Syst. II. 339. — 24 — *Habitat in Caucaso.*

5444. **Draba Gmelini** Adams in Mem. Soc. Mosq. V. 107. — 24 — *Habitat in Sibiria.*

5445. **Draba repens** Bieberst. Flor. Taur. cauc. II. 93. — 24 — *Habitat in Iberia.*

δ. **Aizopsis** DC.

5446. **Draba aizoides** Linn. Mant. 91. Jacq. Flor. austr. t. 192. — 24 — *Habitat in rupibus Europae mediae.*

4881. **Erophila** DC.

5447. **Erophila vulgaris** DC. Syst. II. 356. *Draba verna* Linn. Spec. 896. Flor. dan. t. 983. — ☉ — *Habitat in aridis Europae totius.*

4882. **Cochlearia** Linn.

α. **Armoracia** DC.

5448. **Cochlearia Armoracia** Linn. Spec.

904. E. B. t. 2223. — 24 — *Habitat in aquosis Europae.*

5449. **Cochlearia macrocarpa** Waldst. et Kitaibel Plant. rar. Hung. II. 101. t. 184. — 24 — *Habitat in aquosis Hungariae et Transylvaniae.*

δ. Cochlear DC.

5450. **Cochlearia officinalis** Linn. Spec. 903. E. B. t. 551. — ☉ — *Habitat in littoribus et pratis salsis Europae borealis et mediae.*

5451. **Cochlearia glastifolia** Linn. Spec. 904. Schkuhr Handb. t. 181. — ☉ — *Habitat in Europa media et australi.*

*

4883. Tetrapoma Turcz.

5452. **Tetrapoma barbareaefolia** Turczan. in Fischer et Meyer Index Sem. Hort. Petrop. 1835. I. 39. *Camelina barbareaefolia* DC. Syst. II. 517. — 24 — *Habitat in Sibiria orientali.*

Tribus III. Thlaspideae.

4885. Thlaspi Dillen.

5453. **Thlaspi arvense** Linn. Spec. 901. — ☉ — *Habitat in ruderalis Europae totius.*

5454. **Thlaspi perfoliatum** Linn. Spec. 902. — ☉ — *Habitat in solo calcareo et argillaceo passim.*

4887. Iberis Linn.

α. Iberidium DC.

5455. **Iberis Fruiti** Tineo Pugill. I. 11. — 24 — *Habitat in montibus Nebrodensibus Sicilinae.*

5456. **Iberis Tenoreana** DC. Syst. II. 404. *Iberis cepeaefolia* Tenore Prodr. 37. non Linn. — 24 — *Habitat in regno Neapolitano.*

5457. **Iberis umbellata** Linn. Spec. 906. B. M. t. 106. — ☉ — *Habitat in Italia, Graecia, Hispania.*

5458. **Iberis amara** Linn. Spec. 906. E. B. t. 52. — ☉ — *Habitat in agris Europae.*

5459. **Iberis Garrexiana** Allioni Flor. Pedem. n. 920. t. 40. f. 3. et t. 54. f. 2. — 5 — *Habitat in saxosis Pedemontii et Pyrenaeorum.*

5460. **Iberis saxatilis** Linn. Amoen. IV. 321. Bot. Mag. t. 1642. — 5 — *Habitat in Europa australi et Tauria.*

5461. **Iberis gibraltarica** Linn. Spec. 905. Bot. Mag. t. 124. — 5 — *Habitat ad Gibraltar.*

δ. Iberidastrum DC.

5462. **Iberis semperflorens** Linn. Spec. 904. — 5 — *Habitat in Persia.*

4888. Cynocardamum Webb. et Berth.

5463. **Cynocardamum virginicum** Webb. et Berth. Flor. canar. 96. *Lepidium virginicum* Linn. Spec. 900. *Lepidium Iberis* Schkuhr Handb. t. 180. — ☉ — *Habitat in America boreali.*

5464. **Cynocardamum Menziesii.** *Lepidium Menziesii* DC. Syst. II. 539. — 4 — *Habitat in America boreali.*

4889. Biscutella Linn.

α. Jondraba DC.

5465. **Biscutella auriculata** Linn. Spec. 911. — ☉ — *Habitat in Europa australiore.*

β. Thlaspidium DC.

5466. **Biscutella maritima** Tenore Flor. neap. t. 61. — ☉ — *Habitat in littoribus insularum Caprearum.*

5467. **Biscutella depressa** Willd. Enum. II. 673. — ☉ — *Habitat in Aegypto.*

5468. **Biscutella Columnae** Tenore Prodr.
38. — ☉ — *Habitat in Apulia et Lucania.*

5469. **Biscutella apula** Linn. Mant. 254.
— ☉ — *Habitat in montibus Apuliae.*

5470. **Biscutella ambigua** DC. Biscut. 23.
t. 11. f. 1. — 24 — *Habitat in Gallia australi et Hispania.*

5471. **Biscutella saxatilis** Schleich. ex DC.
Biscut. n. 24. t. 10. — 24 — *Habitat in rupibus Europae australioris.*

4890. **Diastrophis** Fisch. et Mey.

5472. **Diastrophis cristata** Fisch. et Meyer
Index Sem. Hort. Petrop. 1835. II. 35. — 24 — *Habitat in Armenia.*

* Cremolobaeae.

4893. **Menonvillea** DC.

5473. **Menonvillea linearis** DC. Syst. II.
420. Delessert. Ic. select. II. t. 56. *Dispeltophorus*
crassifolius Lehmann Delect. Sem. Hamburg. 1832.
— 24 — *Habitat in Peruvia et Chili.*

5474. **Menonvillea filifolia** Fisch. et Meyer
Index Sem. Hort. Petrop. 1834. I. p. 34. — ☉ —
Habitat in Chili.

Tribus IV. Anastaticaeae.

4895. **Anastatica** Gärtn.

5475. **Anastatica hierochuntica** Linn.
Spec. 895. Jacq. Hort. Vindob. t. 58. Schkuhr t. 179.
— ☉ — *Habitat in arenosis Aegypti et Syriae.*

Tribus V. Euclidieae.

4896. **Euclidium** R. Br.

5476. **Euclidium syriacum** R. Brown in Aiton Hort. kew. ed. 2. IV. 74. *Bunias syriaca* Gärtn. Carp. II. 290. t. 141. — ☉ — *Habitat in Syria, Tauria, Padolia et in agro Vindobonensi.*

Tribus VI. Cakilineae.

4899. **Cakile** Tournef.

5477. **Cakile maritima** Scop. Flor. carn. n 844. Lam. Illust. t. 554. f. 1. *Cakile Serapionis* Gärtn. Fruct. II. 287. t. 141. f. 12. — ☉ — *Habitat in arenosis Europae australis et occidentalis maritimis.*

4900. **Chorispora** DC.

5478. **Chorispora stricta** DC. Syst. II. p. 436. *Raphanus strictus* Fisch. msc. Bieberst. Flor. Taur. Suppl. 452. — ☉ — *Habitat ad lacus in desertis Kirghisorum.*

Subordo II. Notorhizeae.

Tribus VII. Sisymbriae.

4902. **Malcomia** R. Br.

5479. **Malcomia africana** R. Brown in Aiton Hort. kew. ed. 2. IV. 121. *Hesperis africana* Linn. Spec. 928. — ☉ — *Habitat in arenosis Europae et Africae mediterraneae.*

5480. **Malcomia incrassata** DC. Syst. II. 441. Deless. Ic. select. II. t. 59. — ☉ — *Habitat in archipelago graeco.*

5481. **Malcomia arenaria** DC. Syst. II. 442.

Hesperis arenaria Desfont. Flor. atl. II. 91. t. 162.
— ⊙ — *Habitat in Mauritania.*

4903. *Hesperis* Linn.

α. *Hesperidium* DC.

5482. *Hesperis tristis* Linn. Spec. 927. Jacq. Hort. Vindob. t. 118. — ⊙ — *Habitat ad margines agrorum Europae australioris.*

β. *Dellosma* DC.

5483. *Hesperis laciniata* Allioni Flor. ped. n. 985. t. 82. f. 1. *Hesperis glutinosa* Visiani Plant. Dalm. — ⊙ — *Habitat in rupibus apricis Europae australis.*

5484. *Hesperis matronalis* Lam. Dict. III. 321. — 4 — *Habitat in dumetis Europae totius.*

α. *Hortensis* DC. — β. *Sylvestris* DC. *Hesperis inodora* Linn. Spec. 927. Jacq. Flor. austr. t. 347. — γ. *Nivea* Baumg. Flor. Transylv.

4904. *Pachypodium* Webb et Berth.

5485. *Pachypodium Columnae*. *Sisymbrium Columnae* Jacq. Flor. austr. t. 323. — ⊙ — *Habitat in ruderalis Europae australis et orientalis.*

5486. *Pachypodium pannonicum*. *Sisymbrium pannonicum* Jacq. Collect. I. 70. lc. rar. t. 123. — ⊙ — *Habitat in sterilibus Europae australis et orientalis.*

4906. *Sisymbrium* Linn.

α. *Velarum* DC.

5487. *Sisymbrium officinale* Scopoli Flor. carn. ed. 2. n. 824. *Erysimum officinale* Linn. Spec. 922 Flor. dan. t. 560. — ⊙ — *Habitat in arvis Europae totius.*

β. *Norta* DC.

5488. *Sisymbrium strictissimum* Linn. Sp.

922. Jacq. Hort. Vindob. t. 122. — 4 — *Habitat in montosis asperis Europae mediae.*

c. Irlo DC.

5489. **Sisymbrium austriacum** Jacq. Flor. austr. t. 262. — ☉ — *Habitat in collibus Europae mediae et australioris.*

β. *Contortum* Willd. Enum. 678. — γ. *Acutangulum* DC. Fl. fr. IV. 670. *Sinapis pyrenaica* Linn. Spec. 934. Jacq. Hort. Vindob. III. t. 97.

5490. **Sisymbrium Loeselii** Linn. Amoen. IV. 322. Jacq. Flor. austr. t. 324. *Leptocarpaea Loeselii* DC. Prodr I. 140. — ☉ — *Habitat in aggeribus, moeniis et lectis Europae.*

5491. **Sisymbrium Irlo** Linn. Amoen. IV. 270. Jacq. Flor. austr. t. 322. — ☉ — *Habitat in ruderalis Europae totius.*

5492. **Sisymbrium nitidum** Zea in Desfont. Cat. Hort. Paris. 1815. p. 153. DC. Syst. II. 468. — ☉ — *Patriu ignota.*

d. Descurea C. A. Mey.

5493. **Sisymbrium Sophia** Linn. Spec. 922. E. B. t. 963. — ☉ — *Habitat in arvis et ruderalis Europae totius.*

5494. **Sisymbrium Cummingianum** Fisch. et Meyer Index Sem. Hort. Petrop. 1834. I. p. 38. *Sisymbrium chilense* Link. — ☉ — *Habitat in Chili.*

e. Kibera DC.

5495. **Sisymbrium hirsutum** Lagasca ex DC. Syst. II. 478. — ☉ — *Habitat in Hispania.*

5496. **Sisymbrium polyceratum** Linn. Spec. 918. Jacq. Hort. Vindob. t. 79. — ☉ — *Habitat in rupibus humidis Europae australioris.*

f. Alliaria Adans.

5497. **Sisymbrium Alliaria** Scopoli Flor. carn. ed. 2. n. 825. *Erysimum Alliaria* Linn. Spec. 922.

Flor. dan. t. 935. *Alliaria vulgaris* Andr. in Bieberst. Suppl. 445. — 2 — *Habitat in sepibus et dumetis Europae et Asiae finitimae.*

g. Arubidopsis DC.

5498. *Sisymbrium rigidum* Bieberst. Suppl. 439. — ☉ — *Habitat in Tauria meridionali.*

5499. *Sisymbrium Thalianum* Gay et Monard in Annal. sc. nat. VII. *Arabis Thaliana* Linn. Spec. 929. E. B. t. 901. — ☉ — *Habitat in aridis Europae.*

4908. Erysimum Linn.

α. Agonolobus C. A. Mey.

5500. *Erysimum collinum* Andr. in DC. Prodr. I. 198. — ☉ — *Habitat in deserto caspico.*

β. Cuspidaria DC.

5501. *Erysimum cuspidatum* DC. Prodr. I. 197. — ☉ — *Habitat in Podolia, Tauria et Caucaso.*

γ. Chelropsis C. A. Mey.

5502. *Erysimum ibericum* DC. Prodr. I. 198. *Cheiranthus ibericus* Adams in Web. et Mohr Beitr. I. 61. *Cheiranthus armenianus* Bot. Mag. t. 835. — ☉ — *Habitat in Iberia.*

5503. *Erysimum cheiranthoides* Linn. Spec. 923. Jacq. Flor. austr. t. 23. — ☉ — *Habitat in ruderalis Europae totius et Americae borealis.*

5504. *Erysimum Perofskianum* Fischer et Meyer Index Sem. Hort. Petrop. 1837. IV. p. 36. Bot. Reg. 1839. t. 79. — ☉ — *Habitat in Kabul.*

5505. *Erysimum altaicum* C. A. Meyer in Ledebour Flor. alt. III. 153. Ic. t. 347. — 2 — *Habitat in Caucaso et in Sibiria altaica.*

δ. Erysimastrum DC.

5506. *Erysimum virgatum* Roth Catalect. 75. — ☉ — *Habitat in glareosis Europae mediae.*

5507. **Erysimum longesiliculosum** Willd.
Enum. 680. — ☉ — *Habitat in glureosis Helvetiae.*

5508. **Erysimum strictum** Gärtner Flor.
Wetterav. II. 451. — ☉ — *Habitat in Europa media
et orientali.*

5509. **Erysimum exaltatum** Andr. in Bes-
ser Volhyn. 71. — ☉ — *Habitat in Podolia australi.*

5510. **Erysimum aureum** Bieberst. Flor.
Taur. cauc. II. 117. — ☉ — *Habitat in Caucaso.*

5511. **Erysimum Marshallianum** Andr.
in Bieberst. Suppl. 441. — ☉ — *Habitat in Podolia,
Tauria et Sibiria altaica.*

5512. **Erysimum Andrzejowskianum** Bes-
ser Enum. 27. — ☉ — *Habitat in Podolia, Tauria et
Sibiria.*

5513. **Erysimum crassipes** Fisch. et Meyer
Index Sem. Hort. Petrop. II. 1835. p. 25. — ☉ —
Habitat in provincia Talüsch.

5514. **Erysimum repandum** Linn. Spec.
923. Jacq. Flor. austr. t. 22. — ☉ — *Habitat inter
segetes et in arvis Europae.*

5515. **Erysimum odoratum** Ehrh. Beitr.
VII. 157. *Erysimum hieracifolium* Jacq. Flor. austr.
t. 73. — ☉ — *Habitat in montibus calcareis Europae
mediae.*

5516. **Erysimum carniolicum** Dolliner in
Flora 1827. I. 254. c. ic. *Erysimum odoratum* Reichenb.
Iconogr. f. 165. — ☉ — *Habitat in montibus calcareis
Europae australioris.*

5517. **Erysimum canescens** Roth Catalect.
I. 76. *Erysimum diffusum* Ehrh. Beitr. VII. 157. *Cheir-
anthus alpinus* Jacq. Flor. austr. t. 57. — ☉ — *Ha-
bitat in apricis Europae australioris.*

5518. **Erysimum helveticum** DC. Fl. fr.
IV. 658. *Cheiranthus helveticus* Jacq. Hort. Vindob. t. 9.
— ☉ — *Habitat in Vallisia et Carpathis.*

e. Conringia DC.

5519. **Erysimum perfoliatum** Crantz Fl.

austr. 27. *Erysimum orientale* R. Brown in Aiton Hort. kew. ed. 2. IV. 117. *Brassica orientalis* Linn. Spec. 931. Jacq. Flor. austr. t. 282. *Conringia orientalis* Andrzej. in DC. Syst. II. 507. — ☉ — *Habitat in agris sterilibus Europae mediae et orientalis.*

5520. *Erysimum austriacum* Baumg. Flor. Transylv. II. 263. *Brassica austriaca* Jacq. Fl. austr. t. 283. — ☉ — *Habitat in agris Austriae et Hungariae.*

4912. *Braya* Sternb. et Hoppe.

5521. *Braya alpina* Sternb. et Hoppe in Regensb. Denkschrift. I. 65. c. ic. — 2 — *Habitat in alpibus graniticis Carinthiae.*

Tribus VIII. Camelinae.

4918. *Syrenia* Andrzej.

5522. *Syrenia angustifolia* Reichenb. Flor. excurs. 689. *Erysimum angustifolium* Ehrh. Beitr. VII. 513. Waldst. et Kit. Plant. rar. Hung. t. 98. — ☉ — *Habitat in arenosis Hungariae.*

4919. *Camelina* Crantz.

5523. *Camelina sativa* Crantz Flor. austr. 10. *Myagrum sativum* Linn. Spec. 894. Cavanill. Ic. t. 66. — ☉ — *Habitat inter segetes Europae.*

Tribus IX. Lepidineae.

4927. *Capsella* Vent.

5524. *Capsella Bursa pastoris* Mönch Method. 271. *Thlaspi Bursa pastoris* Linn. Spec. t. 1485. — ☉ — *Habitat per omnem terrarum orbem.*

4932. **Lepidium** R. Br.**α. Cardaria** DC.

5525. **Lepidium Draba** Linn. Spec. ed. 1. p. 645. *Cochlearia Draba* Linn. Spec. ed. 2. p. 904. Jacq. Flor. aust. t. 315. — ☉ — *Habitat in arvis Europae australis, altera post Convolvulum arrensem horti nostri pestis.*

β. Ellipsaria DC.

5526. **Lepidium amplexicaule** Willdenow Spec. III. 436. — 4 — *Habitat in Sibiria.*

γ. Cardamon DC.

5527. **Lepidium sativum** Linn. Spec. 899 — ☉ — *In Persia et Cypro spontaneum.*
β. Crispum.

δ. Lepia DC.

5528. **Lepidium campestre** R. Brown in Aiton Hort. kew. ed. 2. IV. 465. *Thlaspi campestre* Linn. Spec. 902. E. B. t. 1385. — ☉ — *Habitat in agris et arvis Europae totius.*

5529. **Lepidium spinosum** Linn. Mant. 253. Arduino Specim. 2. 34. t. 16. — ☉ — *Habitat in Oriente.*

ε. Dileptum DC.

5530. **Lepidium ruderales** Linn. Spec. 900. E. B. t. 1595. — ☉ — *Habitat in ruderalis Europae totius.*

5531. **Lepidium micranthum** Ledebour Flor. alt. Ic. 1. 22. t. 92. — ☉ — *Habitat in Tauria et Sibiria.*

5532. **Lepidium divaricatum** Aiton Hort. kew. ed. 1. II. 441. — 5 — *Habitat in Capite bonae spei.*

ζ. Lepidiastrum DC.

5533. **Lepidium latifolium** Linn. Spec. 899. E. B. f. 182. — 4 — *Habitat in umbrosis humidis Europae.*

5534. **Lepidium cordatum** Willd. msc. Ledebour Flor. alt. III. 186. t. 154. — 4 — *Habitat in deserto Songoro - Kirghisico.*

4934. **Aethionema** R. Br.

5535. **Aethionema saxatile** R. Brown in Aiton Hort kew. ed. 2. IV. 80. *Thlaspi saxatile* Linn. Spec. 901. Jacq. Flor. austr. t. 236. — 4 — *Habitat in rupibus Europae australioris.*

5536. **Aethionema cristatum** DC. Syst. II. 560. Deless. Ic. select. II. t. 74. — ☉ — *Habitat in Syria.*

5537. **Aethionema coridifolium** DC. Syst. II. 560. Delessert Ic. select. II. t. 76. — 5 — *Habitat in Libano.*

Tribus X. Isatideae.

4938. **Isatis** Linn.

5538. **Isatis latisiliqua** Stev. Memoir. soc. nat. Mosc. 1812. III. 267. *Isatis cappadocica* Desv. Journ. Bot. 1814. III. 174. — ☉ — *Habitat in Cappadocia.*

5539. **Isatis dasycarpa** Ledeb. Index Sem. Hort. Dorp. 1824. p. 4. — ☉ — *Habitat in Sibiria.*

5540. **Isatis campestris** Stev. in DC. Syst. II. 571. — ☉ — *Habitat in campis Podoliae australis.*

5541. **Isatis tinctoria** Linn. Spec. 936. E. B. t. 97. — ☉ — *In apricis lapidosis Europae mediae et australis.*

β. *Hirsuta* DC. Syst. II. 570. *Isatis alpina* Vill. Flor. Delph. III. p. 308.

γ. *Microcarpa* DC. Syst. II. 570. *Isatis dalmatica* Mill. Dict. n. 2.

δ. *Heterocarpa* Andr. in Bess. Enum. 26.

5542 **Isatis canescens** DC. Flor. fr. Suppl. 598. — ☉ — *Habitat in Galliae australis apricis maritimis.*

5543. **Isatis iberica** Stev. Memoir. soc. nat. Mosc. III. 267. *Isatis canescens* β. DC. Syst. II. 572. — ☉ — *Habitat in Iberia prope Tiflim.*

4940. **Thysanocarpus** Hook.

5544. **Thysanocarpus pulchellus** Fisch. et Meyer Index Sem. Hort. Petrop. 1835. p. 50. — ☉ — *Habitat in California.*

4942. **Neslia** Desv.

5545. **Neslia paniculata** Desvaux Journ. bot. III. 162. *Rapistrum paniculatum* Gärtn. II. 285. t. 141. *Myagrum paniculatum* Linn. Spec. 894. Flor. dan. t. 204. — ☉ — *Habitat in arvis Europae totius.*

4943. **Myagrum** Tournef.

5546. **Myagrum perfoliatum** Linn. Spec. 893. Schkuhr t. 178. — ☉ — *Habitat in agris et arvis Europae mediae et australis.*

Tribus XI. Anchonieae.

4946. **Sterigma** DC.

5547. **Sterigma tomentosum** DC. Syst. II. 579. *Cheiranthus tomentosus* Willdenow Spec. III. 523. — ☉ — *Habitat in campis limosis ad mare Caspicum.*

Subordo III. Orthoploceae.

Tribus XII. Brassiceae.

4949. **Brassica** Linn.

α. **Brassica.**

5548. **Brassica oleracea** Linn. Spec. 932. — ☉ — *Colitur passim.*

β. *Capitata*. — γ. *Crispa*. — δ. *Variegata*. — ε. *Gongyloides*.

5549. **Brassica campestris** Linn. Spec. 931. — ☉ — *Colitur*.

5550. **Brassica Rapa** Linn. Spec. 931. — ☉ — *Colitur*.

5551. **Brassica Napus** Linn. Spec. 931. — ☉ — *Colitur*.

5552. **Brassica Melanosinapis**. *Brassica nigra* Koch Deutschl. Fl. IV. 713. *Sinapis nigra* Linn. Spec. 933. Wagner Pharm. Bot. t. 200. — ☉ — *Habitat juxta vias et in ruderatis Europae mediae et australis*.

5553. **Brassica bracteolata** Fisch. et Meyer Index Sem. Hort. Petrop. IV. 1838. p. 33. — ☉ — *Habitat in Aegypto*.

5554. **Brassica Tournefortii** Gouan Illustr. 44. t. 20. f. a. — ☉ — *Habitat in Oriente*.

δ. **Brassicastrum** Link.

5555. **Brassica fruticulosa** Cyrillo Plant. rar. II. 7. t. 1. — 4 — *Habitat in Calabria*.

4950. **Sinapis** Linn.

α. **Ceratesinapis** DC.

5556. **Sinapis arvensis** Linn. Spec. 935. E. B. t. 1748. — ☉ — *Habitat in arvis Europae*.

β. *Taurica* Fischer Catalog. Hort. Gorenk. 1812. p. 51.

5557. **Sinapis pubescens** Linn. Mant. 95. — 4 — *Habitat in Sicilia et Hispania*.

5558. **Sinapis Allionii** Jacq. Hort. Vindob. II. t. 168. — ☉ — *Habitat in Aegypto inter Lini segetes*.

β. **Leucosinapis** DC.

5559. **Sinapis alba** Linn. Spec. 933. E. B. t. 1677. — ☉ — *Habitat inter segetes Europae australioris*.

5560. **Sinapis dissecta** Lagasca Elench. Hort. Madrit. 1816. p. 20. — ☉ — *Habitat in Hispania*.

4952. **Erucastrum** Presl.

5561. **Erucastrum obtusangulum** Reichenb. Flor. excurs. 693. *Sisymbrium obtusangulum* Schleich. ex DC. Syst. II. 468. — 2 — *Habitat in ruderalis Europae mediae.*

5562. **Erucastrum elongatum** Ledebour Flor. ross. I. 219. *Brassica elongata* Ehrh. Beitr. VII. 159. Waldest. et Kit. Plant. rar. Hung. t. 28. — 2 — *Habitat in Hungaria et regione taurico-caucasica.*

4954. **Moricandia** DC.

5563. **Moricandia arvensis** DC. Syst. II. 626. *Brassica arvensis* Linn. Mant. 95. — ☉ — *Habitat in arvis Europae australis.*

4955. **Diplotaxis** DC.

5564. **Diplotaxis erucoides** DC. Syst. II. 631. *Sinapis erucoides* Linn. Amoen. Acad. IV. 322. Jacq. Hort. Vindob. t. 170. — ☉ — *Habitat in Hispania et in insulis Balearicis.*

5565. **Diplotaxis tenuifolia** DC. Syst. II. 632. *Sisymbrium tenuifolium* Linn. Spec. 917. E. B. t. 525. — 2 — *Habitat in glareosis apricis Europae totius.*

5566. **Diplotaxis muralis** DC. Syst. II. 222. *Sisymbrium murale* Linn. Spec. 918. E. B. t. 1090. — ☉ — *Habitat in Europa media et australi.*

4956. **Eruca** Tournef.

5567. **Eruca sativa** Lam. Fl. fr. II. 496. *Brassica Eruca* Linn. Spec. 931. — ☉ — *Habitat inter segetes Europae australis.*

5568. **Eruca hispida** DC. Syst. II. 638. — ☉ — *Habitat in regno Neapolitano.*

Tribus XIII. Velleae.

4959. **Carrichtera** DC.

5569. **Carrichtera Vellae** DC. Syst. II. 642. Prodr. I. 224. *Vella annua* Linn. Spec. 895. Gärtn. Fruct. II. 886. t. 141. Schkuhr Handb. II. t. 178. — ☉ — *Habitat in regione mediterranea.*

4960. **Succowia** Medik.

5570. **Succowia balearica** Medikus, in Usteri n. Annal. I. 41. *Bunius balearica* Linn. Mant. 429. Jacq. Hort. Vindob. t. 144. — ☉ — *Habitat in Teneriffa, in insulis Balearicis et in Sicilia.*

Tribus XIV. Raphaneae.

4967. **Crambe** Tournef.α. **Sarcocrambe** DC,

5571. **Crambe maritima** Linn. Spec. 937. Flor. dan. t. 316. — 2 — *Habitat in littoribus arenosis Europae.*

β. **Taurica.**

5572. **Crambe pinnatifida** R. Brown in Aiton Hort. kew. ed. 2. IV. 72. *Crambe orientalis* Jacq. Ic. rar. I. t. 128. — 2 — *Habitat in campis Hungariae, Tauricae et Caucasi.*

5573. **Crambe grandiflora** DC. Syst. II. 652. — 2 — *Habitat ad Pontum Euxinum.*

5574. **Crambe Tataria** Jacq. Misc. II. 274. Ic. rar. I. t. 129. — 2 — *Habitat in arvis Moraviae, Hungariae et Tauricae.*

β. **Taurica** DC. Prodr. I. 226.

5575. **Crambe aspera** Bieberst. Flor. Taur. cauc. II. 90. Deless. Ic. select. II. t. 91. — 2 — *Habitat in campis Tauricae.*

5576. **Crambe juncea** Bieberst. ex DC. Syst. II. 654. — 2 — *Habitat in Iberia.*

5577. **Crambe cordifolia** Steven in Mem. Mosqu. *Crambe cordata* Willd. Enum. Suppl. 43. — 4 — *Habitat in Caucaso.*

δ. **Leptocrambe** DC.

5578. **Crambe hispanica** Linn. Spec. 937. Lam. t. 553. Gärtn. t. 142. f. 4. — ☉ — *Habitat in Hispania.*

5579. **Crambe fliformis** Jacq. Collect. Suppl. 120. Ic. rar. t. 504. — ☉ — *Habitat in Patagonia.*

4968. **Rapistrum** Boerh.

5580. **Rapistrum perenne** Berg. Phyt. III. 171. *Myagrum perenne* Linn. Spec. 893. Jacq. Flor. austr. t. 414. — 4 — *Habitat in agris Europae australis et orientalis.*

5581. **Rapistrum rugosum** Berg. Phyt. III. 171. *Myagrum rugosum* Linn. Spec. 893. — ☉ — *Habitat in agris Europae mediae et australis.*

4970. **Enarthrocarpus** Labill.

5582. **Enarthrocarpus lyratus** DC. Syst. II. 661. *Raphanus recurvus* Persoon Encheir. II. 209. Delile Flor. Aegypt. 105. t. 36. f. 2. — ☉ — *Habitat inter segetes Aegypti.*

4971. **Raphanistrum** Tournef.

5583. **Raphanistrum innocuum** Medikus in Usteri n. Annal. II. 39. *Raphanus Raphanistrum* Linn. Spec. 953. E. B. t. 856. — ☉ — *Habitat inter segetes Europae.*

4972. **Raphanus** Tournef.

5584. **Raphanus sativus** Linn. Spec. 935. — ☉ — *Habitat in China et Japonia.*

Subordo IV. Spirolobeae.

Tribus XV. Buniadeae.

4973. **Bunias** R. Br.α. **Erucago** DC.

5585. **Bunias Erucago** Linn. Spec. 935.
Jacq. Flor. austr. t. 340. — ☉ — *Habitat in agris et
arvis Europae australis.*

β. **Laella** Adans.

5586. **Bunias orientalis** Linn. Spec. 936.
Schkuhr t. 189. — 24 — *Habitat in Oriente.*

Subordo V. Diplecolobeae.

Tribus XVI. Senbieraeae.

4975. **Senbiera** Poir.

5587. **Senbiera didyma** Persoon Encheir.
II. 185. *Senbiera pinnatifida* DC. Prodr. I. 203. *Lepi-
dium didymum* Linn. Mant. 92. — ☉ — *Habitat in ru-
deratis maritimis Europae occidentalis.*

* **Schizopetaleae.**4980. **Schizopetalon** Hook.

5588. **Schizopetalon Walkeri** Hooker in
Bot. Mag. t. 2379. — ☉ — *Habitat in Chili.*

Ordo CXXVII. Capparideae.

Tribus I. Cleomeae.

4984. **Gynandropsis** DC.

5589. **Gynandropsis muricata** Schrader

Index Sem. Hort. Götting. 1824. *Cleome muricata* Schult. Syst. VII. 25. — ☉ — *Habitat in India.*

5590. **Gynandropsis pentaphylla** DC. Prodr. I. 238. *Cleome pentaphylla* Linn. Spec. 938. Bot. Mag. t. 1681. — ☉ — *Habitat in America tropica.*

5591. **Gynandropsis speciosa** DC. Prodr. I. 238. *Cleome speciosa* Kunth in Humb. et Bonpl. Nov. gen. et sp. v. 84. t. 436. — 2 — *Habitat in America tropica.*

4985. **Cleome** DC.

5592. **Cleome pubescens** Sims Bot. Mag. t. 1857. — ☉ — *Habitat in America tropica.*

5593. **Cleome viminea** Schrad. msc. — ☉ — *Patria ignota.*

4986. **Dactylaena** Schrad.

5594. **Dactylaena micrantha** Schrader Index Sem. Hort. Götting. 1823. Schultes Syst. VII. IX. in not. *Cleome monandra* DC. Plant. rar. Jard. Genev. t. 15. — ☉ — *Patria ignota.*

4988. **Polanisia** Raf.

5595. **Polanisia graveolens** Rafinesq. in Journ. Phys. LXXXIX. 98. *Cleome dodecandra* var. *canadensis* Linn. Spec. 939. *Cleome graveolens* Schultes Syst. VII. 45. — ☉ — *Habitat in Americae borealis sabulosis.*

5596. **Polanisia viscosa** DC. Prodr. 242. *Cleome viscosa* Linn. Spec. 938. — ☉ — *Habitat in India orientali.*

Tribus II. Cappareae.

4999. **Colicodendron** Mart.

5597. **Colicodendron Breynia.** *Capparis Breynia* Linn. Spec. 721. Jacq. Amer. t. 103. Ic.

pict. t. 152. DC. Prodr. I. 252. — 5 — *Habitat in America tropica.*

5000. **Capparis** Linn.

a. **Eucapparis** DC.

5598. **Capparis spinosa** Linn. Spec. 720. Plenk Plant. offic. t. 420. DC. Prodr. I. 245. — 5 — *Habitat in rupestribus et muris Europae australis.*

5599. **Capparis herbacea** Willd. Enum. 560. DC. Prodr. I. 245. *Capparis ovata* Bieberst. Suppl. 1. — 2 — *Habitat in campis Tauriae.*

b. **Capparidastrum** DC.

5600. **Capparis frondosa** Jacq. Amer. 162. t. 104. Edit. pict. 153. DC. Prodr. I. 249. — 5 — *Habitat in sylvis Carthagenae, St. Domingo et Novae Granadae.*

c. **Cynophalla** DC.

5601. **Capparis cynophallophora** Linn. Spec. 721. Jacq. Amer. t. 98. Edit. pict. t. 98. DC. Prodr. I. 249. — 5 — *Habitat in insulis Caribaeis.*

5602. **Capparis saligna** Vahl Symb. III. 66. DC. Prodr. I. 249. — 5 — *Habitat in sylvis Carthagenae.*

d. **Breyniastrum** DC.

5603. **Capparis tenuisiliqua** Jacq. Amer. 162. t. 105. Edit. pict. t. 154. DC. Prodr. I. 251. — 5 — *Habitat in Carthagera.*

5604. **Capparis odoratissima** Jacq. Hort. Schönbr. t. 110. DC. Prodr. I. 251. — 5 — *Habitat ad Caraccas.*

5003. **Crataeva** Linn.

5605. **Crataeva religiosa** Forster Prodr. 203. DC. Prodr. I. 243. — 5 — *Habitat in Asia et Oceania tropica.*

5606. **Crataeva Tapia** Linn. Spec. 637. DC. Prodr. I. 243. — 5 — *Habitat in America tropica.*

5005. Steriphoma Spreng.

5607. **Steriphoma paradoxum** Endlicher in Flora 1832. p. 396. t. 5. *Steriphoma cleomoides* Spreng. Cur. post. 139. Schultes f. Syst. VII. 81. *Stephania cleomoides* Willd. Spec. II. 239. *Capparis paradoxa* Jacq. Hort. Schönbr. t. 111. — 24 — *Habitat ad Caraccas.*

Ordo CXXVIII. Resedaceae.

5010. Ochradenus Delile.

5608. **Ochradenus baccatus** Delile Flor. aegypt. 15. t. 31. — ♂ — *Habitat in Aegypto.*

5011. Reseda Linn.

a. Luteola Tournef.

5609. **Reseda Luteola** Linn. Spec. 643. Schkuhr t. 129. — ☉ — *Habitat in campis Europae frequens.*

b. Reseda Tournef.

5610. **Reseda lutea** Linn. Spec. 645. Jacq. Flor. austr. t. 353. — ☉ — *Habitat in lapidosis calcareis Europae mediae et australis.*

5611. **Reseda Phyteuma** Linn. Spec. 645. Jacq. Flor. austr. t. 132. — ☉ — *Habitat in arvis Europae australioris.*

5612. **Reseda odorata** Linn. Spec. 646. — ☉ — *Habitat in Aegypto.*

5012. Oligomeris Cambess.

5613. **Oligomeris glaucescens** Cambessed. in Jacquem. Voy. 23. t. 25. *Resedella subulata* Webb. et Berth. Flor. canar. 106. t. 11. *Ellimia ruderalis* Nuttall ex Torr. et A. Gray Flor. of North Amer. I. 125. *Reseda subulata* Delile Flor. aegypt. 15. *Reseda dipetala* Aiton Hort. kew. ed. 1. II. 132. — ☉ — *Habitat in Aegypto et in insulis Canariis.*

Ordo CXXIX. Datisceae.

5016. *Datisca* Linn.

5614. *Datisca cannabina* Linn. Spec. 1469. Schkuhr t. 336. — 4 ♂ et ♀ — *Habitat in Asia mediterranea.*

Ordo CXXX. Nymphaeaceae.

5020. *Nymphaea* Neck.

a. *Cyanea* DC.

5615. *Nymphaea caerulea* Savigny Decad. 3. 74. Vent. Malm. t. 6. — 4 — *Habitat in oryxetis et canalibus Aegypti inferioris.*

b. *Lotus* DC.

5616. *Nymphaea Lotus* Linn. Spec. 729. Delile Flor. Aegypt. t. 60. — 4 — *Habitat in Nilo.*

5617. *Nymphaea thermalis* DC. Prodr. I. 115. *Nymphaea Lotus* Waldst. et Kit. Plant. rar. Hung. t. 15. — 4 — *Habitat in rivulis Hungariae austro-orientalis.*

c. *Castalia* DC.

5618. *Nymphaea alba* Linn. Spec. 729. Flor. dan. t. 602. Schkuhr Handb. t. 142. — 4 — *Habitat in aquis stagnantibus et lente fluentibus Europae totius.*

5619. *Nymphaea biradiata* Sommerauer in Flora XVI. 625. — 4 — *Habitat in stagnis Styriae superioris.*

5620. *Nymphaea odorata* Aiton Hort. kew. ed. 1. II. 227. Bot. Mag. t. 819. — 4 — *Habitat in America boreali.*

5021. *Nuphar* Sm.

5621. *Nuphar luteum* Smith Prodr. Flor. graec. I. 361. *Nymphaea lutea* Linn. Spec. 729. Flor.

dan. t. 603. — 4 — *Habitat in aquis lente fluentibus Europae.*

5622. **Nuphar sericeum** Lang ex Spreng. Syst. II. 606. — 4 — *Habitat in Danubio Hungariam adluente.*

5623. **Nuphar minimum** Smith E. B. t. 2292. *Nuphar pumilum* DC. Prodr. I. 116. — 4 — *Habitat in stagnis Europae borealioris.*

5624. **Nuphar Advena** Aiton Hort. kew. ed. 2. III. 295. *Nymphaea advena* Aiton Hort. kew. ed. 1. II. 226. — 4 — *Habitat in aquis salis et dulcibus Americae borealis.*

* Sarracenieae.

5023. **Sarracenia** Linn.

5625. **Sarracenia purpurea** Linn. Spec. 728. Bot. Mag. t. 849. — 4 — *Habitat in America boreali, a sinu Hudsonis ad Floridam.*

5626. **Sarracenia rubra** Walter Carolin. 252. Hooker Exot. Flor. t. 13. Bot. Mag. t. 3515. — 4 — *Habitat in America boreali a Carolina septentrionali ad Georgiam.*

5627. **Sarracenia variolaris** Michaux Flor. Bor. Amer. I. 310. Bot. Mag. t. 1710. *Sarracenia adunca* Smith Exot. Bot. t. 53. — 4 — *Habitat in Carolina australi, Georgia et Florida.*

5628. **Sarracenia flava** Linn. Spec. 729. Bot. Mag. t. 780. — 4 — *Habitat in Virginia, Florida et Louisiana.*

Ordo CXXXI. Cistineae.

5027. **Fumana** Spach.

5629. **Fumana vulgaris** Spach in Nouv. Ann. sc. nat. VI. 359. *Helianthemum Fumana* Miller Dict. n. 6. — 6 — *Habitat in Europa mediterranea.*

β. *Procumbens* Dunal in DC. Prodr. I. 275.

5630. **Fumana viscida** Spach l. c. *Helianthemum glutinosum* Pers. Ench. II. 79. — ♀ — *Habitat in Gallia et Hispania.*

β. *Juniperina*. *Helianthemum juniperinum* Lagasca in DC. Prodr. I. 175. — γ. *Barrelieri*. *Helianthemum Barrelierii* Tenore Prodr. 31.

5631. **Fumana laevipes** Spach l. c. *Helianthemum laevipes* Willd. Enum. 570. — ♀ — *Habitat in Galloprovincia, Hispania, Dalmatia.*

5632. **Fumana viridis**. *Helianthemum viride* Tenore Prodr. 31. — ♀ — *Habitat in Sicilia.*

5028. **Cistus** Tournef.

α. **Halimium** Spach.

5633. **Cistus alyssoides** Lam. Dict. II. 20. *Helianthemum alyssoides* Vent. Choix. t. 20. — ♀ — *Habitat in Hispania et Gallia occidentali.*

β. **Ladanum** Spach.

5634. **Cistus ladaniferus** Linn. Spec. 737. — ♀ — *Habitat in Hispania et Lusitania.*

γ. **Rhodocistus** Spach.

5635. **Cistus candidissimus** Dunal ex DC. Prodr. I. 264. *Rhodocistus leucophyllus* Spach in Webb et Berth. Flor. canar. t. 12. — ♀ — *Habitat in insulis Canariis.*

5636. **Cistus vaginatus** Aiton Hort. kew. III. 304. Jacq. Hort. Schönbr. t. 282. *Rhodocistus Berthelotianus* Spach Op. cit. p. 125. excl. β. — ♀ — *Habitat in insula Teneriffa.*

δ. **Erythrocistus** Dunal.

5637. **Cistus albidus** Linn. Spec. 737. — ♀ — *Habitat in Gallia et Hispania mediterranea.*

5638. **Cistus crispus** Linn. Spec. 738. Cav. Ic. t. 174. — ♀ — *Habitat in Gallia et Hispania mediterranea.*

5639. **Cistus incanus** Linn. Spec. 737. — ♀ —
Habitat in Hispania et Gallia Narbonensi.

5640. **Cistus creticus** Linn. Spec. 738. Jacq.
lc. rar. t. 95. — ♀ — *Habitat in Italia, Hispania,*
Barbaria, Tauria.

β. *Tauricus* DC.

5641. **Cistus villosus** Lam. Dict. II. 12. — ♀ —
Habitat in Italia, Hispania et Barbaria.

β. *Garganicus* Tenor. — γ. *Rotandifolius* Sweet.

5642. **Cistus parviflorus** Lam. Dict. II. 14.
— 4 — *Habitat in Creta.*

β. *Cymosus* Dunal in DC. Prodr. I. 265.

e. Ledonia Spach.

5643. **Cistus salvifolius** Linn. Spec. 738.
— ♀ — *Habitat in Helvetia, Gallia, Hispania.*

5644. **Cistus corberiensis** Pourr. ex DC.
Prodr. I. 265. — ♀ — *Habitat in Gallicae australis mon-*
tibus les Corbieres et in Hispania.

5645. **Cistus laxus** Aiton Hort. kew. III. 305.
— ♀ — *Habitat in Hispania et Lusitania.*

f. Stephanocarpus Spach.

5646. **Cistus monspeliensis** Linn. Spec. 737.
Jacq. Collect. II. t. 8. — ♀ — *Habitat in Gallia aus-*
trali, Hispania et Lusitania.

5029. Helianthemum Tournef.

a. Brachypetalum Dunal.

5647. **Helianthemum ledifolium** Willd.
Enum. 571. — ☉ — *Habitat in Lusitania.*

b. Euhellianthemum Dunal.

5648. **Helianthemum stoechadifolium**
Pers. Ench. II. 79. — ♀ — *Habitat in Lusitania.*

5649. **Helianthemum vulgare** Gärtner. Carp.
I. 371. t. 76. — ♀ — *Habitat in pascuis Europae.*

5650. **Helianthemum grandiflorum** DC.

Fl. fr. IV. 821. — ♀ — *Habitat in alpestribus Europae et Tauriae.*

5651. **Helianthemum obscurum** Persoon
Encheir. II. 79. — ♀ — *Habitat in sylvis Europae.*

5652. **Helianthemum pulverulentum**
DC. Fl. fr. IV. 823. — ♀ — *Habitat in Gallia.*

5653. **Helianthemum polifolium** DC. Fl.
fr. IV. 823. — ♀ — *Habitat in Anglia, Gallia, Hispania.*

5654. **Helianthemum sulphureum** Willd.
Enum. Suppl. 39. — ♀ — *Habitat in Hispania.*

5655. **Helianthemum roseum** DC. Fl. fr.
IV. 822. — ♀ — *Habitat in Europa australi.*

c. Pseudocistus Dunal.

5656. **Helianthemum oelandicum** DC.
Fl. fr. IV. 817. — ♀ — *Habitat in alpibus Europae.*

5657. **Helianthemum italicum** Persoon
Encheir. II. 76. — ♀ — *Habitat in regione mediter-
ranea.*

5658. **Helianthemum marifolium** DC.
Fl. fr. IV. 817. — ♀ — *Habitat in Italia et Hispania.*

d. Tuberaria Dunal.

5659. **Helianthemum Tuberaria** Miller
Dict. n. 10. — 4 — *Habitat in regione mediterranea.*

Ordo CXXXII. Violarieae.

5040. **Viola** Linn.

α. Nemium Ging.

5660. **Viola palmata** Linn. Spec. 1323. DC.
Prodr. I. 292. — 4 — *Habitat in America boreali.*

5661. **Viola cucullata** Aiton Hort. kew. III.
288. Bot. Mag. t. 1795. DC. Prodr. I. 292. — 4 —
Habitat in America boreali.

β. Sororia Willd. Hort. berol. t. 71.

5662. **Viola pinnata** Linn. Spec. 1323. DC. Prodr. I. 292. — 4 — *Habitat in Sibiria.*

β. *Multifida* Willd.

5663. **Viola dactyloides** Röm. et Schult. Syst. V. 349. DC. Prodr. I. 293. — 4 — *Habitat in Sibiria.*

5664. **Viola variegata** Fischer msc. ex DC. Prodr. II. 293. — 4 — *Habitat in Dahuria.*

5665. **Viola Patrinii** DC. Prodr. I. 293. — 4 — *Habitat in Sibiria.*

5666. **Viola palustris** Linn. Spec. 1324. DC. Prodr. I. 294. — 4 — *Habitat in America boreali.*

5667. **Viola hirta** Linn. Spec. 1324. E. B. t. 894. DC. Prodr. I. 295. — 4 — *Habitat in nemoribus Europae totius.*

β. *Carnea.* — γ. *Variegata.* — δ. *Ambigua* Waldst. et Rit. — ε. *Campestris* Bieberst. — ζ. *Umbrosa* Hopp.

5668. **Viola odorata** Linn. Spec. 1324. DC. Prodr. I. 296. — 4 — *Habitat in nemorosis Europae totius.*

β. *Plena.* — γ. *Lilacina.* — δ. *Rubella.* — ε. *Suavis* Bieberst. Suppl. 164.

5669. **Viola uliginosa** Besser Gallic. 169. *Viola nitens* Host. Flor. austr. I. 281. — 4 — *Habitat in uliginosis Europae.*

5670. **Viola mirabilis** Linn. Spec. 1326. DC. Prodr. I. 297. — 4 — *Habitat in sylvis montanis Europae.*

5671. **Viola canina** Linn. Spec. 1324. DC. Prodr. I. 298. — 4 — *Habitat in temperatis hemisphaerae borealis.*

5672. **Viola arenaria** DC. Fl. fr IV. 806. Prodr. I. 298. — 4 — *Habitat in arenosis Europae et Caucasi.*

β. *Glaucæ* Bieberst.

5673. **Viola montana** Linn. Spec. 1325. DC. Prodr. I. 299. — 4 — *Habitat in Europa et Sibiria.*

β. *Ruppii* Allioni Flor. Pedem. t. 26.

5674. **Viola pratensis** Mertens et Koch

Deutschl. Flor. II. 267. *Viola persicifolia* Roth Tent. II. 1. 271. — 2 — *Habitat in pratis Europae.*

5675. *Viola arborescens* Linn. Spec. 1325. DC. Prodr. I. 299. — 2 — *Habitat in saxosis regionis mediterraneae.*

b. Dischidium Ging.

5676. *Viola biflora* Linn. Spec. 1326. DC. Prodr. I. 300. — 2 — *Habitat in humidis montanis Europae et Sibiriae.*

c. Chamaemelum Ging.

5677. *Viola uniflora* Linn. Spec. 1327. DC. Prodr. I. 301. — 2 — *Habitat in turfosis Sibiriae.*

d. Melanium Ging.

5678. *Viola nummularifolia* Allioni Flor. Pedem. n. 1640. t. 9 f. 4. DC. Prodr. I. 301. — 2 — *Habitat in alpinis Pedemontii et Delphinatus.*

5679. *Viola tricolor* Linn. Spec. 1326. DC. Prodr. I. 303. — 2 — *Habitat in arvis Europae, Asiae et Americae borealis.*

β. *Arvensis* Murr. — γ. *Osculta* Lehm.

e. Erpetion Ging.

5680. *Viola reniformis* R. Brown msc. *Erpetion reniforme* Sweet Fl. Gard. t. 170. — 2 — *Habitat in Nova Hollandia.*

5041. Jonidium Vent.

5681. *Jonidium polygalaeifolium* Vent. Malmais. t. 27. DC. Prodr. I. 309. — 3 — *Habitat in Nova Hispania.*

Genus affine.

5049. Hymenanthera R. Br.

5682. *Hymenanthera dentata* R. Brown in DC. Prodr. I. 315. Hooker Bot. Mag. t. 3163. — 3 — *Habitat in Nova Hollandia prope Port-Jackson.*

Ordo CXXXIII. Frankeniaceae.

5053. **Frankenia** Linn.

5683. **Frankenia pulverulenta** Linn. Spec.
474. — ☉ — *Habitat in regione mediterranea.*

Ordo CXXXIV. Turneraceae.

5056. **Turnera** Plum.

5684. **Turnera ulmifolia** Linn. Spec. 965.
Miller Ic. t. 268. — ♀ — *Habitat in Jamaica.*

5685. **Turnera cuneiformis** Jussieu in
Poiret Dict. VIII. 142. — ♂ — *Habitat in Brasilia.*

5686. **Turnera elegans** Otto. — ♂ — *Habitat in Brasilia.*

Ordo CXXXV. Bixaceae.

Tribus I. Bixineae.

5061. **Bixa** Linn.

5687. **Bixa Orellana** Linn. Spec. 730. — ♀ —
Habitat in America tropica.

Tribus II. Erythrospermeae.

5082. **Kigellaria** Linn.

5688. **Kigellaria africana** Linn. Spec. 1466.
— ♂ — *Habitat in Capite bonae spei.*

Ordo CXXXVI. Passifloreae.

5098. **Passiflora** Juss.

α. **Polyanthes** DC.

5689. **Passiflora holosericea** Linn. Amoen.

I. 226. t. 10. f. 15. Sims Bot. Mag. t. 2015. Ker Bot. Reg. t. 159. — ♀ ♂ — *Habitat in Vera Cruz.*

b. Cleca Med.

5690. **Passiflora cuprea** Linn. Amoen. Acad. I. 219. t. 10. f. 3. Jacq. Ic. rar. t. 606. — ♀ ♂ — *Habitat in insula Providentiae et Bahama.*

5691. **Passiflora multiflora** Linn. Amoen. Acad. I. 221. t. 10. f. 7. Cavanill. Diss. t. 272. — ♀ ♂ — *Habitat in St. Domingo.*

5692. **Passiflora littoralis** Kunth in Humb. et Bonpl. Nov. gen. et sp. II. 138. — ♀ ♂ — *Habitat in maritimis Peruviae.*

5693. **Passiflora angustifolia** Swartz Prodr. 97. *Passiflora heterophylla* Jacq. Hort. Schönbr. t. 181. — ♀ ♂ — *Habitat in Antillis.*

5694. **Passiflora minima** Jacq. Hort. Vindob. t. 20. Bot. Reg. t. 144. — ♀ ♂ — *Habitat in America tropica.*

5695. **Passiflora suberosa** Linn. Amoen. Acad. I. 226. t. 10. f. 14. — ♀ ♂ — *Habitat in Antillis.*

5696. **Passiflora multiformis** Jacq. Fragm. t. 67. f. 1. *Passiflora caraccasana* Willd. Enum. 697. — ♀ ♂ — *Habitat in Caraccas.*

c. Decaloba.

5697. **Passiflora perfoliata** Linn. Amoen. Acad. I. 222. t. 10. f. 8. Bot. Reg. t. 78. *Murucuia perfoliata* Spreng. Syst. III. 43. — ♀ ♂ — *Habitat in Caraccas.*

5698. **Passiflora rubra** Linn. Amoen. Acad. I. 222. t. 10. f. 9. — ♀ ♂ — *Habitat in insulis Caribaeis.*

5699. **Passiflora capsularis** Linn. Amoen. Acad. I. 234. — ♀ ♂ — *Habitat in insulis Caribaeis.*

5700. **Passiflora biflora** Lam. Dict. III. 36. *Passiflora lunata* Smith Ic. pict. t. 1. Bot. Reg. t. 577. — ♀ ♂ — *Habitat in insulis Caribaeis.*

5701. **Passiflora Maximiliana** Bory An-
nal. gen. sc. phys. II. 149. t. 24. *Passiflora discolor*
Link et Otto Ic. t. 5. *Passiflora Vespertilio* Bot. Reg.
t. 597. — 3 0 — *Habitat in Brasilia.*

5702. **Passiflora tuberosa** Jacq. Hort.
Schönbr. t. 496. — 3 0 — *Habitat in America tropica.*

5703. **Passiflora cuneata** Willd. Enum.
696. — 3 0 — *Habitat ad Caraccus.*

d. Granadilla.

5704. **Passiflora serratifolia** Linn. Amoen.
Acad. II. 217. t. 10. f. 1. Bot. Mag. t. 651. — 3 0 —
Habitat in America tropica.

5705. **Passiflora quadrangularis** Linn.
Spec. 1356. Bot. Reg. t. 14. — 3 0 — *Habitat in*
America tropica.

5706. **Passiflora alata** Aiton Hort. kew. III.
306. Bot. Mag. t. 66. — 3 0 — *Habitat in Peruvia.*

5707. **Passiflora albida** Ker in Bot. Reg.
t. 677. — 3 0 — *Habitat in Brasilia.*

5708. **Passiflora racemosa** Brotero in Linn.
Transact. XII. t. 6. — 3 0 — *Habitat in Brasilia.*

5709. **Passiflora stipulata** Aublet Guian.
II. t. 325. *Passiflora glauca* Bot. Reg. t. 88. — 3 0 —
Habitat in Cayenna et Brasilia.

5710. **Passiflora incarnata** Linn. Amoen.
Academ. II. 230. t. 10. f. 19. — 3 0 — *Habitat in*
America boreali.

5711. **Passiflora subpeltata** Ortega De-
cad. VI 78. — 3 0 — *Habitat in Nova Hispania.*

5712. **Passiflora edulis** Sims Bot. Mag. t.
1989. — 3 0 — *Habitat in Brasilia.*

5713. **Passiflora filamentosa** Cav. Diss.
X. t. 294. — 3 0 — *Habitat in America tropica.*

5714. **Passiflora caerulea** Linn. Amoen.
Acad. II. 231. t. 10. f. 20. Bot. Mag. t. 20. — 3 0 —
Habitat in Brasilia.

β. *Angustifolia.* — γ. *Caerulea racemosa hybrida* Sabin.

5715. **Passiflora pedata** Linn. Amoen. Aca-

dem. II. 233. t. 10. f. 22. — $\int \circ$ — *Habitat in St. Domingo.*

c. Dysosmia.

5716. **Passiflora hibiscifolia** Lam. Dict. V. 39. — \mathcal{U} — *Habitat in insulis Caribaeis.*

5717. **Passiflora foetida** Cav. Diss. X. t. 289. — \mathcal{U} — *Habitat in insulis Caribaeis.*

5099. Murucua Tournef.

5718. **Murucua ocellata** Persoon Encheir. II. 222. *Passiflora Murucua* Linn. Amoen. Acad. I. t. 10. f. 10. Bot. Reg. t. 574. — $\int \circ$ — *Habitat in Antillis.*

5100. Disemma Labill.

5719. **Disemma Herbertiana** DC. Prodr. III. 332. *Passiflora Herbertiana* Bot. Reg. t. 737. — $\int \circ$ — *Habitat in Nova Hollandia.*

5103. Modecca Linn.

5720. **Modecca lobata** Jacq. Fragm. t. 131. Bot. Reg. t. 131. — $\int \circ$ — *Habitat in Sierra Leona.*

Ordo CXXXVII. Loaseae.

5111. Mentzelia Linn.

5721. **Mentzelia aspera** Linn. Spec. ed. 1. p. 516. — \odot — *Habitat in Antillis.*

5722. **Mentzelia hispida** Willd. Spec. II. 1176. *Mentzelia aspera* Cav. Ic. t. 70. — \mathcal{U} — *Habitat in Mexico.*

5723. **Mentzelia Lindleyi** Torr. et A. Gray Flor. of North Amer. I. 533. *Bartonia aurea* Lindley in Bot. Reg. t. 1831. Bot. Mag. t. 3649. — \odot — *Habitat in California.*

5112. **Bartonia** Nutt.

5724. **Bartonia ornata** Sims in Bot. Mag. t. 1487. — ☉ — *Habitat in America boreali.*

5117. **Cajophora** Presl.

5725. **Cajophora lateritia.** *Lousa lateritia* Gill. ex Bot. Mag. t. 3633. — 2 — *Habitat in Chili.*

5118. **Blumenbachia** Schrad.

5726. **Blumenbachia insignis** Schrader Dissert. de Blumenb. 9. t. 1. Sweet Brit. Fl. Gard. t. 171. DC. Prodr. III. 340. Hooker in Bot. Mag. t. 2865. — 2 — *Habitat in Monte - Video et Chili.*

Gronovieae.

5118*. **Gronovia** Linn.

5727. **Gronovia scandens** Linn. Spec. 292. Jacq. Ic. rar. t. 338. — ☉ — *Habitat in Vera Cruz.*

Ordo CXXXVIII. **Papayaceae.**5119. **Carica** Linn.

5728. **Carica Papaya** Linn. Spec. 1466. — 5 — *Habitat in America tropica.*

5729. **Carica microcarpa** Jacq. Hort. Schönbr. III. 33. t. 311. — 5 — *Habitat ad Caraccas.*

5730. **Carica monoica** Desfont. Mem. Mus. I. t. 18. — 5 — *Habitat in America tropica.*

Ordo CXXXIX. **Cucurbitaceae.**5124. **Coniandra** Schrad.

5731. **Coniandra dissecta** Schrader in Eckl.

et Zeyh. Enum. 276. *Bryonia dissecta* Thunberg Flor. cap. 36. — 4 — *Habitat in Capite bonae spei.*

5126. *Melothria* Linn.

5731. *Melothria pendula* Linn. Spec. 49. — 4 — *Habitat in America tropica.*

5127. *Zehneria* Endl.

5733. *Zehneria suavis. Pilogyne suavis* Schrader in Eckl. et Zeyh. Enum. 277. — 4 — *Habitat in Capite bonae spei.*

5130. *Bryonia* Linn.

5734. *Bryonia alba* Linn. Spec. 621. — 4 — *Habitat in sylvis Europae.*

5735. *Bryonia dioica* Jacq. Flor. austr. t. 199. — 4 — *Habitat in sepibus Europae.*

5736. *Bryonia cretica* Linn. Spec. 1439. Desf. Corollar. t. 70. — ☉ — *Habitat in Creta.*

5737. *Bryonia laciniosa* Linn. Spec. 624. — 4 — *Habitat in India orientali.*

5738. *Bryonia africana* Thunb. Prodr. 13. — 4 — *Habitat in Capite bonae spei.*

5132. *Ecbalium* L. C. Rich.

5739. *Ecbalium agreste* L. C. Richard. *Momordica Elaterium* Linn. Spec. 1434. Schkuhr Handb. 313. Bot. Mag. t. 1914. — ☉ — *Habitat in ruderatis Europae australioris.*

5133. *Momordica* Linn.

5740. *Momordica Balsamina* Linn. Spec. 1433. — ☉ — *Habitat in India orientali.*

5741. *Momordica cylindrica* Linn. Spec. 1433. — ☉ — *Habitat in Ceylona et China.*

5134. **Luffa** Tournef.

5742. **Luffa foetida** Cavanill. Ic. I. 7. t. 9.
— ⊙ — *Habitat in India orientali.*

5743. **Luffa acutangula** Seringe in DC.
Prodr. III. 302. *Cucumis acutangulus* Linn. Spec. 1436.
— ⊙ — *Habitat in India orientali.*

5744. **Luffa pentandra** Roxburgh Flor. Ind.
or. III. 712. — ⊙ — *Habitat in India orientali.*

5140. **Trichosanthes** Linn.

5745. **Trichosanthes anguina** Linn. Spec.
1432. — ⊙ — *Habitat in China.*

5146. **Sicyos** Linn.

5746. **Sicyos angulatus** Linn. Spec. 1438.
— ⊙ — *Habitat in America boreali.*

Ordo CXL. **Begoniaceae.**5153. **Begonia** Linn.

5747. **Begonia nitida** Dryand. in Aiton Hort.
kew. ed. 1. III. 352. Salisbury Parad. t. 72. — 4 —
Habitat in Jamaica.

5748. **Begonia spathulata** Hornem. Hort.
Hafn. Suppl. 162. Spreng. Syst. II. 625. Loddig. Bot.
Cab. t. 17. — 4 — *Habitat in Antillis.*

5749. **Begonia cucullata** Willdenow Enum.
Spreng. Syst. II. 625. — 4 — *Habitat in Brasilia.*

5750. **Begonia sanguinea** Raddi Quarant.
pian. 30. Spreng. Syst. II. 625. Link et Otto Ic.
rar. t. 13. — 4 — *Habitat in Brasilia.*

5751. **Begonia undulata** Otto ex Bot. Mag.
t. 2723. — 4 — *Habitat in Brasilia.*

5752. **Begonia semperflorens** Link et
Otto Ic. rar. t. 5. — 4 — *Habitat in Brasilia.*

5753. **Begonia hirtella** Link Enum. II. 396.
— 2 — *Habitat in Antillis.*

5754. **Begonia vitifolia** Schott in Spreng.
Cur. post. 407. — 2 — *Habitat in Brasilia.*

5755. **Begonia platanifolia** Schott in
Spreng. Cur. post. 407. Bot. Mag. t. 3591. — 2 —
Habitat in Brasilia.

5756. **Begonia acuminata** Dryand. in Aiton Hort. kew. ed. 1. III. 353. Bot. Reg. t. 364. — 2 —
Habitat in Jamaica.

5757. **Begonia humilis** Dryand. ex Aiton Hort. kew. ed. 2 V. 284. Hooker Exot. Flor. t. 17.
— 2 — *Habitat in Antillis.*

5758. **Begonia argyrostigma** Fisch. Hort. Gorenk. Bot. Reg. t. 666. Link et Otto Ic. select. t. 23. ? *Begonia maculata* Raddi Quarant. Piant. 27.
— 2 — *Habitat in Brasilia.*

5759. **Begonia incarnata** Link et Otto Ic. rar. t. 19. — 2 — *Habitat in Mexico.*

5760. **Begonia Martiana** Link et Otto Ic. rar. t. 25. — 2 — *Habitat in Mexico.*

5761. **Begonia ulmifolia** Humboldt ex Willdenow Spec. IV. 418. Link et Otto Ic. select. t. 38.
— 2 — *Habitat in America tropica.*

5762. **Begonia heracleifolia** Cham. et Schlechtend. in Linnaea. V. 603. — 2 — *Habitat in Mexico.*

Ordo CXLI. Cacteae.

5154. **Melocactus** Tournef.

5763. **Melocactus rubens** Pfeiffer Enum. 43. — 3 — *Habitat in India occidentali.*

5764. **Melocactus amoenus** Hoffmannsegg ex Pfeiffer Enum. 43. — 3 — *Habitat in Columbia.*

5765. **Melocactus pyramidalis** Salm. Obs. bot. 1820. 4. Verh. d. Gartenb. Vereins f. Preuss. III. 419. t. 25. — 3 — *Habitat in Curaçao.*

5766. **Melocactus Salmianus** Otto ex Pfeiffer Enum. 44. *Echinocactus Salmianus* Link et Otto Verh. d. Gartenb. Vereins f. Preufs. III. 423. t. 13. — 3 — *Habitat in Curaçao.*

5767. **Melocactus meonacanthus** Link et Otto Verh. d. Gartenb. Vereins f. Preufs. III. 428. t. 15. — 3 — *Habitat in Jamaica.*

5154. **Mamillaria** Haw.

§. 1. *Homoeacanthae.*

α. *Tenues, ramosae.*

5768. **Mamillaria echinata** DC. Revue 110. — 3 — *Habitat in Mexico.*

β. *Densa* Link et Otto Icon. t. 35.

5769. **Mamillaria elongata** DC. Revue 109. — 3 — *Habitat in Mexico.*

5770. **Mamillaria tenuis** DC. Revue 110. Mem. p. 4. t. 1. Bot. Reg. t. 1523. — 3 — *Habitat in Mexico.*

β. *Media* DC. Revue p. 110.

5771. **Mamillaria subcrocea** DC. Revue 110. — 3 — *Habitat in Mexico.*

β. *Conothelae.*

5772. **Mamillaria polythele** Mart. in N. A. N. C. XVI. 328. t. 19. — 3 — *Habitat in Mexico.*

5773. **Mamillaria quadrispina** Mart. in N. A. N. C. XVI. 329. — 3 — *Habitat in Mexico.*

5774. **Mamillaria columnaris** Mart. in N. A. N. C. XVI. 330. — 3 — *Habitat in Mexico.*

5775. **Mamillaria parvimamma** Haw. Suppl. 72. — 3 — *Habitat in India occidentali.*

5776. **Mamillaria simplex** Haw. Synops. p. 177. DC. Plant. grass. t. 111. Mem. t. 7. — 3 — *Habitat in America tropica.*

5777. **Mamillaria flavescens** DC. Catalog. Hort. Monsp. 83. — 3 — *Habitat in America calidiore.*

c. *Brachythelae*.

5778. **Mamillaria angularis** Hort. Berol. ex Pfeiffer Enum. 12. — ♀ — *Habitat in Mexico.*

5779. **Mamillaria triacantha** DC: Revue 113. — ♀ — *Habitat in Mexico.*

5780. **Mamillaria cirrhifera** Mart. in N. A. N. C. XVI. 334. — ♀ — *Habitat in Mexico.*

5781. **Mamillaria subangularis** DC. Revue 112. — ♀ — *Habitat in Mexico.*

5782. **Mamillaria loricata** Mart. ex Pfeiffer Enum. 13. — ♀ — *Habitat in Mexico.*

5783. **Mamillaria gladiata** Mart. in N. A. N. C. XVI. 336. — ♀ — *Habitat in Mexico.*

5784. **Mamillaria magnimamma** Haworth ex Pfeiffer Enum. 14. — ♀ — *Habitat in Mexico.*

d. *Polyedrae*.

5785. **Mamillaria polyedra** Mart. in N. A. N. C. XVI. 326. t. 18. — ♀ — *Habitat in Mexico.*

5786. **Mamillaria subpolyedra** Salm ex Pfeiffer Enum. 17. — ♀ — *Habitat in Mexico.*

5787. **Mamillaria Seitziana** Mart. ex Pfeiffer Enum. 18. — ♀ — *Habitat in Mexico.*

5788. **Mamillaria carnea** Zucc. ex Pfeiffer Enum. 19. — ♀ — *Habitat in Mexico.*

5789. **Mamillaria Karwinskiana** Mart. in N. A. N. C. XVI. 335. t. 22. — ♀ — *Habitat in Mexico.*

β. *Flavescens* Zucc. ex Pfeiffer Enum. 19.

5790. **Mamillaria Zuccariniana** Mart. in N. A. N. C. XVI. 331. t. 20. Mem. t. 9. — ♀ — *Habitat in Mexico.*

5791. **Mamillaria Fischeri** Pfeiffer Enum. 20. — ♀ — *Habitat in Mexico.*

5792. **Mamillaria Hystrix** Mart. ex Pfeiffer Enum. 21. — ♀ — *Habitat in Mexico.*

5793. **Mamillaria Mystax** Mart. in N. A. N. C. XVI. 332. t. 21. — ♀ — *Habitat in Mexico.*

c. Longimammae.

5794. **Mamillaria longimamma** DC. Mem. 10. t. 5. — ♀ — *Habitat in Mexico.*

5795. **Mamillaria uberiformis** Zucc. ex Pfeiffer Enum. 23. — ♀ — *Habitat in Mexico.*

5796. **Mamillaria Lehmanni** Hort. Berol. ex Pfeiffer Enum. 23. — ♀ — *Habitat in Mexico.*

5797. **Mamillaria macrothele** Mart. ex Pfeiffer Enum. 24. — ♀ — *Habitat in Mexico.*

§. 2. Heteracanthae.**a. Microthelae.**

5798. **Mamillaria Haageana** Pfeiff. Enum. 26. — ♀ — *Habitat in Mexico.*

5799. **Mamillaria bicolor** Lehm. ex Pfeiffer Enum. 27. — ♀ — *Habitat in America.*

b. Conothelae.

5800. **Mamillaria discolor** Haworth Syn. 177. — ♀ — *Habitat in America calidiore.*

5801. **Mamillaria chrysacantha** Hort. Berol. ex Pfeiffer Enum. 28. — ♀ — *Habitat in Mexico.*

5802. **Mamillaria rutila** Zucc. ex Pfeiffer Enum. 29. — ♀ — *Habitat in Mexico.*

5803. **Mamillaria tentaculata** Hort. Berol. ex Pfeiffer Enum. 29. — ♀ — *Habitat in Mexico.*

5804. **Mamillaria setosa** Pfeiffer Enum. 30. — ♀ — *Habitat in Mexico.*

5805. **Mamillaria rhodantha** Link et Otto Icon. t. 26. — ♀ — *Habitat in Mexico.*

γ. *Andreae* Otto ex Pfeiffer Enum. 31. — δ. *Wendlandii* Pfeiffer Enum. 31. — ε. *Neglecta* Hort. Berol. ex Pfeiffer Enum. 31. — ζ. *Rubens* Pfeiffer Enum. 31.

5806. **Mamillaria eriacantha** Hort. Berol. ex Pfeiffer Enum. 32. — ♀ — *Habitat in Mexico.*

5807. **Mamillaria vetula** Mart. in N. A. N. C. XVI. 338. t. 24. — ♀ — *Habitat in Mexico.*

c. *Brachythelae*.

5808. **Mamillaria coronaria** Haworth ex Pfeiffer Enum. 33. — ♀ — *Habitat in Mexico et Guatemala.*

5809. **Mamillaria uncinata** Zucc. ex Pfeiffer Enum. 34. — ♀ — *Habitat in Mexico.*

d. *Stylothelae*.

5810. **Mamillaria pusilla** DC. Revue 29. t. 2. f. 1. **Cactus stellatus** Loddig. Bot. Cab. I. t. 79. — ♀ — *Habitat in India occidentali.*

5811. **Mamillaria glochidata** Mart. in N. A. N. C. XVI. 337. t. 23. — ♀ — *Habitat in Mexico.*

α. *Rosea* DC. ex Pfeiffer Enum. 37.

β. *Albida* DC. ex Pfeiffer Enum. 37.

5812. **Mamillaria Wildiana** Otto ex Pfeiffer Enum. 37. — ♀ — *Habitat in Mexico.*

5155. **Echinocactus** Link et Otto.

§. 1. C o s t a t i.

α. *Costis rotundis*.

5813. **Echinocactus Ottonis** Lehm. ex Pfeiffer Enum. 47. — ♀ — *Habitat in Mexico.*

β. *Tenuispinus* Link et Otto Verh. des Gartenb. Vereins f. Preuss. 421. t. 19.

5814. **Echinocactus Linkii** Lehm. ex Pfeiffer Enum. 48. **Cereus Linkii** Lehm. in N. A. N. C. XVI. 316. t. 14. — ♀ — *Habitat in Mexico.*

5815 **Echinocactus tortuosus** Link et Otto Icon. t. 15. — ♀ — *Habitat in Brasilia.*

β. *Costis obtuse angulatis*.

5816. **Echinocactus intricatus** Hort. Berol. ex Pfeiffer Enum. 53. Verh. d. Gartenb. Vereins f. Preuss. III. 428. t. 24. — ♀ — *Habitat in Montevideo.*

5817. **Echinocactus ingens** Zucc. ex Pfeiffer Enum. 54. — ♀ — *Habitat in Mexico.*

5818. **Echinocactus pruinus** Otto ex Pfeiffer Enum. 54. — 3 — *Habitat in Mexico.*

c. Costis arcuatis.

5819. **Echinocactus arcuatus** Link et Otto ex Pfeiffer Enum. 54. — 3 — *Habitat in Montevideo.*

5820. **Echinocactus corynodes** Hort. Berol. ex Pfeiffer Enum. 55. — 3 — *Habitat in Montevideo et Mexico.*

5821. **Echinocactus Sellowianus** Link et Otto Verh. d. Gartenb. Vereins f. Preuss. III. 425. t. 22. — 3 — *Habitat in Montevideo.*

5822. **Echinocactus sessiliflorus** Hort. Angl. ex Pfeiffer Enum. 56. — 3 — *Patria ignota.*

5823. **Echinocactus cornigerus** DC. Revue 36. t. 7. Mem. 17. t. 10. — 3 — *Habitat in Mexico et Guatemala.*

5824. **Echinocactus spiralis** Karw. ex Pfeiffer Enum. 60. — 3 — *Habitat in Mexico.*

5825. **Echinocactus robustus** Hort. Berol. ex Pfeiffer Enum. 61. — 3 — *Habitat in Mexico.*

§. 2. Tuberculati.

5826. **Echinocactus Scopa** Hort. Berol. ex Pfeiffer Enum. 64. Link et Otto Icon. t. 41. — 3 — *Habitat in Brasilia.*

β. *Candidus* Pfeiffer Enum. 64.

5827. **Echinocactus exsculptus** Otto ex Pfeiffer Enum. 65. — 3 — *Habitat in Chile, Montevideo, Mexico.*

5828. **Echinocactus centeterius** Lehm. ex Pfeiffer Enum. 65. — 3 — *Habitat in Minas Geraes.*

5157. **Cereus** Haw.

§. 1. Globosi.

5829. **Cereus oxygonus** Link et Otto ex Pfeiffer Enum. 70. *Echinocactus oxygonus* Verh. d. Gar-

tenb. Vereins f. Preuss. VI. 419. t. 1. Bot. Reg. t. 1717. — ♀ — *Habitat in Brasilia australi.*

5830. **Cereus multiplex** Hort. Berol. ex Pfeiffer Enum. 70. — ♀ — *Habitat in Brasilia australi.*

5831. **Cereus leucanthus** Pfeiffer Enum. 71. — ♀ — *Habitat in Chile.*

5832. **Cereus Eyriesii** Hort. Berol. ex Pfeiffer Enum. 72. *Echinocactus Eyriesii* Turp. Observ. 58. t. 2. Bot. Reg. 1707. Bot. Mag. 3411. — ♀ — *Habitat in Buenos Aires.*

5833. **Cereus turbinatus** Pfeiffer Enum. 72. — ♀ — *Patria ignota.*

§. 2. C e r e a s t r i.

A. Multangulares.

5834. **Cereus reductus** DC. ex Pfeiffer Enum. 73. — ♀ — *Habitat in Mexico, Guatemala.*

5835. **Cereus senilis** DC. Prodr. III. 464. *Cereus bradypus* Lehm. N. A. N. C. XVI. 315. t. 12. — ♀ — *Habitat in Mexico, Guatemala et Brasilia.*

5836. **Cereus multangularis** Haw. ex Pfeiffer Enum. 77. — ♀ — *Habitat in America aequinoctiali.*

5837. **Cereus strigosus** Hort. Angl. ex Pfeiffer Enum. 78. — ♀ — *Habitat in Chile.*

B. 5—12 angulares.

α. Lanuginosi:

5838. **Cereus lanuginosus** Haw. Syn. 182. *Cactus lanuginosus* L. Herm. Lugd. bat. par. t. 115. sine flore. — ♀ — *Habitat in insulis Caribaeis, America aequinoctiali.*

β Viridis.

5839. **Cereus Royeni** Haw. Syn. 182. — ♀ — *Habitat in insulis Caribaeis et Antill.*

5840. **Cereus floccosus** Hort. Berol. ex Pfeiffer Enum. 81. — ♀ — *Habitat in St. Thoma.*

5841. **Cereus armatus** Otto ex Pfeiffer Enum. 81. — ½ — *Habitat in St. Thoma.*

5842. **Cereus Curtisi** Hort. Berol. ex Pfeiffer Enum. 81. *Cactus Royeni* Bot. Mag. t. 3125. — ½ — *Habitat in Nova Granada.*

5843. **Cereus flavispinus** Salm Observ. bot. 1822. 5. — ½ — *Habitat in America calidiore.*

5844. **Cereus Haworthii** DC. ex Pfeiffer Enum. 82. — ½ — *Habitat in insulis Caribaeis.*

5845. **Cereus strictus** DC. ex Pfeiffer Enum. 83. — ½ — *Habitat in America calidiore.*

5846. **Cereus niger** Salm Observ. bot. 1822. 4. — ½ — *Habitat in America calidiore.*

5847. **Cereus lutescens** Salm ex Pfeiffer Enum. 84. — ½ — *Patria ignota.*

5848. **Cereus Moritzianus** Otto ex Pfeiffer Enum. 84. — ½ — *Habitat in La Guayra.*

5849. **Cereus crenulatus** Salm Observ. bot. 1822. 6. — ½ — *Habitat in America meridionali ad Curaçao.*

β. *Gracillior* Salm.

5850. **Cereus albispinus** Salm Observ. bot. 1822. 5. — ½ — *Habitat in America meridionali.*

5851. **Cereus coerulescens** Salm ex Pfeiffer Enum. 85. — ½ — *Habitat in Brasilia.*

5852. **Cereus azureus** Parm. ex Pfeiffer Enum. 86. — ½ — *Habitat in Brasilia.*

b. *Glabri.*

α. *Robusti.*

5853. **Cereus chilensis** Colla. ex Pfeiffer Enum. 86. — ½ — *Habitat in Chile.*

5854. **Cereus Dyckii** Mart. ex Pfeiffer Enum. 87. — ½ — *Habitat in Mexico.*

5855. **Cereus alacriportanus** Hort. Monac. ex Pfeiffer Enum. 87. — ½ — *Habitat in Brasilia.*

5856. **Cereus peruvianus** Tabern. ex Pfeif-

fer Enum. 88. DC. Plant. grass. t. 58. — ♀ — *Habitat in Peru.*

β. *Monstrosus* DC. Revue 42. t. 11. — ♀ — *Habitat in America calidiore, Peru.*

5857. **Cereus monoclonos** DC. Revue 46. *Cereus surinamensis* Ephem. nat. c. III. 349. t. 7 et 8. — ♀ — *Habitat in insulis Caribaeis et Surinam.*

5858. **Cereus caesius** Salm ex Pfeiffer Enum. 89. — ♀ — *Patria ignota.*

5859. **Cereus geometrizzans** Mart. ex Pfeiffer Enum. 90. — ♀ — *Habitat in Mexico.*

5860. **Cereus eburneus** Salm Observ. botan. 1822. 6. — ♀ — *Habitat in Curaçao, Chile.*

β. *Polygonus* Pfeiffer Enum. 91.

5861. **Cereus Hystrix** Salm Observ. bot. 1822. 7. — ♀ — *Habitat in insulis Antillis.*

5862. **Cereus candicans** Gillies ex Pfeiffer Enum. 91. — ♀ — *Habitat in Mendoza.*

β. *A t t e n u a t i.*

5863. **Cereus repandus** Haw. Syn. 183. Suppl. 78. *Cereus gracilis* Mill. Bot. Reg. t. 336. *Cactus Royeni* DC. Plant. grass. t. 143. — ♀ — *Habitat in insulis Caribaeis et Antillis.*

5864. **Cereus subrepandus** Haw. Suppl. 78. — ♀ — *Habitat in insulis Caribaeis.*

5865. **Cereus eriophorus** Hort. Berol. ex Pfeiffer Enum. 94. — ♀ — *Habitat in insula Cuba.*

5866. **Cereus undatus** Hort. Berol. ex Pfeiffer Enum. 94. — ♀ — *Patria ignota.*

5867. **Cereus divergens** Hort. Berol. ex Pfeiffer Enum. 95. — ♀ — *Habitat in St. Domingo.*

5868. **Cereus divaricatus** DC. Prodr. III. 466. — ♀ — *Habitat in St. Domingo.*

c. *Gemmati.*

5869. **Cereus gemmatus** Zucc. ex Pfeiffer Enum. 96. — ♀ — *Habitat in Mexico.*

5870. **Cereus anisacanthus** DC. Revue 116.
 — 3 — *Habitat in Mexico.*

β. *Ortholophus* Pfeiffer Enum. 96.

5871. **Cereus marginatus** DC. Revue 116.
 — 3 — *Habitat in Mexico.*

5872. **Cereus Olfersii** Hort. Berol. ex Pfeiffer Enum. 97. — 3 — *Habitat in Brasilia.*

5873. **Cereus conticus** Hort. Berol. ex Pfeiffer Enum. 97. — 3 — *Habitat in Mexico.*

C. 4—5 angulares.

5874. **Cereus Tamacara** Salm. Hort. Dyck.
 336. — 3 — *Habitat in Brasilia.*

5875. **Cereus grandis** Haw. Suppl. 76. — 3 —
Habitat in Brasilia.

5876. **Cereus tetragonus** Haw. Syn. 180.
 — 3 — *Habitat in Brasilia meridionali.*

β. *Minor* Salm ex Pfeiffer Enum. 99.

5877. **Cereus virens** DC. Revue 116. — 3 —
Habitat in Mexico.

5878. **Cereus sublanatus** Salm Hort. Dyck.
 337. — 3 — *Patria ignota.*

§. 3. Polylophi.

5879. **Cereus eimerascens** DC. Revue 116.
 — 3 — *Habitat in Mexico.*

β. *Crassior* DC. ex Pfeiffer Enum. 101.

5880. **Cereus pentalophus** DC. Revue 117.
 — 3 — *Habitat in Mexico.*

§. 4. Opuntiaci.

5881. **Cereus ovatus** Pfeiffer Enum. 102.
 — 3 — *Habitat in Mendoza.*

§. 5. Protracti.

α. Multangulares.

5882. **Cereus serpentinus** Lagasc. Anal.

cienc. nat. 1801. 261. Link et Otto Icon. t. 42. DC.
 Revue 51. t. 12. — 3 — *Habitat in Mexico.*

β. Pitahayae.

5883. **Cereus obtusus** Haw. Revis. p. 79.
 — 3 — *Habitat in Brasilia.*

5884. **Cereus validus** Haw. Philos. Mag.
 Dec. 1831. Vol. X. 414. — 3 — *Habitat in America
 calidiore.*

5885. **Cereus laetus** Salm Hort. Dyck. 336.
 — 3 — *Habitat in Montevideo.*

γ. Extensi.

5886. **Cereus acutangulus** Hort. Berol. ex
 Pfeiffer Enum. 107. — 3 — *Habitat in Mexico.*

5887. **Cereus pellucidus** Hort. Berol. ex
 Pfeiffer Enum. 108. — 3 — *Habitat in insula Cuba.*

5888. **Cereus princeps** Hort. Würzb. ex
 Pfeiffer Enum. 108. — 3 — *Patria ignota.*

5889. **Cereus Bonplandii** Parm. ex Pfeif-
 fer Enum. 108. — 3 — *Patria ignota.*

5890. **Cereus ramosus** Karw. ex Pfeiffer
 Enum. 108. — 3 — *Habitat in Mexico.*

5891. **Cereus baxaniensis** Karw. ex Pfeif-
 fer Enum. 109. — 3 — *Patria ignota.*

5892. **Cereus prismaticus** Haw. Suppl. 77.
 — 3 — *Habitat in America calidiore.*

5893. **Cereus tenellus** Salm ex Pfeiffer
 Enum. 109. — 3 — *Habitat in Brasilia.*

§. 6. Reptantes.

α. Multangulares.

5894. **Cereus Martianus** Zucc. ex Pfeiffer
 Enum. 110. — 3 — *Habitat in Mexico.*

5895. **Cereus flagelliformis** Miller Dict.
 ed. 8. n. 12. *Cactus flagelliformis* L. DC. Plant. grass.
 t. 127. Bot. Mag. t. 17. — 3 — *Habitat in America
 calidiore.*

5896. **Cereus Smithii** Hort. Angl. ex Pfeiffer Enum. 111. *Cereus Crimson creeping* Bot. Reg. t. 1565. — ♀ — *Habitat in America.*

5897. **Cereus Mallisoni** Pfeiffer Enum. 181. Verh. d. Gartenb. Vereins f. Preuss. XII. 134. t. 1. — ♀ — *Habitat in America.*

5898. **Cereus flagriformis** Zucc. ex Pfeiffer Enum. 111. — ♀ — *Habitat in Mexico.*

5899. **Cereus leptophys** DC. Revue 17. Mém. 21. t. 12. — ♀ — *Habitat in Mexico.*

b. 4—7angulares.

5900. **Cereus grandiflorus** Miller Dict. ed. 8. n. 11. *Cactus grandiflorus* Linn. DC. Plant. gr. t. 52. Bot. Mag. t. 3381. — ♀ — *Habitat in insulis Caribaeis.*

5901. **Cereus nycticalus** Link Verh. d. Gartenb. Vereins f. Preuss. X. 373. t. 4. — ♀ — *Habitat in Mexico.*

5902. **Cereus radicans** DC. Prodr. III. 468. — ♀ — *Habitat in America calidiore.*

5903. **Cereus spinulosus** DC Revue 117. — ♀ — *Habitat in Mexico.*

5904. **Cereus humilis** DC. Prodr. III. 468. — ♀ — *Habitat in America calidiore.*

β. *Minor* Pfeiffer Enum. 115.

5905. **Cereus inermis** Otto ex Pfeiffer Enum. 116. — ♀ — *Habitat in La Guayra.*

c. 3—4angulares.

Tripteres.

5906. **Cereus triangularis** Haw. Syn. 180. *Cactus triangularis* Linn. Bot. Reg. t. 1807. — ♀ — *Habitat in Mexico et insulis Caribaeis.*

γ. *Pictus* Pfeiffer Enum. 117.

5907. **Cereus triqueter** Haw. Synops. 181. — ♀ — *Habitat in America meridionali.*

5908. **Cereus tripteris** Salm ex DC. Prodr.
 III. 468. — ♀ — *Patria ignota*.
 5909. **Cereus extensus** Salm ex DC. Prodr.
 III. 469. — ♀ — *Patria ignota*.
 5910. **Cereus setaceus** Salm ex DC. Prodr.
 III. 469. — ♀ — *Habitat in Brasilia*.
 5911. **Cereus speciosissimus** DC. ex Pfeiffer Enum. 120. *Cactus speciosissimus* Desf. Mém. du Mus. 3. 190. t. 9. *Cactus speciosus* Willd. Bot. Reg. t. 486. — ♀ — *Habitat in Mexico et Guatemala*.
 β. *Lateritius* Bot. Reg. t. 1596. — γ. *Jenkinsonii* H. Angl. ex Pfeiffer Enum. 121. — δ. *Seitzianus*.
 5912. **Cereus Schrankii** Zucc. ex Pfeiffer Enum. 122. — ♀ — *Habitat in Mexico*.
 5913. **Cereus coccineus** Salm ex Pfeiffer Enum. 122. — ♀ — *Habitat in Mexico*.

§. 7. Alati.

5914. **Cereus Ackermanni** Hort. Berol. ex Pfeiffer Enum. 123. *Epiphyllum Ackermanni* Haw. Bot. Reg. t. 1331. — ♀ — *Habitat in Mexico*.
 5915. **Cereus phyllanthoides** DC. ex Pfeiffer Enum. 124. *Cactus speciosus* Bonpl. Bot. Mag. t. 2032. Bot. Reg. t. 304. — ♀ — *Habitat in Mexico*.
 5916. **Cereus oxypetalus** DC. ex Pfeiffer Enum. 124. Revue 60. t. 14. — ♀ — *Habitat in Mexico et Guatemala*.
 5917. **Cereus latifrons** Zucc. ex Pfeiffer Enum. 125. — ♀ — *Habitat in Mexico*.
 5918. **Cereus Hookeri** Hort. Berol. ex Pfeiffer Enum. 125. *Cereus Phyllanthus* Hooker Bot. Mag. t. 2692. — ♀ — *Habitat in Brasilia*.
 5919. **Cereus Phyllanthus** DC. ex Pfeiffer Enum. 125. *Opuntia Phyllanthus* Mill. DC. Plant. gr. t. 145. — ♀ — *Habitat in Brasilia, Surinam et Guadeloupe*.

5159. **Epiphyllum** Pfeiff.

5920. **Epiphyllum truncatum** Haw. Suppl.

85. *Cactus truncatus* Link Bot. Mag. t. 2526. Bot. Reg. t. 696. Hooker Exot. fl. t. 20. — ½ — *Habitat in Brasilia.*

5921. *Epiphyllum Altensteinii* Pfeiffer Enum. 128. — ½ — *Habitat in Brasilia.*

5160. *Rhipsalis* Gärtn.

§. 1. *Alatae.*

5922. *Rhipsalis cristata* Pfeiffer Enum. 130. — ½ — *Patria ignota.*

5923. *Rhipsalis rhombica* Pfeiffer Enum. 130. — ½ — *Patria ignota.*

5924. *Rhipsalis ramulosa* Pfeiffer Enum. 130. — ½ — *Patria ignota.*

5925. *Rhipsalis platycarpa* Pfeiffer Enum. 131. — ½ — *Habitat in Brasilia.*

5926. *Rhipsalis Swartziana* Pfeiffer Enum. 131. — ½ — *Habitat in Jamaica.*

5927. *Rhipsalis brachyptera* Pfeiff. Enum. 132. — ½ — *Habitat in India occidentali.*

§. 2. *Angulosae.*

5928. *Rhipsalis pentaptera* Pfeiffer Enum. 132. — ½ — *Habitat in Brasilia.*

5929. *Rhipsalis trigona* Pfeiffer Enum. 133. — ½ — *Habitat in Brasilia.*

§. 3. *Teretes.*

5930. *Rhipsalis Cassytha* Gärtn. ex Pfeiffer Enum. 133. *Cassytha baccifera* Mill. Bot. Mag. t. 3080. — ½ — *Habitat in Jamaica et Hispaniola (parasitica).*

5931. *Rhipsalis floccosa* Salm ex Pfeiffer Enum. 134. — ½ — *Patria ignota.*

5932. *Rhipsalis funalis* Salm ex Pfeiffer Enum. 135. *Rhipsalis grandiflora* Haw. Bot. Mag. t.

2740. Link et Otto Icon. t. 38. — ♀ — *Habitat in America meridionali.*

5933. **Rhipsalis fasciculata** Haw. ex Pfeiffer Enum. 135. DC. Plant. grass. t. 59. *Rhipsalis parasitica* Haw. Bot. Mag. t. 3079. — ♀ — *Habitat in insulis Caribaeis.*

§. 4. Articuliferae.

5934. **Rhipsalis mesembryanthoides** Haw. ex Pfeiffer Enum. 136. *Rhipsalis salicornioides* β. Haw Bot. Mag. t. 3078. — ♀ — *Habitat in America meridionali.*

5935. **Rhipsalis Cereuscula** Haw. ex Pfeiffer Enum. 137. — ♀ — *Habitat in Brasilia.*

5161. **Lepismium** Pfeiff.

5936. **Lepismium commune** Pfeiffer Enum. 138. — ♀ — *Habitat in Brasilia.*

5937. **Lepismium Myosurus** Pfeiffer Enum. 139. — ♀ — *Habitat in Brasilia.*

5938. **Lepismium Knightii** Pfeiffer Enum. 139. — ♀ — *Habitat in Brasilia.*

5939. **Lepismium paradoxum** Salm ex Pfeiffer Enum. 140. — ♀ — *Habitat in Brasilia.*

5162. **Hariota** DC.

5940. **Hariota salicornioides** DC. Mém. 23. *Rhipsalis salicornioides* Haw. Link et Otto Icon. 49. t. 21. Bot. Mag. t. 2461. — ♀ — *Habitat in Brasilia.*

5163. **Opuntia** Tournef.

§. 1. Glomeratae.

5941. **Opuntia sulphurea** Gill. Hort. Dyck. 360. — ♀ — *Habitat in Chili.*

5942. **Opuntia corrugata** Hort. Angl. ex Pfeiffer Enum. 144. — ♀ — *Patria ignota.*

β. *Eburnea* Salm.

5943. **Opuntia pusilla** Salm Observ. Bot. 1822. 10. — ♀ — *Habitat in America calidiore.*

5944. **Opuntia longispina** Haw. Philos. Mag. 1830. 109. — ♀ — *Habitat in Mendoza.*

5945. **Opuntia glomerata** Haw. Philos. Mag. 1830. 109. — ♀ — *Habitat in Mendoza.*

5946. **Opuntia andicola** Hort. Angl. ex Pfeiffer Enum. 145. — ♀ — *Habitat in Mendoza.*

β. *Crassior.*

5947. **Opuntia tuberosa** Hort. Angl. ex Pfeiffer Enum. 145. — ♀ — *Habitat in Mendoza.*

§. 2. Divaricatae.

5948. **Opuntia fragilis** Haw. Suppl. 82. — ♀ — *Habitat in America boreali.*

5949. **Opuntia aurantiaca** Gill. Bot. Reg. t. 1606. — ♀ — *Habitat in Chili.*

β. *Extensa* Salm. Pfeiffer Enum. 147. n. 14.

5950. **Opuntia foliosa** Salm ex DC. Prodr. III. 471. — ♀ — *Habitat in America calidiore.*

5951. **Opuntia curassavica** Miller Dict. ed. 8. n. 7. — ♀ — *Habitat in Curaçao et S. Thomas.*

γ. *Minor* Haw. Syn. 196. — δ. *Longa* Haw. Revis. 71. — *Habitat in Brasilia.*

5952. **Opuntia pubescens** Wendl. Catal. Hort. Herrnhus. 1835. — ♀ — *Habitat in Mexico.*

§. 3. Compresso-articulatae.

a. Glabratae.

5953. **Opuntia vulgaris** Miller Dict. ed. 8. n. 1. — ♀ — *Habitat in Americae borealis provinciis australibus, in Europa culta.*

5954. **Opuntia intermedia** Salm Hort. Dyck. 364. — ♀ — *Habitat in Europa australi.*

5955. **Opuntia coccinellifera** Mill. Dict.

ed. 8. n. 6. Bot. Mag. t. 2741. 2742. — ♀ — *Habitat in America tropica.*

5956. **Opuntia tuberculata** Haw. Suppl. 80. — ♀ — *Habitat in America tropica.*

5957. **Opuntia stricta** Haw. Syn. 191. — ♀ — *Habitat in America calidiore.*

5958. **Opuntia lanceolata** Haw. Syn. 192. — ♀ — *Habitat in America meridionali.*

5959. **Opuntia decumana** Haw. Suppl. 71. — ♀ — *Habitat in America meridionali.*

5960. **Opuntia elata** Hort. Berol. ex Pfeiffer Enum. 152. — ♀ — *Habitat in Brasilia, Curaçao.*

5961. **Opuntia Ficus indica** Miller Dict. ed. 8. n. 2. — ♀ — *Habitat in America meridionali, nunc spontanea in Italia et Sicilia.*

β. *Articulis brevioribus* Hort. Dyck ex Pfeiffer Enum. 153.

5962. **Opuntia crassa** Haw. Suppl. 81. — ♀ — *Habitat in Mexico.*

5963. **Opuntia parvula** Salm Hort. Dyck. 364. — ♀ — *Habitat in Chili.*

δ. Pulvinatae.

α. Inermes.

5964. **Opuntia microdasys** Lehm. Ind. Sem. Hamb. 1817. — ♀ — *Habitat in Mexico.*

5965. **Opuntia decumbens** Salm Hort. Dyck. 361. — ♀ — *Habitat in Mexico.*

β. Aculeatae.

5966. **Opuntia grandis** Hort. Angl. ex Pfeiffer Enum. 155. — ♀ — *Habitat in Mexico.*

5967. **Opuntia albicans** Salm Hort. Dyck. 361. — ♀ — *Habitat in Mexico.*

5968. **Opuntia sericea** Don Hort. Dyck. 363. — ♀ — *Habitat in Chili.*

β. *Melaenii* Salm.

5969. **Opuntia orbiculata** Salm ex Pfeiffer Enum. 156. — ♀ — *Habitat in Chili.*

5970. **Opuntia puberula** Hort. Vind. ex Pfeiffer Enum. 156. — ♀ — *Habitat in Mexico.*

c. Criniferae.

5971. **Opuntia leucotricha** DC. Revue 119. — ♀ — *Habitat in Mexico.*

d. Aculeatae.

α. Albispinae.

5972. **Opuntia spinulifera** Salm Hort. Dyck. 364. — ♀ — *Habitat in Mexico.*

5973. **Opuntia missouriensis** DC. Prodr. III. 672. — ♀ — *Habitat in America boreali.*

β. *Elongata* Salm.

5974 **Opuntia dejecta** Salm Hort. Dyck. 361. — ♀ — *Habitat in Havannah.*

5975. **Opuntia candelabriformis** Hort. monac. ex Pfeiffer Enum. 159. — ♀ — *Habitat in Mexico.*

β *Spinosior.*

5976. **Opuntia lasiocantha** Hort. Vindob. ex Pfeiffer Enum. 160. — ♀ — *Patria ignota.*

5977. **Opuntia megacantha** Salm Hort. Dyck. 363. — ♀ — *Habitat in Mexico.*

5978. **Opuntia tomentosa** Salm Observ. Bot. 1822. 8. — ♀ — *Habitat in America tropica.*

5979. **Opuntia oblongata** Wendl. Catal. Hort. Herrnsh. 1835. — ♀ — *Habitat in Mexico.*

β. *Flavispinæ.*

5980. **Opuntia Tuna** Miller Dict. ed. 8. n. 3. *Opuntia coccinellifera* DC. Plant. grass. t. 137. — ♀ — *Habitat in Quito et Mexico.*

5981. **Opuntia Pseudo-Tuna** Salm Observ. Bot. 1822. 7. — ♀ — *Habitat in America calidiore.*

β. *Elongata* Salm in Pfeiffer Enum. 162. — γ. *Glaucophylla* Salm.

5982. **Opuntia horrida** Salm DC. Prodr.

III. 472. — ♀ — *Habitat in America calidiore, in Italia culta.*

5983. **Opuntia Dillenii** DC. Prodr. III. 472. *Cactus Dillenii* Bot. Reg. t. 255. — ♀ — *Habitat in America calidiore.*

β. *Minor* Salm.

5984. **Opuntia polyantha** Haw. Syn. 190. DC. Plant. grass. t. 138. *Cactus polyanthos* Bot. Mag. t. 2691. — ♀ — *Habitat in America calidiore.*

5985. **Opuntia triacantha** DC. Prodr. III. 473. — ♀ — *Habitat in America calidiore.*

γ. *Fulvispinae*

5986. **Opuntia fulvispina** Salm ex Pfeiffer Enum. 164. — ♀ — *Patria ignota.*

5987. **Opuntia monacantha** Haw. Suppl. 81. *Cactus Opuntia Tuna* DC. Plant. grass. t. 138. Bot. Reg. t. 1726. — ♀ — *Habitat in America tropica.*

5988. **Opuntia nigricans** Haw. Syn. 189. *Cactus Tuna* β. *nigricans* Bot. Mag. t. 1557. — ♀ — *Habitat in America calidiore.*

5989. **Opuntia elatior** Miller Dict. ed. 8. n. 4. — ♀ — *Habitat in America meridionali.*

5990. **Opuntia robusta** Wendl. Catal. Hort. Herrnhus. 1835. — ♀ — *Habitat in Mexico.*

§. 4. *Cruciatae.*

5991. **Opuntia rubescens** Salm Hort. Dyck. 360. — ♀ — *Habitat in Brasilia.*

5992. **Opuntia catocantha** Hort. Berol. ex Pfeiffer Enum. 166. — ♀ — *Habitat in S. Thomas.*

5993. **Opuntia spinosissima** Miller Dict. ed. 8. n. 8. — ♀ — *Habitat in Jamaica et Antillis.*

5994. **Opuntia ferox** Haw. Suppl. 82. — ♀ — *Habitat in America calidiore.*

5995. **Opuntia leucacantha** Hort. Berol. ex Pfeiffer Enum. 167. — ♀ — *Habitat in Mexico.*

β. *Subferox* Schott.

§. 5. *Cylindraceae*.

5996. **Opuntia cylindrica** DC. Prodr. III.
471. **Cereus cylindricus** Haw. Bot. Mag. t. 3301. — ♀ —
Habitat in Peru.

β. *Spiniosior*. — γ. *Minor*.

5997. **Opuntia exuviata** DC. Revue 118.
— ♀ — *Habitat in Mexico.*

β. *Viridis* Salm. — γ. *Spiniosior* DC.

5998. **Opuntia tunicata** Hort. Berol. ex
Pfeiffer Enum. 170. — ♀ — *Habitat in Mexico.*

5999 **Opuntia Stapelia** DC. Revue 117.
— ♀ — *Habitat in Mexico.*

6000. **Opuntia Kleiniae** DC. Revue 118.
— ♀ — *Habitat in Mexico.*

6001. **Opuntia decipiens** DC. Revue 118.
— ♀ — *Habitat in Mexico.*

6002. **Opuntia gracilis** Hort. Monac. ex
Pfeiffer Enum. 172. — ♀ — *Habitat in Mexico.*

6003. **Opuntia Salmiana** Parm. ex Pfeiffer
Enum. 172. — ♀ — *Habitat in Brasilia.*

6004. **Opuntia leptocaulis** DC. Revue 118.
— ♀ — *Habitat in Mexico.*

6005. **Opuntia ramulifera** Salm Hort. Dyck.
360. — ♀ — *Habitat in Mexico.*

6006. **Opuntia clavaroides** Hort. Berol.
ex Pfeiffer Enum. 173. — ♀ — *Habitat in Chili.*

6007. **Opuntia Poeppigii** Otto ex Pfeiffer
Enum. 176. — ♀ — *Habitat in Chili.*

5163. **Pereskia** Plum.

6008. **Pereskia aculeata** Plum. Nov. gen.
37. — ♀ — *Habitat in India occidentali.*

δ. *Lanceolata* Pfeiffer Enum. 176.

6009. **Pereskia spathulata** Hort. Berol.
ex Pfeiffer Enum. 176. — ♀ — *Habitat in Mexico.*

6010. **Pereskia Pittachne** Karw. ex Pfeif-
fer Enum. 176. — ♀ — *Habitat in Mexico.*

6011. **Pereskia Bleo** DC. Prodr. III. 475.

Cactus Bleo H. B. K. Bot. Reg. t. 1473. Bot. Mag. t. 3478. — 3 — *Habitat in Nova Granada et Mexico.*

6012. **Pereskia grandifolia** Haw. Suppl. 85. — 3 — *Habitat in Brasilia.*

Ordo CXLII. Mesembryanthemeae.

5163. **Mesembryanthemum** Linn.

I. Acaulia Haw.

§. 1. Sphaeroidea Salm-Dyck.

6013. **Mesembryanthemum minimum** Haworth Obs. 126. Miscell. 21. Synops. 203. Revis. 82. DC. Prodr. III. 417. — 4 — *Habitat in Capite bonae spei.*

6014. **Mesembryanthemum obcordatum** Haworth Miscell. 21. Synops. 203. Revis. 82. Sims Bot. Mag. t. 1647. DC. Prodr. III. 417. — 4 — *Habitat in Capite bonae spei.*

§. 2. Subquadrifolia Salm-Dyck.

6015. **Mesembryanthemum testiculare** Aiton Hort. kew. ed. 2. II. 181. Thunberg Fl. cap. 412. Haworth Obs. 133. Synops. 205. Miscell. 24. Revis. 85. DC. Prodr. III. 418. — 4 — *Habitat in Capite bonae spei.*

6016. **Mesembryanthemum fissum** Haworth Obs. 134. Miscell. 25. Synops. 205. Revis. 86. DC. Prodr. III. 418. — 4 — *Habitat in Capite bonae spei.*

§. 3. Aloidea DC.

6017. **Mesembryanthemum nobile** Haworth in Philosoph. Magaz. 1823. p. 381. DC. Prodr. III. 419. — 4 — *Habitat in Capite bonae spei.*

§. 4. Ringentia Haw.

6018. **Mesembryanthemum mustellinum** Salm-Dyck ex Haworth Suppl. 87. Revis. 89. DC. Prodr. III. 419. — 24 — *Habitat in Capite bonae spei.*

6019. **Mesembryanthemum murinum** Haworth Obs. 165. Miscell. 30. Synops. 217. Revis. 90. DC. Prodr. III. 419. — 24 — *Habitat in Capite bonae spei.*

6020. **Mesembryanthemum tigrinum** Haworth Obs. 164. Miscell. 21. Synops. 216. Revis. 89. DC. Prodr. III. 419. Bot. Reg. t. 280. — 24 — *Habitat in Capite bonae spei.*

6021. **Mesembryanthemum caninum** Haworth Observ. 159. Synops. 217. Revis. 87. DC. Pl. gr. t. 95. Prodr. III. 419. — 24 — *Habitat in Capite bonae spei.*

§. 5. Rostrata Haw.

6022. **Mesembryanthemum albidum** Linn. Spec. 699. Haworth Revis. 88. Sims Bot. Mag. t. 1824. DC. Prodr. III. 420. — 24 — *Habitat in Capite bonae spei.*

6023. **Mesembryanthemum denticulatum** Haworth Observ. 149. DC. Prodr. III. 420. — 24 — *Habitat in Capite bonae spei.*

6024. **Mesembryanthemum robustum** Haworth Miscell. 28. Synops. 211. Revis. 91. DC. Prodr. III. 420. — 24 — *Habitat in Capite bonae spei.*

6025. **Mesembryanthemum rostratum** Linn. Spec. 696. Haworth Revis. 92. DC. Prodr. III. 421. — 24 — *Habitat in Capite bonae spei.*

6026. **Mesembryanthemum ramulosum** Haworth Miscell. 29. Revis. 92. DC. Prodr. III. 421. — 24 — *Habitat in Capite bonae spei.*

§. 6. *Linguaeformia* Haw.§§. 1. *Disticha*.

6027. **Mesembryanthemum scalpratum**
Haworth Observ. 187. Revis. 94. DC. Prodr. III. 421.
Mesembryanthemum linguaeforme α. Linn. Spec. 669.
— 24 — *Habitat in Capite bonae spei.*

6028. **Mesembryanthemum fragrans**
Salm-Dyck Obs. 1820. p. 8. Link et Otto Abbild.
t. 43 DC. Prodr. III. 421. — 24 — *Habitat in Capite bonae spei.*

6029. **Mesembryanthemum praepingue**
Haworth Observ. 179. Revis. 95. DC. Prodr. III. 421.
— 24 — *Habitat in Capite bonae spei.*

6030. **Mesembryanthemum linguae-
forme** Haworth Observ. 186. Revis. 98. DC. Prodr.
III. 422. *Mesembryanthemum linguaeforme* γ. Linn. Spec.
669. — 24 — *Habitat in Capite bonae spei.*

Var. β. *Rufescens* Haworth Synops. 221. — γ. *Assurgens*.

6031. **Mesembryanthemum latum** Ha-
worth Observ. 186. Revis. 98. DC. Prodr. III. 422.
— 24 — *Habitat in Capite bonae spei.*

6032. **Mesembryanthemum depressum**
Haworth Miscell. 33. Synops. 221. Revis. 99. DC.
Prodr. III. 422. — 24 — *Habitat in Capite bonae spei.*
β. *Lividum* Haw. l. c.

§§. 2. *Cruciata*.

6033. **Mesembryanthemum cruciatum**
Haworth Obs. 173. Revis. 35. DC. Prodr. III. 422.
— 24 — *Habitat in Capite bonae spei.*

6034. **Mesembryanthemum Salmii** Ha-
worth Suppl. 89. Revis. 100. Link et Otto Abbild.
t. 44. DC. Prodr. III. 422. — 24 — *Habitat in Capite bonae spei.*

Var. β. *Semicruciatum* Salm-Dyck. — γ. *Elongatum*.

6035. **Mesembryanthemum difforme** Ha-

worth Suppl. 89. Revis. 103. DC. Prodr. III. 423.
— 4 — *Habitat in Capite bonae spei.*

6036. **Mesembryanthemum semicylindricum** Haworth Obs. 238. Revis. 103. DC. Prodr. III. 423. — 4 — *Habitat in Capite bonae spei.*

§. 7. **Dolabriformia** Salm-Dyck.

6037. **Mesembryanthemum dolabriforme** Linn. Spec. 699. Curtis Bot. Mag. t. 32. DC. Plant. grass. t. 6. Prodr. III. 423. — 4 — *Habitat in Capite bonae spei.*

§. 8. **Calamiformia** Haw.

6038. **Mesembryanthemum calamiforme** Linn. Spec. 690. DC. Plant. grass. t. 5. DC. Prodr. III. 424. — 4 — *Habitat in Capite bonae spei.*

§. 9. **Teretifolia** Haw.

6039. **Mesembryanthemum cylindricum** Haworth Observ. 411. Revis. 102. DC. Prodr. III. 424. — 4 — *Habitat in Capite bonae spei.*

§. 10. **Bellidiflora** Haw.

6040. **Mesembryanthemum subulatum** Miller Dict. ed. 8. n. 10. DC. Plant. grass. t. 41. Prodr. III. 424. — 4 — *Habitat in Capite bonae spei.*

§. 11. **Acuta** Haw.

6041. **Mesembryanthemum acutum** Haworth Miscell. 26. Revis. 107. DC. Prodr. III. 425. — 4 — *Habitat in Capite bonae spei.*

II. **Cephalophylla** Haw.

§. 12. **Corniculata** Haw.

6042. **Mesembryanthemum loreum** Ha-

worth Synops. 229. Revis. 108. DC. Prodr. III. 425.
— 24 — *Habitat in Capite bonae spei.*

6043. **Mesembryanthemum diversifolium** Haworth Synops. 230. Revis. 108. DC. Prodr. III. 425. — 24 — *Habitat in Capite bonae spei.*

6044. **Mesembryanthemum corniculatum** Linn. Spec. 676. DC. Plant. grass. t. 108. Prodr. III. 426. — 24 — *Habitat in Capite bonae spei.*

6045. **Mesembryanthemum tricolorum** Haworth Obs. 233. Miscell. 39. Synops. 232. Revis. 111. DC. Prodr. III. 426. *Mesembryanthemum stramineum* Willd. Enum. Hort. berol. 533. — 24 — *Habitat in Capite bonae spei.*

§. 13. Capitata Haw.

6046. **Mesembryanthemum pugioniforme** Linn. Spec. 699. DC. Plant. grass. t. 82. Haworth Miscell. 42. Synops. 218. Revis. 112. DC. Prodr. III. 426. — 24 — *Habitat in sabulosis inter frutices planitie in Capite bonae spei.*

6047. **Mesembryanthemum capitatum** Haworth Miscell. 41. Revis. 112. Bot. Reg. t. 494. DC. Prodr. III. 426. *Mesembryanthemum pugioniforme* Haworth Observ. 390. — 24 — *Habitat in Capite bonae spei.*

6048. **Mesembryanthemum brevicaule** Haworth Suppl. 91. Revis. 113. DC. Prodr. III. 426. — 24 — *Habitat in Capite bonae spei.*

III. Reptantia Haw.

§. 14. Sarmentosa Salm-Dyck.

6049. **Mesembryanthemum laxum** Willdenow Enum. 536. Haworth Revis. 115. DC. Prodr. III. 427. — 24 — *Habitat in Capite bonae spei.*

6050. **Mesembryanthemum sarmentosum** Haworth Synops. 238. Revis. 115. DC. Prodr. III. 427. — 24 — *Habitat in Nova Hollandia.*

6051. **Mesembryanthemum Schellii** Salm-Dyck Observ. 1820. p. 10. DC. Prodr. III. 427. *Mesembryanthemum aduncum* Jacq. Fragm. t. 15. f. 2. non Willd. *Mesembryanthemum recurvum* Haworth Suppl. 90. non Mönch. — 24 — *Habitat in Capite bonae spei.*

§. 15. *Reptantia* Salm-Dyck.

6052. **Mesembryanthemum crassifolium** Linn. Spec. 693. DC. Prodr. III. 427. — 24 — *Habitat in Capite bonae spei.*

§. 16. *Rubricaulia* Salm-Dyck.

6053. **Mesembryanthemum filamentosum** Linn. Spec. 694. Haworth Obs. 380. Miscell. 78. Synops. 238. Revis. 116. DC Prodr. III. 428. — 24 — *Habitat in Capite bonae spei locis sabulosis.*

6054. **Mesembryanthemum rubricaulis** Haworth Miscell. 77. Revis. 117. DC. Prodr. III. 428. — 24 — *Habitat in Capite bonae spei.*

§. 17. *Acinaciformia* Salm-Dyck.

6055. **Mesembryanthemum edule** Linn. Spec. 695. DC. Prodr. III. 428. — 24 — *Habitat in Capite bonae spei.*

Calix baccatus, edulis.

6056. **Mesembryanthemum acinaciforme** Linn. Spec. 695. Andrews Bot. Reposit. t. 503. Salisbury Parad. t. 90. DC. Prodr. III. 428. — 24 — *Habitat in Capite bonae spei.*

6057. **Mesembryanthemum lacerum** Salm-Dyck Observ. 1820. p. 31. DC. Prodr. III. 429. *Mesembryanthemum acinaciforme* DC. Plant. grass. t. 89. — 24 — *Habitat in Capite bonae spei.*

IV. *Perfoliata* Haw.

§. 18. *Forficata* Salm-Dyck.

6058. **Mesembryanthemum heterope-**

talum Haworth Miscell. 67. Synops. 294. Revis. 182. DC. Prodr. III. 430. — 24 — *Habitat inter frutices Capitis bonae spei.*

6059. **Mesembryanthemum mutabile** Haworth Obs. 377. Miscell. 74. Synops. 294. Revis. 133. DC. Prodr. III. 430. — 24 — *Habitat inter saxa Capitis bonae spei.*

6060. **Mesembryanthemum inclaudens** Haworth Synops. 295. Revis. 133. Andrews Bot. Repos. t. 384. Sims Bot. Mag. t. 1663. — 24 — *Habitat inter saxa in Capite bonae spei.*

§. 19. Uncinata Haw.

6061. **Mesembryanthemum perfoliatum** Miller Dict. ed. 8. n. 19. Haworth Miscell. 92. Synops. 281. Revis. 124. DC. Prodr. III. 430. — 24 — *Habitat in Capite bonae spei.*

6062. **Mesembryanthemum semidentatum** Haworth Suppl. 95. Revis. 125. Salm-Dyck Obs. 1820. p. 9. DC Prodr. III. 431. — 24 — *Habitat in Capite bonae spei.*

6063. **Mesembryanthemum uncinatum** Miller Dict. ed. 8. n. 18. DC. Prodr. III. 431. *Mesembryanthemum uncinatum* a. Linn. Spec. 692. DC. Plant. grass. t. 54. — 24 — *Habitat in Capite bonae spei.*

6064. **Mesembryanthemum viride** Haworth Obs. 314. Miscell. 93. Synops. 282. Revis. 126. DC. Prodr. III. 431. — 24 — *Habitat in Capite bonae spei.*

§. 20. Paniculata Haw.

6065. **Mesembryanthemum tumidulum** Haworth Synops. 286. Revis. 129. DC. Prodr. III. 431. — 24 — *Habitat in Capite bonae spei*

6066. **Mesembryanthemum foliosum** Haworth Miscell. 97. Synops. 287. Revis. 130. DC. Prodr. III. 431. — 24 — *Habitat in Capite bonae spei.*

6067. **Mesembryanthemum umbellatum** Linn. Spec. 689. Haworth Obs. 336. Miscell. 97. Synops. 287. Revis. 129. DC. Prodr. III. 431. — 4 — *Habitat in Capite bonae spei.*

6068. **Mesembryanthemum multiflorum** Haworth Obs. 318. Miscell. 96. Synops. 285. Revis. 128. DC. Prodr. III. 431. — 4 — *Habitat in Capite bonae spei.*

β. *Patens* Haw. l. c. DC. l. c. *Mesembryanthemum patens* Willd. Enum. Hort. ber. Suppl. 37.

γ. *Nitens* Haw. l. c. DC. l. c.

6069. **Mesembryanthemum tenellum** Haworth Obs. 315. Miscell. 95. Synops. 283. Revis. 127. DC. Prodr. III. 432. — 4 — *Habitat in Capite bonae spei.*

6070. **Mesembryanthemum vaginatum** Haworth Miscell. 95. Synops. 284. excl. var. β. Revis. 127. DC. Prodr. III. 432. non Lam. — 4 — *Habitat in Capite bonae spei.*

6071. **Mesembryanthemum parviflorum** Haworth Miscell. 95. Synops. 284. Revis. 127. DC. Prodr. III. 432. non Jacq. — 4 — *Habitat in Capite bonae spei.*

6072. **Mesembryanthemum lineolatum** Haworth Revis. 130. DC. Prodr. III. 431. — 4 — *Habitat in Capite bonae spei.*

V. Triquetra Hav.

§. 21. Deltoidea Salm-Dyck.

6073. **Mesembryanthemum caulescens** Miller Dict. ed. 8. p. 12. Haworth Obs. 367. Misc. 74. Synops. 296. Revis. 133. DC. Prodr. III. 432. *Mesembryanthemum deltoides* β. *simplex* DC. Plant. grass. t. 53. — 4 — *Habitat in Capite bonae spei.*

6074. **Mesembryanthemum deltoides** Miller Dict. ed. 8. p. 13. DC. Plant. grass. t. 53. Prodr. III. 433. Thunb. Fl. cap. 418. — 4 — *Habitat in lapidosis Capitis bonae spei.*

6075. **Mesembryanthemum muricatum**
Haworth Obs. 364. Miscell. 75. Synops. 297. Revis.
133. DC. Prodr. III. 433. — 2 — *Habitat in Capite*
bonae spei.

§. 22. *Falcata* Haw.

6076. **Mesembryanthemum maximum**
Haworth Obs. 402. Miscell. 66. Synops. 292. Revis.
135. Andrews Bot. Reposit. t. 358. Willd. Enum.
Hort. berol. 539. DC. Prodr. III. 433. — 2 — *Ha-*
bitat in Capite bonae spei.

6077. **Mesembryanthemum lunatum**
Willd. Enum. Hort. berol. 538. DC. Prodr. III. 433.
— 2 — *Habitat ad latera montium in Capite bonae spei.*

6078. **Mesembryanthemum virgatum** Ha-
worth Miscell. 88. Synops. 290. Revis. 142. DC.
Prodr. III. 433. *Mesembryanthemum compressum* Haw.
Obs. 416. nec 326. — 2 — *Habitat in Capite bonae*
spei.

6079. **Mesembryanthemum incurvum**
Haworth Miscell. 69. Synops. 300. Revis. 136 DC.
Prodr. III. 433. *Mesembryanthemum multiradiatum* Jacq.
Fragm. bot. t. 53. f. 2. — 2 — *Habitat in lapidosis*
Capitis bonae spei.

§. 23. *Microphylla* Salm-Dyck.

6080. **Mesembryanthemum pulchellum**
Haw. Miscell. 72. Synops. 298. Willd. Enum. 537.
DC. Prodr. III. 434. *Mesembryanthemum canescens* Ha-
worth Revis. 135. — 2 — *Habitat in Capite bonae spei.*

§. 24. *Scabrida* Haw.

6081. **Mesembryanthemum retroflexum**
Haworth Miscell. 71. Synops. 269. Revis. 139. DC.
Prodr. III. 434. *Mesembryanthemum elegans* Jacq. Hort.
Schönr. IV. 18. — 2 — *Habitat in Capite bonae spei.*

6082. **Mesembryanthemum deflexum**

Aiton Hort. kew. II. 287. Haworth Obs. 347. Miscell. 71. Synops. 269. excl. syn. Revis. 140. DC. Prodr. III. 435. — 24 — *Habitat in Capite bonae spei.*

6083. **Mesembryanthemum polyanthum** Haworth Synops. 270. Revis. 140. DC. Prodr. III. 435. — 24 — *Habitat in Capite bonae spei.*

6084. **Mesembryanthemum violaceum** DC. Plant. grass. t. 84. Prodr. III. 435. Haworth Revis. 141. *Mesembryanthemum parvifolium* Lam. Dict. II. 482. excl. syn. *Mesembryanthemum puniceum* Jacq. Hort. Schönbr. t. 442. — 24 — *Habitat in Capite bonae spei.*

§. 25. *Bracteata* Salm-Dyck.

6085. **Mesembryanthemum anceps** Haworth Synops. 289. Revis. 143. DC. Prodr. III. 435. — 24 — *Habitat in Capite bonae spei.*

§. 26. *Conferta* Haw.

6086. **Mesembryanthemum formosum** Haworth Revis. 145. DC. Prodr. III. 436. — 24 — *Habitat in Capite bonae spei.*

6087. **Mesembryanthemum spectabile** Haworth 385. Miscell. 68. Synops. 240. Revis. 145. Curtis Bot. Mag. t. 396. DC. Plant. grass. t. 153. Prodr. III. 436. — 24 — *Habitat in sabulosis Capitis bonae spei.*

6088. **Mesembryanthemum conspicuum** Haworth Synops. 240. Revis. 146. DC. Prodr. III. 436. — 24 — *Habitat in Capite bonae spei.*

§. 27. *Cymbiformia* Salm-Dyck.

6089. **Mesembryanthemum strictum** Haworth Miscell. 82. Synops. 262. Revis. 149. DC. Prodr. III. 437. — 24 — *Habitat in lapidosis Capitis bonae spei.*

6090. **Mesembryanthemum molle** Aiton

Hort. kew. II. 192. Haworth Obs. Miscell. 83. Synops. 261. Revis. 149. DC. Prodr. III. 437. — 24 — *Habitat in Capite bonae spei.*

6091. **Mesembryanthemum cymbifolium** Haworth in Till. phil. Mag. 1824. LXIV. 424. DC. Prodr. III. 437. — 24 — *Habitat in lapidosis Capitis bonae spei.*

§. 28. Aurea Haw.

6092. **Mesembryanthemum glaucum** Linn. Spec. 696. DC. Plant. grass. t. 146. Prodr. III. 437. Bradl. succ. t. 37. Haworth Obs. 829. Miscell. 83. Synops. 264. Revis. 148. — 24 — *Habitat in locis lapidoso-arenosis Capitis bonae spei.*

6093. **Mesembryanthemum aureum** Linn. Syst. nat. ed. X. 1050. Curt. Bot. Mag. t. 262. DC. Plant. grass. t. 11. Prodr. III. 437. Haworth Obs. 333. Miscell. 84. Synops. 263. Revis. 148. — 24 — *Habitat in sabulosis Capitis bonae spei.*

VI. Teretiuscula Haw.

§. 29. Verruculata DC.

6094. **Mesembryanthemum verruculatum** Linn. Spec. 696. DC. Plant. grass. t. 36. Prodr. III. 438. Haworth Obs. 260. Miscell. 81. Synops. 258. Revis. 155. — 24 — *Habitat in lapidosis Capitis bonae spei.*

6095. **Mesembryanthemum croceum** Jacq. Fragn. t. 11. f. 2. DC. Prodr. III. 438 — 24 — *Habitat in locis arenoso-lapidosis Capitis bonae spei.*

§. 30. Tenuiflora Salm-Dyck.

6096. **Mesembryanthemum tenuifolium** Linn. Spec. 693. DC. Plant. grass. t. 82. Prodr. III. 438. Haworth Obs. 239. Miscell. 86. Synops. 267. Revis. 151. — 24 — *Habitat in locis sabulosis Capitis bonae spei.*

§. 31. *Adunca* Salm-Dyck.

6097. **Mesembryanthemum aduncum**
Haworth Synops. 291. Revis. 153. DC. Prodr. III.
439. — 2 — *Habitat in sabulosis Capitis bonae spei.*

§. 32. *Haworthiana* DC.

6098. **Mesembryanthemum stipulaceum**
Linn. Spec. 693. Haworth Obs. 256. Miscell. 65.
Synops. 301. Revis. 154. DC. Prodr. III. 439. — 2 —
Habitat inter frutices Capitis bonae spei.

6099. **Mesembryanthemum Haworthii**
Willd. Enum. Hort. berol. Suppl. 36. Don Cat. ed. 6.
Haworth Synops. 302. Revis. 154. DC. Prodr. III.
439. — 2 — *Habitat in campestribus Capitis bonae spei.*

6100. **Mesembryanthemum laeve** Ha-
worth Miscell. 64. Synops. 302. Revis. 154. DC.
Prodr. III. 440. — 2 — *Habitat in collibus Capitis
bonae spei.*

§. 33. *Spinosa* Salm-Dyck.

6101. **Mesembryanthemum spinosum**
Linn. Spec. 693. Thunb. Fl. cap. 420. Haworth Obs.
338. Miscell. 66. Synops. 303. Revis. 153. DC. Prodr.
III. 440. — 2 — *Habitat in desertis ad Caput bonae
spei.*

VII. *Papillosa* DC.§. 34. *Barbata* Salm-Dyck.

6102. **Mesembryanthemum barbatum**
Linn. Spec. 691. var. *a.* Curtis Bot. Mag. t. 70. DC.
Plant. grass. t. 28. Prodr. III. 440. Haworth Philos.
Mag. 1824. p. 61. **Mesembryanthemum stelligerum** Haw.
Synops. 278. Revis. 190. — 2 — *Habitat in collibus
Capitis bonae spei.*

6103. **Mesembryanthemum stellatum**
Miller Dict. n. 14. Haworth Revis. 191. Philos. Mag.

1824. p. 62. DC. Plant. grass. t. 29. Prodr. III. 441. *Mesembryanthemum barbatum* β. Linn. Spec. 691. *Mesembryanthemum hirsutum* Haworth Miscell. 105. Syn. 279. — 2 — *Habitat in collibus calcareis Capitis bonae spei.*

6104. *Mesembryanthemum densum* Haworth Obs. 302. Miscell. 105. Synops. 279. Revis. 191. Philos. Mag. 1824. p. 62. Sims Bot. Mag. t. 1220. DC. Prodr. III. 441. — 2 — *Habitat in Capite bonae spei.*

§. 35. *Echinata* Salm-Dyck.

6105. *Mesembryanthemum echinatum* Aiton Hort. kew. II. 194. Haworth Obs. 288. Misc. 103. Synops. 276. Revis. 189. DC. Plant. grass. t. 24. Prodr. III. 441. *Mesembryanthemum setosum* Mönch. — 2 — *Habitat in Capite bonae spei.*

§. 36. *Hispida* DC.

6106. *Mesembryanthemum floribundum* Haworth Miscell. 100. Synops. 274. Revis. 187. DC. Prodr. III. 441. — 2 — *Habitat in sabulosis Capitis bonae spei.*

6107. *Mesembryanthemum hirtellum* Haworth Obs. 284. excl. syn. Miscell. 102. Synops. 274. Revis. 186. DC. Prodr. III. 402. — 2 — *Habitat inter frutices Capitis bonae spei.*

β. *Album.*

6108. *Mesembryanthemum hispidum* Linn. Spec. 691. DC. Plant. grass. t. 66. Prodr. III. 442. Haworth Synops. 273. Revis. 136. — 2 — *Habitat in lapidosis Capitis bonae spei.*

§. 37. *Aspericaulia* Haw.

6109. *Mesembryanthemum brevifolium* Aiton Hort. kew. II. 188. Haworth Miscell. 99. var. β. Synops. 272. Revis. 185. DC. Prodr. III. 11.

442. *Mesembryanthemum erigerifolium* Jacq. Hort. Vind. t. 477. — 2 — *Habitat in collibus Capitis bonae spei.*

6110. *Mesembryanthemum micans* Linn. Spec. 696. Curtis Bot. Mag. t. 448. Haworth Obs. 268 et 423. Miscell. 98. Synops. 271. Revis. 182. DC. Plant. grass. t. 158. Prodr. III. 443. — 2 — *Habitat in lapidosis Capitis bonae spei.*

§. 38. *Trichotoma* Haw.

6111. *Mesembryanthemum tuberosum* Linn. Spec. 693. Haworth Obs. 271. Miscell. 89. Synops. 253. Revis. 170. DC. Plant. crass. t. 78. Prodr. III. 443. Thunb. Fl. cap. 421. — 2 — *Habitat inter frutices Capitis bonae spei.*

§. 39. *Spinulifera* Haw.

6112. *Mesembryanthemum spinuliferum* Haworth Obs. 206 et 443. Miscell. 57. Synops. 252. Revis. 176. DC. Prodr. III. 444. — 2 — *Habitat in Capite bonae spei.*

6113. *Mesembryanthemum salmonium* Haw. Revis. 176. DC. Prodr. III. 444. — 2 — *Habitat in campestribus Capitis bonae spei.*

6114. *Mesembryanthemum nitidum* Haworth Obs. 412. Miscell. 57. Synops. 243. Revis. 177. Salm-Dyck in Spreng. Nov. prov. 27. DC. Prodr. III. 444. *Mesembryanthemum brachiatum* DC. Plant. grass. t. 129. — 2 — *Habitat in Capite bonae spei.*

§. 40. *Noctiflora* Haw.

6115. *Mesembryanthemum noctiflorum* Linn. Spec. 689. DC. Prodr. III. 444. Plant. crass. t. 10. — 2 — *Habitat in Capite bonae spei.*

β. *Stramineum* Haworth Revis. 179. non Willd.

6116. *Mesembryanthemum clavatum* Jacq. Hort. Schönbr. t. 108. DC. Prodr. III. 445. *Mesembryanthemum defoliatum* Haworth Miscell. 83. Revis. 181. — 2 — *Habitat in Capite bonae spei.*

§. 41. Splendentia DC.

6117. **Mesembryanthemum incomptum** Haw. Suppl. 96. Revis. 171. DC. Prodr. III. 445. Loddig. Bot. Cab. t. 1311. — 2 — *Habitat in collibus Capitis bonae spei.*

6118. **Mesembryanthemum splendens** Linn. Spec. 689. Haw. Obs. 209. Miscell. 61. Synops. 257. Revis. 171. DC. Plant. crass. t. 35. Prodr. III. 445. — 2 — *Habitat in locis limoso-lapidosis Capitis bonae spei.*

6119. **Mesembryanthemum umbelliflorum** Jacq. ex Willd. Enum. Hort. berol. 334. DC. Prodr. III. 446. — 2 — *Habitat in Capite bonae spei.*

§. 42. Juncea Haw.

6120. **Mesembryanthemum junceum** Haworth Miscell. 175. Synops. 255. Revis. 59. DC. Prodr. III. 446. *Mesembryanthemum aphyllum* Hortul. — 2 — *Habitat in locis salis Capitis bonae spei.*

6121. **Mesembryanthemum rapaceum** Jacq. Fragin. t. 52. f. 1. DC. Prodr. III. 446. — 2 — *Habitat in campis Capitis bonae spei.*

VIII. Planifolia Haw.

§ 43. Cordifolia DC.

6122. **Mesembryanthemum cordifolium** Linn. Fil. Suppl. 260. Glox. Obs. t. 1. f. 2. Smith Ic. pict. t. 6. Jacq. Icon. rar. t. 487. DC. Plant. grass. t. 102. Prodr. III. 449. Haworth Miscell. 50. Synops. 218. Revis. 159. — 2 — *Habitat in arenosis Capitis bonae spei.*

§. 44. Expansa DC.

6123. **Mesembryanthemum tortuosum** Linn. Spec. 697. Haworth Obs. 196. Miscell. 51.

Synops. 250. Revis. 168. DC. Prodr. III. 449. *Mesembryanthemum acidum* Mönch. — 2 — *Habitat in arenosis Capitis bonae spei.*

§. 45. *Helianthoidea* DC.

6124. *Mesembryanthemum pomeridianum* Linn. Spec. 698. Linn. f. dec. I. t. 13. Jacq. Icon. rar. t. 489. Curtis Bot. Mag. t. 540. Haworth Revis. 160. Thunb. Fl. cap. 427. DC. Prodr. III. 450. — ☉ — *Habitat in arenosis planitierum Capitis bonae spei.*

Ordo CXLIII. Portulacaceae.

Tribus I. Tetragonieae.

5164. *Tetragonia* Linn.

6125. *Tetragonia expansa* Aiton Hort. kew. II. 178. DC. Prodr. III. 452. Murr. Comm. Götting. 1783. t. 5. Scop. Inst. t. 14. DC. Plant. grass. t. 114. *Tetragonia cornuta* Gärtn. Fruct. II. t. 179. f. 3. *Tetragonia japonica* Thunb. Fl. jap. 208. *Tetragonia halimifolia* Forst. Prodr. 223. Roth Abb. t. 8. *Demidovia tetragonoides* Pall. Hort. dem. t. 1. — ☉ — *Habitat in Nova Zeelandia et Japonia.*

6126. *Tetragonia echinata* Aiton Hort. kew. II. 177. DC. Prodr. III. 452. Plant. grass. t. 113. — ☉♂ — *Habitat in Capite bonae spei.*

Tribus II. Aizoideae.

5165. *Aizoon* Linn.

6127. *Aizoon canariense* Linn. Spec. 700. non Andr. DC. Prodr. III. 453. Plant. grass. t. 136. *Glinus crystallinus* Forsk. Descr. 95. t. 14. *Veslingia*

cauliflora Mönch. *Veslingia Heisteri* Fabric. — 2 — *Habitat in insulis Canariis et ad littora Aegypti.*

6128. **Aizoon glinoides** Linn. f. Suppl. 261. DC. Prodr. III. 454. Thunb. Fl. cap. 410. — 2 — *Habitat in Capite bonae spei.*

6129. **Aizoon hispanicum** Linn. Spec. 700. DC. Prodr. III. 454. Plant. grass. t. 30. *Aizoon sessiliflorum* Mönch Method. — ☉ — *Habitat in maritimis arenosis Hispaniae et Barbariae.*

Tribus III. Sesuvieae.

5168. **Trianthema** Sauvag.

6130. **Trianthema monogyna** Linn. Mant. 69. DC. Prodr. III. 352. Plant. grass. t. 109. Lam. Ill. t. 375. f. 1. *Trianthema portulacastrum* Sauv. Meth. 127. Linn. Spec. 635. *Trianthema procumbens* Mill. Pluck. Alm. t. 95. f. 4. — ☉ — *Habitat in Jamaica, Curaçao, Mexico.*

5170. **Sesuvium** Linn.

6131. **Sesuvium longifolium** Willd. Enum. 521. DC. Prodr. III. 453. *Sesuvium portulacastrum* H. B. K. Nov. Gen. Am. VI. 86. — 2 — *Habitat in maritimis Americae.*

5174. **Portulaca** Tournef.

6132. **Portulaca oleracea** Linn. Spec. 638. DC. Prodr. III. 353. Plant. grass. n. et t. 123. Schkuhr Handb. t. 130. — ☉ — *Habitat in America australi, Java, nunc culta et spontanea in Europa.*

6133. **Portulaca Gilliesii** Hook. Bot. Mag. t. 3064. — 2 — *Habitat in Chili.*

6134. **Portulaca grandiflora** Hook. Bot. Mag. t. 2885. — 2 — *Habitat in Chili.*

6135. **Portulaca mucronata** Link Enum. Hort. berol. II. 2. DC. Prodr. III. 354. — ☉ — *Patria ignota.*

Tribus IV. Portulacarieae.

5175. **Portulacaria** Jacq.

6136. **Portulacaria afra** Jacq. Collect. I. 160. DC. Prodr. III. 360. Plant. grass. t. 132. *Claytonia Portulacaria* Linn. Mant. 211. Lam. III. t. 144. f. 2. *Crassula Portulacaria* Linn. Spec. 606. *Haenkea crassifolia* Salisb. Prodr. 174. *Portulaca fruticosa* Thunb. Fl. cap. p. 399. excl. syn. — ♂ — *Habitat in Africa australi.*

Tribus V. Calandrinieae.

5176. **Anacampseros** Linn.

6137. **Anacampseros lanceolata** DC. Prodr. III. 356. *Portulaca lanceolata* Haw. Synops. 126. — ♀ — *Habitat in Capite bonae spei?*

6138. **Anacampseros arachnoides** Sims Bot. Mag. t. 1368. DC. Prodr. III. 355. *Portulaca arachnoides* Haw. Misc. nat. 142. *Rulingia arachnoides* Haw. Synops. 125. *Talinum arachnoides* Aiton Hort. kew. ed. 2. III. 169. — ♀ — *Habitat in Capite bonae spei.*

6139. **Anacampseros filamentosa** Sims Bot. Mag. t. 1367 DC. Prodr. III. 356. *Portulaca filamentosa* Haw. Miscell. 142. *Rulingia filamentosa* Haw. Synops. 125. *Talinum filamentosum* Aiton Hort. kew. ed. 2. III. 149. *Portulaca stipularis* Dryand. Mscr. — ♀ — *Habitat in Capite bonae spei.*

6140. **Anacampseros polyphylla** DC. Prodr. III. 356. *Rulingia polyphylla* Haw. Suppl. 65. Synops. 61. Icon. Pluk. phyt. t. 41. f. 6. — ♀ — *Habitat in Capite bonae spei.*

6141. **Anacampseros Telephium** DC. Cat. Hort. monsp. p. 77. Prodr. III. 355. Dill. Elth. t. 281. *Portulaca Anacampseros* Linn. Spec. 639. Haw. Miscell. nat. 141. *Talinum Anacampseros* Willd. Spec. II. 862. DC. Plant. grass. t. 3. *Rulingia Anacampseros* Ehrh. Beitr. III. 133. Haw. Synops. 124. *Rulingia varians* Haw. ex Spreng. — 4 — *Habitat in Capite bonae spei.*

5178. **Talinum** Adans.

6142. **Talinum patens** Willd. Spec. II. 863. var. α . DC. Prodr. III. 357. *Portulaca paniculata* Jacq. Amer. 148. *Portulaca patens* Jacq. Hort. Vindob. II. t. 151. *Rulingia patens* Ehrh. Beitr. III. 135. *Talinum paniculatum* Gärtner. Fruct. II. 219. t. 128. — 4 — *Habitat in rupibus maritimis Americae centralis.*

6143. **Talinum fruticosum** Willd. Spec. II. 864. *Talinum crassifolium* Willd. Spec. II. 862. var. β . DC. Prodr. III. 357. *Portulaca fruticosa* Murr. Syst. Veg. non Thunb. *Portulaca paniculata* Linn. Spec. II. 640. — 4 — *Habitat in Americae maritimis.*

6144. **Talinum teretifolium** Pursh Flor. Bor. Amer. II. 365. DC. Prodr. III. 356. Pluk. Alm. t. 223. f. 2. Loddig. Bot. Cab. t. 819. *Phemeranthus teretifolius* Rafin. Sp. p. 86. *Talinum trichotomum* Desf. Cat. Hort. Paris. — 4 — *Habitat in rupibus apricis Americae borealis.*

5179. **Calandrinia** H. B. K.

6145. **Calandrinia ciliata** DC. Prodr. III. 359. *Talinum ciliatum* Ruiz et Pav. Syst. 116. — ☉ — *Habitat in America meridionali*

6146 **Calandrinia discolor** Schrad. — ☉ — *Habitat in Chili.*

6147. **Calandrinia pilosiuscula** DC. Prodr. III. 359. *Talinum ciliatum* Hook. Exot. Bot. I. t. 82. non Ruiz et Pav. *Talinum lineare* Hoffm. Verz. 1827. p. 217? — ☉ — *Habitat in Chili.*

6148. **Calandrinia procumbens** Moris.
— ⊙ — *Habitat in Chili.*

6149. **Calandrinia speciosa** Lindley Bot.
Reg. t. 1598 — ⊙ — *Habitat in California.*

6150. **Calandrinia grandiflora** Lindley
Bot. Reg. t. 1194. *Calandrinia glauca* Schrad. in litt. ad
DC. Prodr. III. 359. — 4 — *Habitat in Chili.*

5180. **Claytonia** Linn.

6151. **Claytonia perfoliata** Don Ind. Hort.
cant. p. 25. DC. Prodr. III. 360. *Claytonia cubensis*
Bonpl. Ann. Mus. VII. 82. tab. 6. Pl. aequin. t. 26.
Limnia perfoliata Haw. Succ. syn. p. 12. — ⊙ — *Habitat in Cuba, Mexico, Virginia.*

Tribus VI. Mollugineae.

5186. **Mollugo** Linn.

6152. **Mollugo verticillata** Linn. Spec. 132.
DC. Prodr. I. 391. Römer et Schultes Syst. II. 871.
Pluk. Phyt. IV. t. 332. f. 5. — ⊙ — *Habitat prope
Cumana ad littora maris Antillarum.*

Ordo CXLIV. Caryophylleae.

Subordo I. Paronychieae.

5197. **Corrigiola** Linn.

6153. **Corrigiola littoralis** Linn. Spec. 388.
DC. Prodr. III. 367 Flor. dan. t. 334. Engl. Bot. t.
668 *Polygonifolia* Dill. Giss. app. t. 3. Lind. Als. t. 2.
— ⊙ — *Habitat in arenosis littoribusque Europae totius.*

5198. **Herniaria** Tournef.

6154. **Herniaria hirsuta** Linn. Spec. 317.

DC. Prodr. III. 367. Engl. Bot. t. 1379. — 2 — *Habitat in glareosis Europae totius.*

6155. **Herniaria incana** Lam. Dict. III. 124. DC. Prodr. III. 368. Fl. franc. Suppl. 375. *Herniaria lenticulata* Linn. Spec. 317. excl. syn. *Herniaria alpina* Lois. *Herniaria maritima* Link. — 2 — *Habitat in sterilibus Europae australis.*

5202. **Paronychia** Juss.

6156. **Paronychia bonariensis** DC. Prodr. III. 370. *Paronychia brasiliانا* DC. in Lam. Dict. V. 23 *Illecebrum brasilianum* Steudel. — 2 — *Habitat in Bonaria.*

6157. **Paronychia canariensis** Juss. Mem. Mus. I. 389. DC. Prodr. III. 371. Webb et Berthelot Hist. nat. d. il. Canar. bot. t. 20. *Illecebrum canariense* Linn. Suppl. 161. — 2 — *Habitat in insula Teneriffae.*

6158. **Paronychia arabica** DC. Cat. Hort. monsp. 1813. p. 130. Prodr. III. 370. *Corrigiola albella* Forsk. Descr. 207. *Illecebrum arabicum* Linn. Mant. 51. Persoon Encheir. I. 261. — ☉ — *Habitat in Arabia, Aegypto.*

6159. **Paronychia** (Anychia) **dichotoma** Fenzl Diss. ined. *Anychia dichotoma* L. C. Rich. in Michaux Flor. Bor. Amer. I. 113. *Queria canadensis* Linn. Spec. Ort. dec. t. 15. f. 2. Nutt. Gen. Amer. p. 158. — ☉ — *Habitat in sylvis siccis collibusque Virginiae.*

5209. **Telephium** Tournef.

6160. **Telephium Imperati** Linn. Spec. 388. DC. Prodr. III. 366. Fl. fr. IV. 400. Schkuhr Handb. I. t. 85. *Telephium repens* Lam. Fl. fr. III. 71. *Telephium alternifolium* Mönch Method. 231. — 2 — *Habitat in Europa australi et in Oriente.*

5212. **Polycarpon** Löffl.

6161. **Polycarpon tetraphyllum** Linn. f. Suppl. 116. DC Prodr. III. 376. Engl. Bot. t. 1031. *Alsine Polycarpon* Crantz. *Mollugo tetraphylla* Linn. Spec. I. 89. — ☉ — *Habitat in Europa australi et insulis Canariensibus.*

5216. **Polycarpaea** Lam.

6162. **Polycarpaea Teneriffae** Lam. Journ. hist. nat. II. 8. t. 25. DC. Prodr. III. 373. *Illecebrum divaricatum* Aiton Hort. kew. ed. 1. I. 291. *Hugea Teneriffae* Persoon Encheir. I. 262. *Mollia diffusa* Willd. Hort. berol. I. t. 11. *Lahaya diffusa* Schultes Syst. V. 402. — ☉ — *Habitat in Teneriffa ad vias.*

6163. **Polycarpaea latifolia** Poir. Suppl. IV. 473. DC. Prodr. III. 373. *Mollia latifolia* Willd. Enum. I. 269. Schrank Plant. rar. h. ac. mon. t. 29. *Lahaya latifolia* Schultes Syst. V. 403. — ☉ — *Habitat in Teneriffae rupibus sylvaticis.*

5218. **Spergularia** Pers.

6164. **Spergularia media** Pers. Syn. I. 504. — ☉ — *Habitat in pratis et subulosis maritimis Europae.*

α. *Marginata*. *Arenaria marginata* DC. Fl. fr. IV. 793. Icon. rar. t. 48. *Arenaria glandulosa* Jacq. Hort. Schönbr. III. t. 356.

β. *Salina* Presl Fl. cech. p. 93. *Holosteum sperguloides* Lehm. Index Scholar. 1828. p. 21. — ☉ — *Habitat in salsis pascuis Germaniae.*

6165. **Spergularia rubra** Pers. Syn. I. 504. *Arenaria rubra campestris* Linn. Roth Germ. II. 481. Smith Brit. II. 479. — ☉ — *Habitat in agris arenosis subhumidis Europae.*

5219. **Spergula** Linn.

6166. **Spergula arvensis** Linn. Spec. 630. Lam. III. t. 392. f. 1. Flor. dan. t. 1033. — ☉ — *Habitat in Europae agris.*

5220. **Drymaria** Willd.

6167. **Drymaria cordata** Willd. Herb. ex Röm. et Schultes Syst. V 406. H. B. K. Gen. et Spec. VI. 23. *Holosteum cordatum* Linn. Amoen. III. 21. Lam. Illustr. t. 51. f. 2. — ☉ — *Habitat in Jamaica, Surinam et Nova Andalusia.*

Subordo II. **Scleranthae**.

5222. **Scleranthus** Linn.

6168. **Scleranthus annuus** Linn. Spec. 580. Flor. dan. t. 504. *Knavel annum* Scop. Carn. 501. — ☉ — *In Europae, Orientis et Americae borealis arvis.*

Subordo III. **Alsineae**.

5224. **Sagina** Linn.

6169. **Sagina maritima** Don Herb. brit. fasc. VII. 155. DC. Prodr. I. 389. Smith Engl. Bot. t. 2195. — ☉ — *Habitat in Europae maritimis.*

6170. **Sagina procumbens** Linn Spec. 185. DC. Prodr. I. 389. Smith Engl. Bot. t. 880. — ☉ — *Habitat ad muros et in arvis sabulosis Europae.*

6171. **Sagina pilifera** Fenzl Verbr. der Alsin. in Tab. synopt. ad p. 57. *Spergula pilifera* DC. Fl. fr. IV. n. 4391. — ☉ — *Habitat in montosis insulae Corsicae.*

5225. **Buffonia** Sauvag.

6172. **Buffonia tenuifolia** Lam. Ill. n. 1710. t. 87. f. 1. *Buffonia annua* DC. Fl. fr. IV. 768. Prodr. I. 388. — ☉ — *Habitat in rupestribus Galliae australis.*

5227. **Alsine** Wahlenb.

6173. **Alsine tenuifolia** Crantz Inst. II. 407. var. ♂. *brachypetalae*. *Alsine mucronata* Linn. Spec. I.

389. nec Lam. et Auct. Sibthorp Flor. graec. t. 293. *Arenaria mediterranea* Ledeb. in Link Enum. Hort. berol. I. 431. *Arenaria triandra* Schrank Hort. monach. t. 30. *Minuartia tenuifolia* Mart. Hort. Erlang. 44. — ☉ — *Habitat in Europa australi.*

6174. ***Alsine glomerata*** Fenzl Verbr. d. Als. in Tab. ad p. 46. *Arenaria glomerata* M. a Bieb. Fl. t. c. I. 350. III. 311. DC. Prodr. I. 407. — ☉ — *Habitat in Taurinae saxosis.*

6175. ***Alsine fasciculata*** Mert. et Koch Deutschl. Flora. III. 288. *Alsine Jacquini* Koch Syn. Fl. Germ. et Helv. p. 115. *Arenaria fasciculata* Jacq. Flor. austr. t. 182. DC. Prodr. I. 407. *Sabulina fastigiata* Reichenb. Fl. exc. p. 786. — ☉ — *Habitat in sabulosis apricis Europae.*

6176. ***Alsine setacea*** Mert. et Koch Deutschl. Flora. III. 287. *Arenaria setacea* Thuill. Par. ed. 2. p. 220. DC. Prodr. I. 407. *Arenaria heteromalla* Pers. Syn. I. 504. — ♀ — *Habitat in petrosis Europae mediae.*

6177. ***Alsine verna*** Bartl. Beitr. II. 63. *Arenaria verna* Linn. Mant. 72. DC. Prodr. I. 405. Jacq. Flor. austr. t. 404. *Arenaria saxatilis* Roth Tent. I. 484. *Sabulina caespitosa et verna* Reichenb. Fl. exc. p. 788. — ♀ — *Habitat in alpinis et subalpinis saxosis Europae.*

6178. ***Alsine austriaca*** Mertens et Koch Deutschl. Flora. III. 280. *Arenaria austriaca* Jacq. Flor. austr. t. 270. DC. Prodr. I. 404. *Sabulina austriaca* Reichenb. Fl. exc. p. 787. *Stellaria biflora* Wulf. in Jacq. Coll. I. 251. t. 17. — ♀ — *Habitat in alpinis Austriae, Tyrol. et Carinth.*

6179. ***Alsine Villarsii*** Mert. et Koch Deutschl. Flora. III. 282. — ♀ — *Habitat in alpinis Europae australioris, Caucasi ac Sibiriae altaicae.*

Var. α. *Trachysperma* Fenzl in Ledeb. Fl. ross. II. 170. *Arenaria Villarsii* Balb. Misc. 21. *Arenaria austriaca* β. DC. Fl. fr. IV. 786. *Sabulina Villarsii* Reichenb. Fl. exc. 787.

Var. β. *Psilosperma*. *Arenaria Helmii* (var. α *Pubescens*) Ledebour Flor. alt. II. 170.

6180. **Alsine juniperina** Fenzl Verbr. d. Als. in tab. ad p. 18. *Arenaria juniperina* Linn. Mant. I. 72. Smith Icon. ined. 35. t. 35. DC. Prodr. I. 403. — 2 — *Habitat in Imeretia austro-occidentali et Tauri montibus.*

6181. **Alsine laricifolia** Wahlenb. Fl. carp. p. 133. — 2 — *Habitat in siccis alpinis Europae.*

Var. α *Eglandulosa* Fenzl. msc. *Arenaria rostrata* Kit. *Arenaria macrocarpa* Kit.

Var. β . *Glandulosa*. *Arenaria laricifolia* β . DC. Fl. fr. Suppl. 612. *Arenaria liniflora* Linn. f. Suppl. 24.

6182. **Alsine procumbens** Fenzl Verbr. d. Als. in tab. syn. ad p. 57. *Arenaria procumbens* Vahl Symb. I. 50. t. 33. DC. Prodr. I. 413. *Arenaria herniariaefolia* Desf. Fl. atl. I. 358. *Arenaria geniculata* Poir. Dict. VI. 365. — 2 — *Habitat in ruderatis Africae borealis totiusque regionis mediterraneae.*

5230. **Lepyrodiclis** Fenzl.

6183. **Lepyrodiclis holosteoides** Fenzl msc. *Gouffeia holosteoides* C. A. Mey. Verz. cauc. Pfl. 217. — ☉ — *Habitat in montosis Asiae mediae.*

5234. **Arenaria** Linn.

6184. **Arenaria cephalotes** M. a Bieb. Fl. taur. I. 346. DC. Prodr. I. 402. — 2 — *Habitat in campestribus Tauriae.*

6185. **Arenaria rigida** M. a Bieb. Fl. taur. I. 346. DC. Prodr. I. 402. *Arenaria Holostea* Beaupré msc. — 2 — *Habitat in Ucraniae arenosis.*

6186. **Arenaria longifolia** M. a Bieb. Fl. taur. I. 345. DC. Prodr. I. 402. *Arenaria otitoides* Adams ex Fisch. in litt. — 2 — *Habitat in Russia ad Wolgam inferiorem et in Sibiria.*

6187. **Arenaria graminifolia** Schrad. Hort. Götting. I. t. 5. — 2 — *Habitat in campestribus Hungariae, Tauriae et Sibiriae.*

Var. α *Glabra* Fenzl Verbr. d. Als. in tab. syn. ad p. 46.

Var. β . *Pubescens* Fenzl Verbr. d. Als. in tab. syn. ad p. 46. *Arenaria filifolia* M. a Bieb. Fl. taur. I. 344.

6188. ***Arenaria gypsophiloides*** Schreber in N. A. N. C. n. 6. IV. 139. DC. Prodr. I. 403. *Gypsophila dianthoides* Hort. Paris. — 2 — *Habitat in regione Caucasica et Armenia.*

6189. ***Arenaria juncea*** M. a Bieb. Fl. taur. Suppl. 309. *Arenaria dahurica* Fisch. ex DC. Prodr. I. 402. — 2 — *Habitat in Tauria et Dauria.*

6190. ***Arenaria formosa*** Fisch. ex DC. Prodr. I. 402. *Arenaria nardifolia* Ledeb. Fl. alt. II. 166. Ic. pl. Fl. ross. t. 6. — 2 — *Habitat in Sibiria altaica et in Dauria.*

6191. ***Arenaria grandiflora*** All. Ped. II. 113. DC. Prodr. I. 404. *Arenaria juniperina* Vill. Delph. 624. *Stellaria aculeata* Scop. Carn. I. 316. — 2 — *Habitat in pratis montosis Germaniae, Helvetiae ac Galliae.*

6192. ***Arenaria montana*** Linn. Amoen. IV. 272. DC. Prodr. I. 410. Fl. fr. IV. 784. *Arenaria linearifolia* Poir. Dict. VI. 366. — 2 — *Habitat in sterilibus montanis Galliae et Hispaniae.*

6193. ***Arenaria serpyllifolia*** Linn. Spec. pl. 606. DC. Prodr. I. 411. Smith Engl. Bot. t. 923. *Stellaria serpyllifolia* Scop. Carn. n. 544. — ☉ — *Habitat in arvis arenosis Europae.*

5235. ***Moehringia*** Linn.

6194 ***Moehringia muscosa*** Linn. Spec. 515. DC. Prodr. I. 390. Lam. Ill. t. 314. — 2 — *Habitat in subalpinis humidis Europae.*

6195. ***Moehringia pendula*** Fenzl Verbr. d. Als. in tab. synopt. ad p. 46. *Arenaria pendula* Waldst. et Kit Plant. rar. Hung. I. 90. t. 87. — 2 — *Habitat in rupibus calcareis Hungariae.*

5239. ***Holosteum*** Linn.

6196. ***Holosteum umbellatum*** Linn. Spec. 130. DC. Prodr. I. 393. Lam. Ill. t. 51. f. 1. — ☉ — *Habitat in arvis murisque Europae.*

5240. **Stellaria** Linn.

6197. **Stellaria dichotoma** Linn. Spec. 603. DC. Prodr. I. 397. *Stellaria Pallasiana* Ser. in DC. Prodr. I. 399. Ledeb. Icon. pl. Fl. ross. alt. illustr. t. 167. — 2 — *Habitat in sterilibus apricis Sibiriae.*

6198. **Stellaria Holostea** Linn. Spec. 603. DC. Prodr. I. 397. Smith Engl. Bot. t. 511. — 2 — *Habitat ad sepes et in graminosis sylvarum Europae et Caucasi.*

6199. **Stellaria nemorum** Linn. Spec. 603. DC. Prodr. I. 396. Smith Engl. Bot. t. 92. *Stellaria latifolia* Pers. Syn. I. 501. — 2 — *Habitat in nemoribus et umbrosis Europae, Caucasi et Uralis.*

6200. **Stellaria scapigera** Willd. Spec. II. 716. DC. Prodr. I. 398. Smith Engl. Bot. t. 1269. — 2 — *Habitat in Scotia.*

5241. **Cerastium** Linn.

6201. **Cerastium anomalum** Waldst. et Kit. Plant. rar. Hung. t. 22. *Stellaria viscida* M. a Bieb. Fl. taur. I. 342. — ☉ — *Habitat in pascuis siccis Tauriae et Caucasi nec non Silesiae.*

6202. **Cerastium perfoliatum** Linn. Spec. 627. DC. Prodr. I. 414. Dill. H. elth. 295. t. 217. f. 284. — ☉ — *Habitat in Tauriae, Graeciae et Sibiriae arenosis.*

6203. **Cerastium davuricum** Fisch. in Spr. pl. min. cogn. II. 65. DC. Prodr. I. 415. Schrank Hort. mon. t. 75. — 2 — *Habitat in Dahuria.*

6204. **Cerastium falcatum** Bunge Verzeich. p. 37. *Cerastium lithospermifolium* Ledeb. Fl. alt. II. 179. Ic. pl. Fl. ross. t. 433. nec Fisch. — 2 — *Habitat in Sibiria altaica.*

6205. **Cerastium multiflorum** C. A. Mey. Ind. cauc. p. 222. — ☉ — *Habitat in regione Caucasica.*

6206. **Cerastium pilosum** Ledeb. Fl. alt. II. 178. *Cerastium Ledebourianum* Ser. ex DC. Prodr.

I. 420. *Cerastium pauciflorum* Stev. in DC. Prodr. I. 414. — 4 — *Habitat in Sibiria altaica.*

6207. *Cerastium dichotomum* Linn. Spec. 628. DC. Prodr. I. 415. *Myosotis dichotoma* Mönch Meth. 225. — ☉ — *Habitat inter segetes regionis mediterraneae.*

6208. *Cerastium inflatum* Link ex Desfont. Hort. Paris. 1827. — ☉ — *Habitat in Persia.*

6209. *Cerastium glomeratum* Thuill. Fl. Par. 225. *Cerastium ovale* Pers. Syn. I. 521. *Cerastium vulgatum herbarii Linnaeani* Smith Brit. 496. *Cerastium viscosum* Fries nov. ed. II. 128. — ☉ — *Habitat in agris Europae totius.*

6210. *Cerastium triviale* Link Enum. Hort. berol. I. 433. *Cerastium vulgatum* Wahlenb. Suec. 289. Fries nov. ed. II. 125. *Cerastium viscosum herbarii Linnaeani* Smith Brit. 497. — ☉ et ☉ — *Habitat in cultis Europae totius.*

6211. *Cerastium sylvaticum* Waldst. et Rit. Plant. rar. Hung. I 100. t. 97. DC. Prodr. I. 419. — ☉ — *Habitat in Hungaria, Austria, Sibiria.*

6212. *Cerastium alpinum* Linn. Spec. 628. DC. Prodr. I. 419. Smith Engl. Bot. t. 472. — 4 — *Habitat in montosis humidis Europae.*

6213. *Cerastium tomentosum* Linn. Spec. 629. β. *Cerastium Biebersteinii* DC. in Mem. soc. phys. gen. I. c. ic. — 4 — *Habitat in montosis Tauriae et Europae australis.*

6214. *Cerastium repens* Linn. Spec. 628. *Cerastium tomentosum* DC. Prodr. I. 418. — 4 — *Habitat in apricis Europae australioris.*

6215. *Cerastium grandiflorum* Waldst. et Rit. Plant. rar. Hung. II. t. 168. DC. Prodr. I. 418. *Cerastium argenteum* M. a Bieb. Fl. taur. I. 168. *Cerastium incanum* Hoffmann Hort. Mosq. ex Bieb. l. c. — 4 — *Habitat in collibus siccis Hungariae et Iberiae.*

6216. *Cerastium arvense* Linn. Spec. 628. DC. Prodr. I. 419. — 4 — *Habitat in campis apricis, ad vias et in alpibus Europae.*

Var. β . *Tenuifolia* Fenzl. *Cerastium pennsylvanicum* Hornem. Hort. Hafn. 435. Var. γ . *Striota* Fenzl. *Cerastium striatum* Linn. Spec. 619.

6217. **Cerastium hirsutum** Tenore Prodr. 27. DC. Prodr. I. 421. — \mathcal{U} — *Habitat in regni Neapolitani montibus.*

6218. **Cerastium Scarani** Tenor. Prodr. 27. DC. Prodr. I. 421. — \mathcal{U} — *Habitat in montosis regni Neapolitani.*

Subordo IV. Sileneae.

5244. **Dianthus** Linn.

6219. **Dianthus prolifer** Linn. Spec. 587. DC. Prodr. I. 355. Oed. Fl. dan. t. 221. Sibth. Fl. graec. 394. *Tunica prolifera* Scop. Fl. carn. n. 503. — \odot — *Habitat in campis apricis Europae.*

6220. **Dianthus Armeria** Linn. Spec. 586. DC. Prodr. I. 355. Oed. Fl. dan. t. 230. Engl. Bot. t. 317. *Dianthus hirtus* Lam. Fl. fr. II. 533. non Vill. — \odot — *Habitat ad sepes, in collibus et sylvaticis Europae.*

6221. **Dianthus Pseudo-Armeria** M. a Bieb. Fl. taur. I. 323. Suppl. 297. DC. Prodr. I. 355. Sims Bot. Mag. t. 2288. *Dianthus barbatus* Pall. Ind. taur. — \mathcal{U} — *Habitat in Taurinae siccis lapidosis.*

6222. **Dianthus polymorphus** M. a Bieb. Fl. taur. I. 324. Suppl. 298. DC. Prodr. I. 356. *Dianthus atratus* Beauprè in litt. ad DC. — \mathcal{U} — *Habitat in Tauria et Caucaso.*

6223. **Dianthus Carthusianorum** Linn. Spec. 586. DC. Prodr. I. 356. Sibth. Fl. graec. t. 392. Sims Bot. Mag. t. 2039. — \mathcal{U} — *Habitat in pratis et incultis sterilibus Europae.*

β . *Atrorubens* Allioni Flor. Pedem. n. 1545. Jacq. Icon. rar. III. t. 467. non Bieb.

6224. **Dianthus trifasciculatus** Kit. ex Reichenb. Fl. germ. exc. p. 805. *Dianthus Schraderi* Reichenb. Hort. t. 35. *Dianthus pseudobarbatus* Bess. — \mathcal{U} — *Habitat in sylvaticis Banatus.*

6225. **Dianthus compactus** Kit. — 24 —
Habitat in Hungaria.

6226. **Dianthus rupicola** Biv. Bern. Sicul.
cent. I. 31. DC. Prodr. I. 357. *Dianthus Bisignani* Te-
nor. Cat. giard. S. Bisig. 1809. 18. Fl. nap. t. 39.
Dianthus involucratus Poir. Suppl. IV. 132. — 24 —
Habitat in rupibus Siciliae.

6227. **Dianthus liburnicus** Bartl. u. Wendl.
Beitr. II. 52. Koch Syn. Fl. Germ. 95. — 24 — *Ha-
bitat ad litora maris Adriatici.*

6228. **Dianthus Seguleri** Villars Delph. III.
594. δ. *Controversus* Koch Syn. Fl. Germ. 96. *Dian-
thus controversus* Gaud. Helv. III. 157. *Dianthus Stern-
bergii* Schleich. ex Koch Syn. Fl. Germ. l. c. *Dian-
thus asper* Willdenow Enum. 466. DC. Prodr. I. 357.
— 24 — *Habitat in Europa media.*

6229. **Dianthus campestris** M. a Bieb. Fl.
taur. I. 326. DC. Prodr. I. 357. *Dianthus bicolor*
Adams ex DC. Prodr. l. c. — 24 — *Habitat in Tau-
riae campestribus.*

6230. **Dianthus hirtus** Vill. Delph. III. 583.
t. 46. DC. Prodr. I. 358. *Dianthus scaber* Chaix ex
DC. Prodr. l. c. — 24 — *Habitat in Gallia et Tauria.*

6231. **Dianthus repens** Willd. Spec. II. 681.
DC. Prodr. I. 358. — 24 — *Habitat in Sibiria.*

6232. **Dianthus pratensis** M. a Bieb. Fl.
taur. Suppl. 300. DC. Prodr. I. 358. *Dianthus chlo-
roleucus* Fisch. in Hornem. Hort. Hafn. Suppl. 137.
Dianthus ochroleucus Link Enum. I. 420. *Dianthus tata-
ricus* Fisch. in litt. ad DC. — 24 — *Habitat in Tauria.*

6233. **Dianthus chinensis** Linn. Spec. 588.
DC. Prodr. I. 359. Mill. Icon. 81. f. 2. — ☉☉ —
Habitat in China.

6234. **Dianthus Caryophyllus** Linn. Spec.
587. DC Prodr. I. 359. Smith Engl. Bot. t. 214.
Curt. Bot. Mag. t. 39. — 24 — *Habitat in Europa
australi.*

6235. **Dianthus longicaulis** Tenor. Cat.

1819. 76. DC. Prodr. I. 359. — 4 — *Habitat prope Neapolim.*

6236. **Dianthus Liboschitzianus** Ser. msc. ex DC. Prodr. I. 360. *Dianthus petraeus* M. a Bieb. Fl. taur. I. 328. Suppl. 300. *Dianthus bractentus* herb. Willd. ex Stev. in litt. ad DC. — 4 — *Habitat in Armeniae et Iberiae petrosis.*

6237. **Dianthus pungens** Linn. Mant. 240. DC. Prodr. I. 360. *Dianthus hispanicus* Asso Syn. n. 371. t. 3. — 4 — *Habitat in Hispaniae maritimis.*

6238. **Dianthus virgineus** Linn. Spec. 590. DC. Prodr. I. 361. *Dianthus Arrostii* Presl sec. Bartl. ex Steud. Nom. bot. I. 501. *Dianthus rupestris* Linn. Fil. Suppl. 240. *Dianthus pungens* Poir. Dict. IV. 526. — 4 — *Habitat in Europa australi et Sibiria.*

Lus. Flore pleno.

6239. **Dianthus suavis** Willd. Enum. Suppl. 24. DC. Prodr. I. 361. *Dianthus caesius* Smith Engl. Bot. t. 62. — 4 — *Habitat in Europa.*

6240. **Dianthus glacialis** Haenke in Jacq. Coll. II. 84. DC. Prodr. I. 362. *Dianthus alpinus* DC. Fl. fr. IV. 786. *Dianthus neglectus* Lois. Not. 65. — 4 — *Habitat in montosis Galliae.*

6241. **Dianthus petraeus** Waldst. et Kit. Plant. rar. Hung. III. t. 222. DC. Prodr. I. 362. — 4 — *Habitat in Hungaria.*

6242. **Dianthus Cyri** Fisch. et Mey. Ind. sem. quartus. 34. — ☉ — *Habitat ad fluvium Cyrum et in Natolia.*

6243. **Dianthus plumarius** Linn. Spec. 589. DC. Prodr. I. 363. *Dianthus hortensis* Schrad. ex Willd. Enum. 469. *Dianthus blandus* Reichenb. Cat. Hort. Dresd. ex ej. Fl. germ. exc. 807. — 4 — *Habitat in Europa, America boreali et Sibiria.*

Lus. a. *Plenus.* — b. *Moschatus.* — c. *Albus.* — d. *Carnous.* — e. *Simplex.*

6244. **Dianthus caucasicus** Sims Bot. Mag. t. 795. M. a Bieb. Fl. taur. I. 327. DC. Prodr. I. 363. — 4 — *Habitat in pratis subalpinis Caucasi orientalis.*

6245. **Dianthus arenarius** Linn. Spec. 589. DC. Prodr. I. 364. Reichenb. Pl. crit. II. ic. 259. Bot. Mag. t. 2038. *Dianthus praecox* Willd. ex Steud. Nom. bot. I. 498. — 2 — *Habitat in arena mobili Europae frigidioris.*

6246. **Dianthus serotinus** Waldst. et Kit. Plant. rar. Hung. II. 188. t. 172. DC Prodr. I. 364. *Dianthus arenarius* Towns It. Hung. III. 488. t. 16. *Dianthus plumarius* β . Wahl. Fl. carp. 126. — 2 — *Habitat in Hungaria.*

6247. **Dianthus crinitus** Smith Act. Soc. Linn. Lond. II. 300. DC. Prodr. I. 364. Sibth. Fl. graec. t. 401. — 2 — *Habitat in Oriente.*

6248. **Dianthus monspessulanus** Linn. Amoen. Acad. IV. 313. Spec. 588. DC. Prodr. I. 365. *Dianthus Monspelicus* DC. Fl. fr. n. 4324. *Dianthus Sternbergii* Schleich. ex DC. Prodr. l. c. — 2 — *Habitat in alpinis Pyrenaicis.*

6249. **Dianthus superbus** Linn. Amoen. Acad. IV. 272. Spec. 589. *Caryophyllus sylvestris* VI. Clus. Hist. I. 284. — 2 — *Habitat in nemoribus et pratis umbrosis montanis Europae.*

5245. **Gypsophila** Linn.

6250. **Gypsophila porrigens** Fenzl msc. *Saponaria porrigens* Linn. Mant. 239. Jacq. Hort. Vindob. II. 49. t. 109. — ☉ — *Habitat in Oriente.*

6251. **Gypsophila elegans** M. a Bieb. Fl. taur. I. 319. DC. Prodr. I. 353. Schrank Hort. Monac. t. 21. — ☉ — *Habitat in Tauria.*

6252. **Gypsophila viscosa** Murray in Comment. Götting. 1783. g. t. 3. DC. Prodr. I. 352. — ☉ — *Habitat in Oriente.*

6253. **Gypsophila Gmelini** Bunge in Fl. alt. II. 128. Ledeb. Icon. pl. Fl. ross. t. 402. *Gypsophila Patrini* Ser. in DC. Prodr. I. 353. *Gypsophila thesiifolia* Ser. in DC. Prodr. I. 354. — 2 — *Habitat in Russia septentrionali.*

6254. **Gypsophila dahurica** Turcz. msc. in Herb. Ledeb. — 4 — *Habitat in Dahuria.*

6255. **Gypsophila pubescens** Ledeb. ex Steud. Nomencl. bot. 715. commun. a Bernh. ex horto Erfurt. — 4 — *Habitat in Sibiria.*

6256. **Gypsophila struthium** Linn. Spec. pl. 582. DC. Prodr. I. 352. *Gypsophila collina* Steven in DC. Prodr. I. 352. — 4 — *Habitat in Hispania et Rossia meridionali.*

6257. **Gypsophila acutifolia** Fischer Cat. Hort. Gorenk. 1812. 59. *Gypsophila Steveni* Fisch. ex Besser Cat. Hort. Cremenecens. 1816. 64. nec DC. *Gypsophila glauca* Steven in DC. Prodr. I. 353. — 4 — *Habitat in Caucaso et Iberia.*

6258. **Gypsophila saligna** Schrad. Select. semin. 1834. p. 3. — 4 — *Patria ignota.*

6259. **Gypsophila perfoliata** Linn. Spec. pl. 583. *Gypsophila sabulosa* Steven in DC. Prodr. I. 352. *Gypsophila scorzoneraefolia* Hort. Paris. in DC. l. c. — 4 — *Habitat in Hispania et Tauria.*

β. *Tomentosa* Linn. Spec. l. c.

6260. **Gypsophila trichotoma** Wenderoth Ind. Sem. Hort. Marburg. 1835. n. 4. *Gypsophila perfoliata* Ledeb. Fl. alt. II. 125. Icon. pl. ross. t. 176. — 4 — *Habitat in Rossia australi.*

6261. **Gypsophila Rokejeka** Delile Flor. Aegypt. 87. t. 29. f. 1. DC. Prodr. I. 354. *Rokejeka capillaris* Forsk. Aegypt. 90. — 4 — *Habitat in Aegypto.*

6262. **Gypsophila Arrostiti** Gussone Prodr. Fl. Sicul. I. 487. *Gypsophila dichotoma* Gussone Ind. Sem. Hort. R. Bocc. 1825. non Bess. *Arrostia dichotoma* Rafin. Carat. 76. — ☉ — *Habitat in Italia inferiore.*

6263. **Gypsophila paniculata** Linn. Amoen. Acad. III. 23. DC. Prodr. I. 354. Jacq. Flor. austr. V. t. 1. *Gypsophila effusa* Tausch in Flora 1830. I. 244. — 4 — *Habitat in sabulosis Germaniae orient., Italiae et Sibiriae.*

6264. **Gypsophila altissima** Linn. Spec.

pl. 582. DC. Prodr. I. 352. Ledeb. Fl. alt. II. 126.
— 4 — *Habitat in Sibiria.*

6265. **Gypsophila fastigiata** Linn. Amoen. Acad. III. 23. DC. Prodr. I. 352. *Gypsophila arenaria* Waldst. et Kit. 40. t. 41. — 4 — *Habitat in rupestribus Sueciae, Europae mediae et Imperii Rossici.*

5246. **Saponaria** Linn.

6266. **Saponaria officinalis** Linn. Spec. 584. DC. Prodr. I. 365. Smith Engl. Bot. t. 1060.
— 4 — *Habitat ad margines viarum Europae.*

6267. **Saponaria glutinosa** M. a Bieb. Fl. taur. I. 322. Cent. II. t. 66. DC. Prodr. I. 365. *Silene Armeria* Pall. Ind. taur. — ☉ — *Habitat in Tauriae montosis.*

6268. **Saponaria ocymoides** Linn. Spec. pl. 585. DC. Prodr. I. 365. Jacq. Flor. austr. V. 59. App. t. 23. — 4 — *Habitat in Europae rupibus calcaris.*

6269. **Saponaria calabrica** Gussone Pl. rar. 164. t. 31. — 4 — *Habitat in Italia inferiore.*

6270. **Saponaria cerastoides** C. A. Mey. Ind. cauc. 212. — ☉ — *Habitat in Persia et Caucaso.*

6271. **Saponaria orientalis** Linn. Spec. pl. 585. DC. Prodr. I. 366. — ☉ — *Habitat in Oriente et Carniolia.*

6272. **Saponaria viscosa** Fisch. ex C. A. Mey. Ind. cauc. 212. — ☉ — *Habitat in Caucaso.*

5247. **Vaccaria** Medik.

6273. **Vaccaria parviflora** Mönch Method. p. 63. *Saponaria Vaccaria* Linn. Spec. pl. 585. DC. Prodr. I. 365. *Gypsophila Vaccaria* Sm. in Sibth. Fl. graec. t. 380. — ☉ — *Habitat in agris Europae.*¹

5248. **Silene** Linn.Sect. I. *Behenantha* Otth.

6274. **Silene fimbriata** Sims Bot. Mag. t. 980. DC. Prodr. I. 367. *Cucubalus fimbriatus* M. a Bieb. Fl. taur. I. 333. — 2 — *Habitat in Creta et Sicilia.*

6275. **Silene inflata** Smith Flor. brit. 467. DC. Prodr. I. 368. *Cucubalus Behen* Linn. Spec. 591. Smith Engl. Bot. t. 164. — 2 — *Habitat in Europa.*

Var. a. *Maritima* DC. Fl. fr. IV. 747. — b. *Commutata* Guss. Prodr. Fl. sic. I. 499. — c. *Personii* Schott. — d. *Fabaria* Smith.

6276. **Silene Behen** Linn. Spec. 599. DC. Prodr. I. 368. — 2 — *Habitat in Creta.*

6277. **Silene graminifolia** Otth. msc. ex DC. Prodr. I. 368. — 2 — *Habitat in alpibus Altaicis.*

6278. **Silene stylosa** Bunge in Ledeb. Fl. alt. II. 144. Ledeb. Icon. pl. Fl. ross. alt. illustr. t. 160. — 2 — *Habitat in alpestribus regionis Altaicae.*

6279. **Silene apetala** Willd. Spec. II. 703. DC. Prodr. I. 369. *Silene nocturna* Linn. sec. Webb ex Steud. Nomencl. I. 583. — ☉ — *Habitat in Hispania et Dalmatia.*

6280. **Silene spergulifolia** M. a Bieb. Fl. taur. Suppl. 305. DC. Prodr. I. 369. *Silene polyphylla* M. a Bieb. Fl. taur. n. 835. excl. syn. *Cucubalus spergulifolius* Willd. Spec. 690. *Cucubalus fruticulosus* Pall. It. sec. Spr. — 2 — *Habitat in Armenia.*

6281. **Silene gypsophila** Desf. Cat. Hort. Paris. 184. DC. Prodr. I. 369. *Silene ramosissima* Pers. sec. Spach Hist. de Veget. V. 181. — 2 — *Habitat in Caucaso.*

6282. **Silene hispanica** Otth. msc. ex DC. Prodr. I. 369. *Silene halophila* Willd. Hrb. ex Steud. Nomencl. I. 584. *Silene parviflora* Zea in Poir. Dict. Suppl. V. 150. — 2 — *Habitat in Hispania.*

Sect. II. *Otites*.

6283. **Silene Otites** Pers. Syn. I. 497. Smith

Fl. brit. 469. DC. Prodr. I. 369. Flor. dan. t. 518. Smith Engl. Bot. t. 85. *Cucubalus Otites* Linn. Spec. 594. *Cucubalus parviflorus* Lam. Fl. fr. III. 26. — 2 — *Habitat in arenosis, incultis Europae.*

6284. **Silene Pseudo-Otites** Besser ex Reichenb. Fl. exc. 819. *Lychnis Otites* Scop. *Cucubalus Otites* Aut. reg. medit. — 2 — *Habitat in Austria littorali et Podolia.*

6285. **Silene multiflora** Pers. Syn. I. 496. DC. Prodr. I. 370. *Cucubalus multiflorus* Waldst. et Kit. Plant. rar. Hung. I. 5. 6. t. 56. — ☉ — *Habitat in Hungaria et Sibiria.*

6286. **Silene ruthenica** Otth. msc. ex DC. Prodr. I. 370. — 2 — *Habitat in Rossia.*

6287. **Silene tatarica** Pers. Syn. I. 497. DC. Prodr. I. 370. *Cucubalus tataricus* Linn. Spec. 592. *Viscago unilateralis* Mönch ex Steud. Nomencl. I. 588. — 2 — *Habitat in Tataria.*

6288. **Silene gigantea** Linn. Spec. 598. DC. Prodr. I. 370. *Viscago gigantea* Mönch ex Steud. — 2 — *Habitat in Africa et Græcia.*

6289. **Silene viscosa** Pers. Syn. I. 497. DC. Prodr. I. 370. *Cucubalus viscosus* Linn. Spec. 592. Tournef. It II. t. 361. *Viscago glutinosa* Baumg. — ☉ — *Habitat in Europa et Asia media.*

Sect. III. Conoimorpha.

6290. **Silene conica** Linn. Spec. 598. DC. Prodr. I. 371. Jacq. Flor. austr. t. 253. Sims Engl. Bot. t. 922. Sibth. Flor. graec t. 423. *Cucubalus conicus* Lam. Fl. fr. — ☉ — *Habitat in arenosis Europae et Orientis.*

6291. **Silene conoidea** Linn. Spec. 598. DC. Prodr. I. 371. *Cucubalus conoideus* Lam. Fl. fr. — ☉ — *Habitat in Germania, Gallia, Hispania.*

Sect. IV. Stachymorpha.

6292. **Silene anglica** Linn. Spec. 594. DC.

Prodr. I. 371. Dill. Elth. t. 309. f. 398. Curt. Lond. IV. t. 30. Flor. dan. 1634. Smith Engl. Bot. 1178. *Silene arvensis* Salisb. *Silene gallica* Linn. γ . *anglica* Koch Syn. 100. — ☉ — *Habitat in Anglia, Gallia, Carniola.*

6293. ***Silene lusitanica*** Linn. Spec. 594. DC. Prodr. I. 371. Dill. Elth. t. 311. f. 401. — ☉ — *Habitat in Lusitania.*

6294. ***Silene gallica*** Linn. Spec. 595. DC. Prodr. I. 371. Vaill. Par. t. 16. f. 12. *Cucubalus sylvestris* a. Lam. Fl. fr. — ☉ — *Habitat in Gallia et Germania.*

6295. ***Silene disticha*** Willd. Enum. 476. DC. Prodr. I. 372. *Silene microphylla* Röm. in Schrank Pl. rar. t. 39. — ☉ — *Patria ignota.*

6296. ***Silene hirsutissima*** Otth. msc. ex DC. Prodr. I. 372. *Silene sabuletorum* Link in Spreng. I. nov. prov. 39. *Silene hirsuta* Lagasc. Varied. de cienc. 1805. 212. *Silene hispida* Desf. ex Spach Hist. de Veget. V. 194. — ☉ — *Habitat in Hispania et Lusitania.*

6297. ***Silene canescens*** Tenore Prodr. 25. DC. Prodr. I. 373. *Silene vespertina* Curt. sec. Webb ex Steud. Nom. II. 583. — 4 — *Habitat in Lucania.*

6298. ***Silene dichotoma*** Ehrh. Beitr. VII. 144. DC. Prodr. I. 373. Waldst. et Kit. Plant. rar. Hung. t. 29. *Silene membranacea* Poir. Enc. VII. 164. — ☉ — *Habitat in Austria et Hungaria.*

6299. ***Silene nyctantha*** Willd. Enum. 472. DC. Prodr. I. 373. *Silene nocturna* Linn. sec. Webb ex Steud. Nom. II. 586. — ☉ — *Patria ignota.*

6300. ***Silene bellidifolia*** Jacq. Hort. Vind. III. t. 81. DC. Prodr. I. 374. — ☉ — *Patria ignota.*

6301. ***Silene vespertina*** Retz Obs. III. 31. DC. Prodr. I. 374. *Silene bipartita* Desf. Atl. I. 352. t. 100. *Silene distachya* Brot. Fl. lus. II. 189. — ☉ — *Habitat in territorio mediterraneo.*

6302. ***Silene obtusifolia*** Willd. Enum. 473.
II. 15

DC. Prodr. I. 374. *Silene neglecta* Ten. Syll. 211.
— ☉ — *Habitat circa Neapolim.*

6303. *Silene altaica* Pers. Syn. I. 497. DC. Prodr. I. 374. Ledeb. Flor. alt. II. 149. Ic. pl. Fl. ross. alt. illustr. t. 172. *Silene suffruticosa* Pall. It. II. 522. 569. *Cucubalus fruticosus* Pall. It. II. 739. Append. n. 110. t. T*. Willd. Spec. II. 687. — 24 — *Habitat in Sibiria altaica.*

6304. *Silene pendula* Linn. Spec. 599. DC. Prodr. I. 375. Sims Bot. Mag. t. 144. *Silene crispa* Mönch ex Steud. Nomencl. I. 586. β. *Silene scabriflora* Brot. Fl. lus. II. 184. — ☉ — *Habitat in regione mediterranea.*

6305. *Silene viscosissima* Tenore Prodr. Fl. neap. 24. Syll. pl. Fl. neap. 213. *Silene niceensis* All. Pedem. II. 81. t. 14. f. 2. sec. Spreng. Syst. Veg. II. 408. et Ten. App. III. ad Syll. p. 598. — ☉ — *Habitat in Europa australi et Africa boreali.*

Sect. V. Rupifraga.

6306. *Silene quadridentata* DC. Fl. fr. IV. 748. Prodr. I. 375. *Silene quadridentata* var. *fontana* Ten. App. IV. ad Syll. pl. Fl. neap. 15. *Cucubalus quadrifidus* Linn. Spec. 414. *Silene quadrifida* Jacq. et Ten. Relaz. del Viag. di Abruz. 67. non DC. — ☉ 24 — *Habitat in alpinis Europae australis.*

6307. *Silene alpestris* Jacq. Flor. austr. I. 60. t. 96. DC. Prodr. I. 375. *Silene austriaca* Hort. *Silene viscida* Spr. Pug. II. 56. — 24 — *Habitat in subalpinis Austriae, Carinthiae, Carnioliae.*

6308. *Silene multicaulis* Guss. Pl. rar. 172. t. 35. Ten. Syll. pl. Fl. neap. 214. — 24 — *Habitat in Italia inferiore.*

6309. *Silene flavescens* Waldst. et Kitaib. Plant. rar. Hung. II. 131. t. 175. DC. Prodr. I. 376. *Silene mollis* Hornem. Hort. Hafn. I. 418. — 24 — *Habitat in Hungaria.*

6310. *Silene cretica* Linn. Syst. Veg. 421.

n. 29. DC. Prodr. I. 376. *Silene parviflora* Mönch ex Steud. Nomencl. II. 584. *Viscago etc.* Dillen. Hort. Elth. 422. t. 314. f. 404. — ☉ — *Habitat in insula Creta.*

6311. ***Silene saxifraga*** Linn. Spec. 602. DC. Prodr. I. 377. Waldst. et Kit. Plant. rar. Hung. II. t. 163. — 4 — *Habitat in alpebus Europae.*

6312. ***Silene petraea*** Waldst. et Kit. Plant. rar. Hung. II. t. 164. DC. Prodr. I. 377. — 4 — *Habitat in Hungaria.*

Sect. VI. Siphonomorpha.

6313. ***Silene nutans*** Linn. Spec. 596. DC. Prodr. I. 377. *Silene infructa* Waldst. et Kit. Plant. rar. Hung. III. t. 213. *Silene latifolia* Hornem. Hort. Hafn. Suppl. 49. — 4 — *Habitat in pratis Europae.*

6314. ***Silene tenuis*** Willd. Enum. 474. DC. Prodr. I. 378. *Silene saxatilis* M. a Bieb. — 4 — *Habitat in Sibiria.*

6315. ***Silene viridiflora*** Linn. Spec. 597. DC. Prodr. I. 378. *Silene nutans* Habl. non Linn. *Lychnis etc.* Herm. Parad. 199. t. 199. — ♂ — *Habitat in Lusitania, Italia, Banatu.*

6316. ***Silene chlorantha*** Willd. Spec. II. 694. Ehrh. Beitr. VII. 146. DC. Prodr. I. 378. *Viscago etc.* Dillen. Hort. Elth. 425. t. 316. f. 408. *Cucubalus chloranthus* Willd. Prodr. t. 5. f. 9. — 4 — *Habitat in Germania et Italia superiore.*

6317. ***Silene repens*** Patrin. Herb. DC. Prodr. I. 379. — 4 — *Habitat in Sibiria.*

6318. ***Silene stricta*** Linn. Spec. 599. DC. Prodr. I. 379. *Silene linicola* Gmel. Fl. bad. IV. 304. — ☉ — *Habitat in Graecia et Hispania.*

6319. ***Silene muscipula*** Linn. Spec. 601. DC. Prodr. I. 379. Clus. Hist. I. 289. f. 1. — ☉ — *Habitat in Hispania et Africa finitima.*

6320. ***Silene noctiflora*** Linn. Spec. 599.

DC. Prodr. I. 379. Smith Engl. Bot. t. 291. — ☉ —
Habitat in Germania et Suecia.

6321. **Silene ornata** Ait. Hort. kew. II. 96.
 DC. Prodr. I. 379. Sims Bot. Mag. t. 382. — ♂ —
Habitat in Capite bonae spei.

6322. **Silene corsica** DC. Fl. fr. IV. 756.
 Prodr. I. 380. Bocc. Mus. t. 54. — ♀ — *Habitat in Corsica.*

6323. **Silene aegyptiaca** Linn. f. Suppl.
 241. β. *Retroflexa* Pers. Syn. I. 500. DC. Prodr. I.
 380. — ☉ — *Habitat in Aegypto.*

6324. **Silene pensylvanica** Michaux Flor.
 Bor. Amer. I. 272. DC. Prodr. I. 380. Loddig. Bot.
 Cab. I. t. 41. — ♀ — *Habitat in America boreali.*

6325. **Silene vallesia** Linn. Spec. 603. DC.
 Prodr. I. 381. All. Pedem. n. 1574. t. 23. f. 2. *Silene clavata* Mönch. — ♀ — *Habitat in alpinis Helvetiae.*

6326. **Silene fruticosa** Linn. Spec. 597. DC.
 Prodr. I. 381. *Silene nitida* Lagasc. Gen. et Spec. 15.
 — ♀ — *Habitat in Sicilia.*

6327. **Silene supina** M. a Bieb. Fl. taur. I.
 336. DC. Prodr. I. 381. Sims Bot. Mag. t. 1997.
 — ♀ — *Habitat in Caucaso.*

6328. **Silene pilosa** Spreng. Syst. Veg. II.
 411. Reichenb. Pl. crit. III. ic. 426. *Cucubalus mollissimus* Waldst. et Kit. t. 248. *Silene mollissima* DC.
 non Pers. *Viscago mollissima* Baumg. — ♀ — *Habitat in Syrmia, Banatu, Transylvania.*

6329. **Silene paradoxa** Linn. Spec. 1673.
 DC. Prodr. I. 381. Jacq. Hort. Vindob. III. t. 84.
 Reichenb. Pl. crit. excl. nom. III. ic. 415. *Cucubalus viscosus* Huds. Angl. 186. — ♀ — *Habitat in Gallia et Italia superiore.*

6330. **Silene italica** DC. Fl. fr. IV. 753.
 Prodr. I. 381. Reichenb. Pl. crit. III. ic. 465. *Silene ocymoides* Hort. Par. *Cucubalus italicus* Jacq. Obs. IV.
 12. t. 79. *Cucubalus silenoides* Vill. Dauph. III. 614.

Viscago clavata Mönch. — 2 — *Habitat in Italia et Hungaria.*

6331. ***Silene chloraefolia*** Smith Ic. ined. l. 13. t. 13. DC. Prodr. I. 381. Sims Bot. Mag. t. 807. — 2 — *Habitat in Armenia.*

6332. ***Silene paniculata*** Otth. msc. ex DC. Prodr. I. 382. — 2 — *Patria ignota.*

6333. ***Silene patula*** Desf. Atl. I. 356. DC. Prodr. I. 382. — 2 — *Habitat in Africa boreali.*

6334. ***Silene polyphylla*** Linn. Spec. 601. DC. Prodr. I. 382. *Cucubalus polyphyllus* Schrad. *Lychnis sylvestris* VIII. Clus. Hist. I. 290. — 2 — *Habitat in Hungaria, Germania.*

6335. ***Silene nemoralis*** Waldst. et Kitaib. Plant. rar. Hung. III. 277. t. 249. DC. Prodr. I. 382. *Cucubalus floccosus* Fic. — ☉ — *Habitat in Hungaria.*

6336. ***Silene longiflora*** Ehrh. Beitr. VII. 144. DC. Prodr. I. 382. Waldst. et Kit. Plant. rar. Hung. I. 7. t. 8. — 2 — *Habitat in Tauria et Hungaria.*

6337. ***Silene bupleuroides*** Linn. Spec. 598. DC. Prodr. I. 382. — 2 — *Habitat in Persia.*

6338. ***Silene mollissima*** Pers. Syn. I. 498. DC. Prodr. I. 382. *Cucubalus mollissimus* Linn. Spec. 593. — 2 — *Habitat in Italia.*

6339. ***Silene regia*** Sims Bot. Mag. t. 1724. DC. Prodr. I. 382. *Silene virginica* var. *illinoënsis* Michaux Flor. Bor. Amer. I. 272. — 2 — *Habitat in Armenia.*

Sect. VII. Atocion.

6340. ***Silene Atocion*** Murr. Syst. ed. 13. 421. DC. Prodr. I. 383. *Silene orchidea* Linn. Fil. Suppl. 241. — ☉ — *Habitat in Oriente.*

6341. ***Silene Pseudo-Atocion*** Desf. Atl. I. 353. DC. Prodr. I. 383. — ☉ — *Habitat in Africa boreali.*

6342. ***Silene Armeria*** Linn. Spec. 601. DC. Prodr. I. 383. Smith Engl. Bot. t. 1398. Sturm VI.

stemma saxatilis G. Don. — 24 — *Habitat in Dahuria.*

6357. **Lychnis coronaria** Lam. Dict. III. 643. DC. Prodr. I. 387. Curt. Bot. Mag. t. 24. *Agrostemma coronaria* Linn Spec. 625. — 24 — *Habitat in apricis Europae mediae.*

5250. **Githago** Desf.

6358. **Githago segetum** Desf. Cat. 159. *Agrostemma Githago* Linn. Spec. 624. Curt. Lond. fasc. 3. 27. *Lychnis Githago* Lam. Dict. III. 643. DC. Prodr. I. 387. — ☉ — *Habitat inter segetes Europae.*

5251. **Cucubalus** Tournef.

6359. **Cucubalus bacciferus** Linn. Spec. 591. DC. Prodr. I. 367. Smith Engl. Bot. I. t. 77. f. 7. *Silene baccifera* Willd. Spec. 700. *Lychnis baccifera* Scop. — 24 — *Habitat in humidis umbrosis Europae.*

5252. **Drypis** Michel.

6360. **Drypis spinosa** Linn. Spec. 390. DC. Prodr. I. 388. Mich. Gen. t. 23 Jacq. Hort. Vind. I. t. 49. Lam. Ill. 214. Schkuhr t. 86. Bot. Mag. t. 2216. — ☉ — *Habitat in Istria, Italia, Mauritania.*

5253. **Acanthophyllum** C. A. Mey.

6361. **Acanthophyllum mucronatum** C. A. Mey. Verzeich. p. 210. Fenzl Annal. Wien. Mus. II. 310. — 24 — *Habitat in Caucaso.*

Ordo CXLV. **Phytolaccaceae.**

5254. **Seguieria** Löffl.

6362. **Seguieria americana** Linn. Spreng. Syst. Veg. II. 605. Fl. Flum. V. t. 101. *Seguieria aculeata* Jacq. — 5 — *Habitat in Brasilia.*

5255. **Petiveria** Plum.

6363. **Petiveria Hexaglochin** Fischer et Meyer Index Sem. Hort. Petrop. l. 35. — ♀ — *Habitat in Brasilia.*

6364. **Petiveria alliacea** Linn. Spr. Syst. Veg. II. 168. Act. Stockholm. 1744. p. 287. t. 7. *Petiveria octandra* Jacq. Amer. 201. — ♀ — *Habitat in India occidentali.*

5257. **Rivina** Linn.

6365. **Rivina brasiliensis** Nocca in Uster. bot. Ann. VI. 63. *Solanoides undulata* Mönch Dict. — ♀ — *Habitat in Brasilia.*

6366. **Rivina humilis** Linn. Willd. Spec. I. 694. Spreng. Syst. Veg. I. 452. Lam. Ill. t. 91. f. 1. Pluk. Alm. t. 112. f. 2. Fl. Flum. I. 136. *Solanoides pubescens* Mönch. — ♀ — *Habitat in America tropica.*

6367. **Rivina laevis** Linn. Willd. Spec. I. 694. Spreng. Syst. Veg. I. 452. Lam. Ill. t. 81. f. 2. *Rivina humilis* Miller Dict. n. 1. *Piercea glabra* Mill. Dict. n. 2. *Solanoides laevis* Mönch. — ♀ — *Habitat in India occidentali.*

6368. **Rivina octandra** Linn. Willd. Spec. I. 695. Spreng. Syst. Veg. I. 453. Löffl. It. 207. *Rivina dodecandra* Jacq. Amer. pict. t. 21. *Rivina Mutisii* Willd. msc. sec. Kunth. *Rivina scandens* Miller Dict. — ♀ — *Habitat in America australi.*

6369. **Rivina purpurascens** Schrad. Gen. nov. t. 5. Willd. Enum. Hort. berol. I. 170. Spreng. Syst. Veg. I. 452. — ♀ — *Habitat in India occidentali.*

5262. **Phytolacca** Tournef.

6370. **Phytolacca octandra** Linn. Willd. Spec. II. 822. Spreng. Syst. Veg. II. 441. *Phytolacca mexicana* Miller Dict. Dill. Elth. 218. t. 239. 308. — ♀ — *Habitat in Japonia et Mexico.*

6371. **Phytolacca stricta** Hoffm. in Comment. Götting. 12. p. 27. t. 3. *Phytolacca heptandra* Retz Obs. VI. 29. — 4 — *Habitat in America.*

Ordo CXLVI. Malvaceae.

5266. **Palavia** Cav.

6372. **Palavia malvaefolia** Cavanill. Diss. I. 40. t. 11. f. 4. *Malope parviflora* Heritier Stirp. t. 50. — ☉ — *Habitat in arenosis Linæ.*

5268. **Kitaibelia** Willd.

6373. **Kitaibelia vitifolia** Willd. in Berl. Nat. Fr. II. 107. t. 4. f. 4. Waldst. et Rit. Plant. rar. Hung. t. 31. — 4 — *Habitat in Slavoniae comitatu Syrmienti.*

5269. **Lavatera** Linn.

a. **Axolopha** DC.

6374. **Lavatera triloba** Linn. Spec. 972. Cavanill. Diss. II. t. 31. f. 1. — ♂ — *Habitat in Hispania.*

6375. **Lavatera maritima** Gouan Illustr. 46. t. 11. f. 2. Cavanill Diss. II. t. 32. f. 3. — ♂ — *Habitat in Galliae australis et Hispaniae rupestribus.*

b. **Olbia** Medik.

6376. **Lavatera punctata** Allioni Auct. 26. DC. Prodr. I. 439. — ☉ — *Habitat in agris Galloprovinciae et Italiae.*

6377. **Lavatera thuringiaca** Linn. Spec. 973. Jacq. Flor. austr. t. 311. — 4 — *Habitat in Europa media et Tauria.*

6378. **Lavatera plebeja** Sims Bot. Mag. t. 2269. — 4 — *Habitat in Nova Hollandia.*

6379. **Lavatera micans** Linn. Spec. 972. — ♂ — *Habitat in Hispania.*

6380. **Lavatera unguiculata** Desfont. Arbr. I. 471. — ♂ — *Habitat in insula Samo.*

6381. **Lavatera Olbia** Linn. Spec. 972. — ♂ — *Habitat in sepibus circa Olbiam.*

6382. **Lavatera hispida** Desfont. Flor. atl. II. 118. t. 171. — ♂ — *Habitat in sepibus Algeriae.*

6383. **Lavatera acerifolia** Cavanill. Elench. Hort. madrit. 20. *Savinionia acerifolia* Webb et Berth. Flor. canar. 30. — ♂ — *Habitat in Teneriffa.*

c. **Stegia** DC.

6384. **Lavatera Pseudo - Olbia** Poiret Suppl. III. 309. — ♂ — *Patria ignota.*

6385. **Lavatera trimestris** Linn. Spec. 974. Cavanill. Diss. II. t. 3. f. 1. — ☉ — *Habitat in Hispania et Syria.*

d. **Anthema** Medik.

6386. **Lavatera arborea** Linn. Spec. 972. Cavanill. II. t. 139. f. 2. — ☉ — *Habitat in regione mediterranea.*

6387. **Lavatera neapolitana** Tenore Cat. Hort. Neap. 1819. n. 125. — 4 — *Crescit in maritimis prope Neapolim.*

6388. **Lavatera cretica** Linn. Spec. 973. Cavanill. Diss II. t. 32. f. 1. — ☉ — *Habitat in Creta.*

6389. **Lavatera sylvestris** Brotero Flor. lusit. II. 277. — ☉ — *Habitat in Lusitania.*

5270. **Althaea** Cav.

a. **Althaeastrum** DC.

6390. **Althaea officinalis** Linn. Spec. 966. Cavanill. Diss. II. t. 30. f. 2. — 4 — *Habitat in paludosis salsis Europae.*

6391. **Althaea narbonensis** Pourr. in Cavanill. Diss. II. 94. t. 29. f. 2 Jacq. Ic. rar. t. 138. — 4 — *Habitat in agro Narbonensi et Hispania.*

6392. **Althaea cannabina** Linn. Spec. 966.

Cavanill. Diss. II. t. 30. f. 1. — 4 — *Habitat in Europa australi.*

δ. *Alcaea* Linn.

6393. ***Althaea pallida*** Waldst. et Kitaibel Plant. rar. Hung. 46. t. 47 — ☉ — *Habitat in Hungaria.*

6394. ***Althaea rosea*** Cavanill. Diss. II. t. 29. f. 3. *Alcaea rosea* Linn. Spec. 966. — ☉ — *Habitat in Oriente.*

6395. ***Althaea leucantha*** Fischer ex Don Syst. I. 466. *Althaea nudiflora* Lindley in Hort. Transact. VII. 251. — ☉ — *Habitat in Sibiria altaica.*

6396. ***Althaea Froloviana*** Fischer ex Don Syst. I. 466. — ☉ — *Habitat in Sibiria.*

6397. ***Althaea Sieberi*** Hortul. — ☉ — *Habitat in Sicilia.*

6398. ***Althaea ficifolia*** Cavanill. Diss. II. 92. t. 28. f. 2. *Alcaea ficifolia* Linn. Spec. 967. — ☉ — *Habitat in Sibiria et ad Tanaim.*

β. *Iberica* Hort. Petrop.

5271. ***Malva*** Linn.

6399. ***Malva tricuspidata*** Aiton Hort. kew. ed. 2. IV. 210. *Malva americana* Cav. Diss II. t. 22. f. 2. — ☉ — *Habitat in Jamaica.*

6400. ***Malva americana*** Linn. Spec. 968. *Malva hispida* Mönch. — ☉ — *Habitat in St. Domingo.*

6401. ***Malva scabra*** Cav. Diss. V. t. 138. f. 1. *Malva scoparia* Jacq. Ic. rar. t. 139. — ☉ — *Habitat in aridis Peruviae.*

6402. ***Malva borbonica*** Willd. Enum. 728. — ♀ — *Habitat in insula Mauriti et Borbonia.*

6403. ***Malva ovata*** Cavanill. Diss. II. t. 20. f. 2. *Malva spicata* var. α. DC. Prodr. I. 430. — ♀ — *Habitat in Brasilia.*

6404. ***Malva subhastata*** Cav. Diss. II. 72. t. 21. f. 3. — ♀ — *Habitat in Brasilia.*

6405. ***Malva waltherifolia*** Link Enum. II. 209. — 4 — *Habitat in insula Java.*

6406. **Malva gangetica** Linn. Spec. 967.
— ⊙ — *Habitat in India orientali.*
6407. **Malva aegyptia** Linn. Spec. 971. — ⊙ —
Habitat in Africa boreali et Hispania.
6408. **Malva Alcaea** Linn. Spec. 971. Bot.
Mag. t. 2197. — 4 — *Habitat in Europa australi.*
6409. **Malva althaeoides** Cavanill. Diss. II.
t. 135. — ⊙ — *Habitat in Hispania.*
6410. **Malva mauritiana** Linn. Spec. 970.
— ⊙ — *Habitat in regione mediterranea.*
6411. **Malva sylvestris** Linn. Spec. 969.
— ⊙ — *Habitat in campestribus Europae.*
6412. **Malva rotundifolia** Linn. Spec. 969.
— 4 — *Habitat in campis et ruderalis Europae totius.*
β. *Pusilla* Smith E. B. t. 241.
6413. **Malva Brasiliensis** Desr. in Dict. en-
cyclop. III. 744. — 4 — *Habitat in Brasilia.*
6414. **Malva nicaeensis** Allioni Pedem. 1416.
— ⊙ — *Habitat in regione mediterranea.*
6415. **Malva parviflora** Linn. Amoen. III.
416. Cav. Diss. II. t. 26. f. 1. — 4 — *Habitat in
Gallia australi et Mauritania.*
6416. **Malva verticillata** Linn. Spec. 970.
Cav. Diss. II. t. 25. f. 3. — 4 — *Habitat in China.*
6417. **Malva pulchella** Bernhard Ind. Sem.
Hort. Erf. 1832 *Malva hybrida* Hort. — ⊙ — *Habi-
tat in China.*
6418. **Malva crispa** Linn. Spec. 970. Cav.
Diss. II. t. 23. f. 2. — ⊙ — *Habitat in Syria.*
6419. **Malva capensis** Cavan. Diss. II. 71.
t. 24. f. 3. — ♂ — *Habitat in Capite bonae spei.*
6420. **Malva oxyacanthoides** Hornem. Hort.
Hafn. II. 654. — ♂ — *Habitat in Capite bonae spei.*
6421. **Malva fragrans** Jacq Hort. Vindob.
III. t. 35. — ♂ — *Habitat in Capite bonae spei.*
6422. **Malva grossulariaefolia** Cav. Diss.
II. 71. t. 24. f. 2. — ♂ — *Habitat in Capite bonae spei.*
6423. **Malva asperrima** Jacq. Hort. Schönbr.
II. t. 139. — ♂ — *Habitat in Capite bonae spei.*

6424. **Malva lactea** Aiton Hort. kew. II. 448.
Malva vitifolia Cavanill. Ic. t. 30. — ♀ — *Habitat in Mexico.*

6425. **Malva limensis** Linn. Spec. 968. Jacq. Hort. Vindob. t. 156. — ☉ — *Habitat in Peruvia.*

5272. **Sphaeralcea** St. Hil.

6426. **Sphaeralcea umbellata** Adr. Juss.
Malva umbellata Cavan. Ic. t. 95. — ♂ — *Habitat in Nova Hispania.*

6427. **Sphaeralcea abutiloides** Adr. Juss.
Malva abutiloides Linn Spec 971. Jacq. Hort. Schönbr. t. 293. — ♂ — *Habitat in insulis Bahamensibus.*

6428. **Sphaeralcea angustifolia** Adr. Juss.
Malva angustifolia Cavan. Diss. II. 64. t. 20. f. 1. — ♀ — *Habitat in Mexico.*

5273. **Modiola** Mönch.

6429. **Modiola decumbens** Don Syst. I. 465.
Malva decumbens Willd. Enum. 731. — ♀ — *Habitat in America tropica.*

5274. **Urena** Linn.

6430. **Urena lobata** Linn. Spec. 974. — ☉ — *Habitat in China.*

5275. **Pavonia** Cav.

α. **Pavonia** Nees et Mart.

α. *Typhalea* DC.

6431. **Pavonia spinifex** Willd. Spec. III. 854. — ♂ — *Habitat in America tropica.*

β. *Aristata* Cav. Diss. III. 133. t. 45. f. 3.

6432. **Pavonia urens** Cav. Diss. III. t. 49. f. 1. Jacq. Ic. rar. t. 522. — ♂ — *Habitat in insularum Mauritii et Barboniae herbidis elutis.*

β. *Malache* Trew.

6433. **Pavonia hastata** Cav. Diss. III. 138. t. 47. f. 2. — ♂ — *Habitat in Brasilia.*

6434. **Pavonia Columella** Cav. Diss. III. 138. t. 48. f. 3. — ♂ — *Habitat in insula Borboniae.*

6435. **Pavonia praemorsa** Willd. Spec. III. 833. *Pavonia cuneifolia* Cav. Diss. III. t. 45. f. 1. *Hibiscus praemorsus* Jacq. Ic. rar. t. 141. — ♂ — *Habitat in Capite bonae spei.*

6436. **Pavonia mollis** Kunth in Humb. et Bonpl. Nov. Gen. et Spec. V. 283. — ♂ — *Habitat in temperatis Novae Granatae.*

6437. **Pavonia zeylanica** Willd. Spec. III. 833. *Hibiscus zeylanicus* Linn. Spec. 981. — ☉ — *Habitat in Zeylona.*

6438 **Pavonia platanifolia** Willd. Berlin. Magaz. 1810. p. 220. *Pavonia aurifolia* Link et Otto Ic. select. t. 1. *Hibiscus aurifolius* DC. Prodr. I. 449. — ♀ — *Habitat in India orientali.*

δ. *Lebretonia* Nees et Mart.

6439. **Pavonia Schrankii** Spreng. Syst. III. 98. *Lebretonia coccinea* Schrank Plant. rar. Hort. monac. t. 90. — ♂ — *Habitat in Brasilia.*

5277. **Hibiscus** Linn.

α. *Furcaria* DC.

6440. **Hibiscus radiatus** Cav. Diss. III. 150. t. 54. f. 2. Bot. Mag. t. 1911. — ♀ — *Habitat in India orientali.*

6441. **Hibiscus furcatus** Willd. Enum. 736. — ♀ — *Habitat in India orientali.*

β. *Ketmia* Endl.

6442. **Hibiscus Lampas** Cav. Diss. III. 154. t. 56. f. 2. — ♀ — *Habitat in insulis Philippinis.*

6443. **Hibiscus tubulosus** Cav. Diss. III. 161. t. 68. f. 2. — ☉ — *Habitat in India orientali.*

6444. **Hibiscus calycinus** Willd. Spec. III. 1817. **Hibiscus calyphyllus** Cav. Diss. V. t. 140. — ♀ — *Habitat in insula Borbonia.*

6445. **Hibiscus Rosa sinensis** Linn. Spec. 977. Cav. Diss. III. t. 69. f. 2. — ♀ — *Habitat in India orientali.*

6446. **Hibiscus syriacus** Linn. Spec. 978. Cav. Diss. III. t. 69. f. 1. — ♂ — *Habitat in Syria et Carniolia.*

6447. **Hibiscus heterophyllus** Vent. Malm. t. 103. — ♀ — *Habitat in Nova Hollundia.*

6448 **Hibiscus cannabinus** Linn. Spec. 979. Cav. Diss. III. t. 52. f. 1. — ☉ — *Habitat in India orientali.*

6449. **Hibiscus vitifolius** Linn. Mant. 569. Cav. Diss. III. t. 58. — ☉ — *Habitat in India orientali.*

6450. **Hibiscus obtusifolius** Willd. Spec. III. 829. — ☉ — *Habitat in India orientali.*

6451. **Hibiscus Moscheutos** Linn. Spec. 975. Cav. Diss. III. t. 65. f. 1. — 2 — *Habitat in America boreali.*

6452. **Hibiscus palustris** Linn. Spec. 976. Cav. Diss. III. t. 65. f. 2. — 2 — *Habitat in America boreali.*

6453. **Hibiscus roseus** Thor in Loisl. Flor. Gall. II. 434. — 2 — *Habitat ad ripas fluminis Adour Vasconiae.*

6454. **Hibiscus militaris** Cav. Diss. VI. 352. t. 198. f. 2. Bot. Mag. t. 2385. — 2 — *Habitat ad ripas fluviorum Americae borealis.*

6455. **Hibiscus mutabilis** Linn. Spec. 977. Cav. Diss. III. t. 62. f. 1. — ♀ — *Habitat in India orientali.*

6456. **Hibiscus Sabdariffa** Linn. Spec. 978. Cav. Diss. III. t. 198. f. 1. Bonpl. Nav. t. 29. — ☉ — *Habitat in India orientali.*

c. **Trionum** Medik.

6457. **Hibiscus Trionum** Linn. Spec. 981.
Bot. Mag. t. 209. — ☉ — *Habitat in Europa australi.*

5278. **Malvaviscus** Dill.

6458. **Malvaviscus arboreus** Cav. Diss. III.
t. 48. f. 1. *Achania malvaviscus* Swartz Flor. Ind. oc-
cid. II. 1222. *Hibiscus Malvariscus* Linn. Spec. 978.
— 5 — *Habitat in rupibus calcareis Americae tropicae.*

6459. **Malvaviscus mollis** DC. Prodr. I.
445. *Achania mollis* Aiton Hort. kew. ed. 1. II. 459.
— 3 — *Habitat in Mexico.*

5281. **Abelmoschus** Medik.

6460. **Abelmoschus esculentus** Wight et
Arn. Prodr. I. 53 *Hibiscus esculentus* Linn. Spec. 980.
Cav. Diss. III. t. 61. f. 2. *Hibiscus Bamia* Targioni.
— ☉ — *Habitat in India orientali.*

6461. **Abelmoschus longifolius.** *Hibiscus*
longifolius Willd. Spec. III. 817. — ☉ — *Habitat in*
India orientali.

6462. **Abelmoschus officinalis.** *Abelmo-*
schus moschatus Mönch Method. *Hibiscus Abelmoschus*
Linn. Spec. 980. — 3 — *Habitat in India orientali.*

6463. **Abelmoschus Manihot.** *Hibiscus Ma-*
nihot Linn. Spec. 980. Cav. Diss. III. t. 63. f. 2.
— 3 — *Habitat in India orientali.*

β. *Palmatum* (Cav. Diss. III. t. 63. f. 1).

6464. **Abelmoschus Pseudo-Manihot.**
Hibiscus Pseudo-Manihot DC. Prodr. I. 448. — 3 —
Habitat in herbidis insulae Bourbon.

5283. **Paritium** Adr. Juss.

6465. **Paritium tiliaceum** Adr. Juss. in St.
Hil. Flor. Bras. I. 198. *Hibiscus tiliaceus* Linn. Spec.
976. Cav. Diss. III. t. 55. f. 1. — 5 — *Crescit inter*
tropicos totius orbis.

5286. **Gossypium** Linn.

6466. **Gossypium herbaceum** Linn. Spec. 975. Cav. Diss. III. t. 164. — ☉ — *Habitat in India orientali.*

6467. **Gossypium religiosum** Linn. Spec. 975. Cav. Diss. III. t. 164. — ☉ — *Habitat in India orientali.*

6468. **Gossypium barbadense** Linn. Spec. 975. — ☉ — *Habitat in Barbados.*

5287. **Anoda** Cav.

6469. **Anoda hastata** Cav. Diss. I. 38. t. 11. f. 2. *Sida hastata* Willd. Spec. III. 763. — ☉ — *Habitat in Mexico.*

6470. **Anoda triangularis** DC. Prodr. I. 459. *Anoda brachyantha* Reichenb. Ic. exot. t. 34. *Sida delloidea* Hornem. Hort. Hafn. II. 650. — ☉ — *Habitat in Mexico.*

6471. **Anoda aurifolia** DC. Prodr. I. 454. *Sida aurifolia* Zuccagn. Obs. 80. — ☉ — *Habitat in Mexico.*

6472. **Anoda parviflora** Cav. Ic. V. 19. t. 431. — ☉ — *Habitat in Nova Hispania.*

5289. **Sida** Kunth.

6473. **Sida angustifolia** Lam. Dict. I. p. 4. Cav. Diss. I. t. 2. f. 2. — ♀ — *Habitat in insula Bourbonia.*

6474. **Sida spinosa** Linn. Spec. 960. Cav. Diss. I. t. 1. f. 9. — ☉ — *Habitat inter tropicos totius orbis.*

6475. **Sida repanda** Roth Nov. Spec. 328. — ♀ — *Habitat in India orientali.*

6476. **Sida rhombifolia** Linn. Spec. 961. Cav. Diss. I. t. 3. f. 12. — ♀ — *Habitat in America tropica et boreali calidiore.*

6477. **Sida humilis** Willd. Spec. III. 744.

Cav. Diss. V. t. 134. f. 2. — ☉ — *Habitat in India orientali.*

6478. **Sida rotundifolia** Cav. Diss. I. 20. t. 3. f. 6. et VI. t. 194. f. 2. — ♀ — *Habitat in insula Borbonia.*

6479. **Sida ulmifolia** Cav. Diss. I. 15. t. 2. f. 4. — ♀ — *Habitat in St. Domingo.*

6480. **Sida triloba** Cav. Diss. I. 11. t. 1. f. 11. et V. t. 131. f. 1. Jacq. Hort. Schönbr. t. 142. — ♀ — *Habitat in Capite bonae spei.*

6481. **Sida jatrophioides** Herit. Stirp. I. 117. t. 56. *Sida palmata* Jacq. Ic. rar. t. 547. — ☉ — *Habitat in Peruvia.*

6482. **Sida atrosanguinea** Jacq. Ic. rar. I. 136. — ♀ — *Habitat in America tropica.*

6483. **Sida Napaea** Cav. Diss. V. 277. t. 132. f. 1. *Napaea laevis* Linn. Syst. 750. — ♀ — *Habitat in Virginia.*

6484. **Sida dioica** Cav. Diss. V. 278. t. 132. f. 2. *Napaea dioica* Linn. Spec. 965. — ♀ — *Habitat in Virginia.*

6485. **Sida Periptera** Sims Bot. Mag. t. 1644. *Periptera punicea* DC. Prodr. I. 459. — ♀ — *Habitat in Nova Hispania.*

6486. **Sida malvaeflora** DC. Prodr. I. 474. *Nuttallia malvaeflora* Fisch. et Trautvett. Ind. Sem. Hort. Petrop. 1837. III. 41. — ♀ — *Habitat in Mexico.*

5291. **Malachra** Linn.

6487. **Malachra capitata** Linn. Syst. 518. — ☉ — *Habitat in paludosis insularum Antillarum.*

6488. **Malachra heptaphylla** Fischer in Hornem. Hort. Hafn. Suppl. 78. — ☉ — *Habitat in Brasilia.*

6489. **Malachra palmata** Mönch Method. 615. — ☉ — *Patria ignota.*

5292. **Abutilon** Gärtn.

6490. **Abutilon hernandioides** Don Syst. I. 500. *Sida hernandioides* Heritier Stirp. I. 121. t. 58. — ♀ — *Habitat in St. Domingo.*

6491. **Abutilon nudiflorum** Don Syst. I. 500. *Sida nudiflora* Herit. Stirp. I. 123. t. 59. — ♀ — *Habitat in St. Domingo.*

6492. **Abutilon pulchellum** Don Syst. I. 501. *Sida pulchella* Bonpl. Nav. t. 2. Hook. Bot. Mag. t. 2758. — ♀ — *Habitat in Nova Hollandia.*

6493. **Abutilon umbellatum** Don Syst. I. 501. *Sida umbellata* Linn. Spec. 962. Jacq. Hort. Vindob. t. 56. — ☉ — *Habitat in Jamaica.*

6494. **Abutilon mauritianum** Don Syst. I. 502. *Sida mauritiana* Jacq. Ic. rar. t. 137. — ♀ — *Habitat in insula Mauriti.*

6495. **Abutilon atropurpureum** Don Syst. I. 502. *Sida atropurpurea* Blume Bijdr. — ♀ — *Habitat in insula Java.*

6496. **Abutilon tiliaefolium** Don Syst. I. 502. *Sida tiliaefolia* Fischer Hort. Gorenk. 1808. Jacq. f. Eclog. t. 35. — ☉ — *Habitat in China et Tibet.*

6497. **Abutilon Sonneratianum** Don Syst. I. 503. *Sida Sonneratiana* Cav. Diss. I. 29. t. 6. f. 4. — ☉ — *Habitat in Capite bonae spei.*

6498. **Abutilon populifolium** Don Syst. I. 503. *Sida populifolia* Lam. Dict. I. 7. Cav. Diss. I. 32. t. 7. f. 9. — ☉ — *Habitat in India orientali.*

6499. **Abutilon molle** Don Syst. I. 503. *Sida mollis* Ortega Dec. 65. — ♀ — *Habitat in Peru.*

6500. **Abutilon permolle** Don Syst. I. 503. *Sida permollis* Willd. Enum. 725. — ♀ — *Patria ignota.*

6501. **Abutilon mollicomum** Don Syst. I. 504. *Sida mollicoma* Willd. Spec. 725. — ♀ — *Patria ignota.*

5294. **Lagunea** Cav.

6502. **Lagunea lobata** Willd. Spec. III. 733. Cav. Diss. V. t. 136. f. 1. *Triguera acerifolia* Cav. Diss.

I. 41. t. 11. *Solandra lobata* Murray Comm. Götting.
1784. p. 21. t. 1. *Hibiscus Solandra* Herit. Stirp. t. 49.
— ☉ — *Habitat in Insula Borbonia.*

6503. *Lagunea sinuata* Hornem. Hort. Hafn.
645. — ☉ — *Patria ignota.*

Ordo CXLVII. Sterculiaceae.

Tribus I. Bombaceae.

5298. *Pachira* Aubl.

6504. *Pachira aquatica* Aubl. Guian. II.
725. t. 291. 292. *Carolina princeps* Linn. f. Suppl. 314.
— 5 — *Habitat in Americae tropicae littore atlantico.*

Tribus II. Helictereae.

5316. *Helicteres* Linn.

6505. *Helicteres brasiliensis* Mikan Delect. IV. t. 1. *Helicteres ovata* St. Hilaire Flor. bras. I.
273. — 5 — *Habitat in Brasilia.*

6506. *Helicteres jamaicensis* Jacq. Amer.
235. t. 179. f. 99. — 5 — *Habitat in Jamaica.*

5318. *Reevesia* Lindl.

6507. *Reevesia thyrsoides* Lindl. in Bot. Reg. t. 1236. — 5 — *Habitat in China.*

Tribus III. Sterculieae.

5320. *Sterculia* Linn.

6508. *Sterculia platanifolia* Linn. f. Suppl.
423. Cav. Diss. t. 145. *Firmiana platanifolia* Schott et Endl. Melet. 33. — 5 — *Habitat in China et Japonia.*

6509. **Sterculia inops** Schott msc. — 5 — *Habitat in Brasilia.*

6510. **Sterculia diversifolia** G. Don in London Hort. brit. 399. *Sterculia heterophylla* Cunningh. msc. — 5 — *Habitat in Nova Hollandia.*

Ordo CXLVIII. Buttneriaceae.

Tribus I. Lasiopetaleae.

5324. **Thomasia** Gay.

6511. **Thomasia purpurea** Gay Lasiop. 22. t. 6. *Lasiopetalum purpureum* Sims Bot. Mag. t. 294. — 5 — *Habitat in Nova Hollandia.*

6512. **Thomasia solanacea** Gay Lasiop. 26. t. 6. *Lasiopetalum solanaceum* Sims Bot. Mag. t. 1486. — 5 — *Habitat in Novae Hollandiae ora austro-occidentali.*

6513. **Thomasia macrocarpa** Hügel ex Endl. Nov. Stirp. Dec. n. 40. — 5 — *Habitat in Nova Hollandia austro-occidentali.*

5326. **Corethrostylis** Endl.

6514. **Corethrostylis bracteata** Endl. Nov. Stirp. Decad. n. 1. — 5 — *Habitat in Nova Hollandia austro-occidentali.*

Tribus II. Buttneriaeae.

5328. **Rulingia** R. Br.

6515. **Rulingia hermanniaefolia** R. Brown msc. *Buttneria hermanniaefolia* Gay in DC. Prodr. 1. 486. — 5 — *Habitat in Nova Hollandia.*

6516. **Rulingia corylifolia** Graham in Bot. Mag. t. 3182. — 5 — *Habitat in Nova Hollandia.*

5330. **Abroma** Jacq.

6517. **Abroma Augusta** Linn. f. Suppl. 341.
Abroma fastuosa Jacq. Hort. Vindob. III. t. 1. — ♀ —
Habitat in India orientali.

5332. **Ayenia** Linn.

6518. **Ayenia pusilla** Linn. Spec. 1354. Cav.
 Diss. V. t. 147. *Dayenia* Miller Illustr. t. 118. — ☉ —
Habitat in America tropica.

Tribus III. **Hermannieae.**5337. **Melochia** Linn.

6519. **Melochia pyramidata** Linn. Syst.
 510. Cav. Diss. VI. 319. t. 172. f. 1. *Melochia domin-*
gensis Jacq. Hort. Vindob. t. 30. — ♀ — *Habitat in*
America tropica.

5338 **Riedleia** Vent.

6520. **Riedleia odorata** DC. Prodr. I. 491.
 excl. syn. *Visenia umbellata* Spreng. Syst. III. 29.
 — ♀ — *Habitat in Asia tropica.*

6521. **Riedleia nodiflora** DC Prodr. I. 491.
Melochia nodiflora Swartz Flor. Ind. occid. II. 1139.
Visenia nodiflora Spreng. Syst. III. 30. — ♀ — *Habi-*
tat in America tropica.

6522. **Riedleia corchorifolia** DC. Prodr.
 I. 491. *Melochia corchorifolia* Linn. Spec. 944. *Visenia*
corchorifolia Spreng. Syst. III 30. — ☉ — *Habitat in*
insula Java.

5340. **Hermannia** Linn.α. **Trionella** DC.

6523. **Hermannia althaeifolia** Linn. Spec.
 941. *Hermannia aurea* Jacq. Hort. Schönbr. t. 204.
 — ♀ — *Habitat in Capite bonae spei.*

6524. **Hermannia plicata** Willd. Spec. III. 589. *Hermannia althaeifolia* Jacq. Hort. Schönbr. t. 213. — ♀ — *Habitat in Capite bonae spei.*

6525. **Hermannia decumbens** Spreng. N. E. I. 299. — ♀ — *Habitat in Capite bonae spei.*

6526. **Hermannia hyssopifolia** Linn. Spec. 942. Cav. Diss. VI. t. 181. f. 3. — ♀ — *Habitat in Capite bonae spei.*

6. Hermanella DC.

6527. **Hermannia disticha** Schrader et Wendl. Sert. Hanov. t. 10. *Hermannia rotundifolia* Jacq. Hort. Schönbr. t. 118. — ♀ — *Habitat in Capite bonae spei.*

6528. **Hermannia micans** Schrad. et Wendl. Sert. Hanov. t. 5. *Hermannia latifolia* Jacq. Hort. Schönbr. t. 119. — ♀ — *Habitat in Capite bonae spei.*

6529. **Hermannia denudata** Linn. Fil. Suppl. 301. Jacq. Hort. Schönbr. t. 122. — ♀ — *Habitat in Capite bonae spei.*

6530. **Hermannia hirsuta** Schrad. et Wendl. Sert. Hanov. t. 4. — ♀ — *Habitat in Capite bonae spei.*

6531. **Hermannia scabra** Cav. Diss. VI. t. 182. f. 2. Jacq. Hort. Schönbr. t. 127. — ♀ — *Habitat in Capite bonae spei.*

6532. **Hermannia multiflora** Jacq. Hort. Schönbr. t. 128. — ♀ — *Habitat in Capite bonae spei.*

6533. **Hermannia angularis** Jacq. Hort. Schönbr. t. 126. — ♀ — *Habitat in Capite bonae spei.*

5341. **Mahernia** Linn.

6534. **Mahernia diffusa** Jacq. Hort. Schönbr. t. 201. — ♀ — *Habitat in Capite bonae spei.*

Tribus IV. Dombeyaceae.

5343. **Pentapetes** Linn.

6535. **Pentapetes phoenicea** Linn. Spec.

958. Bot. Reg. t. 575. — ☉ — *Habitat in India orientali.*

5344. Brotera Cav.

6536. **Brotera ovata** Cav. Ic. V. 19. t. 433. *Pentapetes ovata* DC. Prodr. I. 498. — ♀ — *Habitat in Africa tropica.*

5349. Astrapaea Lindl.

6537. **Astrapaea Wallichii** Lindley Collect. t. 14. Bot. Reg. t. 691. — ♂ — *Habitat in India orientali.*

5352. Pterospermum Schreb.

6538. **Pterospermum acerifolium** Willdenow Spec. III. 729. *Pentapetes acerifolia* Linn. Spec. 939. Cavan. Dissert. III. 131. t. 44. — ♀ — *Habitat in India orientali.*

5353. Kydia Roxb.

6539. **Kydia calycina** Roxburgh Plant. Corom. III. t. 215. — ♀ — *Habitat in India orientali.*

***Philippodendreae.**

5358. Philippodendron Poit.

6540. **Philippodendron regium** Poit. in Nouv. Annal. sc. nat. VIII. 183. t. 3. *Betula pulchella* Hort. — ♂ — *Habitat in Nepalia.*

Ordo CXLIX. Tiliaceae.

Subordo I. Tiliaceae verae.

5367. Heliocarpus Linn.

6541. **Heliocarpus popayanensis** Kunth in Humb. et Bonpl. Nov. gen. et sp. V. 341 — ♂ — *Habitat in Peruvia.*

5368. **Entelea** R. Br.

6542. **Entelea arborescens** R. Brown in Bot. Mag. t. 2480. *Apeiba australis* A. Richard Flor. Nov. Zeel. t. 34. — 5 — *Habitat in Nova Zeelandia.*

6543. **Entelea palmata** Lindley in Bot. Reg. 1839. App. p. 66. *Sparmannia palmata* Hort. — 3 — *Patria ignota.*

5369. **Sparmannia** Thunb.

6544. **Sparmannia africana** Linn. f. Suppl. 265. Vent. Malmais. t. 78. Sims Bot. Mag. t. 726. — 3 — *Habitat in Capite bonae spei.*

Var. β . *Acerifolia* Hort. — γ . *Suberosa.*

5371. **Corchorus** Linn.A. **C o r e t a** DC. α . *Eucoreta* Endl.

6545. **Corchorus siliquosus** Linn. Spec. 746. DC. Prodr. I. 504. — 4 — *Habitat in America tropica.*

6546. **Corchorus hirtus** Linn. Spec. 747. DC. Prodr. I. 504. — 4 — *Habitat in America tropica.*

6547. **Corchorus pilolobus** Link Enum. Hort. Berol. II. 72. DC. Prodr. I. 504. — 4 — *Patria ignota.*

 β . *Coretoides* DC.

6548. **Corchorus trilocularis** Linn. Mant. 77. Jacq. Hort. Vindob. t. 173. DC. Prodr. I. 504. — ☉ — *Habitat in Arabia.*

6549. **Corchorus olitorius** Linn. Spec. 746. Lam. t. 748. f. 1. DC. Prodr. I. 504. — ☉ — *Habitat inter tropicos totius orbis.*

6550. **Corchorus aestuans** Linn. Spec. 746. Jacq. Hort. Vindob. t. 85. — ☉ — *Habitat in America tropica.*

γ. *Ceratocorea* DC.

6551. ***Corchorus tridens*** Linn. Mant. 566. DC. Prodr. I. 505. — 4 — *Habitat in Asia et Africa tropica.*

B. *Guazumoides* DC.

6552. ***Corchorus fascicularis*** Lam. Dict. II. 104. DC. Prodr. I. 505. — 4 — *Habitat in India orientali.*

C. *Ganja* Rumph.

6553. ***Corchorus capsularis*** Linn. Spec. 746. Gärtn. t. 129. Jacq. f. Eclog. t. 120. — ☉ — *Habitat in India orientali.*

5372. *Triumfetta* Plum.

6554. ***Triumfetta trichoclada*** Link Enum. II. 5. — ☉ — *Habitat in Nepalia.*

6555. ***Triumfetta oblongata*** Link Enum. II. 5. — ☉ — *Habitat in Nepalia.*

5373. *Tilia* Linn.

α. *Tilia* Reichenb.

6556. ***Tilia parvifolia*** Ehrh. Beitr. V. 159. *Tilia microphylla* Venten. Diss. 4. t. 1. f. 1. *Tilia ulmifolia* Scopoli Carn. I. 374 *Tilia sylvestris* Desfont. Cat. Hort. Paris. 152. — 5 — *Crescit in sylvis Europae fere totius.*

6557. ***Tilia grandifolia*** Ehrhart Beitr. V. 158. *Tilia platyphyllos* Scop. Carn. I. 373. — 5 — *Habitat per omnem fere Europam.*

Utriusque speciei varietates plurimae cultura vel e mixtis connubiis ortae :

α. *Tilia vulgaris* Hayne Arzneigew. III. 47. *Tilia intermedia* DC. Prodr. I. 513. — β. *Tilia corallina* Host Flor. austr. II. 59. — γ. *Tilia corylifolia* Host Flor. austr. II. 59. — δ. *Tilia flaccida* Host msc. — ε. *Tilia intermedia* Host Flor. austr. II. 61. — ζ. *Tilia laciniata* Host msc. — η *Tilia latebracteata* Host Flor. austr. II. 60. — θ. *Tilia mutabilis* Host Flor.

austr. II. 60. — *i. Tilia obliqua* Host Flor. austr. II. 61. —
x. Tilia praecox Host Flor. austr. II. 60. — *λ. Tilia pyrami-*
dalis Host Flor. austr. II. 61. — *μ. Tilia rubra* DC. Cat.
 Hort. Monsp. 150. *Tilia corinthiaca* Bosc Dict. Agr. XIII. 139.
 — *ν. Tilia spectabilis* Host msc. — *ο. Tilia vitifolia* Host
 Flor. austr. II. 59.

6. Lindnera Reichenb.

6558. ***Tilia glabra*** Venten. Dissert. 9. t. 2.
Tilia americana Linn. Spec. 733. Michaux Arbr. III.
 311. t. 1. *Tilia nigra* Borkhaus. — 5 — *Habitat in*
America boreali.

β. Macrophylla Hort. — *γ. Missisippensis* Bosc.

6559. ***Tilia laxiflora*** Michaux Flor. Bor. Am.
 I. 306. — 5 — *Habitat in America boreali, a Marylan-*
dia ad Georgiam.

6560. ***Tilia heterophylla*** Venten. Dissert.
 16. t. 5. *Tilia alba* Michaux Arbr. III. 125. t. 2. — 5 —
Habitat in America boreali ad ripas fluviorum Ohio et Mis-
sisippi.

6561. ***Tilia argentea*** Desfont. ex DC. Cat.
 Hort. Monsp. 150. *Tilia alba* Waldst. et Kit. Plant.
 rar. Hung. I. p. 3. t. 3. — 5 — *Habitat in Europa*
austro-orientali.

Var. *α. Depressa.* — *β. Oblonga.* — *γ. Viridis.*

5376. Grewia Juss.

6562. ***Grewia orientalis*** Linn. Spec. ed. 1.
 p. 964. — 5 — *Habitat in India orientali.*

6563. ***Grewia occidentalis*** Linn. Spec. ed.
 1. p. 964. — 5 — *Habitat in Capite bonae spei.*

5379. Berrya Roxb.

6564. ***Berrya Amomilla*** Roxburgh Corom.
 III. 59. t. 264. — 5 — *Habitat in Ceylona.*

Subordo II. *Elaeocarpeae*.5385. *Monocera* Jack.*a. Ganitroceras* Endl.

6565. *Monocera reticulata*. *Elaeocarpus reticulatus* Smith ex Bot. Reg. t. 657. *Elaeocarpus cyaneus* Sims Bot. Mag. t. 1737. — 5 — *Habitat in Nova Hollandia*.

b. Diceras Endl.

6566. *Monocera dentata*. *Dicera dentata* Forst. Char. gen. t. 40. *Elaeocarpus dentatus* Vahl Symb. III. 67. — 5 — *Habitat in Nova Zeelandia*.

Ordo CL. *Ternströmiaceae*.Tribus I. *Gordonieae*.5423. *Stuartia* Linn.

6567. *Stuartia Malachodendron* Linn. Spec. 982. Heritier Stirp. t. 73. *Stewartia virginia* Cavan. Diss. V. 303. t. 159. f. — 5 — *Habitat in Virginia et Florida*.

5424. *Gordonia* Ellis.

6568. *Gordonia axillaris* Endl. *Camellia axillaris* Roxburgh ex Bot. Reg. t. 349. Bot. Mag. t. 2047. *Polyspora axillaris* Sweet Hort. Brit. p. 61. — 5 — *Habitat in Pulo - Pinang*.

Tribus II. *Camellieae*.5425. *Camellia* Linn.

6569. *Camellia japonica* Linn. Spec. 982. Cavanill. Dissert. VI. t. 160. Jacq. Ic. rar. III.

t. 553. DC. Prodr. I. 529. — 5 — *Habitat in Japonia.*

6570. **Camellia Sasanqua** Thunb. Flor. Japon. 273. t. 30. Sims Bot. Mag. t. 2080. Ker Bot. Reg. t. 567. DC. Prodr. I. 529. — 5 — *Habitat in Japonia.*

5426. **Thea** Linn.

6571. **Thea chinensis** Sims Bot. Mag. n. 998. — 8 — *Habitat in China.*

α. *Thea viridis* Linn. Spec. 735.

β. *Thea Bohea* Linn. Spec. 735.

Ordo CLI. Clusiaceae.

5438. **Clusia** Linn.

6572. **Clusia flava** Linn. Spec. 1495. Jacq. Amer. 272. t. 167. — 5 — *Habitat in Jamaica.*

5444. **Stalagmites** Murr.

6573. **Stalagmites pictorius** G. Don Syst. I. 620. *Xanthochymus pictorius* Roxburgh Plant. Corom. II. t. 196. — 5 — *Habitat in India orientali.*

Ordo CLII. Hypericineae.

5464. **Hypericum** Linn.

A. **Hypericum** Spach.

α. *Holosepalum* Spach.

6574. **Hypericum crispum** Linn. Mant. 106. — 4 — *Habitat in regione mediterranea.*

6575. **Hypericum quadrangulum** Linn. Spec. 1104. — 4 — *Habitat in Europa media et boreali.*

6576. **Hypericum tetrapterum** Fries No-

vit. ed. 1. p. 94. — 2 — *Habitat in pratis humidis Europae mediae et borealis.*

β. *Milleporum* Spach.

6577. **Hypericum perforatum** Linn. Spec. 1105. — 2 — *Habitat in pratis et collibus Europae totius.*
β. *Veronense* Schrank.

γ. *Adenosepalum* Spach.

6578. **Hypericum elegans** Stephan in Willd. Spec. III. 1469. Reichenb. Iconogr. f. 443. *Hypericum Kohlianum* Spreng. Flor. Hall. t. 9. — 2 — *Habitat in apricis Sibiriae et Germaniae mediae.*

6579. **Hypericum pulchrum** Linn. Spec. 1106. Flor. dan. t. 73. Reichenb. Iconogr. f. 447. — 2 — *Habitat in umbrosis Europae mediae.*

6580. **Hypericum hirsutum** Linn. Spec. 1105. Flor. dan. t. 802. — 2 — *Habitat in umbrosis Europae et Caucasi.*

6581. **Hypericum montanum** Linn. Spec. 1105. Flor. dan. t. 173. — 2 — *Habitat in montanis Europae.*

6582. **Hypericum tomentosum** Linn. Spec. 1106. — 2 — *Habitat in pratis humidiusculis regionis mediterraneae.*

δ. *Drosocarpium* Spach.

6583. **Hypericum barbatum** Linn. Amoen. VIII. 323. Jacq. Flor. austr. t. 259. — 2 — *Habitat in Europa media et mediterranea.*

6584. **Hypericum adenocarpum** Montbret msc. *Hypericum Montbretii* Spach Suites a Buffon. V. 395. — 2 — *Habitat in Oriente, a beato Montbret in hortum parisiensem introductum.*

6585. **Hypericum Richeri** Villars Delph. III. 504. t. 44. *Hypericum fimbriatum* Lam. Dict. IV. 148. — 2 — *Habitat in alpibus Europae.*

t. 553. DC. Prodr
ponia.

6570. C
Japon. 273. t
Reg. t. 567.
Japonia.

Spach.

lympicum Linn. Spec.

Il. 71. t. 96. Bot. Mag. t.

Spach Suites a Buffon V. 407.

lympo.

Webbia Spach.

Hypericum floribundum Ait. Hort.

Ill. 104. Reichenb. Gart. Magaz. t. 95.

Spach Suites a Buffon V. 409. — 3 —

Canariis et Madera.

D. *Androsaemum* All.

Hypericum Androsaemum Linn.

6598. *Androsaemum officinale* Allioni Flor. Pe-

spec. 1102. — 3 — *Habitat in humidis Europae et*

dem. n. 1440. — 3 —

Caucasi.

6589. *Hypericum hircinum* Linn. Spec.

1103. Schkuhr Handb. t. 213. *Androsaemum hircinum*

Spach Suites a Buffon V. 419. — 3 — *Habitat in*

regione mediterranea.

β. *Majus.*

E. *Eremanthe* Spach.

6590. *Hypericum calycinum* Linn. Mant.

106. Bot. Mag. t. 146. *Eremanthe calycina* Spach Sui-

tes a Buffon V. 422. — 3 — *Habitat in Oriente.*

F. *Norysca* Spach.

6591. *Hypericum chinense* Linn. Amoen.

VIII. 323. *Hypericum monogynum* Linn. Spec. 1101.

Bot. Mag. t. 334. *Norysca chinensis* Spach Suites a

Buffon V. 427. — 3 — *Habitat in India, Japonia et*
China.

G. *Roscyna* Spach.

6592 *Hypericum Gebleri* Ledebour Flor.

alt. III. 364. lc. t. 487. *Roscyna Gebleri* Spach Suites

a Buffon V. 430. — 4 — *Habitat in Sibiria.*

6593. **Hypericum pyramidatum** Aiton Hort. kew. ed. 1. III. 103. Vent. Malm. t. 118. *Hypericum macrocarpum* Michaux Flor. Bor. Amer. II. 82. *Roscyna americana* Spach Suites a Buffon V. 431. — 4 — *Habitat in America boreali.*

H. Brathydium Spach.

6594. **Hypericum canadense** Linn. Spec. 1104. *Brathydium canadense* Spach Suites a Buffon V. 446. — 4 — *Habitat in Canada.*

5465. Elodea Adans.

6595. **Elodea aegyptiaca** Endl. *Triadenia microphylla* Spach in Nouv. Annal. sc. nat. V. 173. t. 5. *Hypericum aegyptiacum* Linn. Amoen. VIII. 323. t. 8. f. 3. Bot. Reg. t. 196. — 4 — *Habitat in Aegypto.*

Ordo CLIII. Reaumuriaceae.

5480. Reaumuria Hasselq.

6596. **Reaumuria vermiculata** Linn. Spec. 754. Lam. t. 489. f. 1. — ♂ — *Habitat in littoribus Siciliae, Barbariae et Aegypti.*

Ordo CLIV. Tamariscineae.

5482. Myricaria Desv.

6597 **Myricaria germanica** Desvaux in Annal. sc. nat. IV. 349. *Tamarix germanica* Linn. Spec. 386. Schkuhr Handb. t. 35. Flor. dan. t. 434. — 4 — *Habitat in Europa et Caucaso, ad fluviorum ripas.*

6598. **Myricaria dahurica** DC. Prodr. III. 98. *Tamarix dahurica* Willdenow in Berlin. n. Schrift. IV. 85. — ♂ — *Habitat in Sibiria.*

5484. **Tamarix** Linn.

6599. **Tamarix gallica** Linn. Spec. 386. E. B. t. 1318. — ♂ — *Habitat in Anglia, Gallia et regione mediterranea.*

β. *Mannifera* Ehrenb. in Linnaea II. 170. — ♂ — *Habitat in monte Sinai.*

6600. **Tamarix africana** Poiret Voy. II. 189. — ♂ — *Habitat in regione mediterranea, imprimis orientali.*

Ordo CLV. **Aurantiaceae.**5500. **Triphasia** Lour.

6601. **Triphasia trifoliata** DC. Prodr. I. 536. *Limonia trifoliata* Linn. Mant. 237. Jacq. Ic. rar. t. 463. Andrews Bot. Reposit. t. 143. — ♂ — *Habitat in India orientali, China et Cochinchina.*

5502. **Glycosmis** Corr.

6602. **Glycosmis citrifolia** Lindley in Hort. Transact. *Glycosmis parvifolia* Steudel Nomencl. ed. 2. p. 692. *Limonia parviflora* Sims in Bot. Mag. t. 2416. *Limonia citrifolia* DC. Prodr. I. 536. — ♂ — *Habitat in China.*

5506. **Murraya** König.

6603. **Murraya exotica** Linn. Mant. 563. Murray in Comment. Götting. IX. 186. t. 1. Lam. t. 352. DC. Prodr. I. 537. *Chalcas japonensis* Loureiro Flor. cochinch. 332. *Marsana buxifolia* Sonnerat It. indic. t. 139. — ♂ — *Habitat in India orientali.*

5507. **Cookia** Sonner.

6604. **Cookia punctata** Retz Observ. VI. 29. Jacq. Hort. Schönbr. I. t. 101. Lam. Ill. t. 354. DC. Prodr. I. 537. *Quinaria Lansium* Loureir. Flor. cochinch. 334. — ♂ — *Habitat in China et Moluccis.*

5514. **Citrus** Linn.

6605. **Citrus decumana** Linn. Spec. 1100. DC. Prodr. I. 539. Risso et Poit. Orang. t. 61. — ♂ — *Habitat in India orientali, vulgo Pampelmos et Shaddok.*

6606. **Citrus Aurantium** Risso in Annal. Mus. XX. 181. t. 1. f. 1. 2. DC. Prodr. I. 539. — ♂ — *Habitat sponte in Asia tropica, vulgo Orange.*

6607. **Citrus medica** Risso in Annal. Mus. XX. 199. t. 2. f. 2. DC. Prodr. I. 539. — ♂ — *Habitat sponte in Asia, vulgo Cedrat.*

6608. **Citrus Hystrix** DC. Cat. Hort. Monsp. 97. Prodr. I. 539. — ♂ — *Habitat in India orientali.*

Ordo CLVI. **Meliaceae.**5520. **Melia** Linn.

6609. **Melia Azedarach** Linn. Spec. 550. Cavanill. Dissert. VII. 363. t. 207. DC. Prodr. I. 621. — ♂ — *Habitat in India orientali et Syria.*

6610. **Melia sempervirens** Swartz Flor. Ind. occid. II. 737. Ker in Bot. Reg. t. 643. DC. Prodr. I. 621. *Melia Azedarach* β. Linn. Spec. 550. — ♂ — *Habitat in Asia tropica in Americam transplantata.*

5522. **Mallea** Adr. Juss.

6611. **Mallea Rothii** Adr. Jussieu in Mem. Mus. XIX. 70. t. 13. Wight et Arnott Prodr. I. 118. *Ekebergia indica* Roxburgh Flor. Ind. II. 392. *Melia baccifera* Roth Nov. spec. 215. — ♂ — *Habitat in India orientali.*

Genus affine.

5548. **Aitonia** Linn. f.

6612. **Aitonia capensis** Linn. f. Suppl. 303. Adr. Jussieu in Mem. Mus. XIX. 186. D. Don in Edinb. new philosoph. Journ. XIII. 242. — ♂ — *Habitat in Capite bonae spei.*

Ordo CLVII. Cedrelaceae.

5554. **Flindersia** R. Br.

6613. **Flindersia australis** R. Brown Gen. Rem. 63. t. 1. — 5 — *Habitat in Novae Hollandiae ora boreali.*

5556. **Cedrela** Linn.

6614. **Cedrela odorata** Linn. Spec. 289. Lam. Illustr. t. 137. DC. Prodr. I. 624. — 5 — *Habitat in India occidentali.*

Ordo CLVIII. Acerineae.

5558. **Acer** Linn.

α. Floribus racemosis.

6615. **Acer oblongum** Wallich in DC. Prodr. I. 592. — 5 — *Habitat in Nepalia.*

6616. **Acer tataricum** Linn. Spec. 1495. Pallas Flor. ross. t. 3. — 5 — *Habitat in Tataria.*

6617. **Acer striatum** Lam. Dict. II. 381. Michaux f. Arbr. II. t. 17. — 5 — *Habitat in America boreali.*

6618. **Acer Pseudoplatanus** Linn. Spec. 1496. — 5 — *Habitat in sylvis Europae.*

β. Variegatum Duham. Arbr. I. t. 36. — *γ. Serotinum.* — *δ. Pubescens.*

6619 **Acer hybridum** Bosc Dict. Agr. V. 251. — 5 — *Patria ignota.*

6620. **Acer macrophyllum** Pursh Flor. Bor. Amer. I. 267. — 5 — *Habitat ad fluvium Columbia et in California boreali.*

6621. **Acer campestre** Linn. Spec. 1497. — 5 — *Habitat in Europa et Tauria.*

β. Hebecarpum Tratt. Arch. 1. n. 7. — *γ. Tauricum.* — *δ. Variegatum.*

6. Floribus corymbosis v. fasciculatis.

6622. **Acer Opulus** Aiton Hort. kew. ed. 1. III. 436. — ♂ — *Habitat in Italia.*

6623. **Acer opulifolium** Vill. Delph. IV. 802. — ♂ — *Habitat in Europa australiore.*

6624. **Acer obtusatum** Kitaibel in Willd. Spec. IV. 984. Tratt. Archiv 1. n. 14. — ♂ — *Habitat in Hungariae et Croatiae montibus.*

β. *Neapolitanum* Tenore Act. Acad. Neap. 1819. I. 131. c. ic. — *Habitat in agro Neapolitano.* — γ. *Glabrum.*

6625. **Acer obtusifolium** Sibthorp Flor. cret. t. 361. — ♂ — *Habitat in montibus sphakioticis Cretae.*

6626. **Acer monspessulanum** Linn. Spec. 1497. — ♂ — *Habitat in apricis lapidosis Europae mediae et australis.*

6627. **Acer ibericum** Bieberst. Flor. Taur. cauc. II. 447. — ♂ — *Habitat in Iberia.*

6628. **Acer heterophyllum** Willd. Arbr. 10. t. 1. f. 1. — ♂ — *Habitat in Oriente.*

6629. **Acer barbatum** Michaux Flor. Bor. Amer. II. 252. — ♂ — *Habitat in America boreali.*

6630. **Acer platanoides** Linn. Spec. 1496. — ♂ — *Habitat in sylvaticis Europae.*

β. *Laciniatum* Aiton Hort. kew. III. 435. — γ. *Dissectum.* — δ. *Variegatum.*

6631. **Acer saccharinum** Linn. Spec. 1496. — ♂ — *Habitat in Americae borealis vallibus a Canada ad Floridam.*

6632. **Acer eriocarpum** Michaux Flor. Bor. Amer. II. 253. *Acer dasycarpum* Willd. Spec. IV. 985. — ♂ — *Habitat in America boreali.*

6633. **Acer rubrum** Linn. Spec. 1496. Michaux Arbr. II. t. 14. — ♂ — *Habitat in America boreali a Canada ad Floridam.*

6634. **Acer circinnatum** Pursh Flor. Bor. Amer. I. 267. — ♂ — *Habitat in America boreali.*

5559. **Negundo** Mönch.

6635. **Negundo fraxinifolium** Nutt. Gen. Am. I. 253. *Acer Negundo* Linn. Spec. 1497. — 5 — *Habitat in America boreali a Pennsylvania ad Carolinam.*
 β. *Angustifolium.* — γ. *Crispum.*

Ordo CLIX. **Malpighiaceae.**5572. **Hiptage** Gärtn.

6636. **Hiptage Madablota** Gärtner Carp. II. 169. t. 116. *Gärtnera racemosa* Roxburgh Plant. Corom. I. 19. t. 18. — 5 — *Habitat in India orientali.*

5575. **Heteropterys** H. B. K.

6637. **Heteropterys purpurea** Kunth in Humb. et Bonpl. Nov. gen. et sp. V. 163. *Banisteria purpurea* Linn. Spec. 611. — ♂ ♀ — *Habitat in Antillis.*

6638. **Heteropterys brachiata** Kunth in Humb. et Bonpl. Nov. gen. et sp. V. 163. *Banisteria brachiata* Linn. Hort. Cliff. 169. — ♂ ♀ — *Habitat in America tropica.*

- 6639 **Heteropterys chrysophylla** Kunth in Humb. et Bonpl. Nov. gen. et sp. V. 163. *Banisteria chrysophylla* Lam. Dict. I. 368. Jacq. Hort. Schönbr. t. 105. — ♂ ♀ — *Habitat in Brasilia.*

6640. **Heteropterys argentea** Kunth in Humb. et Bonpl. Nov. gen. et sp. V. 163. — ♂ ♀ — *Habitat in regno Novo-Granatensi.*

5579. **Banisteria** Linn.

6641. **Banisteria angulosa** Linn. Spec. 611. Cav. Diss. t. 252. — ♂ ♀ — *Habitat in Antillis.*

6642. **Banisteria auriculata** Cav. Diss. V. 428. t. 255. — ♂ ♀ — *Habitat in Brasilia.*

6643. **Banisteria splendens** DC. Prodr. I.

588. *Banisteria fulgens* Lam. Dict. I. 368. *Banisteria heterophylla* Willdenow Spec. II. 742. — ♂ — *Habitat in America tropica.*

6644. *Banisteria volubilis*. *Malpighia volubilis* Sims Bot. Mag. t. 809. — ♂ — *Habitat in Antillis.*

5585. *Malpighia* Linn.

• Urentes.

6645. *Malpighia fucata* Ker in Bot. Reg. t. 189. *Malpighia macrophylla* Desfont. Catalog. 160. — ♂ — *Habitat in Antillis.*

6646. *Malpighia urens* Linn. Spec. 610. Cav. Diss. t. 235. f. 1. Miller Ic. t. 181. — ♂ — *Habitat in America tropica.*

6647. *Malpighia cubensis* Kunth in Humb. et Bonpl. Nov. gen. et sp. V. 145. — ♂ — *Habitat in insula Cuba.*

6648. *Malpighia angustifolia* Linn. Spec. 610. Cav. Diss. t. 236. f. 1. *Malpighia linearis* Jacq. Amer. 135. — ♂ — *Habitat in America tropica.*

6649. *Malpighia aquifolia* Linn. Spec. 611. Cav. Diss. t. 236. f. 2. — ♂ — *Habitat in America tropica.*

** Apyrac.

6650. *Malpighia coccifera* Linn. ed. Reich. II. 371. Cav. Diss. t. 235. f. 2. Jacq. Ic. rar. t. 470. *Malpighia coccigyna* Linn. Spec. 611. — ♂ — *Habitat in America tropica.*

6651. *Malpighia glabra* Linn. Spec. 609. Cav. Diss. t. 234. f. 1. — ♂ — *Habitat in America tropica.*

5586. *Bunchosia* L. C. Rich.

6652. *Bunchosia glandulifera* Kunth in Humb. et Bonpl. Nov. gen. et sp. V. 154. *Malpighia glandulosa* Jacq. Ic. rar. t. 469. *Malpighia glandulifera* Jacq. Collect. IV. 207. V. 5. f. 3. — ♂ — *Habitat in sylvis ad Caracas et in Guadeloupa.*

6653. **Bunchosia polystachya** DC. Prodr. I. 581. *Malpighia polystachya* Andrews Bot. Reposit. t. 604. — 5 — *Habitat in regno Novo-Granatensi.*

6654. **Bunchosia tuberculata** DC. Prodr. I. 581. *Malpighia tuberculata* Jacq. Hort. Schönbr. I. 54. t. 104. — 5 — *Habitat ad Caracas.*

6655. **Bunchosia argentea** DC. Prodr. I. 582. *Malpighia argentea* Jacq. Fragm. 186. t. 83. — 5 — *Habitat ad Caracas.*

6656. **Bunchosia nitida** DC. Prodr. I. 582. *Malpighia nitida* Linn. Spec. 609. Cav. Diss. t. 239. f. 1. — 5 — *Habitat in Antillis.*

5592. **Byrsonima** L. C. Rich.

6657. **Byrsonima lucida** DC. Prodr. I. 580. *Malpighia lucida* Swartz Flor. Ind. occid. II. 852. — 5 — *Habitat in Antillis.*

* **Coriariae**.

5596. **Coriaria** Linn.

6658. **Coriaria myrtifolia** Linn. Spec. 1467. Schkuhr Handb. t. 334. — 3 — *Habitat in Europa australi.*

Ordo CLX. **Sapindaceae.**

Tribus I. **Sapindeae.**

5598. **Cardiospermum** Linn.

6659. **Cardiospermum Halicacabum** Linn. Spec. 925. — ☉ — *Habitat in India orientali.*

5600. **Serjania** Plum.

6660. **Serjania mexicana** Willdenow Spec.

III. 465. *Paullinia mexicana* Linn. Spec. 525. — ♂ —
Habitat in Mexico.

5610. *Sapindus* Linn.

6661. *Sapindus Saponaria* Linn. Spec. 526.
 — ♂ — *Habitat in America tropica.*

6662. *Sapindus indicus* Poiret Dict. VI. 667.
 — ♂ — *Habitat in India.*

5617. *Nephelium* Linn.

6663. *Nephelium Longanum* Cambess. in
 Mem. Mus. XVIII. 30. *Euphoria Longana* Lam. Dict.
 III. 574. *Dimocarpus Longan* Loureiro Flor. cochineh.
 I. 288. — ♂ — *Habitat in China et Cochinchina.*

Tribus II. *Dodonaeaceae*.

5622. *Koelreuteria* Lam.

6664. *Koelreuteria paniculata* Laxmann
 in Nov. Comm. Petrop. XVI. 561. t. 18. Duham. Arbr.
 ed. nov. t. 36. *Koelreuteria paullinioides* Heritier Sert.
 t. 19. *Sapindus chinensis* Linn. f. Suppl. p. 228. — ♂ —
Habitat in China.

5625. *Diplopeltis* Endl.

6665. *Diplopeltis Hügelii* Endl. Enum.
 Plant. Hügel. 13. Bot. Reg. 1839. t. 69. — ♂ — *Ha-*
bitat in Novae Hollandiae austro - occidentalis Colonia Swan-
River.

5626. *Dodonaea* Linn.

6666. *Dodonaea viscosa* Linn. Mant. 238.
 — ♂ — *Habitat inter tropicos totius orbis.*

6667. *Dodonaea humilis* Endl. Atakt. t.
 31. Nov. Stirp. Decad. n. 33. — ♂ — *Habitat in Nova*
Hollandia australi.

Ordo CLXII. Pittosporeae.

5661. **Pittosporum** Soland.

6686. **Pittosporum undulatum** Vent. Hort. Cels. t. 76. Bot. Reg. t. 16. Putterl. Pittosp. 6. — ♂ — *Habitat in Nova Hollandia.*

6687. **Pittosporum ferrugineum** Aiton Hort. kew. ed. 2. II. 27. Bot. Mag. t. 2075. Putterl. Pittosp. 8. — ♂ — *Habitat in Guinea.*

6688. **Pittosporum coriaceum** Ait. Hort. kew. ed. 1. III. 488. Andrews Bot. Reposit. t. 151. Putterl. Pittosp. 11. — ♂ — *Habitat in montibus insulae Madera.*

6689. **Pittosporum Tobira** Ait. Hort. kew. ed. 2. II. 27. Bot. Mag. t. 1306. Putterl. Pittosp. 12. — ♂ — *Habitat in Japonia.*

6690. **Pittosporum lanceolatum** Putterl. Pittosp. 17. *Senecia lanceolata* Lam. Illustr. n. 2710. — ♂ — *Habitat in insula Mauriti.*

5662. **Bursaria** Cav.

6691. **Bursaria spinosa** Cavan. Ic. IV. 30. t. 350. Bot. Mag. t. 1767. Putterl. Pittosp. 19. *Itea spinosa* Andrews Bot. Rep. t. 314. — ♂ — *Habitat in Nova Hollandia orientali et australi.*

5666. **Sollya** Lindl.

6692. **Sollya heterophylla** Lindley in Bot. Reg. t. 1460. Bot. Mag. t. 3523. Putterl. Pittosp. 25. *Billardiera fusiformis* Labillard. Nov. Holl. I. 65. t. 90. — ♂ — *Habitat in Nova Hollandia.*

5668. **Billardiera** Smith.

6693. **Billardiera scandens** Smith Nov. Holl. I. 1. Bot. Mag. t. 801. Putterl. Pittosp. 28. — ♂ — *Habitat in Nova Hollandia orientali.*

6694. **Billardiera mutabilis** Salisbury Parad. t. 48. Bot. Mag. t. 1313. Putterl. Pittosp. 29. — ♂ — *Habitat in Nova Hollandia orientali.*

Ordo CLXIII. Staphyleaceae.

5672. **Staphylea** Linn.

6695. **Staphylea trifolia** Linn. Spec. 386. Schmidt Oesterr. Baumz. II. t. 81. — ♂ — *Habitat in rupestribus Americae borealis.*

6696. **Staphylea pinnata** Linn. Spec. 386. Duham. Arbr. II. t. 77. — ♂ — *Habitat in sylvaticis Europae mediae et australis.*

Ordo CLXIV. Celastrineae.

5674. **Putterlickia** Endl.

6697. **Putterlickia pyracantha.** *Celastrus pyracanthus* Linn. Spec. 285. Miller Ic. t. 87. Bot. Mag. t. 1167. — ♂ — *Habitat in Capite bonae spei.*

5676. **Evonymus** Tournef.

6698. **Evonymus europaeus** Linn. Spec. 286. *Evonymus vulgaris* Miller Dict. n. 1. — ♂ — *Habitat in sepibus Europae.*

β. *Leucocarpus* DC. — γ. *Pumilus* Loud.

6699. **Evonymus verrucosus** Scopoli Carn. ed. 2. n. 268. Jacq. Flor. austr. t. 49. — ♂ — *Habitat in sylvis Austriae, Hungariae, Carnioliae.*

6700. **Evonymus latifolius** Jacq. Flor. austr. t. 289. — ♂ — *Habitat in sylvis Europae australioris.*

6701. **Evonymus nanus** Bieberst. Suppl. 160. — ♂ — *Habitat in Caucaso.*

6702. **Evonymus Hamiltonianus** Wallich Flor. ind. II. 403. — ♂ — *Habitat in Nepalia.*

6703. **Evonymus atropurpureus** Jacq. Hort. Vindob. II. t. 120. — ♂ — *Habitat in America boreali.*

6704. **Evonymus americanus** Linn. Spec. 1286. Duham. ed. nov. III. t. 9. — ♂ — *Habitat in Virginia et Carolina.*

β. *Sarmentosus* Nuttall Gen. I. 154.

6705. **Evonymus obovatus** Nuttall Gen. I. 155. — ♂ — *Habitat in paludosis Americae borealis.*

6706. **Evonymus japonicus** Thunberg Japon. 100. Hellenius in Usteri Delect. I. 84. t. 4. Banks Ic. Kaempf. t. 8. — ♂ — *Habitat in Japonia et Nepalia.*

5679. **Celastrus** Kunth.

6707. **Celastrus scandens** Linn. Spec. 1285. Schkuhr t. 47. — ♂ — *Habitat in America boreali.*

6708. **Celastrus buxifolius** Linn. Spec. 1285. — ♂ — *Habitat in Capite bonae spei.*

Ordo CLXV. **Ilicineae.**

5704. **Cassine** Linn.

6709. **Cassine Maurocenia** Linn. Spec. 385. — ♂ — *Habitat in Capite bonae spei.*

6710. **Cassine capensis** Linn. Mant. 120. — ♂ — *Habitat in Capite bonae spei.*

5705. **Ilex** Linn.

6711. **Ilex Aquifolium** Linn. Spec. 181. E. B. t. 496. — ♂ — *Habitat in Europa.*

6712. **Ilex Schottii**. — ♂ — *Habitat in Nova Hollandia.*

6713. **Ilex salicifolia** Jacq. Collect. V. 36. t. 2. f. 2. — ♂ — *Habitat in insula Mauriti.*

5706. **Prinos** Linn.

6714. **Prinos glaber** Linn. Spec. 471. — 5 —
Habitat in sylvis arenosis Americae borealis.

* **Nitrariaceae.**5714. **Nitraria** Linn.

6715. **Nitraria Schoberi** Linn. Spec. 638.
 Lam. t. 403. — 8 — *Habitat ad lacus salcos Rossiae australis.*

Ordo CLXVI. Rhamneae.5716. **Paliurus** Tournef.

6716. **Paliurus aculeatus** Lam. Illustr. t. 210. *Paliurus australis* Gärtner Carp. t. 43. *Zizyphus Paliurus* Willdenow Spec. I. 1103. *Rhamnus Paliurus* Linn. Spec. 281. — 8 — *Habitat in sterilibus Europae australis.*

5717. **Zizyphus** Tournef.

6717. **Zizyphus vulgaris** Lam. Illustr. t. 185. f. 1. *Rhamnus Zizyphus* Linn. Spec. 282. — 5 — *Habitat in Syria, Octaviano Augusto imperante in Europam introductis.*

5719. **Berchemia** Neck.

6718. **Berchemia volubilis** DC. Prodr. II. 22. *Zizyphus volubilis* Willdenow Spec. I. 1102. *Rhamnus volubilis* Linn. f. Suppl. 132. Jacq. Ic. rar. t. 336. — 8 — *Habitat in Carolina et Virginia.*

5720. **Sageretia** Brongn.

6719. **Sageretia theezans** Brongn. in Annal. sc. nat. X. 359. *Rhamnus theezans* Linn. Mant. 207. — 8 — *Habitat in China.*

5722. **Rhamnus** Juss.

α. **Rhamnus** Brongn.

α. *Alaternus* Tournef.

6720. **Rhamnus Alaternus** Linn. Spec. 281. Duham. Ed. nov. III. 42. t. 14. — ♂ — *Habitat in Europa australi.*

β. *Balearicus* Hort. Paris. *Rhamnus rotundifolius* Dumont Cours. VI. 260.

γ. *Angustifolius* DC. Prodr. II. 23. *Rhamnus Clusii* Willd. Enum. I. 250.

6721. **Rhamnus hybridus** Heritier Sert. t. 5. *Rhamnus burgundiacus* Hort. Paris. *Rhamnus sempervirens* Hort. — ♂ — *Proles hybrida Rh. Alpino matre et Rh. Alaterno patre.*

6722. **Rhamnus glandulosus** Aiton Hort. kew. ed. 1. I. 265. Vent. Malmais. t. 34. — ♂ — *Habitat in Madera et Canariis.*

β. *Cervispina* Dill.

6723. **Rhamnus catharticus** Linn. Spec. 280. E. B. t. 1629. — ♂ — *Habitat in sepibus Europae.*

6724. **Rhamnus tinctorius** Waldst. et Kitaibel Plant. rar. Hung. III. t. 255. — ♂ — *Habitat in sepibus vinearum Syrmii et Banatus.*

6725. **Rhamnus infectorius** Linn. Mant. 49. — ♂ — *Habitat in sterilibus Europae australis.*

6726. **Rhamnus saxatilis** Linn. Spec. 1671. Jacq. Flor. austr. t. 53. — ♂ — *Habitat in Europa australiore.*

6727. **Rhamnus crenulatus** Aiton Hort. kew. ed. 1. I. 263. — ♂ — *Habitat in montibus Teneriffae.*

6728. **Rhamnus lycioides** Linn. Spec. 279. Cavanill. Ic. t. 182. — ♂ — *Habitat in Hispania.*

6729. **Rhamnus Erythroxyton** Pallas Flor. ross. II. t. 62. — ♂ — *Habitat in rupestribus Sibiriae.*

6730. **Rhamnus Pallasii** Fisch. et Mey. In-

dex Sem. Hort. Petrop. 1837. IV. 46. *Rhamnus lycioides* Pallas Flor. ross. II. t. 83. non Linn. *Rhamnus Erythroxyton* Bieberst. Flor. Taur. I. 168. non Linn.

— ♂ — *Habitat in Caucaso, Iberia et Persia boreali.*

6731. *Rhamnus spathulaefolius* Fischer et Meyer Index Sem. Hort. Petrop. 1837. IV. 46.

— ♂ — *Habitat in Caucaso.*

6732. *Rhamnus pumilus* Linn. Mant. 49.

— ♂ — *Habitat in saxosis asperis Europae.*

β. *Rupestris* Vill. Delph. II. 531.

6733. *Rhamnus alpinus* Linn. Spec. 280.

— ♂ — *Habitat in montibus Europae.*

6734. *Rhamnus dahuricus* Pallas Flor. ross. II. t. 61. — ♂ — *Habitat in Dahuria.*

6735. *Rhamnus alnifolius* Heritier Sert. 5. *Rhamnus franguloides* Michaux Flor. Bor. Amer. I. 153. — ♂ — *Habitat in sphagnetis Americae borealis.*

b. *Frangula* Tournef.

6736. *Rhamnus Frangula* Linn. Spec. 280.

— ♂ — *Habitat in dumetis et sylvis Europae et Sibiriae.*

β. *Sibiricus.*

5723. *Karwinskia* Zucc.

6737. *Karwinskia umbellata.* *Rhamnus umbellatus* Cavan. Ic. VI. 2. t. 504. — ♂ — *Habitat in Mexico.*

5725. *Noltea* Reichenb.

6738. *Noltea africana.* *Willemetia africana* Brongn. in Annal. sc. nat. X. 370. t. 16. f. 1. *Vittmannia africana* Wight et Arn. Flor. Ind. or. I. 166. *Ceanothus africanus* Linn. Spec. 284. — ♂ — *Habitat in Capite bonae spei.*

5726. *Ceanothus* Linn.

6739. *Ceanothus azureus* Desfont. Catalog. 1815. p. 232. Bot. Reg. t. 291. *Ceanothus caeruleus* II.

Lagasca Nov. gen. et sp. 11. — ♂ — *Habitat in Mexico.*

Cortex febrifugus.

6740. **Ceanothus americanus** Linn. Spec. 284. Miller Ic. t. 57. Sims Bot. Mag. t. 1479. — ♂ — *Habitat in America boreali.*

5728. **Colubrina** L. C. Rich.

6741. **Colubrina asiatica** Brongniart in Annal. sc. nat. X. 369. t. 15. f. 3. *Ceanothus asiaticus*, Linn. Spec. 284. Cavan. Ic. t. 440. f. 1. — ♂ — *Habitat in Asia tropica.*

5736. **Walpersia** Reisseck.

6742. **Walpersia spicata.** *Trichocephalus spicatus* Brongn. in Annal. sc. nat. X. 374. *Phylica spicata* Linn. f. Suppl. 153. — ♂ — *Habitat in Capite bonae spei.*

5738. **Phylica** Linn.

6743. **Phylica rosmarinifolia** Lam. Illustr. n. 2614. Loddig. Bot. Cab. t. 849. — ♂ — *Habitat in Capite bonae spei.*

5739. **Tylanthus** Reisseck.

6744. **Tylanthus ericoides.** *Phylica ericoides* Linn. Spec. 283. Sprengel in Berl. Magaz. VIII. t. 8. f. 1. — ♂ — *Habitat in Capite bonae spei.*

6745. **Tylanthus acerosus.** *Phylica acerosa* Willd. Enum. n. 252. Sprengel in Berl. Magaz. VIII. t. 8. f. 2. — ♂ — *Habitat in Capite bonae spei.*

5740. **Soulangia** Brongn.

6746. **Soulangia axillaris** Brongn. in Annal. sc. nat. X. 377. *Phylica axillaris* Lam. Ill. n. 2615. Sprengel in Berl. Magaz. VIII. t. 8. f. 4. — ♂ — *Habitat in Capite bonae spei.*

5742. **Cryptandra** Smith.

6747. **Cryptandra ericifolia** Smith in Rees Cyclop. Rudge in Linn. Transact. X. 294. t. 18. f. 1.
— ♂ — *Habitat in Nova Hollandia orientali.*

5743. **Pomaderris** Labill.

6748. **Pomaderris apetala** Labill. Nov. Holl. I. 52. t. 87. — ♂ — *Habitat in insula Diemen.*

6749. **Pomaderris prunifolia** A. Cunningh. msc. ex Fenzl in Enum. Plant. Hügel. 22. in not.
— ♂ — *Habitat in Nova Hollandia orientali.*

6750. **Pomaderris betulina** A. Cunningh. in Bot. Mag. t. 3212. — ♂ — *Habitat in Nova Hollandia orientali.*

6751. **Pomaderris phyllocaefolia** Loddig. Bot. Cab. t. 120. — ♂ — *Habitat in Nova Hollandia.*

5744. **Trymalium** Fenzl.

6752. **Trymalium globulosum** Fenzl in Enum. Plant. Hügel. 25. *Ceanothus globulosa* Labill. Nov. Holl. I. 61. t. 85. — ♂ — *Habitat in Novae Hollandiae ora occidentali.*

Ordo CLXVII. Euphorbiaceae.

Tribus I. Euphorbieae.

5765. **Pedilanthus** Neck.

6753. **Pedilanthus tithymaloides** Poit. in Annal. Mus. XIX. 388. t. 19. Bot. Reg. t. 837. *Euphorbia tithymaloides* Linn. Spec. 649. — ♂ — *Habitat in America tropica.*

6754. **Pedilanthus carinatus** Spreng. Syst. III. 802. *Euphorbia carinata* Donn Bot. Mag. t. 2514.
— ♂ — *Habitat in Antillis.*

5766. **Euphorbia** Linn.

A. Fruticosae aculeatae.

* Aphyllae.

6755. **Euphorbia antiquorum** Linn. Spec.
 646. — ½ — *Habitat in India orientali.*
6756. **Euphorbia lactea** Haworth Succ. 127.
 — ½ — *Habitat in India orientali.*
6757. **Euphorbia trigona** Haworth Succ.
 127. — ½ — *Habitat in India orientali.*
6758. **Euphorbia canariensis** Linn. Spec.
 646. DC. Plant. gr. t. 140. — ½ — *Habitat in insu-
 lis Canariis.*
6759. **Euphorbia heptagona** Linn. Spec.
 647. Bradl. Suec. II. t. 13. — ½ — *Habitat in Capite
 bonae spei.*
6760. **Euphorbia erosa** Willd. Suppl. 27.
 — ½ — *Habitat in Capite bonae spei.*
6761. **Euphorbia mamillaris** Linn. Spec.
 647. Commel. Praelect. t. 9. — ½ — *Habitat in Ca-
 pite bonae spei.*
6762. **Euphorbia officinarum** Linn. Spec.
 647. DC. Plant. gr. t. 77. — ½ — *Habitat in Africa
 media et australi.*

** Superne foliatae.

6763. **Euphorbia nerifolia** Linn. Spec.
 648. DC. Plant. gr. t. 46. — ½ — *Habitat in India
 orientali.*

B. Fruticosae inermes.

* Adultae aphyllae.

6764. **Euphorbia Caput Medusae** Linn.
 Spec. 648. Loddig. Bot. Cab. t. 1315. — ½ — *Habi-
 tat in Capite bonae spei.*
6765. **Euphorbia Anacantha** Aiton Hort.
 kew. ed. 1. II. 136. Bot. Mag. t. 2520. — ½ — *Ha-
 bitat in Capite bonae spei.*

6766. **Euphorbia Ornithopus** Jacq. Fragm. t. 120. — ♀ — *Habitat in Capite bonae spei.*

6767. **Euphorbia meloniformis** Ait. Hort. kew. ed. 1. II. 135. Andrews Bot. Reposit. t. 617. — ♀ — *Habitat in Capite bonae spei.*

**** Superne foliatae.**

6768. **Euphorbia lophogona** Lam. Dict. II. 417. DC. Plant. gr. t. 124. — ♀ — *Habitat in Madagascar.*

6769. **Euphorbia mauritanica** Linn. Spec. 649. — ♀ — *Habitat in Mauritania.*

6770. **Euphorbia piscatoria** Aiton Hort. kew. ed. 1. II. 137. — ♀ — *Habitat in Madera et in insulis Canariis.*

6771. **Euphorbia Tirucalli** Linn. Spec. 649. — ♀ — *Habitat in India orientali.*

6772. **Euphorbia cotinifolia** Linn. Spec. 650. Hook. Exot. Flor. t. 59. — ♀ — *Habitat in Surinam.*

6773. **Euphorbia nudiflora** Jacq. Ic. rar. III. t. 470. — ♀ — *Habitat in Jamaica.*

6774. **Euphorbia spinosa** Linn. Spec. 655. — ♀ — *Habitat in Europa australi.*

6775. **Euphorbia genistoides** Linn. Mant. II. App. *Euphorbia spartioides* Jacq. Hort. Schönbr. t. 486. — ♂ — *Habitat in Capite bonae spei.*

6776. **Euphorbia dendroides** Linn. Spec. 662. — ♀ — *Habitat in Europa mediterranea.*

6777. **Euphorbia Characias** Linn. Spec. 662. — ♀ — *Habitat in Europa australi.*

C. Herbaceae floribus solitariis.

6778. **Euphorbia maculata** Linn. Spec. 652. Jacq. Hort. Vindob. II. t. 186. — ☉ — *Habitat in Antillis.*

6779. **Euphorbia picta** Jacq. Ic. rar. III. t. 477. — 2 — *Habitat in Nova Granada.*

6780. **Euphorbia ariensis** Kunth in Humb. et Bonpl. Nov. gen. et sp. II. 57. — 4 — *Habitat in Peru.*

6781. **Euphorbia canescens** Linn. Spec. 652. Cav. Ic. t. 63. — ☉ — *Habitat in Hispania.*

D. Herbaceae et suffruticosae floribus aggregatis.

6782. **Euphorbia heterophylla** Linn. Sp. 649. Plum. Ic. t. 251. f. 3. — 3 — *Habitat in Antillis.*

6783. **Euphorbia cyathophora** Jacq. Ic. rar. III. t. 480. — 4 — *Habitat in Antillis.*

6784. **Euphorbia geniculata** Ortega Decad. 18. *Euphorbia prunifolia* Jacq. Hort. Schönbr. t. 277. — 3 — *Habitat in Antillis.*

6785. **Euphorbia splendens** Bojer in Bot. Mag. t. 2902. — 3 — *Habitat in Madagascar.*

6786. **Euphorbia fulgens** Karwinski msc. *Euphorbia jacquiniæflora* Hort. — 3 — *Habitat in Mexico.*

6787. **Euphorbia prostrata** Ait. Hort. kew. ed. 1. II. 139. — ☉ — *Habitat in Antillis.*

E. Herbaceae et suffruticosae floribus umbellatis.

*** Umbella trifida.**

6788. **Euphorbia Peplus** Linn. Spec. 653. Flor. dan. t. 1100. — ☉ — *Habitat in cultis Europae.*

6789. **Euphorbia peploides** Gouan Monsp. 174. — ☉ — *Habitat in Europa australi.*

6790. **Euphorbia marginata** Pursh Flor. Bor. Amer. II. 607 — ☉ — *Habitat in America boreali.*

6791. **Euphorbia falcata** Linn. Spec. 654. Jacq. Flor. austr. t. 121. — ☉ — *Habitat inter segetes Europae.*

6792. **Euphorbia Lagascae** Spreng. Syst.

III. 798. *Euphorbia terracina* Lagasca. — 4 — *Habitat in Hispania.*

**** Umbella quadrifida.**

6793. *Euphorbia Lathyris* Linn. Spec. 655. E. B. t. 2255. — ☉ — *Habitat in Europa australiore.*

6794. *Euphorbia terracina* Linn. Spec. 654. — ☉ — *Habitat in Italia et Hispania.*

***** Umbella quinquefida. Capsulis laevibus.**

6795. *Euphorbia androsaemifolia* Schousb. Maroc. 62. — 4 — *Habitat in Hispania et Lusitania.*

6796. *Euphorbia valentina* Ortega in Pers. Ench. II. 15. — 4 — *Habitat in Hispania.*

6797. *Euphorbia Paralias* Linn. Spec. 657. Jacq. Hort. Vindob. II. t. 188. — 4 — *Habitat in arenosis maritimis Europae australis.*

6798. *Euphorbia helioscopia* Linn. Spec. 658. Schkuhr t. 129. — ☉ — *Habitat in cultis Europae.*

6799. *Euphorbia serrata* Linn. Spec. 658. — ☉ — *Habitat in Hispania.*

6800. *Euphorbia procera* Bieberst. Flor. Taur. cauc. I. 378. — 4 — *Habitat in Europa orientali et Caucaso.*

β. *Villosa* Waldst. et. Kit. Plant. rar. Hung. t. 93. — γ. *Pilosa* Rochel Banat. t. 6. f. 15.

****** Umbella quinquefida. Capsulae scabrae, verrucosae v. pilosae.**

6801. *Euphorbia segetalis* Linn. Spec. 657. — ☉ — *Habitat inter segetes Europae.*

6802. *Euphorbia dulcis* Linn. Spec. 656. Jacq. Flor. austr. t. 213. — 4 — *Habitat in pratis sylvaticis Europae mediae.*

6803. *Euphorbia verrucosa* Lam. Dict. II. 434. — 4 — *Habitat in incultis Europae mediae.*

6804. *Euphorbia ceratocarpa* Tenore Flor. Neap. t. 43. — 4 — *Habitat in agro Neapolitano.*

6805. *Euphorbia fragifera* Jan apud Link

Hort. berol. II. 16. Reichenb. Ic. t. 870. — 4 —
Habitat in montosis Italine superioris.

6806. **Euphorbia platyphyllos** Linn. Spec. 660. Jacq. Flor. austr. t. 376. — ☉ — *Habitat in Europa australiore.*

β. *Micrantha* Willd.

***** **Umbella multifida.**

6807. **Euphorbia salicifolia** Host Synops. 267. Waldst. et Kit. Plant. rar. Hung. t. 55. — 4 —
Habitat in pratis Austriae inferioris et Hungariae.

6808. **Euphorbia virgata** Waldst. et Kit. Plant. rar. Hung. t. 162. *Euphorbia uralensis* Fischer in Link Enum. II. 14. — 4 — *Habitat in Europa orientali et in Asia media.*

6809. **Euphorbia nicaeensis** Allioni Flor. Pedem. I. 285. t. 69. f. 1. Jacq. Ic. rar. t. 485. — 4 —
Habitat in Europa australiore.

β. *Glareosa* Bieberst. — γ. *Neapolitana* Tenor.

6810. **Euphorbia Myrsinites** Linn. Spec. 661. — 4 — *Habitat in Europa australi.*

6811. **Euphorbia caespitosa** Tenore Syllog. 235. — 4 — *Habitat in Calabria et Sicilia.*

6812. **Euphorbia lucida** Waldst. et Kitaib. Plant. rar. Hung. t. 54. — 4 — *Habitat in Hungaria.*

6813. **Euphorbia amygdaloides** Linn. Spec. 663. *Euphorbia sylvatica* Jacq. Flor. austr. t. 375. — 4 — *Habitat in Europa media.*

6814. **Euphorbia Gerardiana** Jacq. Flor. austr. V. 17. t. 36. — 4 — *Habitat in Europa media et australi.*

6815. **Euphorbia Cyparissias** Linn. Spec. 661. Jacq. Flor. austr. t. 435. — 4 — *Habitat secus vias.*

6816. **Euphorbia palustris** Linn. Spec. 662. — 4 — *Habitat in pratis humidis et ad ripas Europae.*

5768. **Dalechampia** Linn.

6817. **Dalechampia scandens** Linn. Spec. 1423. — ☉ — *Habitat in America tropica.*

Tribus II. Hippomaneae.

5771. **Colliguaja** Molin.

6818. **Colliguaja odorifera** Molina Chili.
Hooker Bot. Misc. I. 139. t. 39. — 3 — *Habitat in Chili.*

5776. **Hura** Linn.

6819. **Hura crepitans** Linn. Spec. 1431. Lam.
Ill. t. 793. — 5 — *Habitat in America tropica.*

5779. **Omalanthus** Adr. Juss.

6820. **Omalanthus populifolius** Graham
in Bot. Mag. t. 2780. — 5 — *Habitat in Nova Hollandia.*

5780. **Sapium** Jacq.

6821. **Sapium Laurocerasum** Desfont.
Hort. Paris. ed. 3. p. 411. — 5 — *Habitat in Antillis.*

Tribus III. Acalypheae.

5786. **Mercurialis** Linn.

6822. **Mercurialis perennis** Linn. Spec.
1465. Flor. dan. t. 400. — 2 — *Habitat in sylvis montanis Europae.*

6823. **Mercurialis ovata** Sternb. et Hoppe
in Regensb. Denkschrift. II. 170. t. 4. — 2 — *Habitat in Europa australiore.*

6824. **Mercurialis tomentosa** Linn. Spec.
1465. — 2 — *Habitat in Hispania.*

5787. **Acalypha** Linn.

6825. **Acalypha caroliniana** Michaux Fl.
Bor. Amer. II. 216. Lam. Ill. t. 780. f. 2. — ☉ — *Habitat in Carolina.*

6826. **Acalypha rubra** Willd. Enum. 992.
— ☉ — *Patria ignota.*

6827. **Acalypha brachystachya** Willd. Enum. 992. — ☉ — *Habitat in China.*

6828. **Acalypha hispida** Willd. Enum. 993. — ☉ — *Habitat in China.*

6829. **Acalypha diversifolia** Jacq. Hort. Schönbr. II. t. 244 — ☿ — *Habitat ad Caracas.*

6830. **Acalypha virgata** Linn. Spec. 1423. — ☿ — *Habitat in Jamaica.*

6831. **Acalypha alopecuroides** Jacq. Ic. rar. III. t. 620. — ☉ -- *Habitat ad Caracas.*

Tribus IV. Crotoneae.

5805. **Jatropha** Kunth.

6832. **Jatropha panduraefolia** Andrews in Bot. Mag. t. 604. — ☿ — *Habitat in Cuba.*

5806. **Curcas** Adans.

6833. **Curcas Adansonii.** *Jatropha Curcas* Linn. Spec. 1429. Jacq. Hort. Vindob. III. t. 63. — ☿ — *Habitat in America australi.*

5807. **Cnidoscolus** Pohl.

6834. **Cnidoscolus quinquelobus** Pohl Plant. Brasil. I. 63. *Jatropha urens* Jacq. Hort. Vindob. I. t. 21. — ☿ — *Habitat in America tropica.*

6835. **Cnidoscolus napaeifolius.** *Jatropha napaeifolia* Desrouss in Lam. Dict. — ☿ — *Habitat in America tropica.*

5809. **Ricinus** Tournef.

6836. **Ricinus communis** Linn. Spec. 1430. Schkuhr Handb. 312. — ☉ — *Habitat in India orientali.*

5814. **Mozinna** Orteg.

6837. **Mozinna spathulata** Ortega Decad.

8. p. 105. t. 13. *Loureira cuneifolia* Cavanill, Ic. V. 17.
t. 429. — 3 — *Habitat in Mexico.*

5817. *Gelonium* Roxb.

6838. *Gelonium fasciculatum* Roxb. Flor.
Ind. or. III. 832. *Saragoda glabra* Hort. — 5 — *Habitat in India orientali.*

5818. *Codiaeum* Rumph.

6839. *Codiaeum chrysostichum* Spreng.
Syst. III. 866. *Croton pictus* Loddig. Bot. Cab. t. 870.
— 5 — *Habitat in China.*

5827. *Croton* Linn.

6840. *Croton adenophyllum* Bertero in
Spreng. Syst. III. 869. — 3 — *Habitat in Jamaica.*

6841. *Croton penicillatus* Vent. Choix t. 12.
— 3 — *Habitat in Cuba.*

5828. *Astraea* Klotsch.

6842. *Astraea lobata* Klotsch in Erichs. Ar-
chiv. VII. 1. 194. *Croton lobatus* Linn. Spec. 1427.
— ☉ — *Habitat in America australi.*

5840. *Cluytia* Willd. .

6843. *Cluytia pulchella* Willd. Spec. IV.
879. Bot. Mag. t. 1945. — 3 — *Habitat in Capite bo-
nae spei.*

6844. *Cluytia daphnoides* Willd. Hort. be-
rol. t. 52. — 3 — *Habitat in Capite bonae spei.*

5841. *Andrachne* Linn.

6845. *Andrachne telephioides* Linn. Spec.
1439. — 2 — *Habitat in Sicilia et Oriente.*

6846. *Andrachne aspera* Spreng. Syst. III.
884. — 2 — *Habitat in Aegypto.*

5847. **Phyllanthus** Swartz.**α. Xylophylla** Linn.

6847. **Phyllanthus latifolius** Swartz Flor. ind. occid. 1109. Bot. Mag. t. 1021. — ♀ — *Habitat in America tropica.*

6848. **Phyllanthus speciosus** Jacq. Ic. rar. III. t. 616. — ♀ — *Habitat in America tropica.*

6849. **Phyllanthus falcatus** Swartz Flor. ind. occid. 1115. Bot. Reg. t. 373. — ♀ — *Habitat in insulis Bahamensibus.*

6850. **Phyllanthus angustifolius** Swartz Flor. ind. occid. 1111. — ♀ — *Habitat in America tropica.*

6851. **Phyllanthus elongatus** Loddig. Bot. Cab. t. 1091. — ♀ — *Habitat in Jamaica.*

β. Phyllanthus Linn.

6852. **Phyllanthus verrucosus** Thunberg Flor. cap. 500. — ♀ — *Habitat in Cavite bonae spei.*

6853. **Phyllanthus juglandifolius** Willd. Enum. Suppl. 64 — ♀ — *Habitat in Antillis.*

6854. **Phyllanthus nutans** Swartz Flor. ind. occid. 1203. Jacq. Hort. Schönbr. t. 193. — ♀ — *Habitat in Jamaica.*

6855. **Phyllanthus Niruri** Linn. Spec. 1392. — ☉ — *Habitat in India orientali.*

6856. **Phyllanthus cantoniensis** Hornem. Hort. Hav. II. 910. — ☉ — *Habitat circa Cantonem Sinarum.*

5851. **Cicca** Linn.

6857. **Cicca disticha** Linn. Mant. I. Jacq. Hort. Schönbr. t. 194. — ♀ — *Habitat in India orientali.*

Tribus V. Buxae.

5865. **Geblera** Fisch. et Mey.

6858. **Geblera suffruticosa** Fisch. et Mey.

Index I. Sem. Hort. Petropolit. 1835. p. 18. *Xylophylla ramiflora* Ait. Hort. kew. ed. 1. I. 376. Schult. Syst. VI. 692. *Pharnaceum suffruticosum* Pallas It. III. 716. t. E. f. 2. *Suffrutex sesquipedalis bipedalisque*. — 3 — *Habitat in Dahuria*.

5869. *Buxus* Tournef.

6859. *Buxus sempervirens* Linn. Spec. 1394. E. B. t. 1341. — 3 — *Habitat in Europa australi*.
a. *Arborescens* Miller. a. *Olivaeformis*, 3 *Variegata*.
— b. *Angustifolia* Mill. — c. *Myrtifolia* Mill.

6860. *Buxus balearica* Willdenow Baumz. 50. Spec. IV. 337. *Buxus sempervirens*, var. *gigantea* Duham. Arbr. ed. nov. I. 82. t. 23. f. 1. — Vulgo Buis de Mahon. — 3 — *Habitat in Minorca, Sardinia et Corsica*.

5870. *Pachysandra* Michaux.

6861. *Pachysandra procumbens* Michaux Flor. Bor. Amer. II. 177 t. 45. Bot. Reg. t. 33. — 4 — *Habitat in America boreali*.

Ordo CLXVIII. Juglandeeae.

5889. *Carya* Nutt. Hickory.

6862. *Carya olivaeformis* Nuttall Gen. Bor. Amer. II. 221. *Juglans rubra* Gärtner Carp. II. 51. t. 89. *Juglans cylindrica* Lam. Dict. *Juglans Pecan* Mühlenb. in Verhandl. Berlin. naturf. Freund. III. 392. *Juglans angustifolia* Aiton Hort. kew. ed. 1. III. 360. *Juglans olivaeformis* Michaux Flor. Bor. Amer. II. 192. Arbr. I. t. 3. — 5 — *Habitat in America boreali in paludosis Louisianae superioris*.

Nuces hujus arboris, vulgo »Pecan-nut« deliciosae, in Antillas navibus vehuntur.

6863. *Carya amara* Nuttall Gen. Bor. Amer. II. 222. *Juglans amara* Michaux Arbr. I. 170. — 5 —

Habitat in Americae borealis provinciis New - Jersey et Illinois, locis paludosis, vulgo White Hickory et Swamp Hickory.

Semen amarum.

6864. **Carya tomentosa** Nuttall Gen. Bor. Amer. II. 221. *Juglans alba* Linn. Spec. 1415. *Juglans tomentosa* Michaux Flor. Bor. Amer. II. 637. Arbr. I. 186. t. 6. — δ — **Habitat in Americae borealis solo fertili, a Virginia ad Novam Angliam, vulgo »Mocker-nut.«**

6865. **Carya alba** Nuttall Gen. Bor. Amer. II. 221. *Juglans alba* Michaux Flor. Bor. Amer. II. 193. Arbr. II. 193. *Juglans squamosa* Michaux Arbr. I. 190. t. 7. *Juglans compressa* Gärtner Carp. II. 51. t. 19. — δ — **Habitat in America boreali. Nuces, vulgo »Kisky Thomas Nut« autochtones in anonam colligunt.**

6866. **Carya porcina** Nuttall Gen. Bor. Amer. II. 222. *Juglans porcina* Michaux Arbr. I. 206. t. 9. — δ — **Habitat in America boreali, vulgo »Pig-nut.«**

α . *Obcordata*. *Juglans obcordata* Mühlenb. in Willdenow Spec. IV. 458. — β . *Ficiformis* Michaux Arbr. I. 209. *Juglans glabra* Mühlenb. in Willdenow Spec. IV. 458. *Carya pyriformis* Hort.

5890. **Juglans** Linn.

6867. **Juglans regia** Linn. Spec. 1415. — δ — **Habitat in Persia et regione caspica inter 35° — 40° L. B. spontanea, passim per Europam culta.**

Var. α *Maxima*. Nux Juglans fructu maximo Bauhin Pin. 417. — β . *Sphaerocarpa*. — γ . *Tenera*. Nux Juglans fructu tenero et fragili putamine Bauhin Pin. 417. Vulgo Meisennuss. — δ . *Serotina*. Nux Juglans fructu serotino Bauhin Pin. 417.

6868. **Juglans nigra** Linn. Spec. 1415. Jacq. Ic. rar. t. 191. Michaux Arbr. I. 157. t. 1. — δ — **Habitat in America boreali, vulgo »Black Hickory.« Arbor centumpedalis.**

6869. **Juglans cinerea** Linn. Spec. 1415. Jacq. Ic. rar. t. 192. *Juglans cathartica* Michaux Arbr. I. 165. t. 2. *Juglans oblonga* Miller Dict. n. 3. — δ —

Habitat in America boreali, arbor quinquagintapedalis, vulgo » Oil - nut. «

5891. **Pterocarya** Kunth.

6870. **Pterocarya caucasica** Kunth in Annal. sc. nat. II. 346. *Juglans pterocarpa* Michaux Flor. Bor. Amer. II. 192. in not. *Juglans fraxinifolia* Lamond in Duham. Arbr. ed. nov. IV. 182. *Fraxinus laevigata* Hort. Paris. *Rhus obscurum* Bieberst. Flor. Taur. cauc. I. 170. — ♂ — *Habitat in Caucaso.*

Ordo CLXIX. Anacardiaceae.

5893. **Pistacia** Linn.

a. Terebinthus Tournef.

6871. **Pistacia vera** Linn. Spec. 1454. — ♂ — *Habitat in Syria.*

β. *Pistacia narbonensis* Linn. Spec. 1454.

6872. **Pistacia Terebinthus** Linn. Spec. 1455. Duham. Arbr. ed. 1. II. t. 87. — ♂ et ♀ ♂ — *Habitat in Europa australi, Africa boreali et Oriente.*

6873. **Pistacia atlantica** Desfont. Atl. II. 364. — ♂ — *Habitat in arenosis Barbariae.*

δ. Lentiscus Tournef.

6874. **Pistacia Lentiscus** Linn. Spec. 1455. Duham. Arbr. ed. nov. IV. t. 18. — ♂ — *Habitat in Europa australi, Africa boreali et Oriente.*

5901. **Schinus** Linn.

6875. **Schinus molle** Linn. Spec. 1467. Miller Ic. t. 246. — ♂ — *Habitat in Brasilia.*

5902. **Duvana** Kunth.

6876. **Duvana dentata** DC. Prodr. II. 74.

Schinus dentatus Andrews Bot. Reg. t. 620. — ♂ — *Habitat in insulis Sandwicensibus.*

6877. *Duvaua dependens* DC. Prodr. II. 74. *Schinus dependens* Ortega Decad. 3. p. 102. *Amyris polygama* Cavanill. Ic. t. 239. — ♂ — *Habitat in Chili.*

6878. *Duvaua latifolia* Gillies ex Lindley Bot. Reg. t. 1580. — ♂ — *Habitat in Chili.*

6879. *Duvaua ovata* Lindley in Bot. Reg. t. 1568. *Duvaua Molle* Bertero msc. — ♂ — *Habitat in Chili.*

5905. *Rhus* Linn.

a. *Cotinus* Tournef.

6880. *Rhus Cotinus* Linn. Spec. 383. Jacq. Flor. austr. t. 238. — ♂ — *Habitat in Europa austriore, ab Hispania ad Caucasum.*

b. *Sumac* DC.

6881. *Rhus coriaria* Linn. Spec. 379. Duham. Arbr. ed. nov. II. t. 46. — ♂ — *Habitat in Europa australi.*

6882. *Rhus typhina* Linn. Spec. 380. Duham. Arbr. ed. nov. II. t. 47. — ♂ — *Habitat in America boreali.*

α. *Arborescens* Willd. Enum. 323.

β. *Frutescens* Willd. Enum. 323.

γ. *Viridiflora*. *Rhus viridiflora* Poir. Dict. VII. 504. Americanis vulgo *Stag-horn Sumach* dicitur.

6883. *Rhus glabra* Linn. Spec. 380. — ♂ — *Habitat in America boreali.*

6884. *Rhus pumila* Michaux Flor. Bor. Am. I. 182. — ♂ — *Habitat in Carolina superiore.*

Species omnium venenatissima creditur.

6885. *Rhus copallina* Linn. Spec. 380. Jacq. Hort. Schönbr. t. 341. — ♂ — *Habitat in America boreali.*

δ. *Leucantha* Jacq. Op. cit. t. 342.

6886. *Rhus Toxicodendron* Torr. et A.

Gray Flor. of North - Amer. I. 218. — ♂ — *Habitat in America boreali.*

α. *Verna.* *Rhus Toxicodendron* Linn. Spec. 381. — *Poison - Oak.*

β. *Radicans.* *Rhus radicans* Linn. Spec. 381. — *Poison - Ivy.*

6887. *Rhus lucida* Linn. Spec. 382. — ♂ — *Habitat in Capite bonae spei.*

6888. *Rhus villosa* Linn. f. Suppl. 183. — ♂ — *Habitat in Capite bonae spei.*

6889. *Rhus pendulina* Jacq. ex Willd. Enum. 324. — ♂ — *Habitat in Capite bonae spei.*

6890. *Rhus viminalis* Vahl Symb. III. 50. Jacq. Hort. Schönbr. t. 344. — ♂ — *Habitat in Capite bonae spei.*

6891. *Rhus undulata* Jacq. Hort. Schönbr. t. 346. — ♂ — *Habitat in Capite bonae spei.*

6892. *Rhus cuneifolia* Desfont. Cat. Hort. Paris. ed. 2. p. 227. — ♂ — *Habitat in Capite bonae spei.*

6893. *Rhus tomentosa* Linn. Spec. 382. — ♂ — *Habitat in Capite bonae spei.*

c. *Lobadium* Raf.

6894. *Rhus aromatica* Aiton Hort. kew. ed. 1. I. 367. — ♂ — *Habitat in America boreali.*

Ordo CLXX. Burseraceae.

5933. *Bursera* Jacq.

6895. *Bursera gummifera* Jacq. Amer. 94. t. 65. — ♂ — *Habitat in insulis Caribaeis.*

Ordo CLXXI. Amyrideae.

5947. *Amyris* Linn.

6896. *Amyris maritima* Jacq. Amer. 107. — ♂ — *Habitat in Antillis.*

Ordo CLXXII. Zanthoxyleae.

5970. **Brucea** Mill.

6897. **Brucea antidysenterica** J. S. Mill. Fasc. t. 25. *Brucea ferruginea* Heritier Stirp. t. 10. *Woogikos* Bruce It. t. 43. — 5 — *Habitat in Abyssinia.*

5972. **Zanthoxylum** Linn.

6898. **Zanthoxylum fraxineum** Willd. Spec. IV. 757. (Duham. Arbr. ed. nov. I. t. 97.) — 5 — *Habitat in America boreali.*

6899. **Zanthoxylum Pterota** Kunth in Humb. et Bonpl. Nov. gen. et sp. VI. 3. *Fagara Pterota* Linn. Amoen. Academ. V. 393. — 5 — *Habitat in Antillis.*

5975. **Toddalia** Juss.

6900. **Toddalia aculeata** Persoon Encheir. I. 249. *Scopolia aculeata* Smith Ic. inedit. II. 34. — 5 — *Habitat in insula Mauritii et Moluccis.*

6901. **Toddalia angustifolia** Lam. Ill. n. 2759. — 5 — *Habitat in insula Mauritii.*

5977. **Ptelea** Linn.

6902. **Ptelea trifoliata** Linn. Spec. 173. Miller Ic. t. 211. — 5 — *Habitat in America boreali.*

5978. **Acronychia** Forst.

6903. **Acronychia oblongifolia.** *Cyminosma oblongifolia* A. Cunningh. ex Hooker Bot. Mag. t. 3322. — 5 — *Habitat in Nova Cambria australi.*

6904. **Acronychia ovata.** *Cyminosma ovata* Hort. — 5 — *Habitat in Nova Hollandia.*

5980. **Ailantus** Desf.

6905. **Ailantus glandulosa** Desfont. Act. Academ. Paris. 1786. p. 263 t. 8. Herit. Stirp. t. 84. — 5 — *Habitat in China et Moluccis, ubi vulgo Ailanto dicitur.*

Ordo CLXXIII. Diosmeae.

5995. *Melicope* Forst.

6906. *Melicope ternata* Forst. Char. gen. 28. Lam. t. 294. *Entoganum laevigatum* Gärtn. Carp. I. 331. t. 68. — ♂ — *Habitat in Nova Zeelandia.*

6003. *Zieria* Smith.

6907. *Zieria lanceolata* R. Brown ex Smith Cycl. n. 1. *Zieria Smithii* Andrews Bot. Reposit. t. 606. Bot. Mag. t. 1395. Bonpl. Nav. t. 24. — ♂ — *Habitat in Nova Hollandia orientali.*

6908. *Zieria macrophylla* Bonpl. Nav. 64. DC. Prodr. I. 723. — ♂ — *Habitat in Nova Hollandia orientali.*

Observ. Planta in hortis non rara, quae nunquam tamen nobis floruit, monente el. R. Brown distincti generis typus.

6004. *Boronia* Smith.

6909. *Boronia alata* Smith in Linn. Transact. VIII. 283. — ♂ — *Habitat in Nova Hollandia occidentali.*

6910. *Boronia Rinzii* Hügel msc. — ♂ — *Habitat in Novae Hollandiae colonia Swan - River.*

6911. *Boronia serrulata* Smith in Linn. Transact. VIII. 284. — ♂ — *Habitat in Nova Hollandia ad Port Jackson.*

6912. *Boronia denticulata* Smith in Linn. Transact. VIII. 284. — ♂ — *Habitat in Nova Hollandia ad portum Regis Georgii.*

6006. *Eriostemon* Smith.

6913. *Eriostemon buxifolium* Smith in Rees Cyclop. 13. n. 2. — ♂ — *Habitat in Nova Hollandia ad Port Jackson.*

6011. *Diplolaena* Desf.

6914. *Diplolaena Dampierii* Desfont. in Mem. Mus. III. 449. t. 20. — ♂ — *Habitat in Nova Hollandia austro - occidentali.*

6012. **Correa** Smith.

6915. **Correa alba** Andrews Bot. Reposit. t. 18. Vent. Malm. t. 13. — ♂ — *Habitat in Nova Hollandia orientali.*

6916. **Correa speciosa** Andrews Bot. Reposit. t. 653. Bot. Mag. t. 1746. — ♂ — *Habitat in Nova Hollandia orientali.*

6917. **Correa pulchella** R. Brown ex Sweet Fl. austr. t. 1. — ♂ — *Habitat in Nova Hollandia australi.*

6015. **Adenandra** Willd.

6918. **Adenandra umbellata** Willdenow Enum. 257. *Glandulifolia umbellata* Wendl. Collect. t. 10. — ♂ — *Habitat in Capite bonae spei.*

6016. **Coleonema** Bartl. et Wendl.

6919. **Coleonema pulchrum** Hooker in Bot. Mag. t. 3340. *Diosma angustifolia* Hort. — ♂ — *Habitat in Capite bonae spei.*

6020. **Barosma** Willd.

6920. **Barosma apiculata** Ecklon et Zeyh. Enum. Plant. Cap. 104. *Agathosma apiculata* Meyer in Bartl. et Wendl. Beitr. I. 176. *Diosma apiculata* Sprengel Syst. I. 787. — ♂ — *Habitat in Capite bonae spei.*

6024. **Dictamnus** Linn.

6921. **Dictamnus Fraxinella** Persoon Encheir. I. 464. *Dictamnus albus* Linn. Spec. 548. — 2 — *Habitat in Europa australiore.*

a. *Purpureus* DC. Prodr. I. 712. *Dictamnus Fraxinella* Link Enum. I. 398. (Jacq. Flor. austr. t. 428)

b. *Albus* DC. Prodr. I. 712. *Dictamnus albus* Link Enum. I. 398.

6922. **Dictamnus angustifolius** Sweet Fl. Gard. n. 5. t. 93. *Dictamnus dahuricus* Hort. — 2 — *Habitat in Altai.*

Ordo CLXXIV. Rutaceae.

6025. *Peganum* Linn.

6923. *Peganum Harmala* Linn. Spec. 638.
Lam. t. 401. — 4 — *Habitat in regione mediterranea.*

6026. *Boenninghausenia* Reichenb.

6924. *Boenninghausenia albiflora*. *Ruta albiflora* Hooker Exot. Flor. t. 79. — 4 — *Habitat in Nepalia.*

6027. *Ruta* Tournef.

6925. *Ruta bracteosa* DC. Prodr. I. 710.
— 4 — *Habitat in Sicilia.*

6926. *Ruta angustifolia* Persoon Encheir. I. 462. *Ruta halepensis* var. β . Linn. Mant. 69. Bot. Mag. t. 2311. — 4 — *Habitat in Europa mediterranea.*

6927. *Ruta montana* Clus. Hist. II. 136. *Ruta legitima* Jacq. Ic. rar. t. 76. *Ruta tenuifolia* Desfont. Flor. atl. I. 336. — 4 — *Habitat in regione mediterranea.*

6928. *Ruta graveolens* Linn. Spec. 548. excl. var. — 4 — *Habitat in Europa australiore.*

6929. *Ruta divaricata* Tenore Flor. neap. t. 26. — 4 — *Habitat in Calabria, Graecia, Tauria.*

6930. *Ruta crithmifolia* Moricand ex DC. Prodr. I. 710. — 4 — *Habitat in littorali austriaco.*

6028. *Haplophyllum* Adr. Juss.

6931. *Haplophyllum patavinum*. *Ruta patavina* Linn. Spec. 549. — 4 — *Habitat in Italia.*

Ordo CLXXV. Zygophylleae.

6030. *Tribulus* Tournef.

6932. *Tribulus terrestris* Linn. Spec. 554.

Schkuhr t. 115. — ☉ — *Habitat in Europa australi et inter tropicos lotius orbis.*

6031. Kallströmia Scop.

6033. **Kallströmia cistoides** Endl. in Annal. Wiener Mus. I. 184. *Tribulus cistoides* Jacq. Hort. Schönbr. t. 103. Bot. Reg. t. 791. — 2 — *Habitat in America tropica et in insulis Sandwicensibus.*

6034. Fagonia Tournef.

6034. **Fagonia cretica** Linn. Spec. 553. Bot. Mag. t. 241. — 2 — *Habitat in oris mediterraneis.*

6036. Zygomphyllum Linn.

6035. **Zygomphyllum Fabago** Linn. Spec. 551. Lam. t. 345. f. 1. — 2 — *Habitat in Asia et Africa mediterranea.*

6036. **Zygomphyllum foetidum** Schrad. et Wendl. Sert. Hanov. 17. t. 19. — 2 — *Habitat in Capite bonae spei.*

6037. **Zygomphyllum Lichtensteinianum** Nees in Linnaea V. 47. — 2 — *Habitat in Capite bonae spei.*

6039. Porlieria Ruiz et Pav.

6038. **Porlieria hygrometica** Ruiz et Pavon Syst. 94. — 3 — *Habitat in Peruvia.*

6041. Guaiacum Plum.

6039. **Guaiacum officinale** Linn. Spec. 546. Bot. Reg. 1839. t. 9. — 5 — *Habitat in America tropica.*

***Meliantheae.**

6043. Melianthus Tournef.

6040. **Melianthus major** Linn. Spec. 892.

Bot. Reg. t. 45. — 3 — *Habitat in Capite bonae spei.*

6941. **Melianthus minor** Linn. Spec. 892.
— 3 — *Habitat in Capite bonae spei.*

Ordo CLXXVI. Geraniaceae.

6045. **Erodium** Herit.

6942. **Erodium laciniatum** Cavanill. Dissert. IV. 228. t. 113. f. 3. DC. Prodr. I. 646. — 2 — *Habitat in arenosis maritimis orae mediterraneae.*

6943. **Erodium Botrys** Bertoloni Amoen. it. 35. DC. Prodr. I. 647. **Geranium Botrys** Cavanill. Dissert. IV. t. 90. f. 2. — 2 — *Habitat in Italia.*

6944. **Erodium ciconium** Willd. Spec. III. 629. DC. Prodr. I. 646. — ☉ — *Habitat in ruderatis regionis mediterraneae.*

6945. **Erodium cicutarium** Lemon in DC. Fl. fr. IV. 840. — ☉ — *Habitat in ruderatis Europae et Orientis.*

β. **Pimpinellaefolium** Cav. Diss. IV. t. 126. f. 1.

6946. **Erodium gruinum** Willd. Spec. III. 633. **Geranium gruinum** Linn. Spec. 952. Cav. Diss. IV. t. 88. f. 2. — ☉ — *Habitat in Creta, Africa boreali et Hispania.*

6947. **Erodium serotinum** Steven in Mem. Academ. St. Peterb. III. 297. t. 15. f. 2. **Erodium ruthenicum** Bieberst. Cent. t. 48. **Erodium multicaule** Link Enum. II. 184. Sweet Geran. t. 137. — ☉ — *Habitat in campis ad Tyrum et mare nigrum.*

6948. **Erodium hymenodes** Herit. Geran. t. 4. DC. Prodr. I. 647. **Geranium geifolium** Desfont. Flor. atlant. II. 108. **Geranium trifolium** Cavanill. Dissert. IV. t. 97. f. 3. **Erodium trilobatum** Jacq. Ic. rar. t. 508. — 2 — *Habitat in fissuris rupium Atlantis.*

6949. **Erodium Gussoni** Tenore Prodr. 39. DC. Prodr. I. 648. — 2 — *Crescit in pratis apricis regni Neapolitani.*

6950. **Erodium malachoides** Willd. Spec. III. 639. Cav. Diss. IV. t. 91. f. 1. DC. Prodr. I. 648. — ☉ — *Habitat in Europa australi et insulis Canariis.*

6951. **Erodium maritimum** Smith Fl. Brit. II. 728. DC. Prodr. I. 648. — 4 — *Habitat in maritimis Angliae et Galliae.*

6952. **Erodium Reichardi** DC. Prodr. I. 649. **Geranium Reichardi** Murray Comment. Götting. 1780. p. 11. t. 3. **Geranium parvulum** Scopoli Delic. 8. t. 3. f. B. **Erodium chamaedryoides** Heritier Geran. t. 6. — 4 — *Habitat in insula Mayorca.*

6046. **Geranium** Herit.

• **Perennia, pedunculis unifloris.**

6953. **Geranium sanguineum** Linn. Spec. 958. Flor. dan. t. 1107. DC. Prodr. I. 639. — 4 — *Habitat in sylvaticis Europae.*

β. *Prostratum* Cav. Diss. IV. 196. t. 76. f. 3. **Geranium lancastricense** Withering Arrang. 600.

** **Perennia, pedunculis bifloris.**

6954. **Geranium anemonifolium** Heritier Geran. t. 36. DC. Prodr. I. 640. **Geranium palmatum** Cavanill. Dissert. IV. t. 84. f. 2. — 5 — *Habitat in Madeira et Teneriffa.*

6955. **Geranium macrorhizon** Linn. Mant. 343. Jacq. Ic. rar. t. 134. Cavanill. Diss. IV. 212. t. 25. Bot. Mag. t. 2420. — 4 — *Habitat in Europa austro-orientali.*

6956. **Geranium tuberosum** Linn. Spec. 953. Sweet Geran. t. 155. DC. Prodr. I. 640. — 4 — *Habitat in campestribus regionis mediterraneae.*

6957. **Geranium ibericum** Cavanill. Diss. IV. 209. t. 124. f. 1. Bot. Mag. t. 1386. DC. Prodr. I. 640. — 4 — *Habitat in Iberia.*

6958. **Geranium nodosum** Linn. Spec. 953. Cavanill. Dissert. IV. t. 80. f. 2. DC. Prodr. I. 640. — 4 — *Habitat in Anglia, Gallia, Italia.*

6959. **Geranium Wallichianum** Sweet
Geran. t. 90. Bot. Mag. t. 2377. DC. Prodr. I. 641.

— 24 — *Habitat in montibus Nepaliae.*

6960. **Geranium Vlassovianum** Hortul.
ex DC. Mem. Soc. h. n. Genev. I. 441. Prodr. I. 641.

— 24 — *Habitat verisimiliter in Sibiria.*

6961. **Geranium striatum** Linn. Amoen.
Academ. IV. 282. Bot. Mag. t. 55. DC. Prodr. I. 641.

— 24 — *Habitat in Italia et Graecia.*

6962. **Geranium reflexum** Linn. Mant. 257.
Cavanill. Dissert. IV. t. 81. f. 1. — 24 — *Habitat in Italia.*

6963. **Geranium phaeum** Lam. Dict. II. 658.
DC. Prodr. I. 641. — 24 — *Habitat in montosis Europae mediae.*

6964. **Geranium eriostemon** Fischer msc.
ex DC. Prodr. I. 641. — 24 — *Habitat in betuletis Dahuriae.*

6965. **Geranium sylvaticum** Linn. Spec.
954. E. B. t. 221. DC. Prodr. I. 641. — 24 — *Habitat in sylvis et pascuis montanis Europae.*

6966. **Geranium pratense** Linn. Spec. 954.
E. B. t. 424. DC. Prodr. I. 641. — 24 — *Habitat in dumetis Europae.*

β. Floribus albis.

6967. **Geranium affine** Ledebour Flor. alt.
III. 229. — 24 — *Habitat in pratis ad fluvium Irtish.*

6968. **Geranium Richardsonii** Fisch. et
Trautv. Index Sem. Hort. Petrop. IV. 37. *Geranium albiflorum* Hooker Flor. Bor. Amer. t. 40. Bot. Mag. t. 3124. non Ledeb. — 24 — *Habitat in America boreali occidentali.*

6969. **Geranium albiflorum** Ledebour Flor.
alt. III. 231. Ic. t. 18. — 24 — *Habitat in Sibiria altaica.*

6970. **Geranium longipes** DC. in Mem.
Soc. Phys. Genev. I. 442. Prodr. I. 642. *Geranium Loudoni* Fischer ex Link Enum. II. 196. — 24 — *Habitat in pratis ad fluvium Irtisch.*

6971. **Geranium palustre** Linn. Amoen. Acad. IV. 323. Flor. dan. t. 596. DC. Prodr. I. 642. — 2 — *Habitat in paludosis subsylvaticis Europae.*

6972. **Geranium dahuricum** DC. Prodr. I. 642. — 2 — *Habitat in Dahuria.*

6973. **Geranium laetum** Ledebour Flor. alt. III. 228. Ic t. 148. **Geranium bifolium** Patrin. ex DC. Prodr. I. 642. — 2 — *Habitat in Sibiria altaica.*

6974. **Geranium nepalense** Sweet Geran. t. 12. DC. Prodr. I. 643. — 2 — *Habitat in Nepalia.*

6975. **Geranium cristatum** Steven in Mem. Soc. h. n. Mosq. IV. 50. t. 5. DC. Prodr. I. 643. **Geranium albanum** Bieberst. Flor. Taur. cauc. II. 137. — 2 — *Habitat in Iberia.*

6976. **Geranium nemorosum** Tenore Cat. Hort. Neap. 1819. p. 60. — 2 — *Habitat in nemoribus regni Neapolitani.*

*** **Annua, pedunculis bifloris.**

6977. **Geranium molle** Linn. Spec. 955. Flor. dan. t. 679. DC. Prodr. I. 643. — ☉ — *Habitat in ruderalis Europae.*

6978. **Geranium rotundifolium** Linn. Sp. 957. E B. t. 157. DC. Prodr. I. 643. — ☉ — *Habitat in pratis et pascuis Europae.*

6979. **Geranium columbinum** Linn. Spec. 956. Flor. dan. t. 1222. DC. Prodr. I. 643. — ☉ — *Habitat in arvis Europae.*

6980. **Geranium lanuginosum** Jacq. Hort. Schönbr. II. t. 140. — ☉ — *Patria ignota.*

6981. **Geranium bohemicum** Linn. Amoen. Acad. IV. 323. DC. Prodr. I. 644. — ☉ — *Habitat in Bohemiae, Silesiae et Valesiae montibus.*

6982. **Geranium divaricatum** Ehrh. Beitr. VII. 164. Waldst. et Kitaib. Plant. rar. Hung. t. 123. — ☉ — *Habitat in Hungaria, Vallesia, Caucaso.*

6983. **Geranium lucidum** Linn. Spec. 955. Flor. dan. t. 218. DC. Prodr. I. 644. — ☉ — *Habitat in rupestribus umbrosis Europae.*

6984. **Geranium Robertianum** Linn. Sp.
955. DC. Prodr. I. 644. -- ☉ — *Habitat in rupestribus Europae.*

6047. **Monsonia** Linn. f.

6985. **Monsonia lobata** Mont. Act. Gothob.
II. 1. i. t. 1. Bot. Mag. t. 385. *Monsonia filia* Linn. f.
Suppl. 341. — 2 — *Habitat in Capite bonae spei.*

6048. **Pelargonium** Herit.

a. **Dimacria** Lindl.

6986. **Pelargonium astragalifolium** Persoon Encheir. II. 227. — 2 — *Habitat in Capite bonae spei.*

b. **Peristera** DC.

6987. **Pelargonium humifusum** Willd. Enum. Suppl. 47. Jacq. f. Eclog. t. 99. — ☉ — *Habitat in Capite bonae spei.*

6988. **Pelargonium australe** Willd. Spec. III. 675. Jacq. f. Eclog. t. 100. — 2 — *Habitat in Nova Hollandia.*

c. **Otidia** Lindl.

6989. **Pelargonium ceratophyllum** Heritier Geran. t. 13. Bot. Mag. t. 315. — 3 — *Habitat in Capite bonae spei.*

6990. **Pelargonium crithmifolium** Smith Ic. pict. 1. t. 13. Jacq. Hort. Schönbr. t. 137. — 3 — *Habitat in Capite bonae spei.*

d. **Campylla** Sweet.

6991. **Pelargonium canum** Pers. Encheir. II. 229. *Campylla cana* Sweet Geran. t. 114. — 3 — *Habitat in Capite bonae spei.*

e. **Myrrhidium** DC.

6992. **Pelargonium coriandrifolium** Jacq. Collect. V. 142. Ic. rar. t. 528. — ☉ — *Habitat in Capite bonae spei.*

6993. **Pelargonium myrrhifolium** Aiton Hort. kew. II. 421. *Pelargonium betonicum* Jacq. Ic. rar. t. 531. — 4 — *Habitat in Capite bonae spei.*

f. **Jenkinsonia** Sweet.

6994. **Pelargonium Endlicherianum** Fenzl Pugill. Plant. Syr. et Tauri 6. — 4 — *Habitat in montibus Tauri occidentalis, e seminibus a Theodoro Kotschy missis natum.*

g. **Chorisma** Lindl.

6995. **Pelargonium tetragonum** Herit. Geran. t. 23. Jacq. Ic. rar. t. 133. DC. Plant. gr. t. 96. *Jenkinsonia tetragona* Sweet Geran. t. 99. — 3 — *Habitat in Capite bonae spei.*

A. **Pelargium.**

α. *Ciconia.*

6996. **Pelargonium zonale** Willd. Spec. III. 667. — 3 — *Habitat in Capite bonae spei.*

β. *Marginatum* Cav. Diss. IV. 230. — γ. *Speciosum* Hort.

6997. **Pelargonium inquinans** Aiton Hort. kew. II. 424. — 3 — *Habitat in insula St. Helenae.*

6998. **Pelargonium heterogamum** Heritier Geran. t. 18. — 3 — *Habitat in Capite bonae spei.*

6999. **Pelargonium Monstrum** Ait. Hort. kew. II. 425. Sweet Ger. t. 13. — 3 — *Habitat in Capite bonae spei.*

β. *Isopetaloidea.*

7000. **Pelargonium inodorum** Willd. Hort. berol. t. 34. Sweet Geran. t. 56. — 4 — *Habitat in Nova Hollandia.*

7001. **Pelargonium glomeratum** Jacq. f. Eclog. I. 146. t. 98. *Pelargonium australe* Sweet Geran. t. 68. — 4 — *Habitat in Nova Hollandia.*

7002. **Pelargonium odoratissimum** Ai-

ton Hort. kew. II. 419. — 24 — *Habitat in Capite bonae spei.*

7003. **Pelargonium fragrans** Willd. Hort. berol. I. t. 77. Sweet Geran. t. 172. — 3 — *Habitat in Capite bonae spei.*

7004. **Pelargonium anceps** Aiton Hort. kew. II. 40. Jacq. Collect. IV. 184. t. 22. f. 3. — 24 — *Habitat in Capite bonae spei.*

7005. **Pelargonium tabulare** Heritier Geran. t. 9. — 24 — *Habitat in Capite bonae spei.*

7006. **Pelargonium alchemilloides** Willd. III. 656. — 24 — *Habitat in Capite bonae spei.*

7007. **Pelargonium lobatum** Willd. Spec. III. 650. Sweet Geran. t. 51. — 24 — *Habitat in Capite bonae spei.*

7008. **Pelargonium gibbosum** Willdenow Spec. III. 684. Sweet Geran. t. 61. — 3 — *Habitat in Capite bonae spei.*

7009. **Pelargonium triste** Ait. Hort. kew. II. 418. — 24 — *Habitat in Capite bonae spei.*

β. *Var.* Sims Bot. Mag. t. 1641. *Pelargonium filipendulifolium* Sweet Geran. t. 86.

7010. **Pelargonium ardens** Sweet Geran. t. 45. — 24 — *Habitat in Capite bonae spei.*

7011. **Pelargonium sanguineum** Wendl. Collect. II. 53. Sweet t. 76. — 24 — *Habitat in Capite bonae spei.*

7012. **Pelargonium Bentinckianum** DC. Prodr. I. 664. — 3 — *Habitat in Capite bonae spei.*

7013. **Pelargonium quinquevulnerum** Willd. Enum. 703. *Geranium quinquevulnerum* Andr. Bot. Rep. t. 114. — 3 — *Habitat in Capite bonae spei.*

7014. **Pelargonium bicolor** Aiton Hort. kew. II. 425. *Geranium bicolor* Jacq. Hort. Vindob. III. t. 39. — 3 — *Habitat in Capite bonae spei.*

7015. **Pelargonium echinatum** Curtis Bot. Mag. t. 309. *Pelargonium humatum* Jacq. Hort. Schönbr. t. 138. — 3 — *Habitat in Capite bonae spei.*

7016. **Pelargonium lateripes** Herit. Geran. t. 24. — ♀ — *Habitat in Capite bonae spei.*

γ. *Anisopetala*,

7017. **Pelargonium tomentosum** Jacq. Collect. V. 140. Ic. rar. t. 537. — ♀ — *Habitat in Capite bonae spei.*

7018. **Pelargonium capitatum** Ait. Hort. kew. II. 425. — ♀ — *Habitat in Capite bonae spei.*

7019. **Pelargonium exstipulatum** Aiton Hort. kew. II. 431. Heritier Geran. t. 35. — ♀ — *Habitat in Capite bonae spei.*

7020. **Pelargonium quercifolium** Aiton Hort. kew. II. 420. Herit. Geran. t. 14. — ♀ — *Habitat in Capite bonae spei.*

β. *Bipinnatifidum* Heritier Geran. t. 16.

7021. **Pelargonium glutinosum** Aiton Hort. kew. II. 426. Herit. Geran. t. 20. — ♀ — *Habitat in Capite bonae spei.*

β. *Denticulatum* — γ. *Jatrophaefolium* DC. Hort. monsp. 1813. — δ. *Laciniatum*.

7022. **Pelargonium Radula** Aiton Hort. kew. II. 423. Heritier Geran. t. 16. — ♀ — *Habitat in Capite bonae spei.*

β. *Revolutum* (Jacq. Ic. rar. t. 133.) — γ. *Roseum* Willd. Spec. III. 679. — δ. *Latifolium*. — ε. *Terebinthaceum*.

***Ledocarpeae.**

6050. **Ledocarpon** Desf.

7023. **Ledocarpon pedunculare** Lindley in Bot. Reg. t. 1392. *Balbisia peduncularis* Don in Edinb. new. philosoph. Journ. XI. 277. *Cruckshanksia cistiflora* Hooker Bot. Misc. II. 211. t. 90. — ♀ — *Habitat in Chili.*

Ordo CLXXVII. Lineae.

6056. *Linum* L.

a. *Cathartelinum* Reichenb.

7024. *Linum suffruticosum* Linn. Spec. 400.
Cav. Ic. t. 108. — 3 — *Habitat in Hispania.*

b. *Eulinum*.

7025. *Linum usitatissimum* Linn. Spec.
397. — ☉ — *Habitat in arvis Europae.*

β. *Hibernum*.

7026. *Linum narbonense* Linn. Spec. 398.
— 4 — *Habitat in apricis Europae australis.*

c. *Adenolinum* Reichenb.

7027. *Linum austriacum* Linn. Mant. 359.
Jacq. Flor. austr. t. 418. — 4 — *Habitat in collibus Austriae.*

7028. *Linum montanum* Schleich. ex DC.,
Prodr. I. 427. — 4 — *Habitat in herbidis montanis Europae mediae.*

7029. *Linum perenne* Smith E. B. t. 40.
Linum anglicum Mill. Dict. n. 5. — 4 — *Habitat in montibus cretaceis Angliae.*

7030. *Linum pallescens* Bunge in Ledeb.
Flor. alt. I. 438. Ic. t. 142. — 4 — *Habitat in subsalsis Sibiriae.*

7031. *Linum nervosum* Waldst. et Kitaib.
Plant. rar. Hung. t. 105. — 4 — *Habitat in collibus Hungariae et Tauriae.*

d. *Linopsis* Reichenb.

7032. *Linum maritimum* Linn. Spec. 400.
Tratt. Tab. t. 579. — 4 — *Habitat in littoribus herbidis Europae australioris.*

7033. *Linum africanum* Linn. Mant. 360.
Bot. Mag. t. 403. — 3 — *Habitat in Capite bonae spei.*

Ordo CLXXVIII. Oxalideae.

6058. **Oxalis** Linn.

α. Palamoxys Endl.

7034. **Oxalis flava** Linn. Spec. 621. Jacq. Oxal. t. 73. DC. Prodr. I. 702. — 4 — *Habitat in Capite bonae spei.*

7035. **Oxalis pectinata** Jacq. Oxal. t. 75. DC. Prodr. I. 702. — 4 — *Habitat in Capite bonae spei.*

7036. **Oxalis flabellifolia** Jacq. Oxal. t. 74. DC. Prodr. I. 702. — 4 — *Habitat in Capite bonae spei.*

7037. **Oxalis tomentosa** Linn. f. Suppl. 244. Jacq. Oxal. t. 81. DC. Prodr. I. 702. — 4 — *Habitat in Capite bonae spei.*

β. Adonoxys Endl.

7038. **Oxalis versicolor** Linn. Spec. 622. β. *Sylvestris* Jacq. Hort. Schönbr. t. 206. DC. Prodr. I. 701. — 4 — *Habitat in Capite bonae spei.*

γ. Acetosella Endl.

7039. **Oxalis filicaulis** Jacq. Hort. Schönbr. t. 205. DC. Prodr. I. 700. — 4 — *Habitat in Capite bonae spei.*

7040. **Oxalis cruentata** Jacq. f. Eclog. I. 66. t. 45. DC. Prodr. I. 700. — 4 — *Habitat verisimiliter in Capite bonae spei.*

7041. **Oxalis Acetosella** Linn. Spec. 620. Flor. dan. t. 980. Jacq. Oxal. t. 80. f. 1. DC. Prodr. I. 700. — 4 — *Habitat in umbrosis Europae.*

β. Subpurpurascens DC. l. c.

7042. **Oxalis punctata** Linn. f. Suppl. 243. Jacq. Oxal. t. 66. DC. Prodr. I. 699. — 4 — *Habitat in Capite bonae spei.*

7043. **Oxalis convexula** Jacq. Oxal. t. 55. DC. Prodr. I. 699. — 4 — *Habitat in Capite bonae spei.*

7044. **Oxalis purpurea** Willd. Spec. II. 778. Jacq. Oxal. t. 56. DC. Prodr. I. 699. — 4 — *Habitat in Capite bonae spei.*

7045. **Oxalis variabilis** Jacq. Oxal. 67. DC. Prodr. I. 699. — 4 — *Habitat in Capite bonae spei.*

d. Pteropodoxys DC.

7046. **Oxalis fabaeifolia** Jacq. Oxal. t. 27. DC. Prodr. I. 697. — 4 — *Habitat in Capite bonae spei.*

β. *Alba.* — γ. *Discolor.*

7047. **Oxalis lanceaeifolia** Jacq. Oxal. t. 26. DC. Prodr. I. 697. — 4 — *Habitat in Capite bonae spei.*

β. *Alba.*

7048. **Oxalis asinina** Jacq. Oxal. t. 24. DC. Prodr. I. 697. — 4 — *Habitat in Capite bonae spei.*

7049. **Oxalis leporina** Jacq. Oxal. t. 25. DC. Prodr. I. 697. — 4 — *Habitat in Capite bonae spei.*

7050. **Oxalis crispa** Jacq. Oxal. t. 23. DC. Prodr. I. 697. — 4 — *Habitat in Capite bonae spei.*

e. Aegopodoxys Endl.

7051. **Oxalis livida** Jacq. Oxal. t. 8. DC. Prodr. I. 696. — 4 — *Habitat in Capite bonae spei.*

7052. **Oxalis dentata** Jacq. Oxal. t. 7. DC. Prodr. I. 696. — 4 — *Habitat in Capite bonae spei.*

7053. **Oxalis compressa** Jacq. Oxal. t. 78. f. 3. DC. Prodr. I. 696. — 4 — *Habitat in Capite bonae spei.*

7054. **Oxalis cernua** Thunb. Oxal. 12. t. 2. f. 2. DC. Prodr. I. 696. — 4 — *Habitat in Capite bonae spei.*

7055. **Oxalis violacea** Linn. Spec. 621. Jacq. Hort. Vindob. t. 180. Oxal. t. 80. f. 2. DC. Prodr. I. 695. — 4 — *Habitat in America boreali.*

7056. **Oxalis Martiana** Zuccarini Oxal. n. 6. Nachträg. 203. *Oxalis urbica* St. Hilaire Flor. Bras.

I. 126. *Oxalis floribunda* Link et Otto Abbild. t. 10.
— 24 — *Habitat in Brasilia.*

7057. *Oxalis Vespertilionis* Zuccarini Nov.
stirp. fasc. II. 350. — 24 — *Habitat in Mexico.*

7058. *Oxalis Schiedeana* Zuccarini Nov.
stirp. fasc. II. 352. — 24 — *Habitat in Mexico.*

7059. *Oxalis tetraphylla* Cavanill. Ic. t. 237.
DC. Prodr. I. 695. — 24 — *Habitat in Mexico.*

7060. *Oxalis Deppei* Loddig. Bot. Cab. t.
1500. *Oxalis esculenta* Otto et Dietr. Gartenz. III. 388.
Oxalis tetraphylla Link et Otto Abbild. t. 11. — 24 —
Habitat in Mexico.

f. Parthenoxys Endl.

7061. *Oxalis incarnata* Linn. Spec. 622.
Jacq. Hort. Vindob. t. 71. DC. Prodr. I. 694. — 24 —
Habitat in Capite bonae spei.

7062. *Oxalis reptatrix* Jacq. Oxal. t. 20.
DC. Prodr. I. 694. — 24 — *Habitat in Capite bonae spei.*

g. Rhodoxys Endl.

7063. *Oxalis rosacea* Jacq. Oxal. t. 17. Bot.
Mag. t. 1698. DC. Prodr. I. 694. — 24 — *Habitat in*
Capite bonae spei.

7064. *Oxalis rubella* Jacq. Oxal. t. 16. Ic.
rar. t. 471. DC. Prodr. I. 694. — 24 — *Habitat in*
Capite bonae spei.

7065. *Oxalis hirta* Linn. Spec. 623. β *Brevi-*
pes DC. Prodr. I. 693. (Jacq. Oxal. t. 77. f. 3.) — 24 —
Habitat in Capite bonae spei.

A. Ceratoxys Endl.

7066. *Oxalis rosea* Jacq. Oxal. n. 5. Sims
Bot. Mag. t. 2415. DC. Prodr. I. 693. — 24 — *Ha-*
bitat in Chili.

7067. *Oxalis multiflora* Jacq. Oxal. n. 28.
t. 15. DC. Prodr. I. 693. — 24 — *Habitat in Capite*
bonae spei.

7068. *Oxalis corniculata* Linn. Spec. 624.

Jacq. Oxal. t. 5. DC. Prodr. I. 692. — 2 — *Habitat in temperatis totius orbis terrarum.*

7069. **Oxalis stricta** Linn. Spec. 624. Jacq. Oxal. t. 4. DC. Prodr. I. 692. — 2 — *Habitat in Europa et America boreali.*

7070. **Oxalis crenata** Jacq. Oxal. n. 7. DC. Prodr. I. 691. — ☉ — *Habitat in Peruvia.*

7071. **Oxalis carnosus** Molina Chili. Lindley Bot. Reg. t. 1063. Bot. Mag. t. 2866. — 2 — *Habitat in Chili.*

Ordo CLXXIX. Balsamineae.

6060. **Impatiens** Linn.

7072. **Impatiens Balsamina** Linn. Spec. 1328. — ☉ — *Habitat in India orientali.*

7073. **Impatiens Noli - Tangere** Linn. Spec. 1328. — ☉ — *Habitat in Europa.*

7074. **Impatiens longicornu** Wallich Catalog. n. 4437. — ☉ — *Habitat in India orientali.*

7075. **Impatiens tricornis** Lindley in Bot. Reg. 1840. t. 9. — ☉ — *Habitat in India orientali.*

7076. **Impatiens glanduligera** Royle Himalay. 151. t. 28. f. 2. Lindley in Bot. Reg. 1840. t. 22. — ☉ — *Habitat in India orientali.*

7077. **Impatiens candida** Lindley in Bot. Reg. 1841. t. 20. — ☉ — *Habitat in India orientali.*

7078. **Impatiens labiata** Lindley in Bot. Reg. App. 1840. — ☉ — *Habitat in India orientali.*

Ordo CLXXX. Tropaeoleae.

6062. **Chymocarpus** Don.

7079. **Chymocarpus pentaphyllus** Don in Linn. Transact. XVII. 13 et 145. *Tropaeolum pentaphyllum* Lam. Ill. t. 177. — 2 — *Habitat in Peruvia.*

6063. **Tropaeolum** Linn.

7080. **Tropaeolum brachyceras** Hooker
ad Bechey. — 4 — *Habitat in Chili.*

7081. **Tropaeolum tuberosum** Ruiz et
Pav. Flor. peruv. t. 314. — 4 — *Habitat in Peruvia.*

7082. **Tropaeolum majus** Linn. Spec. 490.
— 4 — *Habitat in Peru, anno 1684 in hortos Europae
introducunt.*

Ordo CLXXXI. Limnantheae.6066. **Limnanthes** R. Br.

7083. **Limnanthes Douglasii** R. Brown.
Bot. Reg. t. 1673. Endl. Atakt. t. 27. — ☉ — *Ha-
bitat in California.*

Ordo CLXXXII. Philadelphaeae.6105. **Philadelphus** Linn.

7084. **Philadelphus coronarius** Linn. Sp.
671. — ♂ — *Habitat in Europa australi.*

β. *Nanus.* — γ *Plenus.*

7085. **Philadelphus Zeyheri** Schrad. in
Linnaea XII. 390. — ♂ — *Habitat in America boreali.*

7086. **Philadelphus floribundus** Schrad.
in Linnaea XII. 391. — ♂ — *Habitat in America bo-
reali.*

7087. **Philadelphus latifolius** Schrader
in Linnaea XII. 394. — ♂ — *Habitat in America bo-
reali.*

7088. **Philadelphus grandiflorus** Willd.
Enum. 511. — ♂ — *Habitat in America boreali.*

7089. **Philadelphus speciosus** Schrader
in Linnaea XII. 397. — ♂ — *Habitat in America bo-
reali.*

7090. **Philadelphus laxus** Schrader in Linnaea XII. 398. — ♂ — *Habitat in America boreali.*

7091. **Philadelphus hirsutus** Nutt. Gen. Bor. Amer. I. 301. — ♂ — *Habitat in America boreali.*
 β. *Gracilis* Schrad.

7092. **Philadelphus inodorus** Linn. Spec. 671. Bot. Mag. t. 1478. — ♂ — *Habitat in America boreali.*

7093. **Philadelphus mexicanus** Schlecht. in Linnaea XIII. 418. — ♂ — *Habitat in Mexico.*

6106. **Decumaria** Linn.

7094. **Decumaria barbara** Linn. Spec. App. Torrey et A. Gray Flor. of North Amer. I. 593. — ♂ — ♀ — *Habitat juxta paludes Carolinae borealis, Floridae et Louisianae.*

β. *Sarmentosa* (Bosc in Act. soc. h. n. Paris. I. 76. t. 13).

6107. **Deutzia** Thunb.

7095. **Deutzia scabra** Thunb. Flor. jap. 185. Bot. Reg. t. 1718. — ♂ — *Habitat in Japonia.*

7096. **Deutzia corymbosa** R. Brown in Wallich Cat. n. 3652. Bot. Reg. 1839. t. 49. — ♂ — *Habitat in Nepalia.*

Ordo CLXXXIII. **Oenotheraeae.**

Tribus I. **Jussieveae.**

6109. **Jussieuia** Linn.

7097. **Jussieuia grandiflora** Michaux Flor. Bor. Amer. I. 267. Sims Bot. Mag. t. 2122. DC. Prodr. III. 53. — ♀ — *Habitat in paludosis Carolinae et Georgiae inferioris.*

7098. **Jussieuia ramosa** Jacq. Fil. ex Reichenb. Ic. exot. t. 75. *Jussieuiae erectae* var. DC. Prodr. III. 55. — ♀ — *Habitat in Brasilia.*

7099. **Jussiaena longifolia** DC. Plant. rar. Hort. Genev. 12. t. 4. Prodr. III. 56. Reichenb. Ic. exot. t. 57. — 4 — *Habitat in Brasilia.*

7100. **Jussiaena octovalvis** Swartz Observ. bot. 142. *Jussiaena octofila* DC. Prodr. III. 57. — 4 — *Habitat in Antillis.*

6111. **Isnardia** DC.

7101. **Isnardia alternifolia** DC. Prodr. III. 60. *Ludwigia alternifolia* Linn. Spec. 173. — 4 — *Habitat in paludosis Americae borealis.*

β. *Salicifolia* DC. *Ludwigia salicifolia* Poir. Suppl. III. 512.

Radix emetica, vulgo *Bowmans root.*

Tribus II. **Epilobieae.**

6113. **Sphaerostigma** Ser.

7102. **Sphaerostigma Chamissonis** Fisch. et Mey. Ind. Petrop. 1835. II. 49. *Oenothera Chamissonis* Link Enum. I. 378. *Oenothera dentata* Lindley Collect. t. 16. non Cav. *Holostigma heterophyllum* Spach in Nouv. Annal. Mus. IV. 334. — ☉ — *Habitat in regno Chilensi.*

7103. **Sphaerostigma strigulosum** Fisch. et Mey. Ind. Petrop. 1835. II. 50. — ☉ — *Habitat in Nova California.*

7104. **Sphaerostigma minutiflorum** Fisch. et Mey. Ind. Petrop. 1835. II. 50. — ☉ — *Habitat in Chili.*

7105. **Sphaerostigma hirtum** Fisch. et Mey. Ind. Petrop. 1835. II. 50. *Oenothera hirta* Link Enum. I. 378. *Oenothera micrantha* Hornem. ex Spreng. Syst. II. 428. *Holostigma micranthum* Spach in Nouv. Annal. Mus. IV. 335. — ☉ — *Habitat in Nova California.*

6115. **Oenothera** Linn.**a. Allechrea** Fisch.

7106. **Oenothera odorata** Jacq. Ic. rar. t. 456. Collect. III. 107. DC. Prodr. III. 48. *Oenothera undulata* Aiton Hort. kew. II. 342. — ☉ — *Habitat in Patagonia.*

β. *Virescens* Ser. (Bot. Reg. t. 147. Bot. Mag. t. 2403. Hook. Exot. Flor. t. 183.)

7107. **Oenothera stricta** Ledebour in Link Enum. I. 377. *Oenothera striata* DC. Prodr. III. 48. — ☉ — *Habitat in Chili.*

7108. **Oenothera sinuata** Linn. Mant. 228. Murray Comment. Götting. V. t. 9. DC. Prodr. III. 48. — ☉ — *Habitat in Americae borealis provinciis australioribus.*

7109. **Oenothera bifrons** Don in Sweet Fl. Gard. II t. 386. Hooker Bot. Mag. t. 3764. — ? *Oenothera heterophylla* Spach in Nouv. Annal. Mus. IV. 348. — ☉ — *Habitat in Texas.*

b. Onagra Tournef.

7110. **Oenothera biennis** Linn. Spec. 492. Miller Ic. t. 189. *Onagra biennis et chrysantha* Spach in Nouv. Annal. Mus. IV. 354. — ☉ — *Habitat in Virginia, unde anno 1614 in Europam migravit.*

γ *Muricata*. *Oenothera muricata* Murray in Comm. Götting. VI. t. 1. Flor. dan. t. 1752.

δ. *Grandiflora*. *Oenothera grandiflora* Ait. Hort. kew. II. 2. Bot. Mag. t. 2048. *Oenothera suaveolens* Desfont. Cat. Hort. Paris.

ε. *Cruciata* Torr. et A. Gray Flor. Bor. Am. I. 492. *Oenothera cruciata* Nuttall msc.

7111. **Oenothera media** Link Enum. I. 377. *Onagra Linkiana* Spach in Nouv. Annal. Mus. IV. 354. — ☉ — *Habitat in America boreali.*

7112. **Oenothera elata** Kunth in Humb. et Bonpl. Nov. gen. et sp. VI. 90. *Oenothera salicifolia* Desfont. Cat. Hort. Paris. ed. 3. p. 280. *Oenothera crassipes* Hort. Berol. — ☉ — *Habitat in Mexico.*

c. *Lavauxia* Spach.

7113. **Oenothera triloba** Nuttall in Journ. Academ. Philadelph. 1821. II. 118. Bot. Mag. t. 2566. DC. Prodr. III. 49. *Oenothera rhizocarpa* Spreng. Syst. II. 230. DC. Prodr. III. 49. *Lavauxia Nuttalliana* Spach in Nouv. Annal. Mus. IV. 358. t. 31. f. 1. — 2 — *Habitat in pratis aridis juxta fluvium rubrum Americae borealis.*

7114. **Oenothera acaulis** Cavanill. Ic. IV. 68. DC. Prodr. III. 49. — ☉ — *Habitat in arvis et ruderalis regni Chilensis.*

α. *Cuspidata.* *Oenothera acaulis* Lindl. in Bot. Reg. t. 763. *Lavauxia cuspidata* Spach in Nouv. Annal. Mus. IV. 358.

β. *Taraxacifolia* *Oenothera taraxacifolia* Sweet Flow. Gard. t. 294. *Lavauxia mutica* Spach in Nouv. Annal. Mus. IV. 359.

d. *Hartmannia* Spach.

7115. **Oenothera rosea** Aiton Hort. kew. ed. 1. II. 343. DC. Prodr. III. 51. *Oenothera purpurea* Lam. Dict. IV. 564. *Oenanthera rubra* Cavanill. Ic. t. 400. *Hartmannia gauroides* Spach Nouv. Annal. Mus. IV. 361. — 2 — *Habitat in regno Mexicano.*

7116. **Oenothera tetraptera** Cavanill. Ic. III. t. 279. Bot. Mag. t. 469. *Hartmannia macrantha* Spach in Nouv. Annal. Mus. IV. 363. — 2 — *Habitat in Mexico.*

e. *Kneiffia* Spach.

7117. **Oenothera glauca** Michaux Flor. Bor. Amer. I. 224. Bot. Mag. t. 1606. Bot. Reg. t. 1511. DC. Prodr. III. 50. *Kneiffia glauca* Spach in Nouv. Annal. Mus. IV. 365. — 2 — *Habitat in sylvis ad fluvium Mississippi Americae borealis.*

β. *Oenothera Fraseri* Pursh Flor. Bor. Am. II. 734. Bot. Mag. t. 1674. *Kneiffia Fraseri* Spach.

7118. **Oenothera fruticosa** Linn. Spec. 456. Torr. et A. Gray Flor. of North Amer. I. 496. *Kneiffia suffruticosa* et *floribunda* Spach in Nouv. Annal. Mus. IV. 365. 366. — 2 — *Habitat in sterilibus Americae borealis a Canada ad Floridum.*

β. *Oenothera serotina* Don in Sweet Fl. Gard. II. t. 184. Lindl. in Bot. Reg. t. 1840.

7119. **Oenothera chrysantha** Michaux Fl. Bor. Amer. I. 225 DC. Prodr. III. 51. *Kneiffia chrysantha* Spach in Nouv. Annal. Mus. IV. 368. — 4 — *Habitat in America boreali, a Quebec ad sinum Hudsonis, et juxta Niagarae cataractas.*

7120. **Oenothera pumila** Linn. Spec. 493. Bot. Mag. t. 335. DC. Prodr. III. 51. *Kneiffia pumila* Spach in Nouv. Annal. Mus. IV. 367. — 4 — *Habitat in sterilibus Americae borealis.*

f. **Xylopleurum** Spach.

7121. **Oenothera speciosa** Nuttall in Journ. Academ. Philad. 1821. II. 119. Hooker Exot. Flor. t. 80. DC. Prodr. III. 50. *Xylopleurum speciosum* Hort. — 4 — *Habitat in Americae borealis provincia Arkansas et in Texas.*

6116. **Godetia** Spach.

7122. **Godetia Lindleyana** Spach Nouv. Annal. Mus. IV. 392. *Oenothera Lindleyi* Douglas in Bot. Mag. t. 2832. Bot. Reg. t. 1405. — ☉ — *Habitat in California.*

7123. **Godetia rubicunda** Lindley in Bot. Reg. t. 1856. *Oenothera rubicunda* Torrey et A. Gray Flora of North Amer. I. 502. — ☉ — *Habitat in California.*

7124. **Godetia vinosa** Lindley in Bot. Reg. t. 1880. *Oenothera vinosa* Torrey et A. Gray Flor. of North Amer. I. 503. — ☉ — *Habitat in California.*

7125. **Godetia Lehmanniana** Spach in Nouv. Annal. Mus. IV. 392. *Oenothera amoena* Lehmann in N. A. N. C. XIV. t. 45. *Oenothera roseo-alba Bernhardtii* Ind. Sem. Hort. Erf. 1824. Reichenb. Ic. exot. t. 47. *Godetia roseo-alba* Hort. — ☉ — *Habitat in California.*

7126. **Godetia viminea** Spach in Nouv. Annal. Mus. IV. 389. *Oenothera viminea* Douglas in Bot.

Mag. t. 2873. Bot. Reg. t. 1210. — ☉ — *Habitat in California.*

7127. **Godetia quadrivulnera** Spach in Nouv. Annal. Mus. IV. 389. *Oenothera quadrivulnera* Douglas in Bot. Reg. t. 1119. — ☉ — *Habitat in America boreali occidentali.*

7128. **Godetia Romanzowii** Spach in Nouv. Annal. Mus. IV. 390. *Oenothera Romanzowii* Ledeb. in Hornem. Hort. Hafn. I. 133. Bot. Reg. t. 661. — ☉ — *Habitat in California.*

7129. **Godetia tenuifolia** Spach in Nouv. Annal. Mus. IV. 390. *Oenothera tenuifolia* Cavanill. Ic. t. 397. — ☉ — *Habitat in Chili.*

7130. **Godetia Cavanillesii** Spach in Nouv. Annal. Mus. IV. 391. *Oenothera tenella* Cavanill. Ic. t. 369. — ☉ — *Habitat in Chili.*

7131. **Godetia Willdenowiana** Spach in Nouv. Annal. Mus. IV. 388. *Oenothera purpurea* Willdenow Spec. II. 311. Bot. Mag. t. 352. — ☉ — *Habitat in California.*

7132. **Godetia lepida** Lindley in Bot. Reg. t. 1849. *Oenothera lepida* Torrey et A. Gray Flor. of North Amer. I. 504. — ☉ — *Habitat in California.*

7133. **Godetia decumbens** Spach in Nouv. Annal. Mus. IV. 389. *Oenothera decumbens* Dougl. in Bot. Mag. t. 2889. Bot. Reg. t. 1221. — ☉ — *Habitat in California.*

6118. **Boisduvallia** Spach.

7134. **Boisduvallia concinna** Spach in Nouv. Annal. Mus. IV. 399. *Oenothera concinna* Don in Sweet Fl. Gard. II. t. 183. *Oenothera humifusa* Lindley in Bot. Reg. t. 1829. — ☉ — *Habitat in Chili.*

6119. **Clarkia** Pursh.

a. Phacostoma Spach.

7135. **Clarkia elegans** Lindl. in Bot. Reg. t. 1575. Sweet Fl. Gard. II. t. 209. *Phacostoma* Doug-

lasi Spach in Nouv. Annal. Mus. 395. excl. synonym. — ☉ — *Habitat in California.*

7136. **Clarkia rhomboidea** Dougl. ex Lindley in Bot. Reg. t. 1981. *Clarkia gauroides* Don in Sweet Fl. Gard. II. t. 379. — ☉ — *Habitat in California interiore et in ditione Oregon.*

β. Clarkia Spach.

7137. **Clarkia pulchella** Pursh Flor. Bor. Amer. I. 260. t. 11. Bot. Reg. t. 1100. Bot. Mag. t. 2918. — ☉ — *Habitat in California boreali et Oregon.*

6120. Eucharidium Fisch. et Mey.

7138. **Eucharidium concinnum** Fisch. et Meyer Ind. Sem. Petrop. 1835. II. 36. Bot. Mag. t. 3589. Bot. Reg. t. 1962. — ☉ — *Habitat in California.*

6121. Epilobium Linn.

α. Chamaenerion Tausch,

7139. **Epilobium angustifolium** Linn. Sp. 493. Schkuhr t. 106. *Epilobium spicatum* Lam. Dict. II. 373. — 2 — *Habitat in sylvis caeduis Europae fere totius.*

7140. **Epilobium Dodonaei** Vill. Prosp. 45. *Epilobium rosmarinifolium* Haenke in Jacq. Collect. II. 50. *Epilobium angustissimum* Ait. Hort. kew. IV. 345. — 2 — *Habitat in glareosis alpestribus Europae.*

7141. **Epilobium Fleischeri** Hochstett. in Flora 1826. p. 85. *Epilobium denticulatum* Wender. Cat. Sem. Hort. Marb. 1826. — 2 — *Habitat in subalpinis et alpinis Germaniae.*

β. Lysimachion Tausch.

7142. **Epilobium hirsutum** Linn. Spec. 494. — 2 — *Habitat in paludosis sylvaticis Europae.*

7143. **Epilobium parviflorum** Schreb. Spicileg. 146. — 2 — *Habitat in pratis paludosis et salicetis Europae.*

7144. **Epilobium montanum** Linn. Spec. 494. Reichenb. Iconogr. t. 189. — 4 — *Habitat in sylvis et dumetis Europae.*

β. *Lanceolatum.* **Epilobium lanceolatum** Seb. et Maur. Flor. rom. **Epilobium roseum** Fries Halland. 64. **Epilobium nitidum** Host Flor. austr. I. 469.

7145. **Epilobium hypericifolium** Tausch Hort. Canal. fasc. 1. c. ic. — 4 — *Habitat in sylvis montanis Bohemiae.*

7146. **Epilobium palustre** Linn. Spec. 495. Flor. dan. t. 1574. — 4 — *Habitat in turfosis et fossis Europae.*

7147. **Epilobium Schmidtianum** Rostkov. Flor. sedin 172. — 4 — *Habitat ad fontes et rivulos Germaniae borealis.*

7148. **Epilobium tetragonum** Linn. Spec. 494. Reichenb. Iconogr. t. 198. — 4 — *Habitat in paludosis et irriguis Europae.*

7149. **Epilobium roseum** Schreb. Spicileg. 147. — 4 — *Habitat in fossis paludosis et juxta rivulos.*

Tribus III. Fuchsieae.

6125. **Fuchsia** Plum.

7150. **Fuchsia encliandra** Steudel Nomencl. ed. 2. p. 649. *Encliandra parviflora* Zuccarini Nov. stirp. fasc. II. 29. — 3 — *Habitat in Mexico.*

7151. **Fuchsia microphylla** Kunth in Humb. et Bonpl. Nov. gen. et sp. VI. 103. t. 534. *Brebissonia microphylla* Spach in Nouv. Annal. sc. nat. IV. 175. — 3 — *Habitat in monte forullo Mexici.*

7152. **Fuchsia globosa** Lindl. in Bot. Reg. t. 1556. — 3 — *Habitat in Mexico.*

7153. **Fuchsia gracilis** Lindl. in Bot. Reg. t. 847. *Fuchsia decussata* Graham in Bot. Mag. t. 2507. non Ruiz et Pav. — 3 — *Habitat in Mexico.*

7154. **Fuchsia virgata** Sweet Hort. Brit. 197. — 3 — *Habitat in Mexico.*

7155. **Fuchsia coccinea** Aiton Hort. kew. II. 8. Bot. Mag. t. 97. Duham. Arbr. ed. nov. I. t. 13. *Fuchsia magellanica* Lam. Dict. *Nahusia coccinea* Schneevogt Ic. n. 21. — $\frac{1}{2}$ — *Habitat in Chili et ad fretum Magellan.*

7156. **Fuchsia fulgens** DC. Prodr. III. 39. Bot. Reg. 1838. t. 1. Bot. Mag. t. 3801. — $\frac{1}{2}$ — *Habitat in Mexico.*

7157. **Fuchsia arborescens** Sims Bot. Mag. t. 2620. Lindley Bot. Reg. t. 943. *Schuffia arborescens* Spach in Nouv. Annal. sc. nat. IV. 177. — $\frac{1}{2}$ — *Habitat in Mexico.*

Tribus IV. Lopezieae.

6129. **Lopezia** Cav.

7158. **Lopezia racemosa** Cavanill. Ic. I. 12. t. 18. Bot. Mag. t. 254. Bonpl. Nov. t. 25. *Lopezia mexicana* Jacq. Ic. rar. t. 203. — \odot — *Habitat in Mexico.*

7159. **Lopezia hirsuta** Jacq. Collect. V. 5. t. 15. f. 4. — \odot — *Habitat in Mexico.*

Tribus V. Circaeaceae.

6130. **Circaea** Linn.

7160. **Circaea lutetiana** Linn. Spec. 12. Schkuhr Handb. t. 2. — $\frac{1}{2}$ — *Habitat in umbrosis nemorum Europae.*

β . *Circaea intermedia* Ehrhart Beitr. IV. 42.

Tribus VI. Gaureae.

6131. **Gaura** Linn.

α . **Gauridium** Spach.

7161. **Gaura mutabilis** Cavanill. Ic. III. t. 285. *Gauridium mutabile* Spach in Nouv. Annal. Mus.

IV. 374. *Oenothera anomala* Curtis Bot. Mag. t. 388.
— 4 — *Habitat in Mexico.*

5. *Gaura* Spach.

7162. *Gaura biennis* Linn. Spec. 493. Bot.
Mag. t. 389. — ☉ — *Habitat in Virginia et Pensylvania.*

Ordo CLXXXIV. Halorageae.

6134. *Hippuris* Linn.

7163. *Hippuris vulgaris* Linn. Spec. 13. Flor.
dan. t. 87. — 4 — *Habitat in fossis et fluviis Europae
et Americae borealis.*

6138. *Haloragis* Forst.

7164. *Haloragis Cercodia* Ait. Hort. kew.
II. 37. *Haloragis alata* Jacq. Ic. rar. t. 69. *Cercodia
erecta* Murray Comment. Götting. 1780. III. 3. t. 1.
— 5 — *Habitat in Nova Zeelandia.*

Ordo CLXXXV. Lythrarieae.

Tribus I. Eulythrarieae.

6146. *Ammannia* Houst.

7165. *Ammannia latifolia* Linn. Spec. 174.
— ☉ — *Habitat in Jamaica.*

7166. *Ammannia diffusa* Willd. Enum. I.
167. — ☉ — *Patria ignota.*

7167. *Ammannia sanguinolenta* Swartz
Flor. Ind. occid. 272. — ☉ — *Habitat in Jamaica.*

6147. *Nesaea* Commers.

7168. *Nesaea salicifolia* Kunth in Humb.
et Bonpl. Nov. gen. et sp. VI. 193. *Heimia salicifolia*

Link et Otto Ic. rar. 63. — ♂ — *Habitat in Nova Hispania.*

6149. **Lythrum** Linn.

7169. **Lythrum Thymifolia** Linn. Spec. 642.
— ☉ — *Habitat in paludosis subsalsis orae mediterraneae.*

7170. **Lythrum Graefferi** Tenore Flor. Neap. Suppl. II. 27. — ☉ — *Habitat in Italia.*

7171. **Lythrum Salicaria** Linn. Spec. 640.
— ♀ — *Habitat in paludosis Europae.*

7172. **Lythrum virgatum** Linn. Spec. 642.
— ♀ — *Habitat in paludosis Europae mediae.*

6151. **Cuphea** Jacq.

7173. **Cuphea Llavea** Llav. et Lexarz. Nov. Veg. Descript. I. 20. — ♀ — *Habitat in Mexico.*

6156. **Grislea** Löffl.

7174. **Grislea tomentosa** Roxburgh Plant. Corom. I. 29. t. 31. *Lythrum fruticosum* Linn. Spec. 641. — ♂ — *Habitat in India orientali.*

Tribus II. Lagerströmieae.

6164. **Lagerströmia** Linn.

7175. **Lagerströmia indica** Linn. Spec. 784. Bot. Mag. t. 405. — ♂ — *Habitat in China et Japonia.*

7176. **Lagerströmia Reginae** Roxb. Corom. I. 46. t. 65. — ♂ — *Habitat in India orientali.*

Ordo CLXXXVI. Myrtaceae.

Subordo I. Chamaelaucieae.

6275. **Calycothrix** Labill.

7177. **Calycothrix virgata** A. Cunningh. in Bot. Mag. t. 3323. — ♂ — *Habitat in Nova Hollandia.*

Subordo II. Leptospermeae.

6290. **Tristania** R. Br.

7178. **Tristania laurina** R. Brown in Ait. Hort. kew. ed. 2. IV. 417. — ♂ — *Habitat in Nova Hollandia orientali.*

6292. **Lophostemon** Schott.

7179. **Lophostemon arborescens** Schott in Wiener Zeitschr. 1830. III. 772. *Tristania arborescens* Hort. — ♂ — *Habitat in Nova Hollandia.*

7180. **Lophostemon robustum** Schott msc. — ♂ — *Habitat in Nova Hollandia orientali.*

6294. **Calothamnus** Labill.

7181. **Calothamnus quadrifida** R. Brown in Aiton Hort. kew. ed. 2. IV. 418. Reichenb. Magaz. t. 9. — ♂ — *Habitat in Nova Hollandia austro-occidentali.*

7182. **Calothamnus clavata** Mackay. — ♂ — *Habitat in Nova Hollandia.*

7183. **Calothamnus villosa** R. Brown in Aiton Hort. kew. ed. 2. IV. 418. Bot. Reg. t. 1099. — ♂ — *Habitat in Nova Hollandia austro-occidentali.*

6295. **Beaufortia** R. Br.

7184. **Beaufortia decussata** R. Brown in Aiton Hort. kew. ed. 2. IV. 418. Bot. Reg. t. 18. Bot. Mag. t. 1733. — ♂ — *Habitat in Nova Hollandia austro-occidentali.*

7185. **Beaufortia splendens** Baxt. msc. — ♂ — *Habitat in Nova Hollandia.*

6298. **Melaleuca** Linn.

α. Foliis alternis.

7186. **Melaleuca diosmifolia** Andr. Bot.

Reposit. t. 476. *Melaleuca chlorantha* Bonpl. Nav. t. 8.
— ♂ — *Habitat in Nova Hollandia austro-occidentali.*

7187. *Melaleuca styphelioides* Smith in
Linn. Transact. III. 275. — ♂ — *Habitat in Nova
Hollandia orientali.*

7188. *Melaleuca lanceolata* Otto ex DC.
Prodr. III. 212. — ♂ — *Habitat in Nova Hollandia.*

7189. *Melaleuca thymoides* Labill. Nov.
Holl. t. 167. — ♂ — *Habitat in Novae Hollandiae terra
van Leuwin.*

7190. *Melaleuca squamea* Labill. Nov.
Holl. t. 158. Bot. Reg. t. 477. — ♂ — *Habitat in in-
sula Diemen.*

7191. *Melaleuca armillaris* Smith in Linn.
Transact. III. 277. — ♂ — *Habitat in Nova Hollandia
orientali.*

7192. *Melaleuca pulchella* R. Brown in
Aiton Hort. kew. ed. 2. IV. 414. Lodd. Bot. Cab.
t. 200. — ♂ — *Habitat in Nova Hollandia australi.*

♂. Follis oppositis.

7193. *Melaleuca thymifolia* Smith Exot.
Bot. I. t. 36. *Melaleuca coronata* Andr. Bot. Rep. t.
278. — ♂ — *Habitat in Nova Hollandia orientali.*

7194. *Melaleuca fulgens* R. Brown in Ai-
ton Hort. kew. ed. 2. IV. 414. Bot. Mag. t. 103. *Me-
laleuca splendens* Lee. — ♂ — *Habitat in Nova Hollan-
dia australi.*

7195. *Melaleuca linarifolia* Smith Exot.
Bot. I. t. 56. — ♂ — *Habitat in Nova Hollandia orien-
tali.*

7196. *Melaleuca hypericifolia* Smith in
Linn. Transact. III. 249. Vent. Cels. t. 10. — ♂ —
Habitat in Nova Hollandia orientali.

7197. *Melaleuca imbricata* Link Enum.
II. 272. — ♂ — *Habitat in Nova Hollandia.*

7198. *Melaleuca calycina* R. Brown in Ai-
ton Hort. kew. ed. 2. IV. 416. — ♂ — *Habitat in
Nova Hollandia australi.*

c. *Folliis verticillatis.*

7199. **Melaleuca densa** R. Brown in Aiton Hort. kew. ed. 2. IV. 416. — ♂ — *Habitat in Nova Hollandia austro-occidentali.*

7200. **Melaleuca incana** R. Brown in Bot. Reg. t. 410. — ♂ — *Habitat in Nova Hollandia.*

6300. **Eucalyptus** Herit.

7201. **Eucalyptus robusta** Smith Spic. Nov. H6ll. 39. t. 13. — ♂ — *Habitat in Nova Hollandia.*

7202. **Eucalyptus pulverulenta** Sims Bot. Mag. t. 208. DC. Prodr. III. 221. — ♂ — *Habitat in Nova Hollandia.*

7203. **Eucalyptus pulviger** A. Cunningham in Fields N. S. W. 350. — ♂ — *Habitat in Nova Hollandia occidentali, prope Cox River.*

7204. **Eucalyptus diversifolia** Bonpl. Navarr. I. 35. t. 13. DC. Prodr. III. 220. — ♂ — *Habitat in Novae Hollandiae Kanguru Island.*

6302. **Callistemon** R. Br.a. *Filamentis flavis.*

7205. **Callistemon pinifolius** DC. Prodr. III. 223. *Metrosideros pinifolia* Wendl. Collect. I. t. 16. — ♂ — *Habitat in Nova Hollandia.*

7206. **Callistemon viridiflorus** DC. Prodr. III. 223. *Metrosideros viridiflora* Sims Bot. Mag. t. 2602. — ♂ — *Habitat in Nova Hollandia orientali.*

7207. **Callistemon salignus** DC. Prodr. III. 223. *Metrosideros saligna* Sims Bot. Mag. t. 1821. — ♂ — *Habitat in Nova Hollandia.*

7208. **Callistemon Sieberi** DC. Prodr. III. 223. — ♂ — *Habitat in Nova Hollandia orientali.*

b. *Filamentis puniceis.*

7209. **Callistemon rigidus** R. Brown in Bot. Reg. t. 393. *Metrosideros linearis* Willd. Enum.

513. *Metrosideros viminalis* Hort. Berol. — ♂ — *Habitat in Nova Hollandia.*

7210. **Callistemon linearis** DC. Prodr. III.

223. *Metrosideros linearis* Smith in Linn. Transact. II.

273. *Melaleuca linearis* Wendl. et Schrad. Sert. Hanov. t. 11. — ♂ — *Habitat in Nova Hollandia.*

7211. **Callistemon lanceolatus** DC. Prodr.

III. 223. *Metrosideros lanceolata* Smith in Linn. Transact. III. 272. — ♂ — *Habitat in Nova Hollandia.*

β. *Semperflorens* Loddig. Bot. Cab. t. 523.

7212. **Callistemon marginatus** DC. Prodr.

III. 224. *Metrosideros marginatus* Cav. Ic. t. 332. — ♂ — *Habitat in Nova Hollandia.*

7213. **Callistemon speciosus** DC. Prodr.

III. 224. *Metrosideros speciosa* Sims Bot. Mag. t. 1761. — ♂ — *Habitat in Nova Hollandia.*

6303. **Metrosideros** R. Br.

7214. **Metrosideros corifolia** Vent. Malm.

t. 46. *Leptospermum ambiguum* Smith Exot. Bot. t. 59. — ♂ — *Habitat in Nova Hollandia orientali.*

6305. **Billiottia** R. Br.

7215. **Billiottia flexuosa.** *Leptospermum fle-*

uosum Spreng. Nov. Prov. 25. n. 51. — ♂ — *Habitat in Nova Hollandia austro - occidentali.*

6309. **Leptospermum** Forst.

7216. **Leptospermum pubescens** Willd.

Spec. II. 650. — ♂ — *Habitat in Nova Hollandia.*

7217. **Leptospermum scoparium** Smith

in Linn. Transact. III. 262. — ♂ — *Habitat in Nova Hollandia et Nova Zeelandia.*

7218. **Leptospermum flavescens** Smith

in Linn. Transact. III. 262. *Leptospermum Thea* Willd. Spec. II. 949. Bot. Mag. t. 2695. — ♂ — *Habitat in Nova Hollandia.*

7219. **Leptospermum baccatum** Smith in

Linn. Transact. III. 163. — ♂ — *Habitat in Nova Hollandia.*

6310. **Fabricia** Gärtn.

7220. **Fabricia myrtifolia** Gärtn. Fruct. I. 175. t. 35. Sims Bot. Mag. t. 1304. — ♂ — *Habitat in Nova Hollandia.*

7221. **Fabricia laevigata** Gärtn. l. c. — ♂ — *Habitat in Nova Hollandia.*

6311. **Baeckea** Linn.

7222. **Baeckea frutescens** Linn. Spec. 514. Osbeck It. t. 1. — ♂ — *Habitat in China.*

7223. **Baeckea virgata** Andrews Bot. Reposit. t. 598. *Leptospermum virgatum* Forster Char. gen. 36. — ♂ — *Habitat in Nova Caledonia.*

6311. **Babbingtonia** Lindl.

7224. **Babbingtonia Camforosma** Lindley in Bot. Reg. 1842. t. 10. *Baeckea Camforosma* Endl. in Enum. pl. Hüg. 51. — ♂ — *Habitat in Nova Hollandia austro-occidentali.*

Subordo III. Myrteae.

6315. **Psidium** Linn.

7225. **Psidium aromaticum** Aublet Guian. I. 485. t. 191. — ♂ — *Habitat in sylvis Guianae.*

7226. **Psidium montanum** Swartz Flor. Ind. occid. 879. — ♂ — *Habitat in Jamaica.*

7227. **Psidium pyriferum** Linn. Spec. 672. — ♂ — *Habitat in America tropica.*

7228. **Psidium guineense** Swartz Flor. Ind. occid. 881. — ♂ — *Habitat in Guinea, in insulis antillanis cultum.*

7229. **Psidium Cattleyanum** Sabine in Hort. Transact. IV. 315. t. 11. Lindl. Collect. t. 16. — ♂ — *Habitat in China.*

7230. **Psidium rubrum** Lour. Fl. cochinch.
379. — ♂ — *Habitat in China.*

6316. **Myrtus** Tournef.

7231. **Myrtus communis** Linn. Spec. 673.
— ♂ — *Habitat in rupestribus apricis Europae australis.*
β. *Italica* Mill. — γ. *Baetica* Mill. — δ. *Angustifolia.*
ε. *Latifolia.* — ζ. *Microphylla.*

7232. **Myrtus tomentosa** Aiton Hort. kew.
ed. 1. II. 159. Bot. Mag. t. 250. — ♂ — *Habitat in China.*

6322. **Acmena** DC.

7233. **Acmena floribunda** DC. Prodr. III.
262. *Metrosideros floribunda* Smith in Linn. Transact.
III. 267. Vent. Malm. t. 75. — ♂ — *Habitat in Nova Hollandia.*

6323. **Eugenia** Mich.

7234. **Eugenia Michellii** Lam. Dict. III. 203.
Myrtus brasiliensis Linn. Spec. 674. — ♂ — *Habitat in Brasilia, in Antillis sub nomine » Cerisier de Cayenne « culta.*

7235. **Eugenia acris** Wight et Arnott Prodr.
I. 331. *Mycia acris* DC. Prodr. III. 243. Bot. Mag.
t. 3153. *Myrtus caryophyllata* Jacq. — ♂ — *Habitat in Antillis et in India orientali.*

6324. **Jambosa** Rumph.

7236. **Jambosa australis** DC. Prodr. III.
287. *Eugenia myrtifolia* Sims Bot. Mag. t. 2230. Her
Bot. Reg. t. 627. Loddig. Bot. Cab. t. 525. *Eugenia australis* Wendland ex Link Enum. Hort. Berolin. II.
28. Colla Hort. Ripul. App. I. 123. t. 8. *Myrtus australis* Sprengel Syst. II. 482. — ♂ — *Habitat in Nova Hollandia.*

Subordo IV. *Barringtonieae*.6325. *Barringtonia* Forst.

7237. *Barringtonia acutangula* Gärtn. Carp. II. 97. t. 111. *Stravadium rubrum* DC. Prodr. III. 289. — 5 — *Habitat in Moluccis.*

6327. *Gustavia* Linn.

7238. *Gustavia augusta* Linn. Amoen. Acad. VIII. 266. t. 5. — 5 — *Habitat in Surinam.*

Subordo V. *Lecythideae*.6332. *Lecythis* Löffl.

7239. *Lecythis ollaria* Linn. Spec. 734. — 5 — *Habitat in Brasilia.*

* *Granateae*.6340. *Punica* Tournef.

7240. *Punica Granatum* Linn. Spec. 676. Schkuhr t. 131. — 5 — *Habitat in Mauritania.*

Ordo CLXXXVII. *Pomaceae*.6341. *Cydonia* Tournef.*a. Cydonia* Lindl.

7241. *Cydonia vulgaris* Pers. Ench. II. 40. *Pyrus Cydonia* Linn. Spec. 687. Jacq. Flor. austr. t. 342. — 5 — *Habitat in rupestribus Europae australis.*

7242. *Cydonia sinensis* Thouin in Annal. Mus. XIX. 145. t. 8 et 9. *Pyrus sinensis* Poir. Suppl. IV. 452. — 5 — *Habitat in China.*

δ. Chaenomeles Lindl.

7243. **Cydonia japonica** Pers. Ench. II. 40.
Pyrus japonica Thunb. Flor. jap. 207. Bot. Mag. t. 692.
Chaenomeles japonica Lindley in Linn. Transact. XIII.
 97. — ♂ — *Habitat in Japonia.*

6342. Pyrus Linn.

α. Pyrophorum DC.

7244. **Pyrus communis** Linn. Spec. 686.
 — ♂ — *Habitat in Europa.*

a. *Achras* Wallr. Sched. 213. — b. *Pyraster* Wallr. l. c. —
 c. *Sativa* DC. — α. *Sanguinea*. — β. *Sinensis*. — γ. *Variegata*.

7245. **Pyrus Bollwylleriana** DC. Fl. fr.
 Suppl. 530. *Pgrus Pollveria* Linn. Mant. 244. — ♂ —
Colitur dubiae originis.

7246. **Pyrus salviaefolia** DC. Prodr. II.
 634. — ♂ — *Habitat sylvestris et culta in Gallia ceno-*
manensi, vulgo » Poirier Sauger. «

7247. **Pyrus amygdaliformis** Vill. Cat.
 Strasb. 322. DC. Prodr. II. 634. — ♂ — *Habitat in*
Galloprovincia.

7248. **Pyrus elaeagnifolia** Pallas Nov. Act.
 Petrop. 1789. VII. 355. — ♂ — *Habitat in sylvis*
Iberiae.

7249. **Pyrus salicifolia** Linn. Suppl. 255.
 Pallas Flor. ross. I. t. 9. — ♂ — *Habitat in Sibiria et*
Caucaso.

7250. **Pyrus crenata** Don Flor. nep. 237.
 — ♂ — *Habitat in Nepalia.*

7251. **Pyrus nivalis** Linn. f. Suppl. 253.
 Jacq. Flor. austr. t. 107. — ♂ — *Habitat in alpidibus*
Austriacae.

7252. **Pyrus Michauxii** Bosc in Poir. Suppl.
 IV. 432. — ♂ — *Habitat in America boreali.*

δ. Malus DC.

7253. **Pyrus Malus** Linn. Spec. 686. — ♂ —
Habitat in nemoribus Europae.

α . *Mitis* Wallr. (Pommier à couteau.) — β *Austera* Wallr. (Pommier à cidre.) — γ . *Præcos*. — δ . *Sinensis*. — ϵ . *Upsalensis*,

7254. ***Pyrus dioica*** Willd. Baumz. 263. — \S — *Colitur, incertis natalibus*.

7255. ***Pyrus spectabilis*** Aiton Hort. kew. ed. 1. II. 175. Bot. Mag. t. 267. — \S — *Habitat in China*.

β . *Flore pleno*.

7256. ***Pyrus prunifolia*** Willd. Spec. II. 1018. — \S — *Habitat in Sibiria*.

β . *Major*. — γ . *Xanthocarpa*.

7257. ***Pyrus baccata*** Linn. Mant. 75. Pallas Flor. ross. t. 10. — \S — *Habitat in Sibiria*.

β . *Hyemalis*. — γ . *Major*. — δ . *Pyriformis*. — ϵ . *Xanthocarpa*.

7258. ***Pyrus coronaria*** Linn. Spec. 687. — \S — *Habitat in America boreali*.

7259. ***Pyrus angustifolia*** Aiton Hort. kew. ed. 1. II. 276. — \S — *Habitat in Carolina*.

c. *Aria* DC.

7260. ***Pyrus Aria*** Ehrh. Beitr. IV. 20. *Crataegus Aria* var. a. Linn. Spec. 681. — \S — *Habitat in nemoribus Europae*.

a. *Obtusifolia* DC. — b. *Longifolia* Duham.

7261. ***Pyrus intermedia*** Ehrh. Beitr. IV. 20. *Crataegus Aria* β . Linn. Spec. 681. — \S — *Habitat in Europa, imprimis boreali*.

7262. ***Pyrus Hostii*** Jacq. f. msc. *Aria Hostii* Jacq. f. ex Host Flor. austr. II. 8. — \S — *Habitat in subalpinis Austriae et Styriae*.

d. *Terminalis* DC.

7263. ***Pyrus terminalis*** Ehrh. Beitr. VI. 92. *Crataegus terminalis* Linn. Spec. 681. Jacq. Flor. austr. t. 443. — \S — *Habitat in sylvis asperis Europae*.

e. *Sorbus* Linn.

7264. ***Pyrus aucuparia*** Gärtn. Carp. II. 45.

t. 87. **Sorbus aucuparia** Linn. Spec. 683. — ♂ — *Habitat in sylvis montanis Europae.*

7265. **Pyrus americana** DC. Prodr. II. 637. *Sorbus americana* Pursh Flor. Bor. Am. I. 341. — ♂ — *Habitat in montibus Canadae.*

7266. **Pyrus Sorbus** Gärtn. Carp. II. 45. t. 87. *Sorbus domestica* Linn. Spec. 684. — ♂ — *Habitat in sylvis et versuris Europae.*

7267. **Pyrus spuria** DC. Prodr. II. 637. *Sorbus spuria* Pers. Ench. II. 39. — ♂ — *Patria ignota.*

f. Adenorhachis DC.

7268. **Pyrus arbutifolia** Linn. f. Suppl. 256. *Aronia pyrifolia* Pers. Ench. II. 39. — ♂ — *Habitat in America boreali.*

β *Intermedia.* — γ. *Serotina.*

7269. **Pyrus melanocarpa** Willd. Enum. 525. *Aronia arbutifolia* Pers. Ench. II. 39. — ♂ — *Habitat in America boreali.*

β. *Subpubescens.*

g. Chamaemespilus DC.

7270. **Pyrus Chamaemespilus** Lindley in Linn. Transact. XIII. 98. *Crataegus Chamaemespilus* Jacq. Flor. austr. t. 231. *Mespilus Chamaemespilus* Linn. Spec. 685. — ♂ — *Habitat in montosis asperis Europae.*
β. *Gallica.*

6344. Mespilus Lindl.

7271. **Mespilus germanica** Linn. Spec. 684. — ♂ — *Habitat in sylvis et dumetis Europae.*

β. *Diffusa.* Ait. — γ. *Macrophylla.* — δ. *Maxima.*

7272. **Mespilus Smithii** DC. Prodr. II. 633. *Mespilus grandiflora* Smith Exot. Bot. I. t. 18. — ♂ — *Patria ignota.*

6345. Amelanchier Medik.

7273. **Amelanchier vulgaris** Mönch Me-

thod. 682. *Mespilus Amelanchier* Linn. Spec. 685. Jacq. Flor. austr. t. 300. — ♂ — *Habitat in asperis Europae.*

7274. **Amelanchier canadensis** Torr. et A. Gray Flor. of North Amer. I. 473. *Mespilus canadensis* Linn. Spec. 478. *Pyrus Botryapium* Linn. f. Suppl. 255. — ♂ — *Habitat in America boreali.*

a. *Botryapium* Torr. et A. Gr. *Amelanchier Botryapium* DC. Prodr. II. 63. *Mespilus arborea* Michaux f. Sylv. I. 336. t. 66. *Crataegus racemosa* Lam. Dict. I. 74.

b. *Rotundifolia* Torr. et A. Gr. *Amelanchier ovalis* DC. l. c. *Mespilus canadensis* β. *rotundifolia* Michaux. *Pyrus ovalis* Willd. part.

c. *Alnifolia* Torr. et A. Gr. *Amelanchier alnifolia* Nutt. in Journ. Acad. Philad. VII. 12. *Amelanchier florida* Lindley in Bot. Reg. t. 1589.

d. *Oligocarpa* Torr. et A. Gr. *Amelanchier sanguinea* DC. l. c. Lindley in Bot. Reg. t. 1171. *Mespilus canadensis* δ. *oligocarpa* Michaux.

6347. **Cotoneaster** Medik.

7275. **Cotoneaster vulgaris** Lindley in Linn. Transact. XIII. 101. *Mespilus Cotoneaster* Linn. Spec. 686. Flor. dan. t. 112. — ♂ — *Habitat in montanis et subalpinis Europae et Sibiriae.*

β. *Laxiflora* Jacq. f. ex Lindl. Bot. Reg. t. 1305.

7276. **Cotoneaster tomentosa** Lindley in Linn. Transact. XIII. 101. *Mespilus tomentosa* Willd. Spec. II. 1012. — ♂ — *Habitat in rupestribus alpium.*

7277. **Cotoneaster affinis** Lindley in Linn. Transact. XIII. 101. *Mespilus affinis* Don Nep. 238. — ♂ — *Habitat in Nepalia.*

7278. **Cotoneaster acuminata** Lindley in Linn. Transact. XIII. 101. t. 9. *Mespilus acuminata* Loddig. Bot. Cab. t. 919. — ♂ — *Habitat in Nepalia.*

7279. **Cotoneaster obtusa** Wallich ex Lindl. Bot. Reg. t. 1229. — ♂ — *Habitat in Nepalia.*

7280. **Cotoneaster uniflora** Bunge in Ledeb. Flor. alt. II. 220. lc. t. 269. — ♂ — *Habitat in subalpinis et alpinis montium Altaicorum.*

7281. **Cotoneaster frigida** Wallich ex Lindley Bot. Reg. t. 1229. — ♂ — *Habitat in Nepalia.*

7282. **Cotoneaster microphylla** Wallich ex Lindley Bot. Reg. t. 1114. — ♂ — *Habitat in Nepalia.*

7283. **Cotoneaster rotundifolia** Wallich ex Lindl. Bot. Reg. n. 1229. *Cotoneaster microphylla* β. *Uva ursi* Lindley Bot. Reg. t. 1187. — ♂ — *Habitat in Nepalia.*

6349. **Eriobotrya** Lindl.

7284. **Eriobotrya japonica** Lindl. in Linn. Transact. XIII. 102. *Mespilus japonica* Thunb. Flor. japon. 206. Bot. Reg. t. 365. — ♂ — *Habitat in Japonia et China.*

6350. **Photinia** Lindl.

7285. **Photinia serrulata** Lindley in Linn. Transact. XIII. 102. *Crataegus glabra* Thunb. Flor. jap. 205. Bot. Mag. t. 2105. — ♂ — *Habitat in China et Japonia.*

6352. **Rhaphiolepis** Lindl.

7286. **Rhaphiolepis indica** Lindl. in Linn. Transact. XIII. 105. *Crataegus indica* Linn. Spec. 683. Bot. Mag. t. 1726. — ♂ — *Habitat in India et China.*

7287. **Rhaphiolepis laevis** Loddig. — ♂ — *Habitat in China.*

6353. **Crataegus** Linn.

7288. **Crataegus Pyracantha** Persoon Encheir. II. 37. *Mespilus Pyracantha* Linn. Spec. 685. — ♂ — *Habitat in dumetis Europae australioris.*

7289. **Crataegus Crus Galli** Linn. Spec. 632. — ♂ — *Habitat in America boreali.*

α. *Splendens* Ait. — β. *Pyracanthifolia* Ait. — γ. *Salicifolia* Ait. — δ. *Ovalifolia* Hornem. Hort. Hafn. Suppl. 52. — ε. *Prunifolia* Bosc. ex DC. Prodr. II. 627.

7290. **Crataegus punctata** Ait. Hort. kew.

ed. 1. II. 169. Jacq. Hort. Vindob. t. 10. — ♂ — *Habitat in America boreali.*

β. *Xanthocarpa.*

7291. **Crataegus parvifolia** Aiton Hort. kew. ed. 1. II. 169. — ♂ — *Habitat in America boreali.*

β. *Betulaefolia.* — γ. *Florida.*

7292. **Crataegus apiifolia** Michaux Flor. Bor. Amer. I. 287. — ♂ — *Habitat in Virginia.*

7293. **Crataegus pyrifolia** Ait. Hort. kew. ed. 1. II. 168. — ♂ — *Habitat in America boreali.*

7294. **Crataegus sanguinea** Pallas Flor. ross. I. 25. t. 11. — ♂ — *Habitat in Sibiria et America boreali.*

β. *Douglasii* Lindl. in Bot. Reg. t. 1810.

7295. **Crataegus coccinea** Linn. Spec. 682. Bot. Reg. t. 1957. — ♂ — *Habitat in America boreali.*

β. *Glandulosa* Willd. Spec. II. 102. Bot. Reg. t. 1912.

7296. **Crataegus spathulata** Michaux Flor. Bor. Amer. I. 288. — ♂ — *Habitat in America boreali.*

7297. **Crataegus cordata** Miller Ic. t. 179. — ♂ — *Habitat in America boreali.*

7298. **Crataegus nigra** Waldst. et Kitaibel Plant. rar. Hung. t. 61. — ♂ — *Habitat in Hungaria.*

7299. **Crataegus pentagyna** Waldst. et Kitaibel ex Willd. Spec. III 1006. — ♂ — *Habitat in Syrmio.*

7300. **Crataegus flava** Ait. Hort. kew. ed. 1. II. 169. — ♂ — *Habitat in America boreali.*

7301. **Crataegus oxyacantha** Linn. Spec. 683. — ♂ — *Habitat in sepibus Europae.*

α. *Vulgaris.* — β. *Plena.* — γ. *Rubra plena.* — δ. *Splendens.* — ε. *Pectinata* Bosc.

7302. **Crataegus monogyna** Jacq. Flor. austr. t. 292. — ♂ — *Habitat in Austria et Sibiria.*

7303. **Crataegus melanocarpa** Bieberst. Flor. Taur. cauc. I. 386. — ♂ — *Habitat in Tauria.*

7304. **Crataegus heterophylla** Flüge in Annal. Mus. XII. 423. t. 38. — ♂ — *Patria ignota.*

7305. **Crataegus Azarolus** Linn. Spec. 683.
 — 5 — *Habitat in sylvis Europae australioris.*
7306. **Crataegus Aronia** Bosc ex DC. Prodr. II. 629. — 3 — *Habitat in Oriente.*
7307. **Crataegus orientalis** Bosc ex DC. Prodr. II. 629. — 3 — *Habitat in Oriente.*
 β. *Coccinea.*
7308. **Crataegus tanacetifolia** Persoon Encheir. II. 38. *Mespilus tanacetifolia* Smith Exot. Bot. t. 85. — 3 — *Habitat in Oriente.*
 β. *Celsiana.*
7309. **Crataegus laciniata** Ucria ex DC. Prodr. II. 629. — 3 — *Habitat in montibus madoninis Siciliae.*
7310. **Crataegus mexicana** Mocino ex DC. Prodr. II. 629. — 3 — *Habitat in Mexico.*

Ordo CLXXXVIII. Calycantheae.

6355. **Chimonanthus** Lindl.
7311. **Chimonanthus fragrans** Lindley in Bot. Reg. n. 404. 451. *Calycanthus praecox* Linn. Spec. 718. Bot. Mag. t. 466. — 3 — *Habitat in Japonia.*
6356. **Calycanthus** Linn.
7312. **Calycanthus floridus** Linn. Spec. 718. Bot. Mag. t. 503. — 3 — *Habitat in America boreali.*
 β *Ovatus* Ait.

Ordo CLXXXIX. Rosaceae.

Subordo I. Roseae.

6357. **Rosa** Tournef.

Sectio I. Synstylae.

7313. **Rosa arvensis** Huds. Fl. angl. ed. 1.

192. Linn. Mant. 245. — ♀ — *Habitat in Europae sylvis.*

Var. α . *Bibrecteata* Bast. Ann. litt. et in DC. FL. fr. V. 537. — β . *Prostrata* DC. Cat. Hort. Monsp. 138. FL. fr. V. 536. — γ . *Ayreskirea* Ser. msc. *Rosa capreolata* Neil Edinb. philos. Journ. n. 3. 102. ?

7314. *Rosa sempervirens* Linn. Spec. 704. — ♀ — *Habitat in Europa australi.*

7315. *Rosa moschata* Miller Dict. n. 13. — ♀ — *Habitat in agro Tunetano.*

7316. *Rosa multiflora* Thunb. Flor. jap. 214. — ♀ — *Habitat in Japonia et China.*

7317. *Rosa rubifolia* R. Br. in Ait. Hort. kew. ed. 2. Ill. 260. — ♀ — *Habitat in America boreali.*

7318. *Rosa stylosa* Desv. Journ. Bot. 1809. II. 317. et 1813. p. 113. — ♀ — *Habitat in Europa.*

Sectio II. Chinenses.

7319. *Rosa indica* Linn. Spec. 705. — ♀ — *Habitat in China.*

Var. α *Noisettiana* Red. ros. II. 77.* *Rosa paniculata* Hort. Genev. — β . *Nivea* Lodd.

7320. *Rosa Banksiae* R. Br. in Ait. Hort. kew. ed. 2. Ill. 256. Sims Bot. Mag. t. 1954.* — ♀ — *Habitat in China.*

Sectio III. Cinnamomeae.

7321. *Rosa lucida* Ehrh. Beitr. IV. 22. Lindl. Ros. 17. Jacq. Fragm. t. 107. f. 3. — ♀ — *Habitat in America boreali.*

7322. *Rosa nitida* Willd. Enum. 544. Lindl. Ros. 13. t. 2. *Rosa Reduta rufescens* Thory in Red. ros. I. 105. ic. — ♀ — *Habitat in insula Terra Nova.*

7323. *Rosa turbinata* Ait. Hort. kew. ed. 1. II. 206. — ♀ — *Patria ignota.*

Var. *Orbessanea* Red. et Thor. ros. II. 21.

7324. *Rosa gallica* Linn. Spec. 704. — ♀ — *Habitat in Europa.*

Var. α . *Agatha* Red. et Thor. Ros. III. 35. ic — β . *Holosericea* Ser. Mel. I. 29. *Rosa cuprea* Jacq. Fragm. t. 34. f. 4. *Rosa gallica Maheka* Red. et Thor. ros. III. p. 78.* ic. — γ . *Marmorea* Red. et Thor. ros. III. 49.* ic. — δ . *Officinalis* Red. et Thor. ros. I. 73.* ic. — ϵ . *Pumila* Linn. f. Suppl. Jacq. Flor. austr. II. 59. t. 198. *Rosa austriaca* Crantz Stirp. austr. 68. — ζ *Parvifolia* Ehrh. Beitr. VI. 97.

7325. ***Rosa pygmaea*** M. Bieb. Flor. Taur. I. 397. Cent. pl. ross. rar. t. 2. — ζ — *Habitat in Tauria*.

7326. ***Rosa Lindleyi*** Spreng. Syst. II. 647. *Rosa Carolina* ϵ . Ait. Hort. kew. ed. 2. III. 268. — ζ — *Habitat in America boreali*.

7327. ***Rosa parviflora*** Ehrh. Beitr. IV. 21. *Rosa Caroliniana* Michaux Flor. Bor. Amer. I. 295. — ζ — *Habitat in America boreali*.

7328. ***Rosa Woodsii*** Lindl. Ros. 21. — ζ — *Habitat in America boreali*.

7329. ***Rosa Carolina*** Linn. Spec. 703. — ζ — *Habitat in palustribus Americae borealis*.

7330. ***Rosa cinnamomea*** Linn. Spec. 703. DC. Fl. fr. IV. 449. Red. et Thor. ros. I. 105. et 133. ic. — ζ — *Habitat in Europa*.

Var. *Gemella* Willd. Enum. 544. *Rosa dahurica* Pall. ros. 61. — ζ — *Habitat in Sibiria*.

7331. ***Rosa fraxinifolia*** Berk. Holg. 301. et Gmel. Fl. bad. II. 413. — ζ — *Habitat in America boreali*.

7332. ***Rosa Kamtschatica*** Vent. var. β . *Ferox* Ser. msc. *Rosa ferox* Aiton Hort. kew. 2. III. 262. Lindley in Bot. Reg. t. 420. Ros. 6. *Rosa echinata* Dupont. ex Herb. DC. — ζ — *Habitat in Kamtschatka*.

7333. ***Rosa rugosa*** Thunberg Flor. Lapp. p. 213.* Lindl. Ros. p. 5. t. 19. — ζ — *Habitat in Japonia*.

7334. ***Rosa Eglanteria*** Linn. var. α . *Lutea* Red. et Thor. Ros. III. 20. et Thor. Prodr. 100. *Rosa lutea* Miller Dict. n. 11. Lindl. Ros. 84. *Rosa chloro-*

phylla Ehrh. Beitr. II. 69. *Rosa lutes unicolor* Curtis Bot. Mag. t. 363. — ♀ — *Patria ignota*.

7335. *Rosa sulphurea* Ait. Hort. kew. II. 201. *Rosa glaucophylla* Ehrh. Beitr. II. 69. — ♀ — *Habitat in Oriente*.

7336. *Rosa flava* Wikstr. ex Spreng. Syst. II. 550. — ♀ — *Patria ignota*.

7337. *Rosa pimpinellifolia* Linn. Spec. 307. — ♀ — *Habitat in dumetis Europae*.

Var. *α* *Vulgaris* Ser. msc. *Rosa spinosissima* Jacq. Fragm. 79. t. 124. Smith Engl. Bot. t. 187. — *β*. *Myriacantha* DC. Fl. fr. IV. 439. et V. 533. Lindl. ros. 35. t. 10. — *γ*. *Altaica* Willd. Enum. 543. *Rosa pimpinellifolia* Pall. Flor. ross. 62. t. 75. *Rosa grandiflora* Lindl. ros. 53. et in Bot. Reg. t. 888. *Rosa sibirica* Tratt. Ros. II. 230. — *δ*. *Involuta* Smith Fl. brit. 1398. Engl. Bot. t. 2068.

7338 *Rosa oxyacantha* M. Bieberst. Flor. Taur. Suppl. 338. — ♀ — *Habitat in Tauria*.

7339. *Rosa rubrifolia* Vill. Dauph. III. 549. — ♀ — *Habitat in alpinis Europae*.

Sectio IV. Caninae.

7340 *Rosa alpina* Linn. Spec. 703. — ♀ — *Habitat in alpinis Europae*.

Var. *α*. *Vulgaris* Desv. Journ. bot. 1813. 119 *Rosa pendulina* Linn. Spec. 705. — *β*. *Lagenaria* Ser. msc. — *γ*. *Rubella* Smith Engl. Bot. t. 2521. — *δ*. *Aculeata* Ser. Mus. Helv. I. 10. in not. *Rosa acicularis* Lindl. ros. 44. t. 8. *Rosa polyphylla* Willd. Enum. 37. ? — *ε*. *Pyrenaica* Gouan Ill. III. t. 19. *Rosa alpina* *δ*. DC. Fl. fr. V. 536.

7341. *Rosa suavis* Willd. Enum. Suppl. 37. et Link Enum. II. 57. — ♀ — *Patria ignota*.

7342. *Rosa canina* Linn. Spec. 704. *Rosa hibernica* Smith Engl. Bot. t. 2196. — ♀ — *Habitat in Europa*.

Var. *α*. *Rotundifolia* Ser. msc. *Rosa trachyphylla* Rau Enum. 124. *Rosa Kosinscoiana* Besser Enum. 60. — *β*. *Pilosiuscula* Desv. Journ. bot. 1813. p. 115. *Rosa collina* Ran Enum. 163. *Rosa humilis* Besser Suppl. 4. ad cat. crem. *Rosa Fried-*

länderiana Besser Enum. 46. 60. 63.* — γ . *Fastigiata* Bast Suppl. 30. — δ . *Aciphylla* Rau Enum. 69. ic.

7343. ***Rosa saxatilis*** Stev. in M. Bieb. Flor. Taur. 349. — $\frac{1}{2}$ — *Habitat in Tauria.*

7344. ***Rosa Wolfgangiana*** Besser Enum. 61 et 67. — $\frac{1}{2}$ — *Habitat in Galicia.*

7345. ***Rosa Sabini*** Woods in Transact. Linn. XII. 188. — $\frac{1}{2}$ — *Habitat in Anglia.*

7346. ***Rosa rubiginosa*** Linn. Mant. 564. — $\frac{1}{2}$ — *Habitat in Europa.*

Var. α . *Vulgaris* Willd. Enum. 546. *Rosa rubiginosa* Smith Engl. Bot. t. 991. *Rosa agrestis* Savi Fl. Pis. 475. — β . *Grandiflora* Wallr. Ann. bot. 66. — γ . *Parvifolia* Willd. Enum. 546. *Rosa micrantha* DC. Fl. fr. V. 539. non Smith. — δ . *Cretica* Red. et Thor. ros. I. 125. ic. *Rosa glutinosa* Smith et Sibth. Prodr. Fl. gr. I. 348. — ϵ . *Anemoneflora* Thor. Prodr. 110. — ζ . *Sepium* Thuill. Fl. Par. ed. 2. 152. — η . *Micrantha* Smith Engl. Bot. t. 1490. — θ . *Caryophyllacea* Besser Enum. 19.*

7347. ***Rosa suaveolens*** Rafin. Ros. Am. in Ann. scienc. phys. V. 518. — $\frac{1}{2}$ — *Habitat in America.*

7348. ***Rosa hibernica*** Smith Engl. Bot. t. 2196. — $\frac{1}{2}$ — *Habitat in Hibernia.*

7349. ***Rosa pulverulenta*** M. Bieb. Flor. Taur. I. 399 — $\frac{1}{2}$ — *Habitat in Caucaso.*

7350. ***Rosa tomentosa*** Smith Flor. brit. II. 539. — $\frac{1}{2}$ — *Habitat in Europa.*

Var. α . *Smithiana* Ser. msc. *Rosa tomentosa* Smith l. c. Engl. Bot. t. 990. *Rosa dimorpha* Besser Suppl. ad Cat. Hort. crem. p. 19. — β . *Scabriuscula* Smith Engl. Bot. t. 1896. *Rosa montana* DC. Fl. fr. V. 532. non Vill. — γ . *Farinosa* Bechst. Forslb. 243. et 1046.

7351. ***Rosa cuspidata*** M. Bieb. Flor. Taur. I. 396. — $\frac{1}{2}$ — *Habitat in Tauria.*

7352. ***Rosa mollis*** Led. ex Spreng. Syst. II. 551. — $\frac{1}{2}$ — *Habitat ad Caucasum.*

7353. ***Rosa villosa*** Linn. Spec. 704. — $\frac{1}{2}$ — *Habitat in Europa.*

Var. α . *Variegata* Ser. msc. — β . *Terebinthina* Red. et Thor. ros. II. 71. ic.

7354. **Rosa ciliato-petala** Besser Enum. 66. — $\frac{1}{2}$ — *Habitat in Lithuania.*

7355. **Rosa centifolia** Linn. Spec. 704. — $\frac{1}{2}$ — *Patria ignota.*

Var. α . *Carnosa* Dum - Cours. bot. cult. ed. 2. V. 477. — β . *Anemonoides* Thory Prodr. 76. — γ . *Minor* Dum - Cours. bot. cult. ed. 2. V. 476. *Rosa provincialis* α Willd. Spec. II. 1070. — δ . *Prolifera* Ser msc. — ϵ . *Pomponia* Lindl. Ros. 64 *Rosa Burgundiaca* Pers. Ench. II. 48. *Rosa provincialis* Ait. Hort. kew. ed. 2. 204.

7356. **Rosa muscosa** Ait. Hort. kew. ed. 1. II. 207. Lindl. Ros. 64. — $\frac{1}{2}$ — *Patria ignota.*

7357. **Rosa damascena** Miller Dict. n. 15. *Rosa bifera* Pers. Ench. I. 48. *Rosa semperflorens* Desf. Cat. 175. non Curt. nec Willd. — $\frac{1}{2}$ — *Habitat in Syria.*

Var. α . *Coccinea* Red. et Thor. I. 109.* ic. — β . *Officinalis* Ser. msc. — γ . *Variegata* Ser. msc.

7358. **Rosa Willdenowii** Spreng. Syst. II. 547. *Rosa microphylla* Willd. Herb. *Rosa arenaria* M. Bieb. et Stev. in Willd. Herb. ex Spreng. l. c. — $\frac{1}{2}$ — *Habitat in Sibiria.*

7359. **Rosa floribunda** Stev. in Besser Cat. Hort. Crem. 1816. Suppl. IV. 19. — $\frac{1}{2}$ — *Habitat in Tauria.*

7360. **Rosa alba** Linn. Spec. 705. Lindley Ros. 81. — $\frac{1}{2}$ — *Habitat in Europa.*

Var. α . *Cymbaefolia* Delaun. *Rosa cannabina* Pelletier ex Red. et Thor. l. c. — β . *Vulgaris* Ser. msc. *Rosa alba ocellatis* Dup. ex Red. et Thor. ros. I. 98.

7361. **Rosa agrestis** Swartz ex Spreng. Syst. II. 553. — $\frac{1}{2}$ — *Habitat in Suecia.*

6358. **Hulthemia** Dumort.

7362. **Hulthemia berberidifolia** Dumort. Diss. Tournay 1824. 8. *Lovea berberidifolia* Lindl. in Bot. Reg. t. 1261. *Rosa berberifolia* Pallas N. Act. Petrop. X. t. 10. f. 5. Ledebour Ic. t. 370. — $\frac{1}{2}$ — *Habitat in Asia media.*

Subordo II. Dryadeae.

§. 1. Dalibardeae.

6360. **Rubus** Linn.

7363. **Rubus strigosus** Michaux Flor. Bor. Amer. I. 297. — ♀ — *Habitat in Pensylvania.*

7364. **Rubus occidentalis** Linn. Spec. 706. — ♀ — *Habitat in Canada.*

7365. **Rubus idaeus** Linn. Spec. 706. — ♀ — *Habitat in Europa.*

β. *Leucocarpus*. — γ. *Semperflorens*.

7366. **Rubus caesius** Linn. Spec. 706. — ♀ — *Habitat in Europa.*

7367. **Rubus corylifolius** Smith E. B. t. 827. — ♀ — *Habitat in Europa.*

7368. **Rubus plicatus** Weihe et Nees Rub. t. 1. — ♀ — *Habitat in Europa.*

7369. **Rubus affinis** Weihe et Nees Rub. t. 3. et 36. — ♀ — *Habitat in Europa.*

7370. **Rubus fruticosus** Linn. Spec. 707. — ♀ — *Habitat in Europa.*

7371. **Rubus sanctus** Schreb. Decad. 15. t. 8. — ♀ — *Habitat in Oriente.*

7372. **Rubus altheaeifolius** Host ex Tratt. Ros. III. 37. — ♀ — *Habitat in Austria.*

7373. **Rubus tiliaefolius** Weihe ex Sprengel Syst. II. 529. — ♀ — *Habitat in Germania.*

7374. **Rubus parvifolius** Linn. Spec. 707. Bot. Reg. t. 496. — ♀ — *Habitat in India orientali.*

7375. **Rubus saxatilis** Linn. Spec. 708. E. B. t. 2233. — ♀ — *Habitat in rupestribus Europae et Asiae.*

7376. **Rubus acaulis** Michaux Flor. Bor. Amer. I. 298. *Rubus pistillatus* Smith Exot. Bot. II. t. 86. — ♀ — *Habitat in America boreali.*

7377. **Rubus odoratus** Linn. Spec. 707. — ♀ — *Habitat in America boreali.*

7378. **Rubus Nutkanus** Mocino ex DC. Prodr. II. 566. — 3 — *Habitat in America boreali occidentali.*

§. 2. Fragarieae.

6361. **Fragaria** Linn.

a. **Fragaria.**

7379. **Fragaria vesca** Linn. Spec. 705. — 4 — *Habitat in Europa.*

7380. **Fragaria collina** Ehrh. Beitr. VII. 26. — 4 — *Habitat in Europa.*

7381. **Fragaria elatior** Ehrh. Beitr. VII. 23. — 4 — *Habitat in Europa.*

7382. **Fragaria virginiana** Ehrh. Beitr. VII. 25. — 4 — *Habitat in America boreali.*

7383. **Fragaria chilensis** Ehrh. Beitr. VII. 26. — 4 — *Habitat in America meridionali.*

7384. **Fragaria mexicana** Schlechtend. in Linnaea XIII. 265. — 4 — *Habitat in Mexico.*

b. **Duchesnea.**

7385. **Fragaria indica** Andrews Bot. Reposit. t. 475. *Duchesnea fragarioides* Smith in Linn. Transact. X. 373. — 4 — *Habitat in Nepalia.*

6362. **Comarum** Linn.

7386. **Comarum palustre** Linn. Spec. 718. *Potentilla palustris* Lehm. Pot. 52. — 4 — *Habitat in paludosis Europae.*

6363. **Potentilla** Nestl.

a. **Potentillastrum** Ser.

7387. **Potentilla nivea** Linn. Spec. 715. Flor. dan. t. 1035. — 4 — *Habitat in alpinis Europae et Sibiriae.*

7388. **Potentilla grandiflora** Linn. Spec. 715. — 4 — *Habitat in alpinis Europae.*

7389. **Potentilla Tormentilla** Nestl. Pot.
65. *Tormentilla erecta* Linn. Spec. 716. — 2 — *Habitat in pascuis Europae.*

7390. **Potentilla desertorum** Bunge Flor.
alt. II. 257. Ledeb. Ic. t. 337. — 2 — *Habitat in deserto Soongoro-Khirkisico.*

7391. **Potentilla reptans** Linn. Spec. 714.
E. B. t. 891. — 2 — *Habitat in Europa et in America boreali.*

7392. **Potentilla verna** Linn. Spec. 712.
— 2 — *Habitat in pratis Europae et Asiae.*

β. *Cinerea* Ser. *Potentilla subacaulis* Jacq. Ic. rar. t. 491.

7393. **Potentilla opaca** Linn. Spec. 713.
— 2 — *Habitat in Europa.*

7394. **Potentilla aurea** Linn. Spec. 712.
E. B. t. 561. — 2 — *Habitat in alpestribus Europae.*

β. *Salisburgensis* Haenke in Jacq. Ic. rar. t. 490.

7395. **Potentilla Dethomasi** Tenore Flor.
Neap. I. 285. t. 44. — 2 — *Habitat in regno Neapolitano.*

7396. **Potentilla argentea** Linn. Spec. 712.
E. B. t. 89. — 2 — *Habitat in Europa.*

β. *Guntheri* Pohl Fl. Boh. II. 185. — γ. *Impolita* Wahlenb. Flor. Carp. 507. — δ. *Calabra* Tenore Flor. neap. I. 287. t. 45.

7397. **Potentilla collina** Wib. Werth. II.
267. — 2 — *Habitat in Germania.*

7398. **Potentilla intermedia** Linn. Mant.
76. *Potentilla opaca* Jacq. Ic. rar. t. 91. — 2 — *Habitat in Helvetia et Pyrenaeis.*

7399. **Potentilla dealbata** Bunge in Ledeb.
Flor. alt. II. 250. Ic. t. 326. — 2 — *Habitat in Sibiria.*

7400. **Potentilla canescens** Besser Flor.
Gallic. I. 330. — 2 — *Habitat in Hungaria.*

β. *Inclinata* Villars Delph. III. 567. t. 45.

7401. **Potentilla chrysantha** Treviranus
Hort. Wratislav. 1818. Ledeb. Ic. t. 338. — 2 — *Habitat in Sibiria.*

7402. **Potentilla hirta** Linn. Spec. 712.
— 2 — *Habitat in Europa australi.*

β. *Rubens* Allioni Flor. Pedem. n. 1486. *Potentilla pedata* Nestl. Pot. t. 7. — γ. *Astracantha* Jacq. Ic. rar. t. 98. *Potentilla taurica* Schlecht. — δ. *Recta* Linn. Spec. 711. — ε. *Obscura* Willd. Spec. II. 1100. — ζ. *Laciniosa* Waldst. et Kit. ex Nestl. Pot. 45.

7403. ***Potentilla nepalensis*** Hooker Exot. Flor. t. 88. *Potentilla formosa* Don Nepal. 232. — 2 — *Habitat in Nepulia.*

β. *Russeliana*.

7404. ***Potentilla fruticosa*** Linn. Spec. 709. E. B. t. 88. — ε — *Habitat in Anglia et in Pyrenaeis et in America boreali.*

β. *Floribunda* Pursh Flor. Bor. Amer. I. 355.

7405. ***Potentilla bifurca*** Linn. Spec. 711. — 2 — *Habitat in Sibiria.*

7406. ***Potentilla supina*** Linn. Spec. 711. Jacq. Flor. austr. t. 406. — ☉ — *Habitat in Europa et in America boreali.*

7407. ***Potentilla geoides*** Bieberst. Flor. Taur. cauc. I. 404. — 2 — *Habitat in Tauria.*

7408. ***Potentilla Sprengeliana*** Lehm. Pot. 49. t. 3. — 2 — *Habitat in Sibiria.*

7409. ***Potentilla pensylvanica*** Linn. Mant. 76. Jacq. Hort. Vindob. t. 189. Torr. et A. Gray Flor. of North Amer. I. 438. — 2 — *Habitat in America boreali et in Sibiria.*

α. *Communis* Torr. et A. Gr. *Potentilla missourica* Hornem. Bot. Reg. t. 1412. — β. *Strigosa* Pursh Flor. Bor. Amer. I. 356. *Potentilla pectinata* Fisch. — γ. *Arguta* Lehm. Pot. 55. — δ. *Pulcherrima* Lehm. l. c. — ε. *Hippiana* Lehm. Puggill. II. 7. Hook. Flor. Bor. Amer. t. 64.

7410. ***Potentilla multifida*** Linn. Spec. 710. — 2 — *Habitat in Europa et Sibiria.*

β. *Agrimonioides* Bieberst. Suppl. 354.

7411. ***Potentilla sericea*** Linn. Spec. 710. — 2 — *Habitat in Sibiria.*

7412. ***Potentilla anserina*** Linn. Spec. 710. E. B. t. 861. — 2 — *Habitat in Europa et in America boreali.*

δ. Fragariastrum Ser.

7413. **Potentilla rupestris** Linn. Spec. 711. Jacq. Flor. austr. t. 114. — 2 — *Habitat in Europa et Sibiria.*

7414. **Potentilla arguta** Pursh Flor. Bor. Amer. II. 636. Lindley in Bot. Reg. t. 137. *Potentilla confertiflora* Torrey Flor. I. 449. *Geum agrimonioides* Pursh Flor. Bor. Amer. I. 351. *Boottia sylvestris* Bigelow Flor. Bost. II. 351. — 2 — *Habitat in America boreali.*

7415. **Potentilla alba** Linn. Spec. 713. E. B. t. 1384. — 2 — *Habitat in Europa.*

§. 3. Sanguisorbeae.

6368. Agrimonia Tournef.

7416. **Agrimonia Eupatoria** Linn. Spec. 643. — 2 — *Habitat in Europa.*

7417. **Agrimonia odorata** Camer. Hort. 7. DC. Prodr. II. 587. — 2 — *Habitat in Italia.*

7418. **Agrimonia pilosa** Ledeb. Ind. Sem. Hort. Dorp. 1823. p. 1. — 2 — *Habitat in Dahuria.*

7419. **Agrimonia repens** Linn. Spec. 875. — 2 — *Habitat in Armenia.*

6370. Alchemilla Tournef.

7420. **Alchemilla vulgaris** Linn. Spec. 178. — 2 — *Habitat in Europa.*

7421. **Alchemilla pubescens** Bieberst. Flor. Taur. Cauc. I. 114. — 2 — *Habitat in Caucaso.*

7422. **Alchemilla montana** Willd. Enum. I. 190. — 2 — *Habitat in Europa.*

7423. **Alchemilla alpina** Linn. Spec. 179. — 2 — *Habitat in Europa et America boreali.*

6372. Acaena Vahl.

a. Euacaena DC.

7424. **Acaena sericea** Jacq. f. Eclog. I. t. 55. — 2 — *Habitat in America australi.*

β. Ancistrum Forst.

7425. **Acaena Sanguisorba** Vahl Enum. I. 294. — 2 — *Habitat in Nova Zeelandia.*

7426. **Acaena ovalifolia** Ruiz et Pav. Flor. Peruv. I. 67. t. 103. *Ancistrum repens* Vent. Cels. t. 5. — 2 — *Habitat in Peruvia.*

7427. **Acaena adscendens** Vahl Enum. I. 297. — 2 — *Habitat ad fretum Magellanicum.*

6373. Sanguisorba Linn.

7428. **Sanguisorba officinalis** Linn. Spec. 169. — 2 — *Habitat in pratis Europae.*

7429. **Sanguisorba carnea** Fischer ex Link Enum. I. 144. — 2 — *Habitat in Galicia.*

7430. **Sanguisorba alpina** Bunge in Ledebour Flor. alt. I. 142. — 2 — *Habitat in montibus Altaicis.*

7431. **Sanguisorba tenuifolia** Fischer ex Link Enum. I. 144. — 2 — *Habitat in Dahuria.*

6374. Poterium Linn.

7432. **Poterium spinosum** Linn. Spec. 1411. — 3 — *Habitat in Oriente.*

7433. **Poterium caudatum** Aiton Hort. kew. ed. 1. III. 354. Bot. Mag. t. 2341. — 3 — *Habitat in insulis Canariis.*

7434. **Poterium Sanguisorba** Linn. Spec. 1411. — 2 — *Habitat in pratis asperis Europae.*

β. *Ibericum.*

7435. **Poterium polygamum** Waldst. et Kit. Plant. rar. Hung. II. t. 198. — 2 — *Habitat in Banatu.*

7436. **Poterium agrimonifolium** Cavanill. Elench. Hort. Madrit. 1803. — 2 — *Habitat in Hispania.*

β. *Hybridum* Linn. Spec. 1411.

6378. Margyricarpus R. et Pav.

7437. **Margyricarpus setosus** Ruiz et Pav.
Flor. Peruv. I. 28. t. 8. — ♀ — *Habitat in Peruvia.*

6379. Cliffortia Linn.

7438. **Cliffortia ilicifolia** Linn. Spec. 1469.
— ♀ — *Habitat in Capite bonae spei.*

7439. **Cliffortia obcordata** Linn. f. Suppl.
429. — ♀ — *Habitat in Capite bonae spei.*

§. 4. Eudryadeae.**6382. Waldsteinia Willd.**

7440. **Waldsteinia geoides** Willd. in N.
Magaz. II. 103. t. 4. f. 1. Waldst. et Kit. Plant. rar.
Hung. t. 77. — 2 — *Habitat in sylvis Hungariae.*

6383. Comaropsis L. C. Rich.

7441. **Comaropsis fragarioides** DC. Prodr.
II. 555. *Dalibarda fragarioides* Michaux Flor. Bor. Am.
I. 300. t. 8. — 2 — *Habitat in Canada.*

7442. **Comaropsis pedata** DC. Prodr. II.
555. *Rubus pedatus* Smith Ic. inedit. t. 36. — 2 —
Habitat in America boreali occidentali.

6384. Sieversia Willd.

7443. **Sieversia triflora** R. Brown in Parrys
first Voy. App. p. 276. Bot. Mag. t. 2858. *Geum tri-*
florum Pursh Flor. Bor. Amer. II. 736. — 2 — *Ha-*
bitat in America boreali.

7444. **Sieversia montana** Spreng. Syst. II.
543. *Geum montanum* Linn. Spec. 717. — 2 — *Ha-*
bitat in alpidus Europae.

6386. Geum Linn.**a. Caryophyllastrum Ser.**

7445. **Geum virginianum** Linn. Spec. 716.
II.

Geum laciniatum Murray Nov. Comm. Götting. V. 30. t. 2. *Geum heterophyllum* Desfont. Cat. Hort. Paris. 409. — 24 — *Habitat in Virginia.*

7446. *Geum album* Gmel. Syst. 861. *Geum canadense* Jacq. Hort. Vindob. II. 82. t. 175. non Murr. *Geum virginianum* Murray in Nov. Comm. Götting. V. 32. t. 3. non Linn. — 24 — *Habitat in America boreali.*

7447. *Geum urbanum* Linn. Spec. 716. Hayne Arzneigew. IV. t. 33. — 24 — *Habitat in Europa et Asia septentrionali.*

β. *Intermedium* Baumg. Flor. Transylv. II. 69. — γ. *Se-miplenum.*

7448. *Geum canadense* Murray in Nov. Comm. Götting. V. 33. t. 4. *Geum hirsutum* Mühlenb. ex Link Enum. II. 65. — 24 — *Habitat in America boreali.*

7449. *Geum macrophyllum* Willd. Enum. I. 557. — 24 — *Habitat in Kamtschatka.*

7450. *Geum strictum* Aiton Hort. kew. II. 217. *Geum allepicum* Jacq. Ic. rar. t. 93. *Geum ranunculoides* Seringe in DC. Prodr. II. 550. *Geum intermedium* Besser in DC. l. c. — 24 — *Habitat in Asia et America boreali, per Europam rarius obvium.*

δ. *Calligeum* Fisch.

7451. *Geum chilense* Balbis. *Geum coccineum* Lindley in Bot. Reg. t. 1088. *Geum Quellyon* Sweet Fl. Gard. t. 292. — 24 — *Habitat in Chili.*

7452. *Geum coccineum* Sibth. Flor. graec. V. 69. t. 485. — 24 — *Habitat in Asia minore et Rumelia.*

ε. *Caryophyllata* Ser.

7453. *Geum sylvaticum* Pourret Act. Toulon. ex DC. Prodr. II. 552. *Geum atlanticum* Desfont. Flor. atl. I. 402. *Geum biflorum* Brotero Flor. Lusit. II. 353. — 24 — *Habitat in Europa austro-occidentali et in Atlantide.*

7454. **Geum intermedium** Ehrh. Beitr. VI.
143. — 2 — *Habitat in Europa et Caucaso.*

7455. **Geum nutans** Lam. Encycl. I. 399.
— 2 — *Patria ignota.*

7456. **Geum rivale** Linn. Spec. 717. *Geum hybridum* Jacq. Ic. rar. t. 94. — 2 — *Habitat in Europa, Asia et America boreali.*

6388. **Coluria** R. Br.

7457. **Coluria geoides** R. Brown in Parrys first Voy. App. p. 276. *Dryas geoides* Pallas It. III. App. 232. t. 9. f. 1. *Geum Laxmanni* Gärtner. Carp. I. 352. t. 74. f. 1. *Sieversia geoides* Spreng. Syst. II. 543.
— 2 — *Habitat in Sibiria.*

6389. **Dryas** Linn.

7458. **Dryas octopetala** Linn. Spec. 717.
— 2 — *Habitat in subalpinis hemisphaerae borealis.*

Subordo III. **Spiraeaceae.**

6390. **Kerria** DC.

7459. **Kerria japonica** DC. in Linn. Transact. XII. 156. *Corchorus japonicus* Thunb. Flor. jap. 227. Bot. Mag. t. 1296. *Spiraea japonica* Cambess. in Annal. sc. nat. I. 389. — 3 — *Habitat in Japonia.*
a. *Simplex.* — b. *Plena.*

6391. **Spiraea** Linn.

α. **Physocarpus** Camb.

7460. **Spiraea opulifolia** Linn. Spec. 702.
— 3 — *Habitat in America boreali.*
β. *Variegata.*

β. **Chamaedryon** Camb.

7461. **Spiraea ulmifolia** Scopoli Flor. Carn. ed. 2. I. 349. t. 22. *Spiraea chamaedryfolia* Jacq. Hort.

Vindob. t. 140. — ♀ — *Habitat in Carinthia et Sibiria.*

7462. **Spiraea chamaedryfolia** Linn. Spec. 701. — ♀ — *Habitat in Hungaria, Sibiria et America boreali.*

β. *Media* Pursh Flor. Bor. Amer. I. 342. — γ. *Oblongifolia* Waldst. et Kit. Plant. rar. Hung. t. 235.

7463. **Spiraea cana** Waldst. et Kit. Plant. rar. Hung. III. 252 t. 227. — ♀ — *Habitat in Croatia.*

7464. **Spiraea trilobata** Linn. Mant. 244. — ♀ — *Habitat in alpinis Altaicis.*

7465. **Spiraea alpina** Pallas Flor. ross. I. 82. t. 20. — ♀ — *Habitat in Sibiria.*

7466. **Spiraea hypericifolia** DC. Fl. fr. V. 645. — ♀ — *Habitat in Europa et America boreali.*

a. *Plukenetiana* Ser. in DC. Prodr. II. 543. — b. *Acutifolia* Willd. Enum. 540. — c. *Crenata* Linn. Spec. 701. — d. *Obovata* Waldst. et Kit.

7467. **Spiraea betulæfolia** Pallas Flor. ross. I. 75. t. 16. — ♀ — *Habitat in Sibiria.*

7468. **Spiraea laevigata** Linn. Mant. 244. — ♀ — *Habitat in Sibiria.*

7469. **Spiraea salicifolia** Linn. Spec. 700. — ♀ — *Habitat in Sibiria.*

7470. **Spiraea ariaefolia** Smith in Rees Cycl. 133. — ♀ — *Habitat in America boreali.*

c. **Aruncus** Camb.

7471. **Spiraea Aruncus** Linn. Spec. 702. — 2 — *Habitat in sylvis Europae.*

d. **Ulmaria** Camb.

7472. **Spiraea Ulmaria** Linn. Spec. 702. — 2 — *Habitat in pratis Europae.*

β. *Multiplex* DC.

7473. **Spiraea digitata** Willd. Spec. II. 1061. — 2 — *Habitat in subalpinis Sibiriae.*

7474. **Spiraea Filipendula** Linn. Spec. 702. — 2 — *Habitat in pascuis Europae.*

Ordo CXC. Amygdaleae.

6405. *Amygdalus* Linn.

α. Amygdolephora Neck.

7475. *Amygdalus nana* Linn. Mant. 396.
 -- ♂ — *Habitat in Europa orientali et in Asia media.*
α. Vulgaris DC. (Bot. Mag. t. 161.) — *β. Georgica* Desfont. Arbr. II. 221. — *γ. Campestris* Besser Enum. 46.

7476. *Amygdalus orientalis* Aiton Hort. kew. ed. 1. I. 162. — ♂ — *Habitat in Oriente.*

7477. *Amygdalus communis* Linn. Spec. 677. — ♂ — *Habitat in Mauritania.*
α. Amara. — *β. Dulcis.* — *γ. Fragilis.* — *δ. Macrocarpa* (Sultana). — *ε. Persicoides.* — *ζ. Pistacina.* — *η. Variegata.* — *θ. Plena.*

δ. Persica Tournef.

7478. *Amygdalus Persica* Linn. Spec. 677.
Persica vulgaris Miller Dict. n. 1. — ♂ — *Habitat in Persia.*

6406. *Prunus* Linn.

α. Armeniaca Tournef.

7479. *Prunus Armeniaca* Linn. Spec. 679.
Armeniaca vulgaris Lam. Dict. 1. 2. — ♂ — *Habitat in Armenia.*

a. Ovalifolia Ser. — *b. Cordifolia* Ser.

7480. *Prunus dasycarpa* Ehrh. Beitr. VI. 90.
Armeniaca dasycarpa Pers. Ench. II. 36. — ♂ — *Patria ignota.*

7481. *Prunus sibirica* Linn. Spec. 679.
Armeniaca sibirica Pers. Encheir. II. 36. — ♂ — *Habitat in Sibiria.*

7482. *Prunus Brigantiaca* Villars Delphin. III. 535.
Armeniaca Brigantiaca Pers. Encheir. II. 36. — ♂ — *Habitat in Delphinatu.*

b. *Prunus* Tournef.

7483. ***Prunus spinosa*** Linn. Spec. 681.
 — 5 — *Habitat in collibus Europae.*
 β. *Plena.* — γ. *Semiplena.* — δ. *Dulcis.* — ε. *Viridis.*
 7484. ***Prunus insititia*** Linn. Spec. 680. E.
 B. t. 841. — 5 — *Habitat in Europa.*
 β. *Plena.*
 7485. ***Prunus Coccomilia*** Tenore Suppl.
 Prodr. II. 67. — 5 — *Habitat in Calabria.*
 7486. ***Prunus Americana*** Marshall Arb.
 III. *Prunus nigra* Aiton Hort. kew. ed. 1. II. 165.
 — 5 — *Habitat in America boreali.*
 β. *Hyemalis* Michaux Flor. Bor. Amer. I. 284.
 7487. ***Prunus Chicassa*** Michaux Flor. Bor.
 Amer. I. 284. — 5 — *Habitat in America boreali.*
 7488. ***Prunus maritima*** Wangenh. Amer.
 103. — 5 — *Habitat in America boreali.*
 β. *Pygmaea* Willd. Spec. II. 993.
 7489. ***Prunus pubescens*** Poiret Suppl. IV.
 584. — 5 — *Patria ignota.*
 7490. ***Prunus domestica*** Linn. Spec. 680.
 — 5 — *Habitat in Europa australiore, passim culta.*
 a. *Sylvestris.* — b. *Cerea.* — c. *Claudiana.* — d. *Minor.*
 — e. *Pruneuliana.* — f. *Enucleata.*

c. *Cerasus* Tournef.

7491. ***Prunus avium*** Linn. Spec. 679. *Cerasus avium* Mönch Meth. 672. — 5 — *Habitat in sylvis Europae.*
 β. *Plena.* — γ. *Asplenifolia.*
 7492. ***Prunus duracina*** Linn. Spec. 679.
Cerasus duracina DC. Fl. fr. IV. 483. — 5 — *Colitur.*
 7493. ***Prunus acida*** Ehrh. Beitr. VII. 129.
Cerasus caproniana DC. Fl. fr. IV. 482. — 5 — *Colitur.*
 β. *Plena.* — γ. *Polygyna* DC. — δ. *Oxycarpa.*
 7494. ***Prunus semperflorens*** Ehrh. Beitr.
 VII. 132. *Cerasus semperflorens* DC. Fl. fr. IV. 481.
 — 5 — *Colitur.*
 7495. ***Prunus Marasca.*** *Cerasus Marasca*

Host Flor. austr. II. 6. — 5 — *Habitat in Dalmatia.*

7496. **Prunus Chamaecerasus** Jacq. Ic. rar. t. 90. *Prunus fruticosa* Pallas Flor. ross. I. t. 8. b. — 5 — *Habitat in Germania et Sibiria.*

7497. **Prunus divaricata** Ledebour Ic. t. 13. — 5 — *Habitat in Caucaso.*

7498. **Prunus prostrata** Labill. Syr. Dec. I. 15. — 5 — *Habitat in montibus Cretae et in Libano.*

7499. **Prunus persicifolia** Desfont. Arbr. II. 205. — 5 — *Habitat in America boreali.*

7500. **Prunus pumila** Linn. Mant. 73. — 5 — *Habitat in Canada.*

7501. **Prunus depressa** Pursh Flor. Bor. Amer. I. 332. — 5 — *Habitat in America boreali.*

7502. **Prunus Mahaleb** Linn. Spec. 678. Jacq. Flor. austr. t. 227. — 5 — *Habitat in Europa australiore.*

7503. **Prunus Padus** Linn. Spec. 677. — 5 — *Habitat in Europa.*

β. *Rubra.*

7504. **Prunus virginiana** Linn. Spec. 473. *Cerasus virginiana* Torr. et A. Gray Flor. of North Amer. I. 410. — 5 — *Habitat in America boreali.*

7505. **Prunus serotina** Ehrh. Beitr. III. 20. *Cerasus serotina* Torr. et A. Gray Flor. of North Amer. I. 410. — 5 — *Habitat in America boreali.*

7506. **Prunus Capollim.** *Cerasus Capollim* DC. Prodr. II. 539. — 5 — *Habitat in Mexico.*

7507. **Prunus Nepalensis.** *Cerasus Nepalensis* Seringe in DC. Prodr. II. 540. — 5 — *Habitat in Nepal.*

7508. **Prunus Laurocerasus** Linn. Spec. 678. — 5 — *Habitat in Trapezunto.*

Ordo CXCI. Papilionaceae.

Tribus I. Podalyrieae.

Subtribus I. Eupodalyrieae.

6418. **Anagyris** Linn.

7509. **Anagyris foetida** Linn. Spec. 534.
 — ♂ — *Habitat in Europa australiore.*
 β. *Neapolitana* Tenore.

6420. **Thermopsis** R. Br.

7510. **Thermopsis fabacea** DC. Prodr. II.
 99. *Sophora fabacea* Pallas Astrag. t. 90. f. 2. — ♀ —
Habitat in Kamtschatka.

7511. **Thermopsis lanceolata** R. Brown
 in Aiton Hort. kew. ed. 2. III. 3. *Thermopsis lupinoides*
 Link Enum. I. 401. *Sophora lupinoides* Pallas
 Astrag. t. 89. — ♀ — *Habitat in Sibiria.*

6421. **Baptisia** Vent.

7512. **Baptisia australis** R. Brown in Aiton Hort. kew. ed. 2. III. 6. *Sophora australis* Linn.
 Spec. Bot. Mag. t. 509. *Podalyria australis* Willdenow
 Spec. II. 503. Vent. Cels. t. 56. — ♀ — *Habitat in America boreali.*

- β. *Minor* Lehm. Ind. Sem. Hamb. 1827.

6425. **Brachysema** R. Br.

7513. **Brachysema latifolium** R. Brown
 in Aiton Hort. kew. ed. 2. III. 10. Bot. Mag. t. 2008.
 Bot. Reg. t. 118. — ♂ — *Habitat in Nova Hollandia austro-occidentali.*

6426. **Callistachys** Vent.

7514. **Callistachys lanceolata** Vent. Malm.

t. 115. Bot. Reg. t. 216. -- ♂ — *Habitat in Nova Hollandia orientali.*

7515. **Callistachys ovata** Sims Bot. Mag. t. 1925. — ♂ — *Habitat in Nova Hollandia.*

6427. **Oxylobium** Andr.

7516. **Oxylobium capitatum** Benth. Enum. Plant. Hügel. 28. — ♂ — *Habitat in Novae Hollandiae ora orientali.*

7517. **Oxylobium scandens** Benth. in Anal. Wiener Mus. II. 36. *Podolobium scandens* DC. Prodr. II. 103. *Chorozema scandens* Smith in Linn. Transact. IX. 253. — ♂ — *Habitat in Nova Hollandia orientali.*

6431. **Chorozema** Labill.

7518. **Chorozema ilicifolium** Labill. Voy. I. 405. t. 21. — ♂ — *Habitat in Nova Hollandia orientali.*

7519. **Chorozema rhombeum** R. Brown in Aiton Hort. kew. 2. III. 9. Sweet Flor. austr. t. 40. — ♂ — *Habitat in Nova Hollandia orientali.*

Subtribus II. Pulteneae.

6434. **Jacksonia** R. Br.

7520. **Jacksonia Sternbergiana** Benth in Hügel Bot. Archiv. t. 5. — ♂ — *Habitat ad fluvium Cygnorum Novae Hollandiae.*

6436. **Viminaria** Smith.

7521. **Viminaria denudata** Smith Exot. Bot. t. 27. Bot. Mag. t. 1190. *Daviesia denudata* Venten. Choix. t. 6. *Sophora juncea* Schrad. Sert. Hanov. t. 3. — ♂ — *Habitat in Nova Hollandia.*

6440. **Aotus** Smith.

7522. **Aotus villosa** Smith in Linn. Transact. IX. 249. — ♀ — *Habitat in Nova Hollandia.*

6442. **Eutaxia** R. Br.

7523. **Eutaxia myrtifolia** R. Brown in Aiton Hort. kew. ed. 2. III. 16. *Dillwynia obovata* Labill. Nov. Holl. t. 140. Bot. Mag. t. 1274. — ♀ — *Habitat in Nova Hollandia.*

6446. **Pultenaea** Smith.

7524. **Pultenaea obcordata** Andr. Bot. Reposit. t. 574. — ♀ — *Habitat in Nova Hollandia australi.*

7525. **Pultenaea flexilis** Smith in Linn. Transact. IX. 248 — ♀ — *Habitat in Nova Hollandia.*

7526. **Pultenaea tenuifolia** R. Brown in Bot. Mag. t. 2086. — ♀ — *Habitat in Nova Hollandia.*

7527. **Pultenaea juniperina** Labill. Nov. Holl. t. 130. — ♀ — *Habitat in Nova Hollandia.*

Subtribus III. **Mirbelieae.**6448. **Mirbelia** Smith.

7528. **Mirbelia speciosa** Sieber Nov. Holl. n. 367. DC. Prodr. II. 115. — ♀ — *Habitat in Nova Hollandia.*

Tribus II. **Loteae.**Subtribus I. **Genisteae.**6451. **Hovea** R. Br.

7529. **Hovea pungens** Benth. in Hügel. Bot. Archiv. t. 7. — ♀ — *Habitat in Nova Hollandia austro-occidentali.*

6455. **Bossiaea** Vent.

7530. **Bossiaea ensata** Sieber Plant. Nov. Holl. n. 434. — ♀ — *Habitat in Nova Hollandia.*

7531. **Bossiaea rufa** R. Brown in Aiton Hort. kew. ed. 2. IV. 266. — ♀ — *Habitat in Nova Hollandia austro-occidentali.*

7532. **Bossiaea biloba** Benth. in Enum. Plant. Hügel. 26. — ♀ — *Habitat in Nova Hollandia austro-occidentali.*

7533. **Bossiaea microphylla** Smith in Linn. Transact. IX. 303. *Platylobium microphyllum* Sims Bot. Mag. t. 863. *Platylobium obcordatum* Vent. Malm. 31. — ♀ — *Habitat in Nova Hollandia orientali.*

7534. **Bossiaea nummularia** Endl. Nov. Stirp. Mus. Vind. Dec. n. 27. — ♀ — *Habitat in Nova Hollandia orientali.*

7535. **Bossiaea prostrata** R. Brown in Aiton Hort. kew. ed. 2. IV. 266. Bot. Mag. t. 1493. — ♀ — *Habitat in Nova Hollandia.*

6456. **Goodia** Salisb.

7536. **Goodia latifolia** Salisbury Parad. t. 41. Bot. Mag. t. 958. — ♀ — *Habitat in insula Diemen.*

6457. **Templetonia** R. Br.

7537. **Templetonia retusa** R. Brown in Aiton Hort. kew. ed. 2. IV. 269. *Rafnia retusa* Vent. Malm. t. 53. — ♀ — *Habitat in Nova Hollandia.*

6469. **Hallia** Thunb.

7538. **Hallia imbricata** Thunb. Flor. cap. 593. Bot. Mag. t. 1850. *Hedysarum imbricatum* Linn. Suppl. 330. — ♀ — *Habitat in Capite bonae spei.*

6472. **Crotalaria** Linn.

7539. **Crotalaria alata** Hamilt. in Don Nepal. 241. *Crotalaria bialata* Hamilt. — 2 — *Habitat in Nepalia.*

7540. **Crotalaria sagittalis** Linn. Spec. 1003. — ☉ — *Habitat in Virginia.*

7541. **Crotalaria verrucosa** Linn. Spec. 1005. *Crotalaria caerulea* Jacq. Ic. rar. t. 144. — ☉ — *Habitat in India orientali.*

7542. **Crotalaria hirta** Willd. Enum. 747. — ☉ — *Habitat in India orientali.*

7543. **Crotalaria incana** Linn. Spec. 1005. Jacq. Observ. IV. t. 82. — ☉ — *Habitat in Antillis.*

7544. **Crotalaria fruticosa** Miller Dict. n. 4. — ♀ — *Habitat in Jamaica.*

7545. **Crotalaria formosa** Graham in Wight et Arn. Prodr. I. 186. — ♀ — *Habitat in India orientali.*

6473. **Lupinus** Tournef.

7546. **Lupinus luteus** Linn. Spec. 1015. Bot. Mag. t. 140. — ♀ — *Habitat in Europa australi.*

7547. **Lupinus hirsutissimus** Benth. in Hort. Transact. N. S. I. 409. — ♀ — *Habitat in California.*

7548. **Lupinus pilosus** Linn. Syst. 545. Sibthorp Flor. graec. t. 684. — ♀ — *Habitat in Europa austro-orientali.*

7549. **Lupinus varius** Linn. Spec. 1015. — ♀ — *Habitat in Europa austro-occidentali.*

7550. **Lupinus albus** Linn. Spec. 1015. — ♀ — *Habitat in Oriente.*

7551. **Lupinus Termis** Forsk. Aegypt. 131. — ♀ — *Habitat in Aegypto et Sicilia.*

7552. **Lupinus Cruckshanksii** Hooker in Bot. Mag. t. 3056. *Lupinus mutabilis* Lindl. Bot. Reg. t. 1539. — ♀ — *Habitat in Peru.*

7553. **Lupinus Hartwegii** Lindl. Bot. Reg. 1839. t. 31. — ♀ — *Habitat in Mexico.*

7554. **Lupinus nanus** Dougl. ex Benth. in Hort. Transact. N. S. I. 409. t. 14. f. 2. — ♀ — *Habitat in California.*

7555. **Lupinus angustifolius** Linn. Spec.

1015. Sibthorp Flor. graec. t. 685. — 2 — *Habitat in Europa australi.*

7556. **Lupinus linifolius** Roth Abhandl. 14. t. 5. — 2 — *Habitat in Sicilia.*

7557. **Lupinus micranthus** Dougl. in Bot. Reg. t. 1251. — 2 — *Habitat in California.*

7558. **Lupinus polyphyllus** Lindl. in Bot. Reg. t. 1097. — 2 — *Habitat in California.*

7559. **Lupinus rivularis** Lindl. in Bot. Reg. t. 1595. — 2 — *Habitat in California.*

7560. **Lupinus ornatus** Dougl. in Bot. Reg. t. 1216. — 2 — *Habitat in America boreali-occidentali.*

7561. **Lupinus flexuosus** Lindl. ex Agardh. Lupin. 34. — 2 — *Habitat in America boreali-occidentali.*

6476. **Loddigesia** Sims.

7562. **Loddigesia oxalidifolia** Sims in Bot. Mag. t. 965. — 3 — *Habitat in Capite bonae spei.*

6478. **Lebeckia** Thunb.

7563. **Lebeckia sericea** Thunb. Flor. cap. 562. *Cytisus sericeus* Lam. Dict. IV. 563. *Spartium sericeum* Aiton Hort. kew. ed. 1. III. 12. — 3 — *Habitat in Capite bonae spei.*

6492. **Adenocarpus** DC.

7564. **Adenocarpus telonensis** DC. Fl. fr. Suppl. 549. *Cytisus telonensis* Loisleur in Nouv. Duham. V. 155. t. 47. f. 2. — 5 — *Habitat in Gallia australi.*

6493. **Ononis** Linn.

a. Natrix DC.

7565. **Ononis Natrix** Linn. Spec. 1008. — 2 — *Habitat in apricis Europae australioris.*

β. Natridium DC.

7566. **Ononis rotundifolia** Linn. Spec. ed. 1. 719. Jacq. Flor. austr. App. t. 49. — ♀ — *Habitat in alpestribus Europae.*

7567. **Ononis fruticosa** Linn. Spec. 1010. — ♀ — *Habitat in Europa australiore.*

7568. **Ononis reclinata** Linn. Spec. 1011. — ⊙ — *Habitat in Galliae australis maritimis.*

7569. **Ononis mollis** Lagasc. Nov. Spec. 22. — ⊙ — *Habitat in Hispania et Italia.*

γ. Bugrana DC.

7570. **Ononis repens** Linn. Spec. 1006. — ♀ — *Habitat in campis arenosis Europae.*

7571. **Ononis spinosa** Linn. Spec. 1006. — ♀ — *Habitat per omnem Europam.*

7572. **Ononis antiquorum** Linn. Spec. 1006. — ♀ — *Habitat in sterilibus Europae australis.*

7573. **Ononis alopecuroides** Linn. Spec. 1008. — ⊙ — *Habitat in Sicilia et Hispania.*

7574. **Ononis monophylla** Desfont. Flor. atlant. II. 145. — ⊙ — *Habitat in Barbaria.*

7575. **Ononis oligophylla** Tenore Flor. neap. II. t. 67. — ⊙ — *Habitat in Calabria.*

δ. Bugranoides DC.

7576. **Ononis Columnae** Allioni Flor. Pedem. I. n. 1166. t. 20. f. 3. — ♀ — *Habitat in Europa australiore.*

6495. Ulex Linn.

7577. **Ulex europaeus** Linn. Spec. 1045. — ♂ — *Habitat in sterilibus Europae australis et occidentalis.*

6497. Spartium Linn.

7578. **Spartium junceum** Linn. Spec. 995. — ♂ — *Habitat in Europa orientali.*

β. Plenum.

6499. **Sarothamnus** Wimm.

7579. **Sarothamnus scoparius** Wimmer in
Hoch Synops. 152. *Spartium scoparium* Linn. Spec.
996. — ♂ — *Habitat in Europa media et australi.*

6500. **Genista** Linn.

7580. **Genista canariensis** Linn. Spec. 997.
Bot. Reg. t. 217. — ♂ — *Habitat in insulis Canariis.*

7581. **Genista candicans** Linn. Amoen. IV.
284. — ♂ — *Habitat in Europa australi.*

7582. **Genista linifolia** Linn. Spec. 405.
— ♂ — *Habitat in regione mediterranea occidentali.*

7583. **Genista Scorpius** DC. Prodr. II. 148.
Spartium Scorpius Linn. Spec. 995. — ♂ — *Habitat in
Hispania.*

7584. **Genista hispanica** Linn. Spec. 999.
— ♂ — *Habitat in Hispania.*

7585. **Genista virgata** DC. Prodr. II. 149.
Spartium virgatum Aiton Hort. kew. III. 11. *Cytisus
tena* Jacq. Ic. rar. t. 147. — ♂ — *Habitat in Madera.*

7586. **Genista aetnensis** DC. Prodr. II. 150.
Spartium aetnense Bivona Fl. sic. 2. — ♂ — *Habitat
in monte Aetna.*

7587. **Genista tinctoria** Linn. Spec. 998.
— ♂ — *Habitat in pascuis et sylvis Europae.*

7588. **Genista sibirica** Linn. Mant. 571. Jacq.
Hort. Vindob. t. 190. — ♂ — *Habitat in Sibiria.*

7589. **Genista ovata** Waldst. et Kit. Plant.
rar. Hung. I. t. 84 — ♂ — *Habitat in Hungaria et
Italia.*

7590. **Genista triangularis** Willd. Spec.
III. 939. *Genista triquetra* Waldst. et Kit. Plant. rar.
Hung. t. 153. — ♂ — *Habitat in Banatu.*

7591. **Genista Amsantica** Tenore Flor.
Neap. II. 127. t. 66. — ♂ — *Habitat in regni Neapo-
litani valle Amsantica.*

7592. **Genista scariosa** Viviani Fragn. I.

5. t. 8. *Genista januensis* Viviani Cat. 10. — ♂ — *Habitat in Liguria.*

7593. *Genista sagittalis* Linn. Spec. 998. Jacq. Flor. austr. t. 209. — ♂ — *Habitat in pascuis montanis Europae.*

7594. *Genista procumbens* Waldst. et Kit. in Willd. Spec. III. 940. — ♂ — *Habitat in sylvis Hungariae et Moraviae.*

7595. *Genista pilosa* Linn. Spec. 999. Jacq. Flor. austr. t. 208. — ♂ — *Habitat in asperis montium Europae.*

6501. *Retama* Boiss.

7596. *Retama monosperma* Boissier Voy. Esp. 143. *Spartium monospermum* Linn. Spec. 995. Bot. Mag. t. 683. — ♂ — *Habitat in Hispania et Lusitania.*

7597. *Retama sphaerocarpa* Boissier Voy. Esp. 143. *Spartium sphaerocarpum* Linn. Mant. 571. — ♂ — *Habitat in Europa australi.*

6502. *Trichasma* Walp.

7598. *Trichasma calycinum* Walpers in Linnaea XIII. 510. *Cytisus calycinus* Bieberst. Flor. Taur. cauc. II. 166. — ♂ — *Habitat in Caucaso.*

6504. *Argyrolobium* Eckl. et Zeyh.

7599. *Argyrolobium Linnaeanum* Walpers in Linnaea XIII. 508. *Chasmone argentea* E. Meyer Comm. pl. Afr. 74. *Cytisus argenteus* Linn. Spec. 1043. — ♂ — *Habitat in regione mediterranea.*

6505. *Cytisus* Linn.

α. *Tubecytisus* DC.

7600. *Cytisus purpureus* Scop. Flor. carn. 905. t. 43. Jacq. Flor. austr. App. t. 48. — ♂ — *Habitat in Carniolia, Croatia.*

β. *Rosaeus*.

7601. **Cytisus biflorus** Heritier Stirp. 184.
Cytisus supinus Jacq. Flor. austr. t. 20. — ♂ — *Habitat in Europa australiore et Tauria.*

β. *Cinereus* Host.

7602. **Cytisus elongatus** Waldst. et Kitaib.
 Plant. rar. Hung. II. 200. t. 183. — ♂ — *Habitat in Banatu.*

7603. **Cytisus hirsutus** Linn. Spec. 1042.
 — ♂ — *Habitat in Europa australiore.*

7604. **Cytisus bisflorens** Host Flor. austr.
 II. 320. — ♂ — *Habitat in Carniola.*

7605. **Cytisus supinus** Linn. Spec. 1042.
 Koch Synops. 155. — ♂ — *Habitat in sylvis Germaniae australioris.*

7606. **Cytisus capitatus** Jacq. Flor. austr.
 t. 33. — ♂ — *Habitat in sylvis apricis Europae mediae et australis.*

7607. **Cytisus austriacus** Linn. Spec. 1042.
 Jacq. Flor. austr. t. 21. — ♂ — *Habitat in sylvis Austriae, Hungariae et Bohemiae.*

β. *Leucanthus* Waldst. et Kit. Plant. rar. Hung. t. 132.

δ. *Calycotome* Link.

7608. **Cytisus spinosus** Lam. Dict. II. 247.
Spartium spinosum Linn. Spec. 997. — ♂ — *Habitat in Europa australi.*

7609. **Cytisus lanigerus** DC. Prodr. II. 154.
Spartium lanigerum Desfont. Flor. atl. II. 135. — ♂ — *Habitat in regione mediterranea.*

ε. *Laburnum* DC.

7610. **Cytisus Weldenii** Visiani Plant. Dalm.
 Species. — ♂ — *Habitat in Dalmatia.*

7611. **Cytisus sessilifolius** Linn. Spec. 1041.
 — ♂ — *Habitat in Gallia australi et Pedemontio.*

7612. **Cytisus nigricans** Linn. Spec. 1041.
 — ♂ — *Habitat in collibus Europae mediae.*

7613. **Cytisus alpinus** Miller Dict. n. 2.

Waldst. et Kitaib. Plant. rar. Hung. t. 260. — ♂ —
Habitat in montanis et subalpinis Europae mediae.

β. *Albus.* — γ. *Macrostachys.*

7614. **Cytisus Laburnum** Linn. Spec. 1041.
 Jacq. Flor. austr. t. 306. — ♂ — *Habitat in alpinis et subalpinis Europae.*

β. *Pendulus.* — γ. *Quercifolius.* — δ. *Serotinus.*

6506. **Anthyllis** Linn.

α. **Vulneraria** Mönch.

7615. **Anthyllis Vulneraria** Linn. Spec. 1012. — ♀ — *Habitat in pascuis Europae.*

7616. **Anthyllis montana** Linn. Spec. 1012.
 Jacq. Flor. austr. t. 334. — ♀ — *Habitat in subalpinis Europae.*

β. **Barba Jovis** Mönch.

7617. **Anthyllis Barba Jovis** Linn. Spec. 1013. — ♀ — *Habitat in Hispania, Italia et Oriente.*

γ. **Physanthyllis** Boiss.

7618. **Anthyllis tetraphylla** Linn. Spec. 1012. — ☉ — *Habitat in arvis Europae australis.*

δ. **Cornicina** Boiss.

7619. **Anthyllis Cornicina** Linn. Spec. 1012.
 Cav. Ic. t. 39. f. 2. — ☉ — *Habitat in Hispania.*

Subtribus II. Trifolieae.

6507. **Medicago** Linn.

Sectio I. **Hymenocarpos.**

7620. **Medicago circinnata** Linn. Spec. 1096. *Hymenocarpos circinnata* Savi Flor. Pis. II. 205.
 — ☉ — *Habitat in maritimis Europae australis.*

7621. **Medicago Nummularia** DC. Cat.

Hort. Monsp. 124. (non Stev.) — ☉ — *Habitat in Gallia australi.*

7622. **Medicago radiata** Linn. Spec. 1096.
— ☉ — *Habitat in Italia et Oriente.*

Sectio II. Lupularia.

7623. **Medicago brachycarpa** Fischer in Bieberst. Flor. Taur. Suppl. 517. — ☉ — *Habitat prope Tiflin.*

7624. **Medicago lupulina** Linn. Spec. 1097.
— ☉ — *Habitat in arvis Europae.*

7625. **Medicago cretacea** Bieberst. Flor. Taur. II. 223. Suppl. 517. — 2 — *Habitat in Tauria.*

7626. **Medicago falcata** Linn. Spec. 1096. Smith Engl. Bot. 1016. — 2 — *Habitat in Europa.*

Var. *Annularis* Besser in Litt. ad DC.

7627. **Medicago media** Pers. Ench. II. 356. *Medicago falcata* Lam. Dict. III. 639. — 2 — *Habitat in Europa.*

7628. **Medicago sativa** Linn. Spec. 1096.
— 2 — *Habitat in Hispania. Apud nos colitur.*

7629. **Medicago arborea** Linn. Spec. 1096.
— 3 — *Habitat in Italia.*

7630. **Medicago prostrata** Jacq. Hort. Vindob. I. 39. t. 89. — 2 — *Habitat in Hungaria.*

7631. **Medicago glomerata** Balb. Elench. 93. — 2 ? — *Habitat in Gallia meridionali.*

7632. **Medicago glutinosa** Bieberst. Flor. Taur. II. 224. — 2 — *Habitat in Caucaso.*

Sectio III. Spirocarpos.

7633. **Medicago laevis** Desf. Flor. atl. II. 213. *Medicago Helix* Willd. Spec. III. 1409. — ☉ — *Habitat in agro Tunetano.*

7634. **Medicago orbicularis** Allioni Flor. Pedem. n. 1150. Gärt. Fruct. II. t. 155. — ☉ — *Habitat in Europa australi.*

7635 **Medicago marginata** Willd. Enum. 802. — ☉ — *Habitat in Europa australi.*

7636. **Medicago scutellata** Allioni Flor. Pedem. n. 1155. Gärtn. Fruct. II. t. 155. f. 7. —○—
Habitat in Europa australi.

7637. **Medicago rugosa** Lam. Dict. III. 632. *Medicago elegans* Willd. Spec. III. 1408. —○— *Habitat in Europa australi.*

7638. **Medicago tornata** Willd. Spec. III. 1409. *Medicago polymorpha* γ. *tornata* Linn. Spec. 1098. —○— *Habitat in Europa australi.*

7639. **Medicago turbinata** Willd. Spec. III. 1409. *Medicago polymorpha* δ. *turbinata* Linn. Spec. 1098. —○— *Habitat in Europa australi.*

7640. **Medicago tuberculata** Willd. Spec. III. 1410. —○— *Habitat in Europa australi.*

7641. **Medicago apiculata** Willd. Spec. III. 1414. *Medicago coronata* Gärtn. Fruct. II. t. 155. f. 7. —○— *Habitat in Italia.*

7642. **Medicago denticulata** Willd. Spec. III. 1414. —○— *Habitat in Gallia australi.*

7643. **Medicago spinulosa** DC. Fl. fr. V. 569. —○— *Habitat in Gallia australi et insulis Archipelagi.*

7644. **Medicago marina** Linn. Spec. 1097. —ㄥ— *Habitat in maritimis Europae.*

7645. **Medicago coronata** Lam. Dict. III. 634. —○— *Habitat in Europa australi et Aegypto.*

7646. **Medicago lappacea** Lam. Dict. III. 637. —○— *Habitat in Gallia et Italia.*

7647. **Medicago Hystrix** Ten. Prodr. 45. Cat. 1819. 58. —○— *Habitat prope Neapolim.*

7648. **Medicago carstiensis** Jacq. Icon. rar. I. t. 156. —ㄥ— *Habitat in alpibus Carinthiae.*

7649. **Medicago tribuloides** Lam. Dict. III. 635. —○— *Habitat circa Arelatem.*

7650. **Medicago graeca** Hornem. Hort. Hafn. 24. et 728. Willd. Enum. 805. —○— *Habitat in Graecia.*

7651. **Medicago minima** Lam. Dict. III. 636. *Medicago polymorpha minima* Linn. Spec. 1099. —○— *Habitat in Europa.*

7652. **Medicago distans** Poir. Dict. Suppl. III. 326. — ☉ — *Habitat in Europa australi.*

7653. **Medicago aculeata** Willd. Spec. III. 1410. — ☉ — *Patria ignota.*

7654. **Medicago maculata** Willd. Spec. III. 1412. — ☉ — *Habitat in sabulosis Europae.*

7655. **Medicago Gerardi** Waldst. et Kit. ex Willd. Spec. III. 1415. **Medicago villosa** DC. Fl. fr. IV. 545. — ☉ — *Habitat in Europa australi et Aegypto.*

7656. **Medicago sphaerocarpos** Bertol. Ital. pl. dec. III. 60. — ☉ — *Habitat in Italia.*

7657. **Medicago laciniata** Allioni Flor. Pedem. 1159. **Medicago polymorpha** var. *laciniata* Linn. Spec. 1099. — ☉ — *Habitat in arvis Europae australis.*

7658. **Medicago Tenoreana** Ser. msc. ex DC. Prodr. I. 180. **Medicago cancellata** Ten. Cat. 1819. p. 58. (non Bieb.) — ☉ — *Habitat in regno Neapolitano.*

7659. **Medicago Granatensis** Willdenow Enum. 803. **Medicago polymorpha** var. *pinnatifida* Jacq. Collect. Suppl. 148. t. 15. f. 2. — ☉ — *Habitat in Hispania.*

7660. **Medicago ciliaris** Willd. Spec. III. 1411. — ☉ — *Habitat in Europa australi.*

7661. **Medicago Echinus** DC. Fl. fr. IV. 546. — ☉ — *Habitat in Gallia australi.*

6508. **Trigonella** Linn.

Sectio I. **Grammocarpus.**

7662. **Trigonella coerulea** Ser. msc. ex DC. Prodr. I. 181. **Trifolium Melilotus coerulea** Linn. Spec. 1077. **Melilotus coerulea** Lam. Dict. IV. 62. — ☉ — *Habitat in Bohemia et Helvetia.*

7663. **Trigonella uncinata** Ser. msc. ex DC. Prodr. I. 181. **Melilotus uncinata** Bess. Cat. Hort. Crem. 1816. n. 155. **Melilotus hamosa** Link Enum. II. 260. — ☉ — *Habitat in Iberia.*

7664. **Trigonella littoralis** Guss. Cat. 1821. p. 83. — ☉ — *Habitat in Sicilia.*

7665. **Trigonella Calliceras** Fischer in Bieberst. Flor. Taur. Suppl. 515. — ☉ — *Habitat in Iberia.*

Sectio II. Foenum graecum.

7666. **Trigonella Foennm graecum** Linn. Spec. 1402. Gärtn. Fruct. t. 152. — ☉ — *Habitat in Gallia australi.*

Sectio III. Buceras.

7667. **Trigonella spinosa** Linn. Spec. 1094. *Buceras spinosa* Mönch Method. 143. — ☉ — *Habitat in Creta.*

7668. **Trigonella striata** Linn. f. Suppl. 340. — ☉ — *Habitat in Abyssinia.*

7669. **Trigonella torta** Smith in Rees Cycl. Vol. 3. — ☉? — *Habitat in Aegypto.*

7670. **Trigonella Fischeriana** Ser. msc. ex DC. Prodr. I. 183. *Trigonella flexuosa* Fisch. in Hort. Gor. ex Bieberst. Flor. Taur. Suppl. 515. — ☉ — *Habitat circa Tiflin.*

7671. **Trigonella pinnatifida** Cav. Icon. I. 26. t. 38. — ☉ — *Habitat in Hispania.*

7672. **Trigonella polycerata** Linn. Spec. 1093. *Buceras mutica* Mönch Meth. 142. — ☉ — *Habitat in Gallia australi et Tauria.*

Sectio IV. Falcatula.

7673. **Trigonella platycarpus** Linn. Spec. 1093. Gmel. Flor. Sib. IV. 25. t. 9. — ☉? — *Habitat in Sibiria.*

7674. **Trigonella hybrida** Pourr. Act. Toul. III. 33. DC. Fl. fr. n. 3926. Pl. rar. I. 29. t. 29. — 4 — *Habitat in Gallia.*

7675. **Trigonella corniculata** Linn. Spec. 1094. *Buceras grandiflora* Mönch Meth. 143. — ☉ — *Habitat in Gallia australi.*

7676. **Trigonella spicata** Sibthorp et Smith Flor. graec. t. 763. — ☉ — *Habitat in Graecia.*

6509. **Pocockia** Ser.

7677. **Pocockia cretica** Seringe in DC. Prodr. II. 185. Reichenb. Iconogr. t. 578. *Trifolium Melilotus cretica* Linn. Spec. 1078. — ☉ — *Habitat in Creta.*

6510. **Melilotus** Tournef.

Sectio I. Coelorum.

7678. **Melilotus Kochiana** Willd. Enum. 790. DC. Fl. fr. V. 564. — ☉ — *Habitat in Germania et Gallia.*

7679. **Melilotus officinalis** Willd. Enum. 790. *Trifolium Melilotus officinalis* α. Linn. Spec. 1078. Sturm Deutschl. Flora I. Fasc. 15. var. α. — ☉ — *Habitat in Europa.*

Var. *Palustris*. *Melilotus palustris* Rit. in Litt. 1815. *Trifolium Melilotus palustre* Waldst. et Kit. Plant. rar. Hung. III. 195. t. 266.

7680. **Melilotus leucantha** Koch ex DC. Fl. fr. V. 564. *Melilotus vulgaris* Willd. Enum. 790. *Melilotus alba* Thuill. Flor. Par. ed. 2. 378. (non Lam.) *Trifolium officinale* β. Linn. Spec. 1078. Sturm Deutschl. Flora I. Fasc. 15. — ☉ — *Habitat in Europa.*

7681. **Melilotus macrorhiza** Pers. Ench. II. 348. *Trifolium macrorhizum* Waldst. et Kit. Plant. rar. Hung. I. 24. t. 26. — 24 — *Habitat in Hungaria.*

7682. **Melilotus parviflora** Desf. Flor. atl. II. 192. *Trifolium Melilotus indica* δ. Linn. Spec. 1077. — ☉ — *Habitat in Europa australi et Barbaria.*

7683. **Melilotus taurica** Ser. msc. in DC. Prodr. I. 188. *Trifolium Melilotus tauricum* Bieberst. Flor. Taur. Suppl. 506. — ☉? — *Habitat in Tauria.*

7684. **Melilotus italica** Lam. Dict. IV. 65. *Trifolium Melilotus italica* Linn. Spec. 1078. — ☉ — *Habitat in Italia.*

7685. **Melilotus suaveolens** Ledeb. Ind. Hort. Dorpat. Suppl. 1824. 5. — 4 — *Habitat in Dahuria.*

Sectio II. Campylorutis.

7686. **Melilotus messanensis** Desf. Flor. atl. II. 192. **Trifolium messanense** Linn. Mantissa 175. — ☉ — *Habitat in territorio mediterraneo.*

7687. **Melilotus sulcata** Desf. Flor. atl. II. 193. **Melilotus mauritunica** Willd. Enum. 789. — ☉ — *Habitat in Algeria.*

6511. **Trifolium** Tournef.

Sectio I. Lagopus.

7688. **Trifolium angustifolium** Linn. Spec. 1083. Sturm Deutschl. Flora I. Fasc. 16. — ☉ — *Habitat in Europa et Africa australi.*

7689. **Trifolium intermedium** Gussone Cat. 1821. p. 82 — ☉ — *Habitat in Italia.*

7690. **Trifolium purpureum** Lois. Flor. Gall. 484. t. 14. Savi Obs. 60. — ☉ — *Habitat in Europa australi et in Oriente.*

7691. **Trifolium rubens** Linn. Spec. 1081. Sturm Deutschl. Flora I. Fasc. 15. — 4 — *Habitat in Europa.*

7692. **Trifolium incarnatum** Linn. Spec. 1083. Sturm Deutschl. Flora I. Fasc. 16. Miller Ic. t. 267. f. 1. — ☉ — *Habitat in Europa.*

7693. **Trifolium Lagopus** Pourr. ex Willd. Spec. III. 1365. Poir. Dict. VIII. 10. — ☉ — *Habitat in Hispania.*

7694. **Trifolium arvense** Linn. Spec. 1083. Sturm Deutschl. Flora I. Fasc. 16. Smith Engl. Bot. 944. — ☉ — *Habitat in Europa.*

7695. **Trifolium ligusticum** Balb. in Act. Acad. Ital. I. 192. f. 2. **Trifolium arrectisetum** Brot. Phyt. 152. t. 63. f. 1. **Trifolium aristatum** Hornem.

Hort. Hafn. p. 712. Link Enum. II. 262. — ☉ —
Habitat in Europa australi.

7696. **Trifolium gemellum** Pourr. in Willd.
 Spec. III. 1376. — ☉ — *Habitat in Europa australi.*

7697. **Trifolium lappaceum** Linn. Spec.
 1082. Barr. Ic. 871. — ☉ — *Habitat in Europa australi.*

7698. **Trifolium erinaceum** Bieberst. Flor.
 Taur. Suppl. 510. — ☉ — *Habitat in Iberia.*

Sectio II. Phleastrum.

7699. **Trifolium striatum** Linn. Spec. 1085.
 Smith Engl. Bot. 1843. Sturm Deutschl. Flora I.
 Fasc. 16. — ☉ — *Habitat in Europa.*

7700. **Trifolium scabrum** Linn. Amoen. IV.
 287. Spec. 1084. Smith Engl. Bot. t. 903. — ☉ —
Habitat in Europa.

Sectio III. Eutriphyllum.

7701. **Trifolium maritimum** Huds. Flor.
 Angl. I. 284. Smith Engl. Bot. t. 220. *Trifolium irre-*
gulare Pourr. Act. Toul. III. 331. *Trifolium rigidum*
 Savi Flor. Pis. II. 159. t. 1. f. 1. — ☉ — *Habitat in*
Europa meridionali.

7702. **Trifolium supinum** Savi Obs. Trif.
 46. f. 2. — ☉ — *Habitat in Europa australi.*

7703. **Trifolium cinctum** DC. Cat. Hort.
 Monspel. 152. — ☉ — *Habitat circa Monspelim.*

7704. **Trifolium alexandrinum** Linn.
 Amoen. IV. 286. Savi Obs. Trif. 47. — ☉ — *Habi-*
tat in Aegypto.

7705. **Trifolium ochroleucum** Linn. Syst.
 nat. III. 233. Sturm Deutschl. Flora I. Fasc. 15. *Tri-*
folium roseum Presl. — 2 — *Habitat in Europa.*

7706. **Trifolium trichocephalum** Bieb.
 Flor. Taur. II. 212. et Suppl. 508. — 2 — *Habitat*
in Caucaso.

7707. **Trifolium pannonicum** Linn. Mant.
 276. Jacq. Obs. II. 21. t. 41. — 2 — *Habitat in al-*
pibus Pedemontanis.

7708. **Trifolium armenum** Willd. Spec. 793. — 4 — *Habitat in Armenia.*

7709. **Trifolium squarrosum** Linn. Spec. 1082. DC Fl. fr. IV. 531. — ☉ — *Habitat in Gallia et Hispania.*

7710. **Trifolium alpestre** Linn. Spec. 1082. Jacq. Obs. III. 14. t. 64. Savi Obs. Trif. 54. — 4 — *Habitat in Europa.*

7711. **Trifolium medium** Linn. Faun. suec. ed. 2. 558. Sturm Deutschl. Flora I. Fasc. 15. Smith Engl. Bot. t. 190. *Trifolium patulum* Tausch ex Steud. Nomencl. II. 706. *Trifolium flexuosum* Jacq Flor. austr. t. 386. — 4 — *Habitat in sylvis Europae.*

7712. **Trifolium expansum** Kit. in litt. ad DC. — 4 — *Patria ignota.*

7713. **Trifolium pratense** Linn. Spec. 1082. Sturm Deutschl. Flora I. Fasc. 5. — 4 — *Habitat in Europa.*

7714. **Trifolium diffusum** Ehrh. Beitr. VII. 165. Waldst. et Kit. Plant. rar. Hung. I. 49. t. 50. — ☉ — *Habitat in Hungaria et Gallia.*

7715. **Trifolium hirtum** All. Auct. 20. *Trifolium hispidum* Desf. Atl. II. 200. t. 209. f. 1. — ☉ — *Habitat in Europa australi.*

7716. **Trifolium Cherleri** Linn. Amoen. IV. 286. Barrel. Ic. 859. Savi Obs. Trif. 23. — ☉ — *Habitat in Europa australi.*

7717. **Trifolium clypeatum** Linn. Spec. 1084. Savi Obs Trif. 68. Gärtn. Fr. t. 153. — ☉ — *Habitat in Oriente.*

7718. **Trifolium stellatum** Linn. Spec. 1083. Sturm Deutschl. Flora I. Fasc. 16. Savi Obs. Trif. 30. — ☉ — *Habitat in Europa australi.*

7719. **Trifolium obscurum** Savi Obs. Trif. 31. f. 1. — ☉ — *Habitat in Italia.*

Sectio IV. Trifolium.

7720. **Trifolium glomeratum** Linn. Spec.

1084. Smith Engl. Bot. 1063. — ☉ — *Habitat in Europa australi.*

7721. **Trifolium parviflorum** Ehrh. Beitr. VII. 165. *Trifolium strictum* Sturm Deutschl. Flora I. Fasc. 15. (non Linn.) — ☉ — *Habitat in Hungaria et Sibiria.*

7722. **Trifolium strictum** Linn. Spec. 1079. Waldst. et Kit. Plant. rar. Hung. I. 37. t. 37. — ☉ — *Habitat in Hungaria et Europa australi.*

7723. **Trifolium repens** Linn. Spec. 1080. Sturm Deutschl. Flora I. Fasc. 15. Savi Obs. Trif. 86. — 2 — *Habitat in Europa.*

7724. **Trifolium nigrescens** Viv. Fragm. Flor. ital. XII. t. 13 — ☉ — *Habitat in littore Romano.*

7725. **Trifolium suaveolens** Willd. Enum. Suppl. 52. Hort. berol. t. 108. *Trifolium formosum* Curt. — ☉ — *Habitat in Persia et Italia.*

7726. **Trifolium Michelianum** Savi Flor. Pis. II. 139. *Trifolium Vaillantii* Lois. Journ. Bot. II. 365. — ☉ — *Habitat in Europa australi.*

7727. **Trifolium elegans** Savi Flor. Pis. II. 161. t. 1. f. 2. *Trifolium Vaillantii* Poir. Dict. VIII. 4. — 2 — *Habitat in Europa.*

7728. **Trifolium montanum** Linn. Spec. 1087. Sturm Deutschl. Flora I. Fasc. 15. — 2 — *Habitat in Europa.*

7729. **Trifolium rupestre** Ten. ex Guss. — 2 — *Habitat in Italia.*

7730. **Trifolium latinum** Seb. Plant. rom. f. 1. p. 7. t. 1. f. 2. *Trifolium dalmaticum* Visiani ex Steud. Nomencl. II. 705. — 2? — *Habitat in agro Romano.*

Sectio V. Vesicastrum.

7731. **Trifolium subterraneum** Linn. Sp. 1080. Smith Engl. Bot. t. 1048. — ☉ — *Habitat in Europa australi.*

7732. **Trifolium vesiculosum** Savi Flor. Pis. II. 165. *Trifolium recurvum* Waldst. et Kitaibel

Plant. rar. Hung. II. 179. t. 165. — ☉ — *Habitat in Europa australi.*

7733. **Trifolium spumosum** Linn. Spec. 1085. Gärtn. Fruct. t. 153. — ☉ — *Habitat in Europa australi.*

7734. **Trifolium resupinatum** Linn. Spec. 1086. Sturm Deutschl. Flora I. Fasc. 16. — ☉ — *Habitat in Europa australi.*

7735. **Trifolium hybridum** Savi Flor. Pis. II. 90. Sturm Deutschl. Flora I. Fasc. 15. — ☉ — *Habitat in Europa australi.*

7736. **Trifolium fragiferum** Linn. Spec. 1086. Sturm Deutschl. Flora I. Fasc. 16. — 2 — *Habitat in Europa.*

7737. **Trifolium tomentosum** Linn. Spec. 1086. — 2 ☉ — *Habitat in Europa australi.*

Sectio VI. Lupinaster.

7738. **Trifolium eximium** Stephan. ex Fisch. et Stev. in litt. ad DC. *Trifolium grandiflorum* Ledeb. ex Steud. Nomencl. II. 706. — 2 — *Habitat in Dauria.*

Sectio VII. Chronosemium.

7739. **Trifolium agrarium** Linn. Spec. 1087. Sturm Deutschl. Flora I. Fasc. 16. *Trifolium procumbens* Smith Engl. Bot. t. 945. — ☉ — *Habitat in Europa.*

7740. **Trifolium speciosum** Willd. Spec. III 1382. *Trifolium comosum* Labill. Dec. V. 15. t. 10. — ☉ — *Habitat in Creta et Syria.*

7741. **Trifolium procumbens** Linn. Spec. 1088. Smith Engl. Bot. t. 945. Sturm Deutschl. Flora I. Fasc. 16. — ☉ — *Habitat in Europa.*

Var. *Campestre* Ser. *Trifolium campestre* Schreb. in Sturm Deutschl. Flora I. Fasc. 16.

7742. **Trifolium Sebastiani** Savi in Diario med. Flajani 1815. — ☉ — *Habitat circa Romam.*

7743 **Trifolium aliforme** Linn. Spec. 1088

Smith Engl. Bot. t. 1257. Sturm Deutschl. Flora I. Fasc. 16. — ☉ — *Habitat in Europa.*

6512. **Dorycnium** Tournef.

7744. **Dorycnium herbaceum** Vill. Delph. III. 417. t. 41. — 2 — *Habitat in Europa australi.*

6514. **Lotus** Linn.

a. *Lotea* Ser.

7745. **Lotus ornithopodioides** Linn. Spec. 1091. Cav. Ic. t. 163. — ☉ — *Habitat in Europa australi.*

7746. **Lotus peregrinus** Linn. Spec. 1090. — ☉ — *Habitat in Europa australi.*

b. *Eulotus* Ser.

7747. **Lotus Jacobaeus** Linn. Spec. 1091. — 3 — *Habitat in insula St. Jacobi.*

7748. **Lotus cytisoides** Linn. Spec. 1092. — ☉ — *Habitat in maritimis Europae australis.*

7749. **Lotus gebelia** Vent. Cels. t. 57. — 2 — *Habitat circa Aleppum.*

7750. **Lotus decumbens** Poir. Suppl. III. 504. — ☉ — *Habitat in Gallia australi.*

7751. **Lotus hispidus** Desfont. Cat. Hort. Paris. 190. — ☉ — *Habitat circa Bajonam et in Corsica.*

7752. **Lotus suaveolens** Pers. Encheir. II. 354. — ☉ — *Habitat in Gallia australi.*

7753. **Lotus diffusus** Soland. in E. B. t. 925. — ☉ — *Habitat in Europa australiore.*

7754. **Lotus ciliatus** Tenore Prodr. 44. — ☉ — *Habitat in pratis humidis Siciliae.*

7755. **Lotus gracilis** Waldst. et Kit. Plant. rar. Hung. III. 254. t. 229. — ☉ — *Habitat in Hungaria.*

7756. **Lotus conimbricensis** Brotero Phytogr. 127. t. 53. — ☉ — *Habitat in Europa australi.*

7757. **Lotus corniculatus** Linn. Spec. 1092.
— 2 — *Habitat in Europa.*

7758. **Lotus palustris** Willd. Spec. III. 1394.
— 2 — *Habitat in Creta.*

6515. **Tetragonolobus** Scop.

7759. **Tetragonolobus purpureus** Mönch
Method. 164. *Lotus tetragonolobus* Linn. Spec. 1089.
— ☉ — *Habitat in Europa australi.*

7760. **Tetragonolobus siliquosus** Roth
Fl. Germ. I. 323. *Lotus siliquosus* Linn. Spec. 1089.
— 2 — *Habitat in pratis humidis Europae.*

6516. **Bonjeania** Reich.

7761. **Bonjeania hirsuta** Reichenb. Flor.
excurs. *Lotus hirsutus* Linn. Spec. 1091. — 2 — *Habitat in Europa australi.*

7762. **Bonjeania recta** Reichenb. Flor. ex-
curs. *Lotus rectus* Linn. Spec. 1091. — 2 — *Habitat in Europa australi.*

6517. **Hosackia** Dougl.

7763. **Hosackia stolonifera** Lindley in Bot.
Reg. t. 1977. — 2 — *Habitat in California.*

7764. **Hosackia Wrangeliana** Torrey et
A. Gray Flora of North Amer. I. 326. *Lotus Wran-
gelianus* Fischer et Meyer Index Sem. Hort. Petrop.
1835. II. p. 41 *Anisolotus Wrangelianus* Bernhardt Index
Sem. Hort. Erf. 1837. — 2 — *Habitat in California.*

Subtribus III. Galegeae.

6523. **Dalea** Linn.

7765. **Dalea Lagopus** Willd. Spec. III. 1340.
Psoralea Lagopus Cav. Ic. t. 86. — ☉ — *Habitat in Mexico.*

6524. **Amorpha** Linn.

7766. **Amorpha fruticosa** Linn. Spec. 1003.
Schkuhr Handb. t. 197. — ♂ — *Habitat in America boreali.*

β. *Nana* Bot. Mag. t. 2112.

7767 **Amorpha herbacea** Walt. Carol. 179.
Amorpha pubescens Willd. Spec. III. 970. — ♀ — *Habitat in America boreali.*

6526. **Psoralea** Linn.* **Uniflorae.**

7768. **Psoralea pinnata** Linn. Spec. 1074.
— ♂ — *Habitat in Capite bonae spei.*

7769. **Psoralea verrucosa** Willd. Spec.
III. 1343. *Psoralea angustifolia* Jacq Hort. Schönbr.
t. 226. — ♂ — *Habitat in Capite bonae spei.*

7770. **Psoralea triflora** Poiret Dict. V. 683.
— ♂ — *Habitat in Capite bonae spei.*

** **Bracteatae.**

7771. **Psoralea bracteata** Linn. Mant. 264.
Jacq. Hort. Schönbr. t. 224 — ♀ — *Habitat in Capite bonae spei.*

7772. **Psoralea spicata** Linn. Mant. 264.
— ♀ — *Habitat in Capite bonae spei.*

7773. **Psoralea striata** Thunb. Flor. Cap.
608. — ♀ — *Habitat in Capite bonae spei.*

*** **Capitatae.**

7774. **Psoralea sericea** Poiret Dict. V. 687.
Psoralea pedunculata Ker in Bot. Reg. t. 223. — ♂ —
Habitat in Capite bonae spei.

7775. **Psoralea Jacquiniiana.** *Psoralea hirta* Jacq. Hort. Schönbr. t. 228. non Linn. — ♂ —
Habitat in Capite bonae spei.

7776. **Psoralea bituminosa** Linn. Spec.

1075. Lam. Illustr. t. 11. f. 2. — 24 — *Habitat in Europa australi.*

β. *Frutescens* Poir. Dict. V. 684.

7777. **Psoralea palaestina** Gouan Illustr. 51. Jacq. Hort. Vindob. t. 84. — 24 — *Habitat in Palaestina, per Europum australem disseminata.*

7778. **Psoralea acaulis** Steven in Bieberst. Flor. Taur. II. 206. — 24 — *Habitat in Iberia occidentali.*

*** Polkadeniac.

7779. **Psoralea glandulosa** Linn. Spec. 1075. Arduino Specim. I. 24. t. 11. — 24 — *Habitat in Chili.*

6530. **Indigofera** Linn.

7780. **Indigofera tinctoria** Linn. Spec. 1061. — 5 — *Crescit inter tropicos totius orbis.*

7781. **Indigofera australis** Willd. Spec. III. 1235. — 5 — *Habitat in Nova Hollandia.*

6532. **Glycyrrhiza** Tournef.

7782. **Glycyrrhiza glabra** Linn. Spec. 1046. Nees jun. Plant. offic. X. t. 23. — 24 — *Habitat in Europa australiore.*

7783. **Glycyrrhiza glandulifera** Waldst. et Kit. Plant. rar. Hung. I. 20. t. 21. — 24 — *Habitat in Hungaria et Caucaso.*

7784. **Glycyrrhiza lepidota** Nuttall Gen. II. 106. Bot. Mag. t. 2150. — 24 — *Habitat in Louisiana.*

7785. **Glycyrrhiza foetida** Desfont. Flor. atl. II. 170. t. 199. — 24 — *Habitat in Atlantide.*

7786. **Glycyrrhiza echinata** Linn. Spec. 1046. Jacq. Hort. Vindob. t. 95. — 24 — *Habitat in Europa australi et Oriente.*

6533. **Galega** Tournef.

7787. **Galega officinalis** Linn. Spec. 1063.

Miller Ic. t. 137. — 4 — *Habitat in regione mediterranea et Oriente.*

7788. **Galega persica** Persoon Encheir. II. 328. — 4 — *Habitat in Persia.*

β. *Alba.*

7789. **Galega orientalis** Lam. Dict. II. 596. Bot. Mag. t. 2192. Bot. Reg. t. 326. — 4 — *Habitat in Caucaso.*

6539. **Tephrosia** Pers.

a. Reineria Mönch.

7790. **Tephrosia apollinea** DC. Prodr. II. 254. *Galega apollinea* Delile Flor. Aegypt. 144. t. 53. f. 5. — 3 — *Habitat in Aegypto.*

7791. **Tephrosia cinerea** Persoon Encheir. II. 328. *Galega cinerea* Linn. Amoen. V. 403. Jacq. Ic. rar. t. 575. — ☉ — *Habitat in Antillis.*

b. Cranoides DC.

7792. **Tephrosia ochroleuca** Persoon Encheir. II. 329 *Galega ochroleuca* Jacq. Ic. rar. t. 150. — 4 — *Habitat in Antillis.*

6546. **Robinia** Linn.

7793. **Robinia Pseudacacia** Linn. Spec. 1043. — 5 — *Habitat in America boreali.*

a. *Angustifolia.* — b. *Crispa.* — c. *Echinata.* — d. *Humilis.* — e. *Inermis.* — f. *Microphylla.* — g. *Myrtifolia.* — h. *Nigra.* — i. *Pendula.* — k. *Procera.* — l. *Sophoraefolia.* — m. *Spectabilis.* — n. *Stricta.* — o. *Subtortuosa.* — p. *Tortuosa.* — q. *Umbraculifera.* — r. *Variegata.*

7794. **Robinia viscosa** Vent. Cels. t. 4. *Robinia glutinosa* Curt. Bot. Mag. t. 560. — 5 — *Habitat in America boreali.*

β. *Alba.* — γ. *Dubia.*

7795. **Robinia hispida** Linn. Mant. 101. — 5 — *Habitat in America boreali.*

β. *Rosea* Pursh. — γ. *Macrophylla* Schrad.

6551. **Sesbania Pers.**

7796. **Sesbania aegyptiaca** Pers. Encheir. II. 316. *Aeschynomene Sesban* Linn. Spec. 1061. — ♂ — *Habitat in Senegambia, Aegypto et India orientali.*

7797. **Sesbania aculeata** Pers. Encheir. II. 316. *Aeschynomene Sesban* Jacq. Collect. II. 283. *Aeschynomene bispinosa* Jacq. Ic. rar. t. 564. — ☉ — *Habitat in Malabarica et Zeylone.*

7798. **Sesbania cannabina** Pers. Encheir. II. 316. *Aeschynomene cannabina* Retz Observ. V. 26. — ☉ — *Habitat in Malabarica.*

7799. **Sesbania affinis** Schrad. Ind. Sem. Hort. Götting. 1819. *Aeschynomene cannabina* Hort. — ☉ — *Habitat in India orientali.*

6557. **Caragana Lam.**

7800. **Caragana Altagana** Poiret Suppl. II. 89. *Robinia Altagana* Pallas Flor. ross. t. 42. Herit. Stirp. t. 76. — ♂ — *Habitat in arenosis Dahuriae.*

7801. **Caragana arborescens** Lam. Dict. I. 615. *Robinia Caragana* Linn. Spec. 1044. Duham. Arbr. ed. nov II t. 19. — ♂ — *Habitat in Sibiria.*

7802. **Caragana Chamlagu** Lam. Dict. I. 616. *Robinia Chamlagu* Herit. Stirp. t. 77. — ♂ — *Habitat in China.*

7803. **Caragana frutescens** DC. Prodr. II. 268. *Robinia frutescens* Linn. Spec. 1044. Pallas Flor. ross. t. 43. — ♂ — *Habitat in Sibiria.*

α. *Campestris.* — β. *Sylvatica.* — γ. *Mollis* Bess. *Robinia mollis* Bieberst Suppl. 477.

7804. **Caragana grandiflora** DC. Prodr. II. 268. *Robinia grandiflora* Bieberst Flor. Taur. cauc. I. 168. — ♂ — *Habitat in Iberia.*

7805. **Caragana pygmaea** DC. Prodr. II. 268. *Robinia pygmaea* Linn. Spec. 1044. Pallas Flor. ross. I. t. 45. — ♂ — *Habitat in Sibiria.*

β. *Gracilis.*

7806. **Caragana spinosa** DC. Prodr. II. 269.

Robinia spinosa Linn. Mant. 269. *Robinia ferox* Pallas Flor. ross. I. t. 44. — ♂ — *Habitat in Sibiria.*

7807. *Caragana Redowskii* Fisch. ex DC. Mem. Legum. t. 11. f. 45 — ♂ — *Habitat in Sibiria.*

7808. *Caragana jubata* Poiret Suppl. II. 89. *Robinia jubata* Pallas Astrag. 113. t. 85. — ♂ — *Habitat in Sibiria.*

6559. *Halimodendron* Fisch.

7809. *Halimodendron argenteum* Fisch. ex DC. Prodr. II. 269. *Robinia Halimodendron* Linn. f. Suppl. 330 Pallas Flor. ross. t. 36. — ♂ — *Habitat in campis salsis Iberiae.*

6560. *Calophaea* Fisch.

7810. *Calophaea wolgarica* Fischer in DC. Prodr. II. 270. *Cytisus pinnatus* Pallas Flor. ross. I. t. 47. *Cytisus wolgaricus* Linn. f. Suppl. 327. — ♂ — *Habitat in collibus siccis ad Wolgam.*

6561. *Colutea* Linn.

7811. *Colutea arborescens* Linn. Spec. 1045. Bot. Mag. t. 81. — ♂ — *Habitat in Europae australis sepibus et dumetis.*

β *Crispa.*

7812. *Colutea cruenta* Aiton Hort. kew. ed. 1. III. 55. *Colutea orientalis* Lam. Dict. I. 353. — ♂ — *Habitat in Oriente.*

7813. *Colutea media* Willd. Enum. 771. — ♂ — *Patria ignota.*

7814. *Colutea nepalensis* Hooker in Bot. Mag. t. 2622. — ♂ — *Habitat in Nepalia.*

6562. *Swainsona* Salisb.

7815. *Swainsona coronillaefolia* Salisb. Parad. 28. Bot. Mag. t. 1725. — ♂ — *Habitat in Nova Hollandia orientali.*

6563. **Lessertia** DC.

7816. **Lessertia annua** DC. Astragal. 37. Hooker Exot. Flor. t. 84. *Colutea herbacea* Linn. Spec. 1045. — ☉ — *Habitat in Capite bonae spei.*

6566. **Sutherlandia** R. Br.

7817. **Sutherlandia frutescens** R. Brown in Aiton Hort. kew. ed. 2. IV. 327 DC. Prodr. II. 273. *Colutea frutescens* Linn. Spec. 1045. Miller Ic. t. 99. — ☿ — *Habitat in Capite bonae spei.*

6567. **Clianthus** Soland.

7818 **Clianthus puniceus** Soland. msc. ex Lindley in Hortic. Transact. N. S. I. 521. t. 22. Bot. Reg. t. 1775. *Donia punicea* Don Syst. II. 468. — ♂ — *Habitat in Nova Hollandia.*

6567. **Streblorrhiza** Endl.

7819. **Streblorrhiza speciosa** Endl. Prodr. Flor. Norf. n. 151. *Clianthus carneus* Lindl. Bot. Reg. 1841. t. 51. — ♂ — *Habitat in scopulo insulae Norfolk ad austrum adsito, Philipps Island dicto.*

6568. **Carmichelia** R. Br.

7820. **Carmichelia australis** R. Brown in Bot. Reg. t. 912. *Lotus? arboreus* Forst. Prodr. I. 278. — ♂ — *Habitat in Novae Zeelandiae borealis ora orientali inter 37° — 39° L. A.*

Subtribus IV. **Astragaleae.**6571. **Phaca** Linn.

7821. **Phaca alpina** Jacq. Ic. rar. I. t. 151. — ♀ — *Habitat in apricis Alpium.*

β. *Dahurica* Fisch. *Phaca membranacea* Fisch. msc.

7822. **Phaca australis** Linn. Mant. 103. Jacq. Misc. II. t. 3. — 24 — *Habitat in Alpibus et Pyrenaeis.*

7823 **Phaca astragalina** DC Astragal. n. 9. *Astragalus montanus* Jacq. Flor. austr. t. 167. — 24 — *Habitat in Alpibus Europae et Asiae mediae.*

7824. **Phaca oroboides** DC. Prodr. II. 274. *Astragalus oroboides* Hornein Fl. dan. t. 1396. — 24 — *Habitat in Norvegia et Lapponia.*

6572. **Oxytropis** DC.

* Acaules.

7825. **Oxytropis montana** DC. Prodr. II. 275. *Astragalus montanus* Linn. Spec. 1070. Jacq. Flor. austr. t. 167. — 24 — *Habitat in montibus Europae.*

7826. **Oxytropis uralensis** DC. Prodr. II. 276. *Astragalus uralensis* Jacq. Ic. rar. I. t. 155. — 24 — *Habitat in Ural et Caucaso, in Pyrenaeis et Scotia.*

7827 **Oxytropis campestris** DC. Prodr. II. 278. *Astragalus campestris* Linn. Spec. 1070 — 24 — *Habitat in campis montanis Europae.*

β. *Sulfurea* Fisch. ex DC. l. c — *Crescit in Sibiria altaica.*

** Caulescentes.

7828. **Oxytropis pilosa** DC. Prodr. II. 280. Bot. Mag. t. 2483. *Astragalus pilosus* Linn. Spec. 1065. Jacq. Flor. austr. t. 51. — 24 — *Habitat in Europa, Tauria et Sibiria.*

7829. **Oxytropis Fischeri** DC. Prodr. II. 281. — 24 — *Habitat in Sibiria altaica.*

6573. **Astragalus** Linn.

*I. P u r p u r a s c e n t e s.

§ 1. Hypoglottides.

7830. **Astragalus Hypoglottis** Linn. Mant. 274. DC. Astrag. t. 14. — 24 — *Habitat in Europa, Barbaria, Tauria et Sibiria.*

7831. **Astragalus dasyglottis** Fischer ex DC. Prodr. II. 281. — 24 — *Habitat in Altai.*

7832. **Astragalus leontinus** Jacq. Ic. rar. I. t. 3. — 24 — *Habitat in Austria et Helvetia.*

7833. **Astragalus tauricus** Pallas Astrag. n. 51. t. 38. — 24 — *Habitat in glareosis calcareis Tauriae.*

§. 2. Dissitiflori.

7834. **Astragalus austriacus** Linn. Spec. 1070. Jacq. Flor. austr. t. 145. — 24 — *Habitat in Europa australiore et Asia media.*

7835. **Astragalus sulcatus** Linn. Spec. 1065. Jacq. Hort. Vindob. t. 40. — 24 — *Habitat in Sibiria.*

7836. **Astragalus virgatus** Pallas Astrag. t. 18. — 24 — *Habitat in arenosis Hungariae, Tauriae et Sibiriae.*

§. 3. Onobrychoidei.

7837. **Astragalus Onobrychis** Linn. Spec. 1070. Jacq. Flor. austr. t. 38 — 24 — *Habitat in pratis montanis et subalpinis Austrinae et Sibiriae.*

Var. β *Latifolius.* — γ . *Major.* — δ . *Microphyllus.* — ϵ . *Sibiricus.*

7838. **Astragalus aduncus** Bieberst. Flor. Taur. cauc. II 186. — 24 — *Habitat in rupibus Caucasi.*

7839. **Astragalus vimineus** Pallas Astrag. t. 21. — 24 — *Habitat in Sibiria.*

7840. **Astragalus fruticosus** Pallas Astrag. t. 19. — 24 — *Habitat in Sibiria.*

7841. **Astragalus arbuscula** Pallas Astrag. t. 17. — 5 — *Habitat in desertis Kirghiso-songaricis.*

7842. **Astragalus assurgens** Pallas Astrag. t. 31. — 24 — *Habitat in Sibiria.*

β . *Prostratus* Fisch.

7843. **Astragalus Laxmanni** Jacq. Hort. Vindob. III. t. 37. — 24 — *Habitat in Sibiria.*

§. 4. Sesamei.

7844. **Astragalus pentaglottis** Linn. Mant.

274. Cav. Ic. t. 188. — ☉ — *Habitat in Hispania et Barbaria.*

7845. **Astragalus cruciatus** Link Enum. II.

256. — ☉ — *Habitat in Aegypto et Iberia.*

7846. **Astragalus Stella** Gouan Illustr. 50.

— ☉ — *Habitat in Gallia australi et Barbaria.*

7847. **Astragalus sesameus** Linn. Spec.

1068. — ☉ — *Habitat in Europa australi et Africa mediterranea.*

§. 5. Annulares.

7848. **Astragalus cymbaecarpus** Brotero

Phytogr. 143. t. 59 *Astragalus cymbaeformis* Willd. Spec. — ☉ — *Habitat in arenosis Lusitaniae.*

7849 **Astragalus annularis** Forskael Ae-

gypt. 139. — ☉ — *Habitat in Aegypto et Barbaria.*

7850. **Astragalus campylorhynchus** Fi-

scher et C. A. Mey. Index I. Sem. Hort. Petrop. 1835. p. 23. — ☉ — *Habitat in provincia Aderbeidschan Persiae borealis.*

*II. Ochroleuci.

§. 6. Bucerates.

7851. **Astragalus contortuplicatus** Linn.

Spec. 1068. Pallas Astrag. t. 79. — ☉ — *Habitat in Sibiria, Tauria, Hungaria.*

7852. **Astragalus Aegiceras** Willd. Enum.

Suppl. 52. — ☉ — *Patria ignota.*

7853. **Astragalus hamosus** Linn. Spec. 1067.

— ☉ — *Habitat in regione mediterranea et taurico-caucasica.*

β. *Buceras* Willd. Enum. Suppl. 51.

7854. **Astragalus baeticus** Linn. Spec.

1068. — ☉ — *Habitat in regione mediterranea.*

§ 7. Synochreati.

7855. **Astragalus reptans** Willdenow Hort.

berol. II. t. 88. — 2 — *Habitat in Mexico.*

7856. **Astragalus odoratus** Lam. Dict. I. 311. — 4 — *Habitat in Oriente.*

§. 8. *Ciceroidei.*

7857. **Astragalus glycyphyllos** Linn. Spec. 1067. E. B. t. 203. — 4 — *Habitat in Europæ et Sibiriae pratis et dumetis.*

7858. **Astragalus glycyphylloides** DC. Prodr. II. 292 — 4 — *Habitat in Iberia.*

7859. **Astragalus Cicer** Linn. Spec. 1067. — 4 — *Habitat in pratis montanis Europæ.*

7860. **Astragalus falcatus** Lam. Dict. I. 310. *Astragalus virescens* Aiton Hort. kew. III. 73. — 4 — *Habitat in Sibiria isetensi.*

7861. **Astragalus asper** Jacq. Ic. rar. I. t. 33. — 4 — *Habitat in Sibiria, Tauria, Caucaso et Hungaria.*

§. 9. *Galegiformes.*

7862. **Astragalus podocarpus** C. A. Meyer Cauc. 142. — 4 — *Habitat in montibus Talüschi Caucasi.*

7863 **Astragalus galegiformis** Linn Spec. 1066. Pallas Astrag. t. 29. — 4 — *Habitat in Sibiria et Iberia.*

§. 10. *Alopecuroidei.*

7864. **Astragalus alopecuroides** Linn. Spec. 1064. Miller Ic t. 58. — 4 — *Habitat in Sibiria.*

7865. **Astragalus ponticus** Pallas Astrag. 14. t. 11. — 4 — *Habitat in Tauria et Bessarabia.*

7866. **Astragalus macrocephalus** Willd. Spec. III. 1260. — 4 — *Habitat in Iberia.*

III. *Tragacanthacei.*

§. 11. *Tragacanthæ.*

7867. **Astragalus caucasicus** Pallas Astrag. 2. t. 2. — 3 — *Habitat in rupibus Caucasi.*

7868. **Astragalus compactus** Willd. in

Mem. Academ. berol. 1794. p. 29. t. 1. f. 1. DC.
Astrag. t. 32. f. 2. — 5 — *Habitat in Armenia et Caucaso.*

7869. **Astragalus Arnacantha** Bieberst.
Flor. Taur. cauc. II. 205. — 5 — *Habitat in collibus
sterilibus Taurinae et Caucasi.*

7870. **Astragalus aristatus** Heritier Stirp.
170. — 5 — *Habitat in rupibus Pyrenaeorum.*

IV. P o d o c h r e a t i.

§. 12. Anthylloidei.

7871. **Astragalus calycinus** Bieberst. Flor.
Taur. cauc. II. 199. Cent. I. t. 9. — 4 — *Habitat
ad fluvium Kuma Caucasi.*

7872. **Astragalus Halicacubus** Lam. Dict.
I. 220. *Phaca vesicularia* Schreber Decad. 5. t. 3. — 4 —
Habitat in Armenia.

§. 13. Caprini.

7873. **Astragalus exscapus** Linn. Mant. 275.
Jacq. Ic. rar. t. 561. — 4 — *Habitat in montibus Eu-
ropae mediae.*

7874. **Astragalus cylindraceus** DC. Prodr.
II. 303. *Astragalus cylindricus* Spreng. Syst. III. 336.
— 4 — *Habitat in Armenia.*

§. 14. Incani.

7875. **Astragalus refractus** C. A. Meyer
Cauc. 144. — 4 — *Habitat in montibus Tälüsck Caucasi.*

7876. **Astragalus monspessulanus** Linn.
Spec. 1072. Bot. Mag. t. 219. — 4 — *Habitat in Eu-
ropa australi et Barbaria.*

7877. **Astragalus illyricus** Bernhardi. — 4 —
Habitat in Illyrico.

6574. Bisserula Linn.

7878. **Bisserula Pelecinus** Linn. Spec. 1073.
— ☉ — *Habitat in ruderalis Europae australis.*

Tribus III. Viciae.

6578. **Cicer** Tournef.

7879. **Cicer arietinum** Linn. Spec. 1040.
Lam. Illustr. t. 632. — ☉ — *Habitat in Europa australi
et in Oriente.*

6579. **Pisum** Tournef.

7880. **Pisum sativum** Linn. Spec. 1026.
— ☉ — *Patria ignota.*

β. *Umbellatum* Linn. Spec. 1027. — γ *Quadratum* Linn.
Spec. 1027. — δ *Thebaicum* Willd. Enum. Suppl. 51. — ε. *Zey-
lanicum* Hort. — ζ *Prolificum*. — η *Variegatum* Hort.

7881. **Pisum arvense** Linn. Spec. 1027.
— ☉ — *Patria ignota.*

7882. **Pisum maritimum** Linn. Spec. 1027.
— ☉ — *Habitat in maritimis Galliae, Angliae et Daniae.*

6580. **Ervum** Linn.α. **Lens** Tournef.

7883. **Ervum Lens** Linn. Spec. 1039. — ☉ —
Habitat in arvis et inter segetes Europae.

β. *Lens hibernica* Hort. — γ *Lens major* Hort. — δ. *Lens
punctata* Hort. — ε *Cicer nigrum* Hort.

7884. **Ervum Hohenackeri** Fisch. et Meyer
Index Sem Hort Petrop. IV. 1837. p. 35. — ☉ —
Habitat in provincia Karubagh.

7885 **Ervum nigricans** Bieberst. Flor. Taur:
cauc. II. 164 *Ervum lentoides* Tenore Flor. Neap.
Suppl. II. 68. — ☉ — *Habitat in arvis Tauriae et
Lucaniae.*

7886 **Ervum Lenticula** Schreber in Sturm
Flor. f. 32. *Ervum soloniense* Wulfen in Schrank Hort.
monac. t. 48. *Ervum uniflorum* Tenore Flor Neap.
Suppl. II. 68 — ☉ — *Habitat in arvis Europae australis.*

7887. **Ervum hirsutum** Linn. Spec. 1039.
— ☉ — *Habitat in arvis Europae.*

δ. Ervilia Link.

7888. **Ervum pubescens** DC. Catalog. Hort. monsp. 109. — ☉ — *Habitat in Galloprovincia et circa Neapolim.*

7889. **Ervum Loiseleurii** Bieherst. Flor. Taur. cauc. Suppl. 475. excl. synonym. — ☉ — *Habitat in Tauria.*

6581. Vicia Tournef.

α. Faba Tourn.

7890. **Vicia Faba** Linn. Spec. 1039. — ☉ — *Habitat ad mare Caspium.*

a. *Atropurpurea.* — b. *Atroviolacea.* — c. *Gilva.* — d. *Minima.* — e. *Rubra.* — f. *Viridis.*

β. Vicia Riv.

7891. **Vicia pisiformis** Linn. Spec. 1034. Sturm Deutschl. Flora I. Fasc. 31. — 2 — *Habitat in Europa australi.*

7892 **Vicia sylvatica** Linn. Spec. 1035. Sturm Deutschl. Flora I. Fasc. 31. — 2 — *Habitat in Europa.*

7893. **Vicia cassubica** Linn. Spec. 1035. — 2 — *Habitat in Europa australi.*

7894. **Vicia Craeca** Linn. Spec. 1035. Sturm Deutschl. Flora I. Fasc. 31. Smith Engl. Bot. 1168. — 2 — *Habitat in Europa.*

7895 **Vicia tenuifolia** Roth Flor. Germ. II. 183. Sturm Deutschl. Flora I. Fasc. 31. — 2 — *Habitat in Europa media.*

7896. **Vicia consentina** Spreng. Pl. min. cogn. pug. II 74. — 2 — *Habitat in Italia inferiore.*

7897. **Vicia onobrychoides** Linn. Spec. 1036. Sturm Deutschl. Flora I. Fasc. 31. — ☉ — *Habitat in montibus Europae.*

7898. **Vicia atropurpurea** Desf. Flor. atl. II. 164. Bot. Reg. t. 871. — ☉ — *Habitat in Algeria.*

7899. **Vicia benghalensis** Linn. Spec. 1036. — ☉ — *Habitat in insulis Stuechadibus.*

7900. **Vicia longifolia** Poir. Dict. VIII. 567.
—⊙— *Habitat in Syria.*

7901. **Vicia villosa** Roth Flor. Germ. II. 182.
(non Brot.) Sturm Deutschl. Flora I. Fasc. 31. —⊙—
Habitat in Germania.

7902. **Vicia disperma** DC. Cat. Hort. monsp.
154. et Fl. fr. V. 578. —⊙— *Habitat in Gallia australi.*

7903 **Vicia biennis** Linn. Spec. 1036. Gmel.
Fl. sib. IV. 10 t. 2. — 2 — *Habitat in Sibiria.*

7904. **Vicia nissoliana** Linn. Spec. 1036.
— 2 — *Habitat in Oriente.*

7905. **Vicia parviflora** Cavan. Ann. sc. nat.
IV. 73. —⊙— *Habitat circa Mogador.*

7906. **Vicia sativa** Linn Spec. 1037. —⊙—
Habitat in Europa.

Var. *Leucosperma* Ser. msc. *Vicia leucosperma et alba*
Mönch Meth. 148.

7907. **Vicia intermedia** Viv. Fl. lyb. 42.
t. 19. f. 1. — 2 — *Habitat in Cyrenaica.*

7908. **Vicia globosa** Retz Obs. III. 39. —⊙—
Patria ignota.

7909. **Vicia peregrina** Linn. Spec. 1038.
Hoppe in Sturm Deutschl. Flora I. Fasc. 32. —⊙—
Habitat in Europa australi.

7910. **Vicia Michauxii** Spreng. Cat. Hort.
hal. ex Willd. Enum. 764. —⊙— *Patria ignota.*

7911. **Vicia pyrenaica** Pourr. Act. Toul. III.
333. DC. Fl. fr. n. 4022. lc. rar. I. 10. t. 33. — 2 —
Habitat in Pyrenaeis.

7912. **Vicia lathyroides** Linn. Spec. 1037.
Hoppe in Sturm Deutschl. Flora I. Fasc. 31. — 2 ⊙ —
Habitat in Europa australi.

7913. **Vicia lutea** Linn. Spec. 1037. Sturm
Deutschl. Flora I. Fasc. 31. Smith Engl. Bot. t. 481.
—⊙— *Habitat in Europa.*

7914. **Vicia hybrida** Linn. Spec. 1037. Hoppe
in Sturm Deutschl. Flora I. Fasc. 32. Smith Engl.
Bot. t. 482. —⊙— *Habitat in Europa australi.*

7915. **Vicia sordida** Waldst. et Kit. Plant.

rar. Hung. II. 143. t. 133. Sturm Deutschl. Flora I. Fasc. 31. — ☉ — *Habitat in Hungaria.*

7916. **Vicia sepium** Linn. Spec. 1038. Sturm Deutschl. Flora I. Fasc. 31. — 2 — *Habitat in Europa.*

7917. **Vicia pannonica** Jacq. Flor. austr. t. 34. Sturm Deutschl. Flora I. Fasc. 31. — ☉ — *Habitat in Hungaria, Austria.*

7918. **Vicia narbonensis** Linn. Spec. 1038. — ☉ — *Habitat in Europa australi.*

Var. *Serratifolia* Ser. msc. *Vicia serratifolia* Jacq. Flor. austr. App. t. 8. Sturm Deutschl. Flora I. Fasc. 31.

7919. **Vicia platycarpus** Roth Abh. 10. t. 1. — ☉ — *Patria ignota.*

7920 **Vicia Bacia** Mönch Meth. 148. — ☉ — *Patria ignota.*

6582. **Lathyrus** Linn.

Sectio I. Eulathyrus.

7921. **Lathyrus sylvestris** Linn. Spec. 1033. — 2 — *Habitat in sylvis Europae.*

Var. *Ensifolius* Ser. msc. *Lathyrus ensifolius* Badaro.

7922. **Lathyrus latifolius** Linn. Spec. 1033. Smith Engl. Bot. t. 1108. — 2 — *Habitat in sylvis Europae.*

Var. *Albus.*

7923. **Lathyrus rotundifolius** Willd. Spec. III. 1088. M. Bieb. Flor. Taur. II. 156. Cent. Plant. rar. ross. I. t. 22. — 2 — *Habitat in Tauria.*

7924. **Lathyrus pratensis** Linn. Spec. 1033. Smith Engl. Bot. t. 670. — 2 — *Habitat in Europa.*

7925. **Lathyrus tuberosus** Linn. Spec. 1033. — 2 — *Habitat in Europa.*

7926. **Lathyrus pisiformis** Linn. Spec. 1034. — 2 — *Habitat in Sibiria et Germania.*

7927. **Lathyrus venosus** Mühlb. in Willd. Spec. III. 1091 — 2 — *Habitat in Pennsylvania.*

7928. **Lathyrus heterophyllus** Linn. Spec. 1034. — 2 — *Habitat in Europa.*

7929. **Lathyrus Aphaca** Linn. Spec. 1029. Smith Engl. Bot. t. 1167. — ☉ — *Habitat in Europa.*
7930. **Lathyrus Nissolia** Linn. Spec. 1029. Smith Engl. Bot. t. 122. — ☉ — *Habitat in Europa australi.*
7931. **Lathyrus inconspicuus** Linn. Spec. 1030. — ☉ — *Habitat in Oriente.*
7932. **Lathyrus sphaericus** Retz Obs. III. 39. DC. Ic. rar. l. 10. t. 32. — ☉ — *Habitat in Europa australi.*
7933. **Lathyrus angulatus** Linn. Spec. 1031. — ☉ — *Habitat in Europa australi.*
7934. **Lathyrus longipedunculatus** Ledebour Ind. Hort. Dorp. Suppl. 1824. 5. — ☉ — *Patria ignota.*
7935. **Lathyrus setifolius** Linn. Spec. 1031. — ☉ — *Habitat in Europa australi.*
7936. **Lathyrus amphicarpos** Linn. Spec. 1029. Brot. Flor. Lus. 162. t. 66. — ☉ — *Habitat in Syria.*
7937. **Lathyrus sativus** Linn. Spec. 1030. Jacq. f. Eclog. t. 116. — ☉ — *Habitat in Hispania.*
Var. *Albus.*
7938. **Lathyrus Cicera** Linn. Spec. 1030. Jacq. f. Eclog. t. 115. — ☉ — *Habitat in Hispania.*
7939. **Lathyrus annuus** Linn. Spec. 1032. — ☉ — *Habitat in Hispania.*
7940. **Lathyrus hirsutus** Linn. Spec. 1032. — ☉ — *Habitat in Europa australi.*
7941. **Lathyrus odoratus** Linn. Spec. 1032. — ☉ — *Habitat in Sicilia.*
Var. *α. Purpureus* — *Habitat in Sicilia.*
Var. *β. Roseus.* — *Habitat in Zeylania.*
7942. **Lathyrus grandiflorus** Sims Bot. Mag. t. 1938. — ☉ — *Habitat in Italia.*
7943. **Lathyrus tingitanus** Linn. Spec. 1032. Curtis Bot. Mag. t. 100. — ☉ — *Habitat in Mauritania.*

Sectio II. Clymenum.

7944. **Lathyrus incurvus** Roth Abb. XIII. t. 4. Willd. Spec. III. 1091. — 2 — *Habitat in Sibiria.*

7945. **Lathyrus alatus** Ten. Prodr. 42. (non Sibth. et Sm.) — ☉ — *Habitat in Italia.*

7946. **Lathyrus Clymenum** Linn. Spec. 1032. *Clymenum uncinatum* Mönch Meth. 150. — ☉ — *Habitat in Europa australi.*

7947. **Lathyrus articulatus** Linn. Spec. 1031. Gärtn. Fruct. II. 331. t. 152. f. 2. — ☉ — *Habitat in Europa australi.*

7948. **Lathyrus spurius** Willd. Enum. 760. — ☉ — *Patria ignota.*

7949. **Lathyrus purpureus** Desf. Cor. 81. t. 61. — ☉ — *Habitat in Graecia.*

6583. **Orobis** Tournef.

7950. **Orobis lathyroides** Linn. Spec. 1027. — 2 — *Habitat in Sibiria.*

7951. **Orobis vernus** Linn. Spec. 1028 Sturm Deutschl. Flora I. Fasc 7. — 2 — *Habitat in Europa.*
Var. *Flaccidus* Ser. msc. *Orobis flaccidus* Radius msc.

7952. **Orobis venosus** Willd. Herb. ex Link Enum. II. 236. Gmel. Fl. sib. t. 5. f. 1. — 2 — *Habitat in Sibiria.*

7953. **Orobis variegatus** Ten. Prodr. Suppl. I. p. 62. — 2 — *Habitat in regno Neapolitano.*

7954. **Orobis luteus** Linn. Spec. 1028. — 2 — *Habitat in alpinis Helveticis.*

7955. **Orobis sylvaticus** Linn. Am. IV. 284. Smith Engl. Bot. t. 518. — 2 — *Habitat in Anglia.*

7956. **Orobis ochroleucus** Waldst. et Kit. Plant. rar. Hung. II. 123. t. 118. — 2 — *Habitat in Hungaria.*

7957. **Orobis niger** Linn. Spec. 1028. Flor. dan. t. 1170. — 2 — *Habitat in Europa.*

7958. **Orobis tuberosus** Linn. Spec. 1028.

Sturm Deutschl. Flora I. Fasc. 21. — 2 — *Habitat in Europa.*

Var. *Tenuifolius* Ser. msc. *Orob. tenuifolius* Roth Fl. Germ. I. 305.

7959. **Orob. albus** Linn. f. Suppl. 327. *Orob. pannonicus* Jacq. Flor. austr. t. 39. — 2 — *Habitat in Europa australi.*

7960. **Orob. canescens** Linn. f. Suppl. 327. β . *Pallesens* Ser. msc. in DC. Prodr. I. 376. *Orob. pallescens* M. Bieb. Flor. Taur. II. 152. — 2 — *Habitat in Europa australi.*

7961. **Orob. sessilifolius** Sibth. et Sm. Fl. gr. n. 692. *Orob. digitatus* M. Bieb. Fl. Taur. II. 153. — 2 — *Habitat in Tauria et Graecia.*

Tribus IV. Hedysareae.

Subtribus I. Coronilleae.

6584. **Scorpiurus** Linn.

7962. **Scorpiurus muricata** Linn. Spec. 1050. — \odot — *Habitat in arvis regionis mediterraneae.*

7963. **Scorpiurus sulcata** Linn. Spec. 1050. — \odot — *Habitat in regione mediterranea.*

7964. **Scorpiurus vermiculata** Linn. Spec. 1050. — \odot — *Habitat in regione mediterranea.*

6585. **Coronilla** Neck.

a. **Emerus** Tournef.

7965. **Coronilla Emerus** Linn. Spec. 1046. Miller Ic. t. 132. — δ — *Habitat in sylvis Europae mediae et australis.*

b. **Coronilla** Tournef.

7966. **Coronilla juncea** Linn. Spec. 1047. Bot. Reg. t. 820. — δ — *Habitat in Gallia australi.*

7967. **Coronilla stipularis** Lam. Dict. II. 120.

Coronilla valentina Linn. Spec. 1047. Bot. Mag. t. 185.
— ♂ — *Habitat in Italia.*

7968. *Coronilla glauca* Linn. Spec. 1047.
Bot. Mag. t. 13. — ♂ — *Habitat in Gallia Narbonensi.*

7969. *Coronilla minima* Linn. Spec. 1048.
Jacq. Flor. austr. t. 271. — ♀ — *Habitat in aridis montium Europae.*

7970. *Coronilla coronata* Linn. Spec. 1048.
Coronilla valentina Lam. Fl. fr. II. 663. — ♀ — *Habitat in aridis Europae australis.*

7971. *Coronilla montana* Scopoli Flor.
carn. ed. 2. t. 44. — ♀ — *Habitat in Germania et Helvetia.*

7972. *Coronilla iberica* Bieberst. Suppl.
1433. Schrank Hort. monac. t. 71. — ♀ — *Habitat in Iberia.*

7973. *Coronilla parviflora* Willd. Spec.
III. 1155. — ♀ — *Habitat in Creta et Tauria.*

7974. *Coronilla cretica* Linn. Spec. 1048.
Jacq. Hort. Vindob. t. 25. — ☉ — *Habitat in Creta, Tauria, Italia.*

7975. *Coronilla varia* Linn. Spec. 1048.
Bot. Mag. t. 258. — ♀ — *Habitat in Europae et Tauriae pratis sterilibus.*

6586. *Arthrolobium* Desv.

7976. *Arthrolobium scorpioides* DC.
Prodr. II. 311. *Ornithopus scorpioides* Linn. Spec. 1049.
— ☉ — *Habitat in Europa australi.*

6587. *Ornithopus* Linn.

7977. *Ornithopus compressus* Linn. Spec.
1049. — ☉ — *Habitat in Europa australi.*

7978. *Ornithopus perpusillus* Linn. Spec.
1049. E. B. t. 369. — ☉ — *Habitat in Europa austri-
liore.*

β. *Rosaeus* Dufour.

6588. **Hippocrepis** Linn.a. **Annuae.**

7979. **Hippocrepis biflora** Sprengel Pugill. II. 73. — ☉ — *Patria ignota.*

7980. **Hippocrepis ciliata** Willd. in Berlin. Magaz. 1808. p. 173. — ☉ — *Habitat in Hispania.*

7981. **Hippocrepis multisiliquosa** Linn. Spec. 1050. — ☉ — *Habitat in Europa australi.*

b. **Perennes.**

7982. **Hippocrepis comosa** Linn. Spec. 1050. E. B. t. 31. — 4 — *Habitat in cretaceis et calcareis Europae mediae et australis.*

7983. **Hippocrepis balearica** Jacq. Ic. rar. t. 149. — 4 — *Habitat in insula Minorca.*

6589. **Bonaveria** Scop.

7984. **Bonaveria securigera.** *Securigera Coronilla* DC. Prodr. II. 313 *Coronilla Securidaca* Linn. Spec. 1048. — ☉ — *Habitat in Europa australi.*

Subtribus II. **Euhedysareae.**6601. **Arachis** Linn.

7985. **Arachis hypogaea** Linn. Spec. 1040. — ☉ — *Habitat in America tropica.*

6603. **Adesmia** DC.

7986. **Adesmia muricata** DC. Prodr. II. 318. *Hedysarum muricatum* Jacq. Ic. rar. t. 568. *Patagonium hedysaroides* Schrank in Münchn. Denkschrift 1808. p. 91. — ☉ — *Habitat in Patagonia.*

7987. **Adesmia angustifolia** Hook. et Arn. Bot. Misc. — ☉ — *Habitat in Chili.*

6605. **Aeschynomene** Linn.

7988. **Aeschynomene americana** Linn. Spec. 1061. — ☉ — *Habitat in Antillis.*

7989. **Aeschynomene Roxburghii** Spreng.
Syst. III. 322. *Aeschynomene viscidula* Roxb. in Willd.
Enum. 776. *Aeschynomene subviscosa* DC. Prodr. II.
321. — ☉ — *Habitat in India orientali.*

6607. **Kotschya** Endl.

7990. **Kotschya africana** Endl. Nov. Stirp.
dec. n. 6. Iconogr. gen. pl. t. 125. — ♂ — *Habitat*
in Africa tropica.

6609. **Lourea** Neck.

7991. **Lourea Vespertilionis** Desvaux Journ.
bot. III. 122. *Hedysarum Vespertilionis* Linn. f. Suppl.
331. — ☉ — *Habitat in India orientali.*

6614. **Dollinera** Endl.

7992. **Dollinera sambuensis** Endl. *Ototro-*
pis sambuensis Schauer Index Sem. Hort. Wratisl. 1839.
Hedysarum sambuense Don Prodr. 243. — ♂ — *Habi-*
tat in India orientali.

6615. **Desmodium** DC.

a. **Eudesmodium** DC.

7993. **Desmodium umbellatum** DC. Prodr.
II. 325. *Hedysarum umbellatum* Linn. Spec. 1053. Jacq.
Hort. Schönbr. t. 297. — ♂ — *Habitat in Asia tropica.*

b. **Pleurolobium** DC.

7994. **Desmodium gyrans** DC. Prodr. II.
326. *Hedysarum gyrans* Linn. f. Suppl. 332. Jacq. Ic.
rar. t. 562. — ♀ — *Habitat in Bengalo.*

7995. **Desmodium gyroides** DC. Prodr. II.
326. *Hedysarum gyroides* Roxb. Cat. calc. 57. — ♀ —
Habitat in India orientali.

c. **Chalarium** DC.

7996. **Desmodium gangeticum** DC. Prodr.

II. 317. *Hedysarum gangeticum* Linn. Spec. 1052. — 3 —
Habitat in India orientali.

7997. *Desmodium maculatum* DC. Prodr.
 II. 317. *Hedysarum maculatum* Linn. Spec. 1051. — ☉ —
Habitat in India orientali.

7998. *Desmodium canadense* DC. Prodr.
 II. 328. *Hedysarum canadense* Linn. Spec. 1054. — 4 —
Habitat in America boreali.

7999. *Desmodium canescens* DC. Prodr.
 II. 328. *Hedysarum canescens* Linn. Spec. 1054. — 4 —
Habitat in America boreali.

8000. *Desmodium marylandicum* DC.
 Prodr. II. 328. *Hedysarum marylandicum* Linn. Spec.
 1055. — 4 — *Habitat in America boreali.*

8001. *Desmodium repens* DC. Prodr. II.
 338. *Hedysarum repens* Linn. Spec. 1056. — 4 — *Ha-*
bitat in America boreali.

8002. *Desmodium uncinatum* DC. Prodr.
 II. 331. *Hedysarum uncinatum* Jacq. Hort. Schönbr.
 t. 298. — 3 — *Habitat in America tropica.*

8003. *Desmodium Thunbergii* DC. Prodr.
 II. 337. *Hedysarum heterocarpum* Thunb. Flor. japon.
 289. — 4 — *Habitat in Japonia.*

8004. *Desmodium abyssinicum* DC. Prodr.
 II. 338. *Hedysarum abyssinicum* Hoffmans. Verz. 1824.
 p. 217. — 4 — *Habitat in Abyssinia.*

6616. *Dicerma* DC.

8005. *Dicerma pulchellum* DC. Prodr. II.
 339. *Hedysarum pulchellum* Linn. Spec. 1053. — 3 —
Habitat in India orientali.

6618. *Hedysarum* Feaum.

Echneleobium DC.

8006. *Hedysarum grandiflorum* Pallas It.
 II. 743. t. Y. — 4 — *Habitat in Iberia et Podolia.*

8007. **Hedysarum coronarium** Linn. Spec. 1058. — 4 — *Habitat in pratis Italiae.*

β. *Flexuosum* Hort.

8008. **Hedysarum neglectum** Ledebour Ic. t. 482. *Hedysarum lasiocarpum* Ledebour Index Hort. Dorpat. 1824. p. 4. — 4 — *Habitat in alpestribus Sibiriae altaicae.*

8009. **Hedysarum setigerum** Turczanin. ex Fischer Index Sem. Hort. Petrop. I. 29. — 4 — *Habitat in Dahuria.*

6619. **Onobrychis** Tournef.

α. **Eubrychis** DC.

8010. **Onobrychis sativa** Lam. Flor. franc. II. 652. *Hedysarum Onobrychis* Linn. Spec. 1059. Jacq. Flor. austr. t. 352. — 4 — *Habitat in siccis cretaceis Europae.*

β. *Tanaitica* Fisch.

8011. **Onobrychis montana** DC. Fl. fr. IV. 611. *Hedysarum montanum* Persoon Encheir. II. 324. — 4 — *Habitat in Pyrenaeis.*

8012. **Onobrychis petraea** Desvaux Journ. bot. III. 125. *Hedysarum petraeum* Bieberst. Flor. Taur. cauc. 1453. — 4 — *Habitat in petris calcareis Caucasi.*

8013. **Onobrychis gracilis** Besser Enum. 74. — 4 — *Habitat in Podolia australi.*

8014. **Onobrychis saxatilis** Allioni Flor. Pedem. n. 1191. t. 19. f. 1. *Hedysarum saxatile* Linn. Spec. 1059. — 4 — *Habitat in Europa australi.*

8015. **Onobrychis Crista Galli** Lam. Fl. fr. II. 652. *Hedysarum Crista Galli* Linn. Syst. 563. — ☉ — *Habitat in Europa australi.*

β. **Hymenobrychis** DC.

8016. **Onobrychis Pallasii** Bieberst. Plant. ross. I. t. 35. *Hedysarum Pallasii* Willd. Spec. III. 1214. — 4 — *Habitat in Tauria.*

8017. **Onobrychis radiata** Bieberst. Cat.

Hort. Gorenk. 1812. p. 73. *Hedysarum radiatum* Desfont. Annal. Mus. XII. t. 13. — 4 — *Habitat in Caucaso.*

8018. **Onobrychis Michauxii** DC. Prodr. II. 347. — 4 — *Habitat in Oriente.*

c. **Dendrobrychis** DC.

8019. **Onobrychis cornuta** Desvaux Journ. bot. 1814. I. p. 81. *Hedysarum cornutum* Linn. Spec. 1060. — 3 — *Habitat in Oriente.*

6623. **Lespedeza** L. C. Rich.

8020. **Lespedeza juncea** Persoon Encheir. II. 318. *Hedysarum junceum* Linn. f. Dec. 1. t. 4. — 3 — *Habitat in Sibiria.*

6624. **Ebenus** Linn.

8021. **Ebenus cretica** Linn. Spec. 1076. *Anthyllis cretica* Lam. Dict. I. 203. Bot. Mag. t. 1092. — 3 — *Habitat in Creta.*

Subtribus III. **Alhageae.**

6626. **Alysicarpus** Neck.

8022. **Alysicarpus bupleurifolius** DC. Prodr. II. 352. *Hedysarum bupleurifolium* Linn. Spec. 1081. Bot. Mag. t. 1722. *Hedysarum gramineum* Retz Observ. V. 26. — 4 — *Habitat in India orientali.*

8023. **Alysicarpus vaginalis** DC. Prodr. II. 353. *Hedysarum vaginale* Linn. Spec. 1051. — ☉ — *Habitat in India orientali.*

8024. **Alysicarpus styracifolius** DC. Prodr. II. 353. *Hedysarum styracifolium* Linn. Spec. 1052. — 4 — *Habitat in India orientali.*

6629. **Nissolia** Jacq.

8025. **Nissolia fruticosa** Jacq. Amer. 198. t.

145. Hort. Vindob. t. 167. — 3 — *Habitat in sylvis Americae tropicae.*

Tribus V. Phaseoleae.

Subtribus I. Clitorieae.

6633. **Cologania** Kunth.

8026. **Cologania Broussonetii** DC. Prodr. II. 237. *Clitoria Broussonetii* Balbis Cat. Hort. taurin. 1813. p. 26. — 4 — *Patria ignota.*

Subtribus II. Kennedyeae.

6641. **Kennedya** Vent.

8027. **Kennedya rubicunda** Vent. Malm. t. 104. *Glycine rubicunda* Curt. Bot. Mag. t. 268. — 3 — *Habitat in Nova Hollandia.*

6642. **Zichya** Hüg.

8028. **Zichya inophylla** Benth. Legum. 59. *Kennedya inophylla* Lindl. Bot. Reg. t. 1421. — 3 — *Habitat in Nova Hollandia.*

8029. **Zichya coccinea** Benth. Legum. 59. *Kennedya coccinea* Vent. Malm. t. 105. Bot. Mag. t. 2664. — 3 — *Habitat in Nova Hollandia.*

8030. **Zichya glabrata** Benth. Legum. 59. *Kennedya glabrata* Lindley in Bot. Reg. t. 1838. — 3 — *Habitat in Nova Hollandia.*

6643. **Physolobium** Benth.

8031. **Physolobium elatum** Benth. in Hügel Bot. Archiv. t. 2. — 3 — *Habitat in Nova Hollandia.*

6644. **Hardenbergia** Benth.

8032. **Hardenbergia monophylla** Benth.

Legum. 60. *Kennedyia monophylla* Vent. Malm. t. 106.
Glycine bimaculata Curt. Bot. Mag. t. 263. — 3 — *Habitat in Nova Hollandia.*

8033. **Hardenbergia Comptoniana** Benth.
 Legum. 60. *Kennedyia Comptoniana* Link Enum. II. 235.
Glycine Comptoniana Bot. Reg. t. 298. — 3 — *Habitat in Nova Hollandia.*

6645. **Leptocyamus** Benth.

8034. **Leptocyamus microphyllus** Benth.
 in Linn. Transact. XVIII. 209. *Leptolobium microphyllum* Benth. Legum. 61. *Kennedyia microphylla* Sieb.
Kennedyia Sieberiana Hort. — 3 — *Habitat in Nova Hollandia.*

Subtribus III. Glycineae.

6650. **Glycine** Linn.

8035. **Glycine parviflora** Lam. Dict. II.
 738. — 3 — *Habitat in India orientali.*

Subtribus IV. Erythrineae.

6667. **Erythrina** Linn.

* **Xiphanthus** Raf.

8036. **Erythrina herbacea** Linn. Spec. 992.
 Bot. Mag. t. 877. — 4 — *Habitat in America boreali.*

** **Corallodendron** Tournef.

8037. **Erythrina carnea** Aiton Hort. kew.
 ed. 1. III. 8. — 5 — *Habitat in Vera Cruz.*

8038. **Erythrina Corallodendron** Linn.
 Spec. 992. — 5 — *Habitat in Antillis.*

8039. **Erythrina indica** Lam. Dict. II. 391.
 — 5 — *Habitat in Asia tropica.*

8040. **Erythrina Crista Galli** Linn. Mant.
 99. Smith Exot. Bot. II. t. 95. *Erythrina laurifolia*

Jacq. Observ. III. 1. t. 51. — 3 — *Habitat in Brasilia.*

Subtribus V. Wisterieae.

6671. **Wisteria** Nutt.

8041. **Wisteria frutescens** DC. Prodr. II. 390. *Glycine frutescens* Linn. Spec. 1067. Bot. Mag. t. 2103. — 3 — *Habitat in America boreali.*

8042. **Wisteria chinensis** DC. Prodr. II. 390. *Glycine chinensis* Sims Bot. Mag. t. 2083. Bot. Reg. t. 650. — 3 — *Habitat in China.*

6672. **Apios** Boerh.

8043. **Apios tuberosa** Mönch Meth 165. *Glycine Apios* Linn. Spec. 1067. Bot. Mag. t. 1198. — 4 — *Habitat in America boreali.*

Subtribus VI. Euphaseoleae.

6673. **Phaseolus** Linn.

α. **Drepanespron** Benth.

8044. **Phaseolus multiflorus** Willd. Spec. III. 1030. — ☉ — *Habitat in America calidiore.*

β. **Euphaseolus** Benth.

8045. **Phaseolus Caracalla** Linn. Spec. 1017. — 4 — *Habitat in India orientali.*

8046. **Phaseolus vulgaris** Savi Mem. III. 14. — ☉ — *Habitat in India orientali.*

γ. **Strophostyles** Ell.

8047. **Phaseolus diversifolius** Pers. Ench. II. 296. *Phaseolus trilobus* Michaux Flor. Bor. Amer. II. 60. *Glycine angulosa* Willd. Spec. III. 1056. — ☉ — *Habitat in America boreali.*

8048. **Phaseolus angulosus** Ortega Decad. 24. — ☉ — *Habitat in America boreali.*

8049. **Phaseolus Hernandezii** Savi Diss. I. 11. — ☉ — *Habitat in Mexico.*

8050. **Phaseolus Chrysanthos** Savi Diss. I. 15. — ☉ — *Patria ignota.*

8051. **Phaseolus radiatus** Linn. Spec. 1017. — ☉ — *Habitat in China.*

d. Macroptilion Benth.

8052. **Phaseolus semierectus** Linn. Spec. 1016. Jacq. Ic. rar. t. 558. — ☉ — *Habitat in America tropica.*

6676. Dolichos Linn.

8053. **Dolichos pubescens** Linn. Spec. 1011. — ☉ — *Habitat in America tropica.*

8054. **Dolichos biflorus** Linn. Spec. 1023. — 2 — *Habitat in India orientali.*

8055. **Dolichos Lubia** Forsk. Aegypt. 133. — ☉ — *Habitat in Aegypto.*

8056. **Dolichos sesquipedalis** Linn. Spec. 1019. Jacq. Hort. Vindob. I. t. 67. — ☉ — *Habitat in America tropica.*

6677. Lablab Adans.

8057. **Lablab vulgaris** Savi Diss 15. *Dolichos Lablab* Linn. Spec. 1019. — ☉ — *Habitat in India orientali.*

β. *Purpureus.* *Dolichos purpureus* Jacq. Fragm. t. 55.

6684. Voandzeia Thouar.

8058 **Voandzeia subterranea** Thouar. Gen. Madagasc. n. 77. *Glycine subterranea* Linn. f. Decad. 37. t. 17. — ☉ — *Habitat in Madagascar.*

Subtribus VII. Cajaneae.

6685. Fagelia Neck.

8059. **Fagelia bituminosa** DC. Prodr. II.

389. *Glycine bituminosa* Linn. Spec. 1024. Bot. Reg. t. 261. — 3 — *Habitat in Cupite bonae spei.*

6686. *Cajanus* DC.

8060. *Cajanus flavus* DC. Prodr. II. 406. *Cytisus Cajan* Linn. Spec. 1041. Jacq. Observ. I. t. 1. — 3 — *Habitat in India orientali.*

Subtribus VIII. *Rhynchosieae.*

6692. *Rhynchosia* DC.

8061. *Rhynchosia caribaea* DC. Prodr. II. 384. *Glycine caribaea* Jacq. Ic. rar. t. 146. — 3 — *Habitat in America boreali.*

8062. *Rhynchosia minima* DC. Prodr. II. 385. *Dolichos minimus* Linn. Spec. 1020. Jacq. Obs. I. t. 22. — 4 — *Habitat in Antillis.*

8063. *Rhynchosia phaseoloides* DC. Prodr. II. 385. *Glycine phaseoloides* Swartz Flor. Ind. occid. 1248. — 3 — *Habitat in Antillis.*

8064. *Rhynchosia precatoria* DC. Prodr. II. 385. *Glycine precatoria* Humb. in Willd. Enum. 755. — 3 — *Habitat ad Acapulco.*

8065. *Rhynchosia memnonia* DC. Prodr. II. 386. *Glycine memnonia* Delile Flor. Aegypt. 100. t. 38. f. 3. — 4 — *Habitat ad Thebas Aegypti.*

6694. *Cylista* Ait.

8066. *Cylista villosa* Aiton Hort. kew. ed. 2. IV. 300. *Dolichos hirtus* Andrews Bot. Reposit. t. 446. — 3 — *Habitat in Cupite bonae spei.*

Subtribus IX. *Abrineae.*

6698. *Abrus* Linn.

8067. *Abrus precatorius* Linn. Syst. 533. — 3 — *Habitat inter tropicos Asiae, unde per Africam et Americam propagatus.*

Tribus VI. Dalbergieae.

6723. **Piscidia** Linn.

8068. **Piscidia Erythrina** Linn. Spec. 993.
Jacq. Amer. 206. — ♂ — *Habitat in Antillis.*

6726. **Andira** Lam.

8069. **Andira inermis** Kunth in Humb. et Bonpl. Nov. gen. et sp. VI. 385 in not. DC. Prodr. II. 475. *Geofraea inermis* Swartz Flor. Ind. occid. 1255. Wright in Philosoph. Transact. 1777. p. 512. t. 70. — ♂ — *Habitat in insulis Jamaica, Martinica, Portorizzo, St. Domingo, in sylvis juxta fluminum ripas.*

Tribus VII. Sophoreae.

6737. **Edwardsia** Salisb.

8070. **Edwardsia microphylla** Salisb. in Linn. Transact. IX. 299. *Sophora microphylla* Aiton Hort. kew. ed. 1. II. 42. Jacq. Hort. Schönbr. t. 269. *Sophora tetraptera* Linn. f. Suppl. 230. — ♂ — *Habitat in Nova Zeelandia.*

8071. **Edwardsia grandiflora** Salisb. in Linn. Transact. IX. 299. *Sophora tetraptera* Aiton Hort. kew. ed. 1. II. 43. Bot. Mag. t. 167. — ♂ — *Habitat in Nova Zeelandia.*

8072. **Edwardsia nitida** DC. Prodr. II 97. *Sophora nitida* Smith in Rees Cyclop. n. 7. *Sophora sericea* leaum. in Nouv. Duham. III. 86. — ♂ — *Habitat in insula Borbonia.*

6738. **Sophora** Linn.

a. Maya Benth.

8073. **Sophora macrocarpa** Smith in Rees Cyclop. n. 6. — ♂ — *Habitat in Chili.*

3. Eusephora Benth.

8074. **Sophora secundiflora** Lagasca in DC. Hort. monsp. 148. *Broussonetia secundiflora* Ortega Decad. 61. t. 7. *Virgilia secundiflora* Cavanill. Ic. V. t. 401. — ♂ — *Habitat in Nova Hispania.*

8075. **Sophora tomentosa** Linn. Spec. 533. *Sophora occidentalis* Linn. Spec. 533. — ♂ — *Habitat inter tropicos totius orbis.*

6738. Radiusia Reichenb.

8076. **Radiusia alopecuroides.** *Sophora alopecuroides* Linn. Spec. 533. — ♀ — *Habitat in Tauria et Sibiria.*

8077. **Radiusia flavescens.** *Sophora flavescens* Aiton Hort. kew. II. 43. — ♀ — *Habitat in Sibiria.*

6741. Virgilia Lam.

8078. **Virgilia intrusa** R. Brown in Aiton Hort. kew. ed. 2. III. 4. — ♂ — *Habitat in Capite bonae spei.*

8079. **Virgilia sylvatica** DC. Prodr. II. 98. — ♂ — *Habitat in Capite bonae spei.*

6742. Cladrastis Raf.

8080. **Cladrastis tinctoria** Rafinesque Neog. 1825. *Virgilia lutea* Michaux Fil. Sylv. II. 18. t. 78. — ♂ — *Habitat in Americae borealis provincia Tennessee.*

6743. Styphnolobium Schott.

8081. **Styphnolobium japonicum** Schott in Wiener Zeitschr. 1830. p. 844. *Sophora japonica* Linn. Mant. 68. — ♂ — *Habitat in Japonia et China.*
 β. *Variegata.* — γ. *Pendula.*

6745. Castanospermum A. Cunn.

8082. **Castanospermum australe** A. Cunn.

ningh. in Hooker Bot. Miscell. I. 241. t. 51. 52.
 — ♂ — *Habitat in Nova Hollandia orientali subtropica.*

6750. **Cercis** Linn.

8083. **Cercis siliquastrum** Linn. Spec. 534.
 — ♂ — *Habitat in Europa australi.*

β. *Alba.*

8084. **Cercis canadensis** Linn. Spec. 534.
 — ♂ — *Habitat in America boreali.*

Tribus VIII. **Caesalpinieae.**

6756. **Gleditschia** Linn.

8085. **Gleditschia triacanthos** Linn. Spec. 1509. — ♂ — *Habitat in America boreali.*

β. *Inermis.*

8086. **Gleditschia monosperma** Walt. Flor. carol. 254. — ♂ — *Habitat in America boreali.*

8087. **Gleditschia sinensis** Lam. Dict. II. 465. *Gleditschia horrida* Willd. Spec. IV. 1098. — ♂ — *Habitat in China.*

8088. **Gleditschia macracantha** Desfont. Arbr. II. 246. — ♂ — *Patria ignota.*

8089. **Gleditschia ferox** Desfont. Arbr. II. 246. — ♂ — *Patria ignota.*

6757. **Triaenodendron** Endl.

8090. **Triaenodendron caspicum** Endl. *Gleditschia cuspica* Desfont. Arbr. II. 247. — ♂ — *Habitat ad mare Caspicum.*

6758. **Gymnocladus** Lam.

8091. **Gymnocladus canadensis** Lam. Dict. I. 733. Ill. t. 823. *Guilandina dioica* Linn. Spec. 546. — ♂ — *Habitat in America boreali.*

6764. **Coulteria** H. B. K.

8092. **Coulteria tinctoria** Kunth in Humb. et Bonpl. Nov. gen. et spec. VI. 328. t. 569. *Caesalpinia pectinata* Cavan. ex DC. Hort. Monsp. 84. — ♂ — *Habitat in Popayan.*

8093. **Coulteria horrida** Kunth in Humb. et Bonpl. Nov. gen. et spec. VI. 328. t. 568. — ♂ — *Habitat in Popayan.*

6765. **Caesalpinia** Plum.

8094. **Caesalpinia brasiliensis** Linn. Spec. 544. — ♂ — *Habitat in Jamaica.*

8095. **Caesalpinia Crista** Linn. Spec. 544. — ♂ — *Habitat in Jamaica.*

8096. **Caesalpinia macrantha** Delile ex Linnaea Litt. Ber. XIII. 103. — ♂ — *Habitat in Chili.*

6775. **Parkinsonia** Plum.

8097. **Parkinsonia aculeata** Linn. Hort. Cliff. 157. t. 13. Jacq. Amer. t. 80. — ♂ — *Habitat in Antillis.*

6776. **Cadia** Forsk.

8098. **Cadia purpurea** Willd. Spec. III. 548. *Spondoncea tamarindifolia* Desfont. Decad. philosoph. VII. 259. — ♂ — *Habitat in Arabia felici.*

6778. **Tamarindus** Linn.

8099. **Tamarindus indica** Linn. Spec. 48. Hayne Arzneigew. t. 221. — ♂ — *Habitat in Asia et Africa tropica.*

6781. **Cassia** Linn.

a. **Chamaefistula** DC.

a. **Euchamaefistula** Vog.

8100. **Cassia speciosa** Schrader in Götting.

Anzeig. 1821. p. 718. DC. Prodr. II. 490. — ♀ — *Habitat in Brasilia.*

8101. **Cassia bicapsularis** Linn. Spec. 538. Jacq. Fragm. t. 58. *Cassia sennoides* Jacq. Ic. rar. t. 170. — ♀ — *Habitat in Madeira et in America tropica.*

8102. **Cassia floribunda** Cavanill. Descript. 123. Colladon Monogr. t. 11. *Cassia corymbosa* Ortega Decad. — ♀ — *Habitat in Nova Hispania.*

8103. **Cassia Barclayana** Sweet Fl. austral. t. 32. *Cassia schinifolia* Alph. DC. VII. Not. Hort. Genev. 35. — ♀ — *Habitat in Nova Hollandia.*

8104. **Cassia laevigata** Willd. Enum. I. 441. Colladon Monogr. t. 5. — ♀ — *Habitat in America tropica.*

8105. **Cassia Sophora** Linn. Spec. 512. *Cassia coromandelica* Jacq. Fragm. t. 100. *Cassia chinensis* Jacq. Ic. rar. t. 73. — ☉ — *Habitat inter tropicos totius orbis.*

β. *Purpurea* Roxb.

δ. **Oncelobium** Vog.

8106. **Cassia occidentalis** Linn. Spec. 539. Bot. Reg. t. 83. *Cassia planisiliqua* Linn. Spec. 539. *Cassia foetida* Roxb. — ☉ — *Habitat inter tropicos totius orbis.*

8107. **Cassia tomentosa** Linn. f. Suppl. 231. *Cassia multiglandulosa* Jacq. Ic. rar. t. 72. — 4 — *Habitat inter tropicos amphigea.*

δ. **Prososperma** Vogel.

8108. **Cassia Tora** Linn. Spec. 538. — ☉ — *Habitat in India orientali.*

8109. **Cassia humilis** Colladon Monogr. 96. — ☉ — *Habitat in Antillis.*

8110. **Cassia sericea** Swartz Flor. Ind. occid. 724. *Cassia sensitiva* Jacq. Ic. rar. t. 459. — ☉ — *Habitat in Antillis.*

c. *Chamaesenna* DC.

8111. **Cassia glauca** Lam. Dict. I. 617. *Cassia arborescens* Vahl Symb. III. 56. — ♀ — *Habitat in India orientali.*

8112. **Cassia discolor** Desvaux Journ. bot. 1814. p. 73. *Cassia oxyadena* DC. Prodr. II. 495. — ♀ — *Habitat in Antillis.*

8113. **Cassia biflora** Linn. Spec. 540. Bot. Reg. t. 1310. — ♀ — *Habitat in America tropica.*

8114. **Cassia marylandica** Linn. Spec. 541. Schkuhr Handb. t. 113. — ♀ — *Habitat in America boreali calidiore.*

d. *Psilorhegma* Vog.

8115. **Cassia Barrenfieldii** Colla Hort. Ripul. App. II. 343. IV. 23. t. 11. — ♀ — *Habitat in Nova Hollandia.*

8116. **Cassia australis** Sims Bot. Mag. t. 2676. Bot. Reg. t. 1322. *Cassia umbellata* Reichenb. Ic. exot. t. 206. *Cassia Fraseri* A. Cunningham. msc. — ♀ — *Habitat in Nova Hollandia.*

e. *Lasiorhegma* Vog.

8117. **Cassia Absus** Linn. Spec. 537. Jacq. f. Eclog. t. 53. — ☉ — *Habitat in Africa et Asia tropica.*

8118. **Cassia nictitans** Linn. Hort. Clifort. t. 36. — ☉ — *Habitat in Antillis et in America boreali calidiore.*

8119. **Cassia pumila** Lam. Dict. I. 651. — ♀ — *Habitat in India orientali.*

6785. *Schotia* Jacq.α. *Theodora* Med.

8120. **Schotia tamarindifolia** Afzel. ex Bot. Mag. t. 1153. — ♂ — *Habitat in Capite bonae spei.*

δ. Omphalobioides DC.

8121. **Schotia latifolia** Jacq. Fragm. 23. t. 15. f. 4. *Omphalobium Schotia* Jacq. Fil. — ♂ — *Habitat in Capite bonae spei.*

6790. Bauhinia Plum.**α. Pauletia.**

8122. **Bauhinia aculeata** Linn. Spec. 535. Jacq. Amer. t. 177. f. 2. — ♂ — *Habitat in America tropica.*

8123. **Bauhinia tomentosa** Linn. Spec. 536. — ♂ — *Habitat in Zeylon.*

β. Symphyopoda.

8124. **Bauhinia purpurea** Linn. Spec. 536. — ♂ — *Habitat in India orientali.*

8125. **Bauhinia anatomica** Link Enum. I. 405. — ♂ — *Habitat in America tropica.*

6791. Casparea Kunth.

8126. **Casparea porrecta** Kunth in Ann. sc. nat. I. 85. *Bauhinia porrecta* Swartz Prodr. 66. Jacq. Hort. Schönbr. t. 100. — ♂ — *Habitat in Antillis.*

8127. **Casparea acuminata** Kunth in Ann. sc. nat. I. 85. *Bauhinia acuminata* Linn. Spec. 536. — ♂ — *Habitat in Malabaria.*

6809. Ceratonia Linn.

8128. **Ceratonia Siliqua** Linn. Spec. 1513. — ♂ — *Habitat in Europa mediterranea.*

6810. Brownea Jacq.

8129. **Brownea grandiceps** Jacq. Collect. III. 287. t. 21. f. a. 1. Fragm. t. 22. 23. DC. Prodr. II. 477. — ♂ — *Habitat in sylvis montanis prope Caracas et Cumanam.*

***Moringeae.**

6811. **Moringa** Juss.

8130. **Moringa aptera** Gärtn. Carp. II. 314.
t. 147. — ♂ — *Habitat in Asia tropica.*

Ordo CXCII. Mimoseae.

6820. **Adenanthera** Linn.

8131. **Adenanthera Pavonina** Linn. Spec.
550. Jacq. Collect. IV. t. 23. — ♂ — *Habitat in India orientali.*

6822. **Lagonychium** Bieb.

8132. **Lagonychium Stephanianum** Bieberst. Suppl. 288. — ♂ — *Habitat ad Caucasum, in Persia et in Africa.*

6823. **Algarobia** Benth.

8133. **Algarobia juliflora** Benth. Plant.
Hartw. 13. *Prosopis juliflora* DC. Prodr. II. 447. *Acacia juliflora* Swartz Prodr. 85. — ♂ — *Habitat in Jamaica.*

6828. **Desmanthus** Willd.

8134. **Desmanthus virgatus** Willd. Spec.
IV. 1047. *Mimosa virgata* Linn. Spec. 1502. Jacq. Hort.
Vindob. t. 80. — ♂ — *Habitat in India orientali.*

8135. **Desmanthus strictus** Bertoloni Virid. bon. 1824. p. 49. — ♂ — *Habitat in Antillis.*

6829. **Schrankia** Willd.

8136. **Schrankia aculeata** Willd. Spec. IV.
1041. *Mimosa quadrivalvis* Linn. Spec. 1508. — ♀ — *Habitat in Vera Cruz.*

6830. **Darlingtonia** DC.

8137. **Darlingtonia brachyloba** DC. Prodr. II. 443. *Acacia brachyloba* Willd. Spec. IV. 1071. — 2 — *Habitat in America boreali.*

8138. **Darlingtonia glandulosa** DC. Prodr. II. 443. *Acacia glandulosa* Willd. Spec. IV. 1071. — 2 — *Habitat in America boreali.*

6831. **Mimosa** Linn.

8139. **Mimosa sensitiva** Linn. Spec. 1501. — ♂ — *Habitat in Brasilia.*

8140. **Mimosa pudica** Linn. Spec. 1501. — ☉ — *Habitat in Brasilia.*

8141. **Mimosa rubicaulis** Lam. Dict. I. 20. *Mimosa Rottleri* Spreng. Syst. II. 206. — ☉ — *Habitat in India orientali.*

6834. **Acacia** Neck.

a. **R h a c o s p e r m a** Mart.

α. **Capitatae.**

8142. **Acacia alata** R. Brown in Aiton Hort. kew. ed. 2. V. 464. Wendl. Diss. t. 1. — ♂ — *Habitat in Nova Hollandia occidentali.*

8143. **Acacia decipiens** R. Brown in Aiton Hort. kew. ed. 2. V. 464. *Mimosa decipiens* Honig in Bot. Mag. t. 1745. — ♂ — *Habitat in Nova Hollandia austro - occidentali.*

8144. **Acacia paradoxa** DC. Cat. Hort. Monsp. 74. *Acacia undulata* Willd. Enum. Suppl. 68. Wendl. Diss. t. 3. — ♂ — *Habitat in Novae Hollandiae ora orientali.*

8145. **Acacia armata** R. Brown in Aiton Hort. kew. ed. 2. V. 463. Bot. Mag. t. 1653. — ♂ — *Habitat in Novae Hollandiae ora australi.*

β. **Angustata.**

8146. **Acacia juniperina** Willd. Spec. IV. 1050. *Mimosa juniperina* Vent. Malmais. t. 64. — ♂ — *Habitat in Nova Hollandia orientali.*

8147. **Acacia diffusa** R. Brown in Bot. Reg. t. 634. Bot. Mag. t. 2417. — ♂ — *Habitat in Novae Cambriae montibus caeruleis.*

8148. **Acacia stricta** Willdenow Spec. IV. 1052. *Mimosa stricta* Andrews Bot. Reposit. t. 53. Bot. Mag. t. 1121. — ♂ — *Habitat in Nova Hollandia orientali.*

8149. **Acacia dodonaeaeifolia** Willdenow Enum. Suppl. 68. *Acacia viscosa* Wendl. Diss. t. 7. — ♂ — *Habitat in Nova Hollandia orientali.*

b. Capitato racemosae.

8150. **Acacia falcata** Willd. Spec. IV. 1053. Wendl. Diss. t. 14. — ♂ — *Habitat in Nova Hollandia orientali.*

8151. **Acacia Melanoxylon** R. Brown in Aiton Hort. kew. ed. 2. V. 462. Wendl. Diss. t. 6. Bot. Mag. t. 1659. — ♂ — *Habitat in insula Diemen.*

8152. **Acacia heterophylla** Willd. Spec. IV. 1055. — ♂ — *Habitat in insula Bourbon.*

8153. **Acacia myrtifolia** Willd. Spec. IV. 1054. *Mimosa myrtifolia* Smith Nov. Holl. t. 15. Bot. Mag. t. 302. — ♂ — *Habitat in Nova Hollandia orientali.*

8154. **Acacia marginata** R. Brown in Aiton Hort. kew. ed. 2. V. 462. Wendl. Dissert. t. 5. A. — ♂ — *Habitat in Nova Hollandia occidentali.*

8155. **Acacia angustifolia** Wendl. Diss. n. 22. *Mimosa angustifolia* Jacq. Hort. Schönbr. t. 391. — ♂ — *Habitat in Nova Hollandia orientali.*

c. Spicatae.

8156. **Acacia verticillata** Willd. Spec. IV. 1049. — ♂ — *Habitat in Nova Hollandia australi et in insula Diemen.*

α. *Angusta* DC. (Bot. Mag. t. 110. Vent. Malm. t. 63.) —

β. *Latifolia* DC. (Wendl. Collect. I. t. 30.)

8157. **Acacia linearis** Sims Bot. Mag. t. 2155. — ♂ — *Habitat in Nova Hollandia.*

β. *Longissima* Wendl. Diss. t. 11.

8158. **Acacia mucronata** Willdenow Enum. Suppl. 68. Wendl. Diss. t. 12. — ♂ — *Habitat in Nova Hollandia.*

8159. **Acacia floribunda** Willd. Spec. IV. 1051. *Mimosa floribunda* Vent. Choix t. 13. — ♂ — *Habitat in Nova Hollandia orientali.*

8160. **Acacia homomalla** Wendl. Diss. t. 13. — ♂ — *Habitat in Nova Hollandia.*

8161. **Acacia longifolia** Willd. Spec. IV. 1050. *Mimosa longifolia* Vent. Malm. t. 62. — ♂ — *Habitat in Nova Hollandia orientali.*

8162. **Acacia Sophorae** R. Brown in Aiton Hort. kew. ed. 2. V. 462. — ♂ — *Habitat in Nova Hollandia australi.*

b. A c a c i a e v e r a e.

8163. **Acacia pulchella** R. Brown in Aiton Hort. kew. ed. 2. V. 265. Loddig. Bot. Cab. t. 212. — ♂ — *Habitat in Nova Hollandia.*

8164. **Acacia diptera** Willd. Enum. 1051. — ♂ — *Habitat in America tropica.*

8165. **Acacia lophantha** Willd. Spec. IV. 1070. Loddig. Bot. Cab. t. 716. — ♂ — *Habitat in Nova Hollandia.*

8166. **Acacia cornigera** Willd. Spec. IV. 1080. *Mimosa cornigera* Linn. Spec. 520. — ♂ — *Habitat in Mexico.*

8167. **Acacia tenuiflora** Willd. Spec. IV. 1088. — ♂ — *Habitat ad Caraccas.*

8168. **Acacia horrida** Willd. Spec. IV. 1082. *Mimosa horrida* Linn. Spec. 1505. *Mimosa leucantha* Jacq. Hort. Schönbr. t. 393. — ♂ — *Habitat in Capite bonae spei.*

8169. **Acacia tomentosa** Willd. Spec. IV. 1087. — ♂ — *Habitat in India orientali.*

8170. **Acacia acanthocarpa** Willd. Enum. 1057. — ♂ — *Habitat in Nova Hispania.*

8171. **Acacia tamarindifolia** Willd. Spec. IV. 1092. *Mimosa tamarindifolia* Linn. Spec. 1509.

Jacq. Hort. Schönbr. t. 396. — ♂ — *Habitat in Antillis.*

8172. **Acacia Lebbeck** Willd. Spec. IV. 1066. *Mimosa Lebbeck* Linn. Spec. 1503. — ♂ — *Habitat in Aegypto.*

8173. **Acacia odoratissima** Willd. Spec. IV. 1063. *Mimosa odoratissima* Roxb. Plant. corom. t. 120. — ♂ — *Habitat in India orientali.*

8174. **Acacia leucocephala** Link Enum. II. 444. — ♂ — *Habitat in America tropica.*

8175. **Acacia portoricensis** Willd. Spec. IV. 1067. *Mimosa portoricensis* Jacq. Ic. rar. t. 633. — ♂ — *Habitat in Porto-Ricco.*

8176. **Acacia discolor** Willd. Spec. IV. 1068. Bot. Mag. t. 1750. *Mimosa discolor* Andrews Bot. Reposit. t. 235. — ♂ — *Habitat in Nova Hollandia.*

8177. **Acacia frondosa** Willd. Spec. IV. 1076. — ♂ — *Habitat in India orientali.*

8178. **Acacia Julibrissin** Willd. Spec. IV. 1065. *Mimosa Julibrissia* Scop. Delic. t. 8. — ♂ — *Habitat in Oriente.*

8179. **Acacia dealbata** Link Enum. 445. — ♂ — *Habitat in Nova Hollandia.*

8180. **Acacia rutaefolia** Link Enum. 444. — ♂ — *Patria ignota.*

8181. **Acacia venusta** Willd. Enum. 1052. — ♂ — *Habitat in America tropica.*

6835. **Vachelia** W. et Arn.

8182. **Vachelia Farnesiana** Wright et Arn. Flor. Ind. or. I. 272. *Acacia Farnesiana* Willd. Spec. IV. 1083. *Mimosa Farnesiana* Linn. Spec. 1056. — ♂ — *Habitat in India orientali.*

6837. **Inga** Plum.

8183. **Inga Unguis Cati** Willd. Spec. IV. 1006. *Mimosa Unguis Cati* Linn. Spec. 499. Jacq. Hort. Schönbr. t. 392. — ♂ — *Habitat in America tropica.*

8184. **Inga foetida** Willd. Spec. IV. 1008.
Mimosa foetida Jacq. Hort. Schönbr. t. 390. — 5 —
Habitat in Antillis.

8185. **Inga saman** Willd. Spec. IV. 1026.
Mimosa saman Jacq. Fragm. t. 9. — 5 — *Habitat ad*
Caracas.

8186. **Inga anomala** Kunth Mim. t. 22. *Mi-*
mosa grandiflora Herit. Sert. 30. — 3 — *Habitat in*
Mexico.



INDEX.

A.

- A**belmoschus Med. 6460—6464.
 Abroma Jacq. 6517.
 Abrus L. 8067.
 Abutilon Gärtn. 6490—6501.
 Acacia Neck. 8142—8181.
 Acaena Vahl 7424—7427.
 Acalypha L. 6825—6831.
 ACANTHACEAE p. 103.
 Acanthophyllum C. A. Mey. 6361.
 Acanthus L. 4447—4449.
 Acer L. 6615—6634.
 Aceranthus Morr. et Dec. 5312.
 ACERINEAE p. 372.
 Acmena DC. 7233.
 Acnistus Schott. 4255.
 Aconitum Tourn. 5278—5285.
 Acronychia Forst. 6903—6904.
 Actaea L. 5287.
 Actinospora Turcz. 5289.
 Adenandra Willd. 6918.
 Adenanthera L. 8131.
 Adenocarpus DC. 7564.
 Adesmia DC. 7986—7987.
 Adhatoda Nees. 4457.
 Adlumia Raf. 6360.
 Adonis Dill. 5182.
 Adoxa L. 4930.
 Aegiphila Jacq. 3913.
 Aegopodium L. 4706.
 Aeolanthus Mart. 3566.
 Aeschynanthus Jack. 4496—4497.
 Aeschynomene L. 7988—7989.
 Aesculus L. 6668—6676.
 Aethionema R. Br. 5535—5537.
 Aethusa L. 4745—4746.
 Agasyllis Hoffm. 4863.
 Agrimonia Tourn. 7416—7419.
 Ailanthus Desf. 6905.
 Aitonia L. f. 6612.
 Aizoon L. 6127—6129.
 Ajuga L. 3851—3855.
 Alchemilla Tourn. 7420—7423.
 Alectorolophus Bieb. 4421.
 Algarobia Benth. 8133.
 Alonsoa Ruiz et Pav. 4284.
 Alsine Wahlenb. 6173—6182.
Alsineae p. 323.
 Althaea Cav. 6390—6398.
 Alysicarpus New. 8022—8024.
 Alyssum L. 5428—5430.
 Amelanchier Med. 7273—7274.
 Amethystea L. 3831.
 Ammannia Houst. 7165—7167.
 Ammi Tournef. 4705.
 Amorpha L. 7766—7767.
 AMPELIDEAE p. 177.
 Amphicome Royle 4484.
 Amsinckia Lehm. 3976—3978.
 AMYGDALAEAE p. 461.
 Amygdalus L. 7475—7478.
 AMYRIDEAE p. 401.
 Amyris L. 6896.
 Anacampseros L. 6137—6141.
 ANACARDIACEAE p. 399.
 Anagallis L. 4564—4565.
 Anagyris L. 7509.
 Anarrhinum Desf. 4303.
 Anastatica Gärtn. 5475.
 Anchusa L. 3987—3993.
 Andira Lam. 8069.
 Andrachne L. 6845—6846.
 Andrographis Nees. 4481.
 Andromeda L. 4635—4637.
 Androsace Tourn. 4523—4527.
 Anemone DC. 5172—5179.

Anethum Tourn. 4837.
Angelica Hoffm. 4799—4800.
Angelonia Humb. et Bonpl. 4300.
Anisochilus Wallich. 3665.
Anisodus Link. 4169.
Anisomeles R. Br. 3758.
Anoda Cav. 6469—6472.
Anona L. 5115.
ANONACEAE p. 201.
Anthocereis Labill. 4330.
Anthriscus Hoffm. 4895—4902.
Anthyllis L. 7615—7619.
Antirrhinum Juss. 4319—4321.
Aotus Smith. 7522.
Aphelandra R. Br. 4454.
Apios Boerh. 8043.
Apium Hoffm. 4692.
Aquilegia Tourn. 5247—5258.
Arabis L. 5391—5406.
Arachis L. 7985.
Aralia Don. 4934—4934*.
ARALIACEAE p. 176.
Arbutus Tourn. 4642—4644.
Archangelica Hoffm. 4801.
Ardisia Sw. 4569—4571.
Arenaria L. 6184—6193.
Argemone Tourn. 5334—5335.
Argyrolobium Eckl. et Zeyher. 7599.
Arthrolobium Desv. 7976.
ASPERIFOLIAE p. 52.
Asteracantha Nees. 4441.
Asteriscium Cham. et Schl. 4668.
Astorganthus Endl. 5078.
Astraea Klotzsch. 6842.
Astragalus L. 7830—7877.
Astrantia Tourn. 4673—4675.
Astrapaea Lindl. 6537.
Athamantia Koch. 4775—4778.
Athlianthus Endl. 4452.
Atragene DC. 5146—5148.
Atropa L. 4244.
Aubrietia Adans. 5420.
Aucuba Thunb. 4963.
AURANTIACEAE p. 370.
Aurinia Desv. 5425.
Ayenia L. 6518.

B.

Babbingtonia Lindl. 7224.
Baeckea L. 7222—7223.
Ballota L. 3805—3810.
BALSAMINEAE p. 419.
Banisteria L. 6641—6644.
Baptisia Vent. 7511.
Barbarea R. Br. 5386—5387.
Barleria L. 4442—4445.
Barosma Willd. 6920.
Barringtonia Forst. 7237.
Barringtoniaceae p. 438.
Bartonia Nutt. 5724.
Batatas Chois. 4073—4076.
Bauera Kenned. 5077.
Bauhinia Plum. 8122—8125.
Beaufortia R. Br. 7184—7185.
Begonia L. 5747—5762.
BEGONIACEAE p. 280.
Benthamia Lindl. 4951.
BERBERIDEAE p. 228.
Berberis L. 5313—5319.
Berchemia Neck. 6718.
Berrya Roxb. 6564.
Berteroa DC. 5418—5419.
Berula Koch. 4720.
Berzelia Brongn. 4965.
Beurreria Jacq. 3932.
Bifora Hoffm. 4928.
Bignonia Juss. 4493—4494.
BIGNONIACEAE p. 111.
Bignoniaceae p. 112.
Billardiera Smith. 6693—6694.
Billiotia R. Br. 7215.
Biscutella L. 5465—5471.
Biserrula L. 7878.
Bixa L. 5687.
BIXACEAE p. 274.
Blairia L. 4603.
Blechum Juss. 4474.
Blephilia Raf. 3648.
Blumenbachia Schrad. 5726.
Bocconia Plum. 5331.
Boenninghausenia Reichb. 6924.
Boisduvallia Spach. 7134.
Bonaveria Scop. 7984.
Bonjeania Reichenb. 776 —7762.

Bonplandia Cav. 4c88.
Boronia Smith. 6909—6912.
Borragineae p. 53.
Borrage Tourn. 4008—4009.
Bossiaea Vent. 7530—7535.
Bothriospermum Bung. 3995.
Botrophis Raf. 5188.
Botryodendron Endl. 4938.
Bowlesia Ruiz et Pav. 4667.
Brachysema R. Br. 7513.
Brassica L. 5548—5555.
Braya Sternb. et Hopp. 5511.
Brexia Thonar. 5083—5084.
Brexiaceae p. 197.
Brotera Cav. 6536.
Browallia L. 4331—4332.
Brownea Jacq. 8129.
Brucea Mill. 6897.
Bruckenthalia Reichb. 4604.
Brunfelsia Plum. 4333.
BRUNIACEAE p. 180.
Bryonia L. 5734—5738.
Bryophyllum Salisb. 4986.
Buddlea L. 4380—4383.
Buffonia Sauv. 6172.
Bumelia Sw 4577—4579.
Bunchosia L.C.Rich. 6652—6656.
Bunias R. Br. 5585—5586.
Bunium Koch. 4708—4710.
Bupleurum Tourn. 4725—4734.
Bursaria Cav. 6691.
Bursera Jacq. 6895.
BURSERACEAE p. 401.
BÜTTNERIACEAE p. 358.
Buxus Tourn. 6859—6860.
Byrsonyma L. C. Rich. 6657.

C.

Cachrys Tourn. 4917—4919.
CACTEAE p. 281.
Cadia Forsk. 8098.
Caesalpinia Plum. 8094—8096.
Cajanus DC. 8060.
Cajophora Presl. 5725.
Calampelis Don. 4483.
Calandrinia H. B. K. 6145—6150.
Calceolaria L. 4285—4287.

Callicarpa L. 3911—3912.
Callicoma Andr. 5075.
Callisacc Fisch. 4836.
Callistachys Vent. 7514—7515.
Callistemon R. Br. 7205—7213.
Callithamnium C. A. Mey. 5183.
Calluna Salisb. 4633.
Calonyction Chois. 4066—4067.
Calophaea Fisch. 7810.
Calothamnus Labill. 7181—7183.
Caltha L. 5220—5222.
CALYCANTHEAE p. 445.
Calycanthus L. 7312.
Calycothrix Labill. 7177.
Calystegia R. Br. 4039—4041.
Camelina Crantz. 5523.
Camellia L. 6569—6570.
CAPPARIDEAE p. 263.
Capparis L. 5598—5604.
Capsella Vent. 5524.
Capsicum Tourn. 4183—4188.
Caragana Lam. 7800—7808.
Cardamine L. 5407—5410.
Cardiospermum L. 6659.
Carica L. 5728—5730.
Carmichelia R. Br. 7820.
Carrichtera DC. 5569.
Carum Koch. 4707.
Carya Nutt. 6862—6866.
Caryoloba Fisch. et Mey. 3986.
CARYOPHYLLEAE p. 320.
Casparea Kunth. 8126—8127.
Cassia L. 8100—8119.
Cassine L. 6709—6710.
Castanospermum A. Cunn. 8082.
Catalpa Juss. 4486.
Caucalis Hoffm. 4881—4882.
Ceanothus L. 6739—6740.
Cedrela L. 6614.
CEDRELACEAE p. 372.
Cedronella Mönch 3743.
CELASTRINEAE p. 381.
Celastrus Kunth. 6707—6708.
Celsia L. 4281—4283.
Cenolophium Koch. 4769.
Cerastium L. 6201—6218.
Ceratocephalus Mönch. 5217—5218.
Ceratonia L. 8128.
Cercis L. 8083—8084.

- Cereus* Haw. 5819—5919.
Cerinthe L. 3944—3946.
Cestrum L. 4256—4269.
Chaerophyllum Hoffm. 4903—4910.
Chamaelauciae p. 431.
Chamaemyrrhis Endl. 4911.
Chamaescidium C. A. Mey. 4711.
Cheiranthus R. Br. 5377—5379.
Chelidonium Tourn. 5333.
Chelone L. 4334.
Chimonanthus Lindl. 7311.
Chorisporea DC. 5478.
Chorozema Labill. 7518—7519.
Chrysophyllum L. 4575—4576.
Chrysosplenium Tourn. 5066.
Chymocarpus Don. 7079.
Cicca L. 6857.
Cicer Tourn. 7879.
Cicuta L. 4688.
Cimicifuga L. 5190.
Circaea L. 7160.
Cissampelos L. 5113.
Cissus L. 4938—4942.
CISTINEAE p. 268.
Cistus Tourn. 5633—5646.
Citharexylon L. 3896—3898.
Citrus L. 6605—6608.
Cladrastis Raf. 8080.
Clarkia Pursh. 7135—7137.
Clavija Ruiz et Pav. 4574.
Claytonia L. 6151.
Clematis L. 5130—5145.
Cleome DC. 5592—5593.
Clerodendron L. 3899—3907.
Clethra Gärtn. 4638—4639.
Clianthus Soland. 7818.
Cliffortia L. 7438—7439.
Clusia L. 6572.
CLUSIACEAE p. 366.
Cluytia Willd. 6843—6844.
Clypeola L. 5436—5437.
Cnidium Cuss. 4770—4773.
Cnidoscolus Pohl. 6834—6835.
Cobaea Cav. 4117—4118.
Cocculus DC. 5112.
Cochlearia L. 5448—5451.
Codiaeum Rumph. 6839.
Coleonema Bartl. et Wendl. 6919.
Coleus Lour. 3564.
Colicodendron Mart. 5597.
Colladonia DC. 4920.
Colliguaja Molin. 6818.
Collinsia Nutt. 4327—4328.
Collinsonia L. 3674.
Collomia Nutt. 4096—4100.
Cologania Kunth. 8026.
Colubrina L. C. Rich. 6741.
Columnnea Plum. 4499—4500.
Coluria R. Br. 7457.
Colutea L. 7811—7814.
Comaropsis L. C. Rich. 7441—7442.
Comarum L. 7386.
Coniandra Schrad. 5731.
Conioselinum Fisch. 4792—4793.
Conium L. 4922.
CONVOLVULACEAE p. 62.
Convolvulus L. 4024—4065.
Cookia Sonner. 6604.
Corchorus L. 6545—6553.
Cordia L. 3927.
CORDIACEAE p. 51.
Corethrostylis Endl. 6514.
Coriandrum Hoffm. 4929.
Coriaria L. 6658.
Coriariaeae p. 376.
Coris Tourn. 4563.
CORNEAE p. 178.
Cornus Tourn. 4952—4962.
Coronilla Neck. 7965—7975.
Correa Smith. 6915—6917.
Corrigiola L. 6163.
Cortusa L. 4546.
Corydalis DC. 5361—5368.
Cosmelia R. Br. 4600.
Cotoneaster Med. 7275—7283.
Cotyledon DC. 4987—4992.
Coulteria H. B. R. 8092—8093.
Crambe Tourn. 5571—5579.
Craniotome Reichb. 3784.
Crassula Haw. 4967—4978.
CRASSULACEAE p. 180.
Crataegus L. 7288—7310.
Crataeva L. 5605—5606.
Cremolobeae p. 249.
Crescentia L. 4518.
Crescentieae p. 116.

Critamus Bess. 4702—4703.
Crithmum Tourn. 4794.
Crossandra Salisb. 4453.
Crotalaria L. 7539—7545.
Croton L. 6840—6841.
CRUCIFERAE p. 239.
Cryphiacanthus Nees. 4439—4440.
Cryptandra Sm. 6747.
Cryptotaenia DC. 4712.
Cucubalus Tourn. 6359.
CUCURBITACEAE p. 278.
Cuminum C. Bauh. 4865.
Cunonia L. 5076.
Cunonieae p. 195.
Cuphaea Jacq. 7173.
Curcas Adans. 6833.
Cussonia Thunb. 4932—4933.
Cyathodes R. Br. 4590.
Cyclamen Tourn. 4547—4550.
Cydonia Tourn. 7241—7243.
Cylista Ait. 8066.
Cynocardamum Webb. et Berth. 5463—5464.
Cynoglossum L. 4017—4027.
Cyrtandreae p. 113.
Cysticapnos Boerh. 5369.
Cytisus L. 7600—7614.

D.

Dactylaena Schrad. 5594.
Dalea L. 7765.
Dalechampia L. 6817.
Darlingtonia DC. 8137—8138.
Datisca L. 5614.
DATISCEAE p. 267.
Datura L. 4150—4159.
Daucus L. 4879.
Decumaria L. 7094.
Delphinium Tourn. 5259—5277.
Dentaria Tourn. 5411—5412.
Desmanthus Willd. 8134—8135.
Desmodium DC. 7993—8004.
Deutzia Thunb. 7095—7096.
Dianthus L. 6219—6249.
Diastrophis Fisch. et Mey. 5472.
Dicerna DC. 8005.

Dichondra Forst. 4034—4036.
Dicliptera Juss. 4475—4478.
Dictamnus L. 6921—6922.
Didiscus DC. 4665.
Digitalis Tourn. 4348—4358.
DILLENACEAE p. 204.
Dimorphanthus Miq. 4935.
DIOSMEAE p. 403.
Diospyros L. 4581—4582.
Diplacus Nutt. 4366—4367.
Diplecolobae p. 263.
Diplolaena Desf. 6914.
Diplopeltis Endl. 6665.
Diplotaxis DC. 5564—5566.
Dipteracanthus Nees. 4429—4432.
Dischisma Chois. 3919.
Disemma Labill. 5719.
Dodartia Tourn. 4364.
Dodecatheon L. 4551.
Dodonaea L. 6666—6667.
Dolichos L. 8053—8056.
Dollinera Endl. 7992.
Dorycnium Tourn. 7744.
Draba L. 5439—5446.
Dracocephalum L. 3730—3742.
Dracophyllum Labill. 4601.
Dryadeae p. 451.
Dryas L. 7458.
Drymaria Willd. 6167.
Drypis Michel. 6360.
Duranta L. 3908—3910.
Duvaua Kunth. 6876—6879.
Dyschoriste Nees. 4428.

E.

EBENACEAE p. 123.
Ebenus L. 8021.
Ecbalium L. C. Rich. 5739.
Echeveria DC. 4996—4998.
Echinocactus Link et Ott. 5813—5828.
Echinophora Tourn. 4914—4916.
Echinosperrum Sw. 4028—4032.
Echium Tourn. 3950—3964.
Eccremocarpeae p. 111.
Edwardsia Salisb. 8070—8072.
Ehretia L. 3929—3930.

Ehretiaceae p. 52.

Elaeocarpeae p. 365.

Elaeoselinum Koch. 4880.

Ellisia L. 4121.

Elodea Adans. 6595.

Elsholtzia Willd. 3576—3577.

Elutraria Vahl. 4427.

Enarthrocarpus Labill. 5582.

Enkyanthus Lour. 4645—4646.

Entelea R. Br. 6542—6543.

EPACRIDEAE p. 124.

Epacris Sm. 4595—4599.

Epilobium L. 7139—7149.

Epimedium L. 5308—5311.

Epiphyllum Pfeiff. 5920—5921.

Episcia Mart. 4501.

Eranthemum R. Br. 4460—4465.

Eranthis Salisb. 5226.

Eremostachys Bung. 3826.

Erica L. 4605—4632.

ERICACEAE p. 126.

Ericineae p. 126.

Erinus L. 4363.

Eriobotrya Lindl. 7284.

Eriostemon Smith. 6913.

Erodium Herit. 6942—6952.

Erophila DC. 5447.

Eruca Tourn. 5567—5568.

Erucastrum Presl. 5561—5562.

Ervum L. 7833—7889.

• *Eryngium* Tourn. 4676—4686.

Erysimum L. 5500—5520.

Erythrina L. 8036—8040.

Escallonia Mut. 5081—5082.

Escalloniaeae p. 196.

Eschscholtzia Cham. 5353—5354.

Eucalyptus Herit. 7201—7204.

Eucharidium Fischer et Meyer.
7138.

Euclidium R. Br. 5476.

Eudianthe Reichb. 6349.

Eugenia Mich. 7234—7235.

Euphorbia L. 6755—6816.

EUPHORBIACEAE p. 387.

Eupomatia R. Br. 5116.

Eupomatiaeae p. 201.

Eutaxia R. Br. 7623.

Eutoca R. Br. 4127—4130.

Evonymus Tourn. 6698—6706.

F.

Fabiana Ruiz, et Pav. 4135.

Fabricia Gärtn. 7220—7221.

Fagelia Neck. 8059.

Fagonia Tourn. 6934.

Falkia Thunb. 4037.

Farsetia Turr. 5415—5417.

Ferula Tourn. 4803—4810.

Ficaria Dill. 5219.

Flindersia R. Br. 6613.

Foeniculum Adans. 4747.

Fragaria L. 7379—7385.

Francoa Cav. 5041—5043.

Francoaceae p. 191.

Frankenia L. 5683.

FRANKENIACEAE p. 274.

Freylinia Coll. 4361.

Fuchsia Plum. 7150—7157.

Fumana Spach. 5629—5632.

Fumaria L. 5370—5371.

Fumariaceae p. 237.

G.

Galega Tourn. 7787—7789.

Galeopsis L. 3756—3757.

Gardoquia Ruiz et Pav. 3692—
3693.

Garidella Tourn. 5241.

Gaura L. 7161—7162.

Gautiera Kalm. 4640.

Geblera Fisch. et Mey. 6858.

Geissomeria Lindl. 4446.

Gelonium Roxb. 6838.

Gendarussa Nees. 4458—4459.

Genista L. 7580—7595.

GERANIACEAE p. 407.

Geranium Herit. 6953—6984.

Gesnera Mart. 4502—4511.

GESNERACEAE p. 113.

Gesneraeae p. 114.

Geum L. 7445—7456.

Gillia Ruiz et Pav. 4101—4109.

Githago Desf. 6358.

Glaucium Tourn. 5348—5352.

Glaux Tourn. 4653.

Gleditschia L. 8085—8089.
 Globularia L. 3914—3918.
GLOBULARIEAE p. 50.
 Globulea Haw. 4979.
 Gloxinia Herit. 4513—4517.
 Glycine L. 8035.
 Glycosmis Corr. 6602.
 Glycyrrhiza Tourn. 7782—7786.
 Gmelina L. 3895.
 Godetia Spach. 7122—7133.
 Goldfussia Nees. 4438.
 Goodia Salisb. 7536.
 Gordonia Ellis. 6568.
 Gossypium L. 6466—6468.
 Grabowskia Schlecht. 3931.
Granateae p. 438.
 Gratiola L. 4376.
 Grewia Juss. 6562—6563.
 Grislea Löffl. 7174.
 Gronovia L. 5727.
Gronoviae p. 278.
 Guaiacum Plum. 6939.
 Gustavia L. 7238.
 Gymnocladus Lam. 8091.
 Gynandropsis DC. 5589—5591.
 Gypsophila L. 6250—6265.

H.

Hacquetia Neck. 4672.
 Halesia L. 4588.
 Halimodendron Fisch. 7809.
 Halleria L. 4359.
 Hallia Thunb. 7538.
HALORAGEAE p. 430.
 Haloragis Forst. 7164.
 Haplophyllum Adr. Juss. 6931.
 Hardenbergia Benth. 8032—8033.
 Hariota DC. 5940.
 Hasselquistia L. 4857—4858.
 Hedeoma Pers. 3675.
 Hedera Sw. 4935—4937.
 Hedysarum L. 8006—8009.
 Helianthemum Tourn. 5647—5659.
 Helicteres L. 6505—6506.
 Heliocarpus L. 6541.
 Heliotropium L. 3939—3942.
 Helleborus Adans. 5227—5238.

Helosciadium Koch. 4696—4698.
 Hepatica Dill. 5180.
 Heracleum L. 4842—4855.
 Hermannia L. 6523—6533.
 Herniaria Tourn. 6154—6155.
 Herpestes Gärtn. 4375.
 Hesperis L. 5482—5484.
 Heteropterys H. B. K. 6637—6640.
 Heuchera L. 5065—5071.
 Hexacentris Nees. 4426.
 Hibbertia Andr. 5128—5129.
 Hibiscus L. 6440—6457.
 Himeranthus Endl. 4249.
Hippocastaneae p. 378.
 Hippocrepis L. 7979—7983.
 Hippuris L. 7163.
 Hiptage Gärtn. 6636.
 Hoitzia Juss. 4116.
 Holmskioldia Retz. 3829.
 Holosteum L. 6196.
 Horminum L. 3653.
 Hosackia Dougl. 7763—7764.
 Hosta Jacq. 3891.
 Hoteia Morr. et Dec. 5074.
 Hovea R. Br. 7529.
 Hulthemia Dumort. 7362.
 Hunnemannia Sweet. 5355.
 Hura L. 6819.
 Hydrangea L. 5079—5080.
Hydrangeae p. 196.
 Hydrocotyle Tourn. 4662—4664.
HYDROPHYLLEAE p. 71.
 Hydrophyllum Tourn. 4119—4120.
 Hymenanchera R. Br. 5682.
 Hyoscyamus Tourn. 4162—4168.
 Hypecoum Tourn. 5359.
HYPERICINEAE p. 366.
 Hypericum L. 6574—6594.
 Hyptis Jacq. 3568—3569.
 Hyssopus Benth. 3673.

J.

Jacksonia Benth. 7520.
 Jacquinia L. 4572.
 Jambosa Rumph. 7236.
 Jatropha Kunth. 6832.
 Iberis L. 5455—5462.

Ilex L. 6711—6713.
ILICINEAE p. 382.
Illicieae p. 203.
Illicium L. 5126—5127.
Impatiens L. 7072—7078.
Incarvillea Juss. 4485.
Incarvilleae p. 111.
Indigofera L. 7780—7781.
Inga Plum. 8183—8186.
Jonidium Vent. 5681.
Isatis L. 5538—5543.
Isardia DC. 7101.
Isopyrum L. 5239—5240.
JUGLANDEAE p. 397.
Juglans L. 6867—6869.
Jussieuia L. 7097—7100.
Justicia Nees. 4466—4472.

K.

Kadsura Juss. 5117.
Kakile Tourn. 5477.
Kalanchoë Adans. 4984—4985.
Kallströmia Scop. 6933.
Kalmia L. 4648—4649.
Karwinskia Zucc. 6737.
Kennedyia Vent. 8027.
Kerria DC. 7459.
Kigellaria L. 5688.
Kitaibelia Willd. 6373.
Knowltonia Salisb. 5181.
Koelreuteria Lam. 6664.
Kotschya Endl. 7990.
Kruberia Hoffm. 4795.
Kundmannia Scop. 4748.
Kydia Roxb. 6539.

L.

LABIATAE p. 1.
Lablab Adans. 8057.
Lagerströmia L. 7175—7176.
Lagoecia L. 4913.
Lagonychium Bieb. 8132.
Lagunea Cav. 6502—6503.
Lamium L. 3746—3750.
Lantana L. 3879—3890.

Laserpitium Tourn. 4868—4876.
Lathyrus L. 7921—7949.
Lavandula L. 3570—3574.
Lavatera L. 6374—6389.
Lebeckia Thunb. 7563.
Lecythideae p. 438.
Lecythis Löffl. 7239.
Ledocarpeae p. 414.
Ledocarpon Desf. 7023.
Leea L. 4949—4950.
Leonotis Pers. 3814.
Leontice L. 5307.
Leonurus L. 3751—3756.
Lepechinia Willd. 3783.
Lepidium R. Br. 5525—5534.
Lepismium Pfeiff. 5936—5939.
Leptocyamus Benth. 8034.
Leptospermeae p. 432.
Leptospermum Forst. 7216—7219.
Lepyrodiclis Fenzl. 6183.
Lespedeza L. C. Rich. 8020.
Lessertia DC. 7816.
Leucas R. Br. 3811—3813.
Leucocarpus Don. 4374.
Leucolaena R. Br. 4666.
Leucopogon R. Br. 4592—4594.
Levisticum Koch. 4797.
Libanotis Crantz. 4764—4768.
Ligusticum Koch. 4780—4785.
LIMNANTHEAE p. 420.
Limnanthes R. Br. 7083.
Linaria Tourn. 4304—4318.
LINEAE p. 415.
Linum L. 7024—7033.
Lippia L. 3856—3857.
Liriodendron L. 5124.
Lissanthe R. Br. 4591.
Lithospermum Tourn. 3968—3975.
LOASEAE p. 277.
Loddigesia Sims. 7562.
Lopezia Cav. 7158—7159.
Lophanthus Benth. 3711—3715.
Lophospermum Don. 4325.
Lophostemon Schott. 7179—7180.
LORANTHACEAE p. 180.
Lotus L. 7745—7758.
Louraea Neck. 7991.
Luffa Tourn. 5742—5744.
Lunaria L. 5413—5414.

Lupinus Tourn. 7546—7561.
 Lychnis Tourn. 6352—6357.
 Lycium L. 4250—4254.
 Lycopersicum Tourn. 4239—4243.
 Lycopsis L. 3984—3985.
 Lycopus L. 3587—3589.
 Lysimachia Mönch. 4555—4562.
 LYTHRARIEAE p. 430.
 Lythrum L. 7169—7172.

M.

Macleya R. Br. 5332.
 Magnolia L. 5119—5123.
 MAGNOLIACEAE p. 202.
Magnoliaceae p. 202.
 Magydaris Koch. 4921.
 Mahernia L. 6534.
 Majorana Mönch. 3659.
 Malachra L. 6487—6489.
 Malcolmia R. Br. 5479—5481.
 Mallea Adr. Juss. 6611.
 Malpighia L. 6645—6651.
 MALPIGHIACEAE p. 374.
 Malva L. 6399—6415.
 MALVACEAE p. 346.
 Malvaviscus Dill. 6458—6459.
 Mamillaria Haw. 5768—5812.
 Mandragora Tourn. 4246—4248.
 Margyricarpus R. et Pav. 7437.
 Marrubium L. 3794—3804.
 Marsypianthus Mart. 3567.
 Martynia L. 4520—4522.
 Matthiola R. Br. 5372—5376.
 Mattia Schult. 4013—4016.
 Maurandia Orteg. 4322—4324.
 Mazus Lour. 4365.
 Meconopsis Vig. 5336.
 Medicago L. 7620—7661.
 Melaleuca L. 7186—7200.
 Melampyrum L. 4422.
 Melandrium Roehl. 6345—6348.
 Melanoselinum Hoffm. 4877.
 Melia L. 6609—6610.
 MELIACEAE p. 371.
Meliantheae p. 406.
 Melianthus Tourn. 6940—6941.
 Melicope Forst. 6906.

Melilotus Tourn. 7678—7687.
 Melissa L. 3681—3691.
 Melittis L. 3744.
 Melocactus Tourn. 5763—5767.
 Melochia L. 6519.
 Melothria L. 5732.
 MENISPERMEAE p. 200.
 Menispermum Tourn. 5110—5111.
 Menonvillea CC. 5473—5474.
 Mentha L. 3580—3586.
 Mentzelia L. 5721—5723.
 Menziesia Sm. 4634.
 Mercurialis L. 6822—6824.
 MESEMBRIANTHEMEAE p. 301.
 Mesembryanthemum L. 6013—6124.
 Mespilus Lindl. 7271—7272.
 Messerschmidtia Röm. et Schult. 3937—3938.
 Metrosideros R. Br. 7214.
 Meum Tourn. 4790—4791.
 Micromeria Benth. 3676—3680.
 Mimosa L. 8139—8141.
 MIMOSEAE p. 523.
 Mimulus L. 4368—4373.
 Mimusops L. 4580.
 Mirbelia Smith. 7528.
 Modecca L. 5720.
 Modiola Mönch. 6429.
 Moehringia L. 6194—6195.
 Mollugo L. 6152.
 Molopospermum Koch. 4912.
 Molucella L. 3827—3828.
 Momordica L. 5740—5741.
 Monarda L. 3646—3647.
 Monardella Benth. 3656.
 Monocera Jack. 6565—6566.
 Monsonia L. f. 6985.
 Moricandia DC. 5563.
 Moringa Juss. 8130.
Moringaceae p. 523.
 Moschosma Reichb. 3558—3559.
 Mozinna Orteg. 6837.
 Mundia Kunth. 6685.
 Muraltia Neck. 6684.
 Murraya Kön. 6603.
 Murueña Tourn. 5718.
 Myagrum Tourn. 5546.

MYOPORINEAE p. 51.
Myoporum Banks et Sol. 3920—3924.
Myosotis L. 3996—4003.
Myosurus Dill. 5184.
Myricaria Desv. 6597—6598.
Myrsine L. 4567—4568.
MYRSINEAE p. 121.
MYRTACEAE p. 431.
Myrteae p. 436.
Myrtus Tournef. 7231—7232.

N.

Nandina Thunb. 5330.
Nasturtium R. Br. 5380—5385.
Naumburgia Mönch. 4554.
Negundo Mönch. 6635.
Nemesia Vent. 4301—4302.
Nemophila Bart. 4122—4126.
Nepeta Benth. 3716—3719.
Nephelium L. 6663.
Nesaea Commers. 7168.
Neslia Desv. 5545.
Nicandra Adans. 4171.
Nicotiana L. 4139—4149.
Nierembergia Ruiz et Pav. 4136—4137.
Nigella Tourn. 5242—5246.
Nissolia Jacq. 8025.
Nitraria L. 6715.
Nitrariaceae p. 383.
Nolana L. 4085—4087.
Nolanaceae p. 67.
Noltea Reichb. 6738.
Nonnea Med. 3979—3983.
Notorhizeae p. 250.
Nuphar Sm. 5621—5624.
Nymphaea Neck. 5615—5620.
NYMPHAEACEAE p. 267.

O.

Ochradenus Del. 5608.
Ocimum L. 3554—3557.
Odontarrhena C. A. Mey. 5431—5435.
Odontonema Nees. 4455.
Oenanthe Lam. 4735—4744.

Oenothera L. 7106—7121.
OENOTHEREAE p. 421.
Oligomeris Camb. 5613.
Omalthus Adr. Juss. 6820.
Omphalodes Tourn. 4011.
Onobrychis Tourn. 8010—8019.
Ononis L. 7565—7576.
Onosma L. 3947—3950.
Opopanax Koch. 4802.
Opuntia Tourn. 5941—6007.
Origanum L. 3657—3658.
Orlaya Hoffm. 4878.
Ornithopus L. 7977—7978.
Orobis Tourn. 7950—7961.
Orthoploceae p. 258.
OXALIDEAE p. 416.
Oxalis L. 7034—7071.
Oxylobium Andr. 7516—7517.
Oxytropis DC. 7825—7829.

P.

Pachira Aubl. 6504.
Pachypleurum Ledeb. 4796.
Pachypodium Webb. et Berth. 5485—5486.
Pachysandra Michx. 6861.
Paederota L. 4419.
Paeonia L. 5291—5305.
Palavia Cav. 6372.
Paliurus Tourn. 6716.
Panax L. 4931.
Papaver Tourn. 5337—5346.
PAPAVERACEAE p. 232.
Papavereae p. 232.
PAPAYACEAE p. 278.
PAPILIONACEAE p. 464.
Paritium Adr. Juss. 6465.
Parkinsonia Plum. 8097.
Paronychia Juss. 6156—6159.
Paronychieae p. 320.
Passiflora Juss. 5689—5717.
PASSIFLOREAE p. 274.
Pastinaca Tourn. 4838—4841.
Patagonula Löffl. 3928.
Pavonia Cav. 6431—6439.
PEDALINEAE p. 117.
Pedilanthus Neck. 6753—6754.
Peganum L. 6923.

Pelargonium Herit. 6986—7012.
Pelethanthus Endl. 4451.
Peltaria L. 5438.
Pentapetes L. 6535.
Pentastemon Herit. 4335—4345.
Pereskia Plum. 6008—6012.
Perilla L. 3578.
Peristrophe Nees. 4479—4480.
Pernettya Gaud. 4641.
Petiveria Plum. 6363—6364.
Petrocoptis A. Braun. 6351.
Petroselinum Hoffm. 4693.
Petunia Juss. 4138.
Peucedanum L. 4811—4835.
Phaca L. 7821—7824.
Phacelia Juss. 4131—4134.
Pharbitis Juss. 4077—4084.
Phaseolus L. 8044—8052.
PHILADELPHEAE p. 420.
Philadelphus L. 7084—7093.
Philippodendreae p. 361.
Philippodendron Poit. 6540.
Phlomis L. 3815—3826.
Phlox L. 4089—4095.
Photinia Lindl. 7285.
Phylla L. 6743.
Phyllanthus Swartz. 6847—6856.
Physalis L. 4172—4180.
Physolobium Benth. 8031.
Physospermum Cass. 4924—4925.
Physostegia Benth. 3745.
Phytolacca Tourn. 6370—6371.
PHYTOLACCACEAE p. 344.
Pimpinella L. 4713—4719.
Piscidia L. 8068.
Pistacia L. 6871—6874.
Pisum Tourn. 7880—7882.
PITTOSPOREAE p. 380.
Pittosporum Sol. 6686—6690.
Plagiobothrys Fisch. et Mey. 3994.
Platycarpum Hb. et Bonpl. 4495.
Platystemon Benth. 5357—5358.
Platystigma Benth. 5356.
Plectranthus L'Herit. 3560—3563.
Pleurorhizeae p. 239.
Pleurospermum Hoffm. 4923.
Pocockia Ser. 7677.
Podophyllum L. 5306.
Pogostemon Desf. 3575.

Polanisia Raf. 5595—5596.
POLEMONIACEAE p. 67.
Polemonium Tourn. 4110—4115.
Polycarpaea Lam. 6162—6163.
Polycarpon Löffl. 6161.
Polygala L. 6677—6683.
POLYGALEAE p. 379.
POMACEAE p. 438.
Pomaderris Labill. 6748—6751.
Porana Burm. 4038.
Porlieria Ruiz et Pav. 6938.
Portulaca Tourn. 6132—6135.
Portulacaria Jacq. 6136.
PORTULACEAE p. 316.
Potentilla Nestl. 7387—7415.
Poterium L. 7432—7436.
Prasium L. 3830.
Preslia Fres. 3579.
Primula L. 4528—4545.
PRIMULACEAE p. 117.
Prinos L. 6714.
Priva Adans. 3875—3877.
Prunella L. 3694—3696.
Prunus L. 7479—7508.
Psidium L. 7225—7230.
Psilonema C. A. Mey. 5426—5427.
Psoralea L. 7768—7779.
Ptelea L. 6902.
Pterocarya Kunth. 6870.
Pterospermum Schreb. 6538.
Ptychotis Koch. 4699—4701.
Pulmonaria Tourn. 3965—3966.
Pultenaea Smith. 7524—7527.
Punica Tourn. 7240.
Putterlickia Endl. 6697.
Pycnanthemum Benth. 3654—3655.
Pyrus L. 7244—7270.

Q.

Quamoclit Tourn. 4068—4072.

R.

Radiusia Reichenb. 8076—8077.
Ramondia L. C. Rich. 4423.

RANUNCULACEAE p. 204.
Ranunculus C. Bauh. 5185-5216.
Raphanistrum Tourn. 5583.
Raphanus Tourn. 5584.
Rapistrum Boerh. 5580-5581.
Reaumuria Hasselq. 6596.
REAUMURIACEAE p. 369.
Reevesia Lindl. 6507.
Reseda L. 5609-5612.
RESEDACEAE p. 266.
Retama Boiss. 7596-7597.
RHAMNEAE p. 383.
Rhamnus Juss. 6720-6736.
Rhaphiolepis Lindl. 7286-7287.
Rhigozum Burch. 4492.
Rhinacanthus Nees. 4473.
Rhipsalis Gärt. 5922-5935.
Rhodochiton Zucc. 4326.
Rhododendreae p. 133.
Rhododendron L. 4651-4660.
Rhodora L. 4661.
Rhodotheramnus Reichb. 4650.
Rhus L. 6880-6894.
Rhynchosia DC. 8061-8065.
Ribes L. 5085-5108.
RIBESACEAE p. 197.
Ricinus Tourn. 6836.
Riedleia Vent. 6520-6522.
Rindera Pall. 4012.
Rivina L. 6365-6369.
Robinia L. 7793-7795.
Robsonia Berl. 5109.
Rochea DC. 4981-4983.
Rochelia Reichb. 4033.
Roemeria Medik. 5347.
Rosa Tourn. 7313-7361.
ROSACEAE p. 445.
Roseae p. 445.
Rosmarinus L. 3645.
Royena L. 4584-4586.
Rubus L. 7363-7378.
Ruellia L. 4433-4437.
Rulingia R. Br. 6515-6516.
Rumia Hoffm. 4687.
Russelia Jacq. 4346-4347.
Ruta Tourn. 6925-6930.
RUTACEAE p. 405.
Rymia Endl. 4583.

S.

Sageretia Brongn. 6719.
Sagina L. 6169-6171.
Salvia L. 3590-3644.
Samolus Tourn. 4566.
Sanguisorba L. 7428-7431.
Sanicula Tourn. 4670-4671.
SAPINDACEAE p. 376.
Sapindus L. 6661-6662.
Sapium Jacq. 6821.
Saponaria L. 6266-6272.
SAPOTACEAE p. 122.
Saracha Ruiz et Pav. 4181-4182.
Sarothamnus Wimm. 7579.
Sarracenia L. 5625-5628.
Sarraceniseae p. 268.
Satureja L. 3666-3672.
Saxifraga L. 5044-5065.
SAXIFRAGACEAE p. 191.
Saxifrageae p. 191.
Scandix Gärt. 4889-4894.
Schaueria Nees. 4456.
Schinus L. 6875.
SCHIZANDRACEAE p. 202.
Schizanthus Ruiz et Pav. 4329.
Schizopetaleae p. 263.
Schizopetalon Hook. 5588.
Schotia Jacq. 8120-8121.
Schrankia Willd. 8136.
Schultzia Spr. 4704.
Schwabea Endl. 4450.
Scleranthaeae p. 323.
Scleranthus L. 6168.
Scoparia L. 4384.
Scopolia Jacq. 4170.
Scorpiurus L. 7962-7964.
Scrophularia L. 4288-4299.
SCROPHULARINEAE p. 86.
Scutellaria L. 3697-3709.
Sedum L. 4999-5025.
Seguieria Löffl. 6362.
SELAGINEAE p. 50.
Selinum Hoffm. 4798.
Sempervivum L. 5026-5040.
Senbiera Poir. 5587.
Septas L. 4966.
Serjania Plum. 6660.

Sesameae p. 111.
Sesamum L. 4482.
Sesbania Pers. 7796—7799.
Seseli L. 4749—4763.
Sesuvium L. 6131.
Sicyos L. 546.
Sida Kunth. 6473—6486.
Sideritis L. 3785—3793.
Sieversia Willd. 7443—7444.
Silans Bess. 4786—4789.
Silene L. 6274—6344.
Sileneae p. 329.
Siler Scop. 4864.
Sinapis L. 5556—5560.
Sisymbrium L. 5487—5499.
Sium Koch. 4721—4724.
Smyrnum Lag. 4926—4927.
Solandra Swartz. 4160—4161.
SOLANACEAE p. 72.
Solanum L. 4189—4238.
Soldanella Tourn. 4552.
Solenanthus Ledeb. 4016.
Sollya Lindl. 6692.
Sophora L. 8073—8075.
Soulangia Brongn. 6746.
Spananthe Jacq. 4669.
Sparmannia Thunb. 6544.
Spartium L. 7578.
Spergula L. 6166.
Spergularia Pers. 6164—6165.
Sphacele Benth. 3782.
Sphaeralcea St. Hil. 6426—6428.
Sphaerostemma Blum. 5118.
Sphaerostigma Ser. 7102—7105.
Sphenotoma R. Br. 4602.
Spielmannia Med. 3878.
Spiraea L. 7460—7474.
Spirolobae p. 263.
Stachys Benth. 3759—3781.
Stalagmites Murr. 6573.
Staphylea L. 6695—6696.
STAPHYLEACEAE p. 381.
Steenhammera Reichb. 3967.
Stellaria L. 6197—6200.
Stemodia L. 4362.
Stenanthera R. Br. 4589.
Stenochilus R. Br. 3925—3926.
Sterculia L. 6508—6510.
STERCULIACEAE p. 357.

II.

Sterigma DC. 5547.
Steriphoma Spr. 5607.
Streblorhiza Endl. 7819.
Streptocarpus Lindl. 4498.
Stuartia L. 6567.
Styphnolobium Schott. 8081.
STYRACEAE p. 124.
Styrax Tourn. 4587.
Succowia Med. 5570.
Sutherlandia R. Br. 7817.
Swainsona Salisb. 7815.
Symphytum L. 4004—4006.
Syrenia Andr. 5522.

T.

Talinum Adans. 6142—6144.
Tamarindus L. 8099.
TAMARISCINEAE p. 369.
Tamarix L. 6599—6600.
Tasmannia R. Br. 5125.
Tecoma Juss. 4487—4491.
Teedia Rud. 4360.
Telephium Tourn. 6160.
Tellima R. Br. 5072.
Templetonia R. Br. 7537.
Tephrosia Pers. 7790—7792.
TERNSTRÖMIACEAE p. 365.
Tetragonia L. 6125—6126.
Tetragonolobus Scop. 7759—7760.
Tetrapoma Turcz. 5452.
Teucrium L. 3832—3850.
Thalictrum L. 5149—5171.
Thapsia Tourn. 4866—4867.
Thaspium Nutt. 4774.
Thea L. 6571.
Theophrasta Juss. 4573.
Thermopsis R. Br. 7510—7511.
Thibaudia Pav. 4647.
Thisantha Eckl. et Zeyh. 4980.
Thlaspi Dill. 5453—5454.
Thomasia Gay. 6511—6513.
Thunbergia L. 4424—4425.
Thymus L. 3660—3665.
Thysanocarpus Hook. 5544.
Tiarella L. 5073.
Tiaridium Lehm. 3943.
Tilia L. 6556—6561.

TILIACEAE p. 361.*Toddalia* Juss. 6900—6901.*Tordylium* Tourn. 4859—4862.*Torilis* Spr. 4884—4888.*Tournefortia* R. Br. 3933—3936.*Trachystemon* Don. 4007.*Trautvetteria* Fischer et Meyer. 5286.*Trevirana* Willd. 4512.*Triaenodendron* Endl. 8090.*Trianthema* Sauv. 6130.*Tribulus* Tourn. 6932.*Trichasma* Walp. 7598.*Trichodesma* R. Br. 4010.*Trichosanthes* L. 5745.*Trifolium* Tourn. 7688—7743.*Trigonella* L. 7662—7676.*Trinia* Hoffm. 4694—4695.*Triphasia* Lour. 6601.*Tripinnaria* Pers. 4519.*Tristania* R. Br. 7178.*Triumfetta* Plum. 6554—6555.*Trollius* L. 5223—5225.**TROPEOLEAE** p. 419.*Tropaeolum* L. 7080—7082.*Trymalium* Fenzl. 6752.*Turbith* Tausch. 4779.*Turgenia* Hoffm. 4883.*Turnera* Plum. 5684—5686.**TURNERACEAE** p. 274.*Turritis* Dill. 5388—5390.*Tylanthus* Reiss. 6744—6745.**U.***Ulex* L. 7577.**UMBELLIFERAE** p. 135.*Umbilicus* DC. 4993—4995.*Urena* L. 6430.*Uvaria* L. 5114.**V.***Vaccaria* Med. 6273.*Vaccinieae* p. 133.*Vacholia* W. et Arn. 8182.*Vandellia* L. 4377—4379.*Verbascum* L. 4271—4280.*Verbena* L. 3858—3874.**VERBENACEAE** p. 45.*Veronica* L. 4385—4418.*Vesicaria* Lam. 5421—5424.*Vestia* Willd. 4270.*Vicia* Tourn. 7890—7920.*Viminaria* Smith. 7521.*Viola* L. 5660—5680.**VIOLARIEAE** p. 271.*Virgilia* Lam. 8078—8079.*Viscaria* Roehl. 6350.*Viscum* Tourn. 4964.*Vitex* L. 3892—3894.*Vitis* L. 4943—4948.*Voandzeia* Thouar. 8058.**W.***Waldsteinia* Willd. 7440.*Walpersia* Reiss. 6742.*Westringia* Smith. 3710.*Wistaria* Nutt. 8041—8042.*Withania* Pauq. 4245.*Wulfenia* Jacq. 4420.**Z.****ZANTHOXYLEAE** p. 402.*Zanthoxylum* L. 6898—6899.*Zehneria* Endl. 5733.*Zichya* Hüg. 8028—8030.*Zieria* Smith. 6907—6908.*Zizia* Koch. 4689—4691.*Zizyphora* L. 3649—3652.*Zizyphus* Tourn. 6717.*Zozimia* Hoffm. 4856.**ZYGOPHYLLEAE** p. 405.*Zygophyllum* L. 6935—6937.



3 2044 10